

Herald — Fixed

Herald — Fixed

Field	Value
Revision	1
Created	2026-05-20
Last modified	2026-05-20
Status	active
Status summary	Retrospective tracker established 2026-05-20 (V3 r3) for spec-revision work HRD-001..HRD-006 already shipped. Going forward every closed item migrates here from <code>Issues.md</code> per Universal §11.4.19 atomic-migration mandate.
Issues	n/a (see <code>Issues.md</code>)
Issues summary	—
Fixed	HRD-001..HRD-006 (six items retroactively recorded)
Fixed summary	V1 MVP authoring → V2 architecture (3 revisions) → V3 operator-product (2 revisions); ~3900 lines of spec across V1+V2+V3; all commits pushed to all four Herald mirrors.
Continuation	regenerate <code>Fixed_Summary.md</code> whenever this file changes; manual until the auto-sync wrapper exists.

Table of contents

- [Recently fixed](#)
- [HRD-001 — V1 MVP specification](#)
- [HRD-002 — V2 r1 architecture](#)
- [HRD-003 — V2 r2 self-review](#)
- [HRD-004 — V2 r3 self-review](#)
- [HRD-005 — V3 r1 operator-product layer](#)
- [HRD-006 — V3 r2 flavor refinement](#)

Recently fixed

ID	Type	Criticality	Title	Closed	Commit	Reference
HRD-006	task	middle	V3 r2 — refine 9 flavors for richer channel interaction	2026-05-20	f8b8073	spec V3 §30.7
HRD-005	task	middle	V3 r1 — operator-product layer (§31..§36 + §18.2 expansion)	2026-05-20	e26a8dc	spec V3 §30.6
HRD-004	task	middle	V2 r3 — define remaining Go types + operational ops (workers, hot-reload, API paths, ...)	2026-05-20	f4ebba1	archived V2 §30.5
HRD-003	task	middle	V2 r2 — close prose ^[?] definition gaps; add operational guidance (quickstart, DR, retention, costs)	2026-05-19	9648545	archived V2 §30.1
HRD-002	task	middle	V2 r1 — architectural authoring (CloudEvents, Watermill, OTel, RLS, SLSA, 9 flavors)	2026-05-19	96b7cc6	archived V2 §29
HRD-001	task	middle	V1 — initial MVP specification + Review section + Recommendations	2026-05-19	b421fe1 (and earlier)	archive V1 §"Review"

HRD-001 — V1 MVP specification

Outcome: authored the initial Herald MVP spec covering Upstreams, Mission, Execution Model, Constitution Integration, Workable-item prefix, Technology stack, Commons + Messaging + Subscribers + APIs, Project Herald + System Herald + Future flavors, Documentation, Testing. Closing Review section with 22 findings (R-01..R-22) catalogued for later passes. Renamed to `specification.V1.md` at the V2 supersession point; preserved in `docs/specs/mvp/archive/`.

HRD-002 — V2 r1 architecture

Outcome: introduced V2 superseding V1. Adopted CloudEvents v1.0 wire format, Watermill routing, Postgres + River queue (NATS opt-in), Apprise-style URL+tag channel addressing, Knock-style preference matrix, OpenTelemetry observability, Postgres RLS multi-tenancy, SLSA L3 supply-chain stack, MJML email templates, nicksnyder/go-i18n for i18n. Filled in every V1 TBD; added seven flavors beyond pherald+sherald (bherald, dherald, aherald, scherald, iherald, rherald, cherald).

HRD-003 — V2 r2 self-review

Outcome: closed V1's V2-R-01..V2-R-14 — defined missing tables (webhook_sources / channel_addresses / thread_refs / quarantined_messages), pinned Go ≥ 1.22 + license, added §16.1 Data retention + GDPR, §17.1 OTel env-var table, §26.5 Operator quickstart, §26.6 Disaster recovery, §27.3 Cost considerations.

HRD-004 — V2 r3 self-review

Outcome: closed V3-R-01..V3-R-12 — added remaining Go type definitions (Subscriber, CloudEventEnvelope, TraceContext, Branding, ChannelID, PreferenceSet), §9.6 Database migration tooling, §3.4 Worker pools + SIGHUP hot-reload, §5.7 Ingress API URLs, §7.5 AI-agent subscribers, §8.3 Workable-item lifecycle, §11.14 null:// sandbox channel, §17.4.1 Per-channel SLO budgets, §24.1 Machine-readable API specs, §5.4.1 Outbound idempotency, §3.5 Time/clock abstraction.

HRD-005 — V3 r1 operator-product layer

Outcome: authored V3 superseding V2. New top-level sections §31 Project integration contract, §32 Inbound processing pipeline (30 s poll + FIFO + 7 worker stages + 4-layer anti-spam), §33 LLM/agent dispatch (Claude Code session-resolution + <<<HERALD-DISPATCH-v1>>> envelope), §34 Reply protocol (queued→processing→result tri-stage), §35 Versioned reports with Git linkage, §36 Multi-format outbound attachments (.md + .html + .pdf + .docx). Expanded §18.2 Project Herald with §18.2.1..§18.2.5 Investigation-before-Fixing flow + criticality + type classification + attachment storage at issues/users/attachments/<WORKABLE_ITEM_ID>/.

HRD-006 — V3 r2 flavor refinement

Outcome: refined every non-herald flavor for richer channel interaction. §18.1.1 cross-flavor primitives (slash/prefix command palette, 9-emoji reaction set, interactive buttons, modal forms, thread/forum-topic affinity, capability-degradation rule). §18.2.6..§18.10.1 per-flavor channel-interaction tables documenting buttons / reactions / slash commands / modals / threads tuned to each flavor's use case. Archived V2 to docs/specs/mvp/archive/.