

Herald — Issues

Herald — Issues

Field	Value
Revision	1
Created	2026-05-20
Last modified	2026-05-20
Status	active
Status summary	Pre-implementation tracker established 2026-05-20 (V3 r3). Workable-item prefix HRD– per spec §8.1. First six spec-revision items retroactively recorded in Fixed.md.
Issues	HRD-007
Issues summary	one open: V3 r3 cross-doc sync — closed by the same commit that introduces this file.
Fixed	HRD-001..HRD-006 (see Fixed.md)
Fixed summary	V1 + V2 (r1/r2/r3) + V3 (r1/r2) spec-revision work landed across commits b421fe1 → f8b8073.
Continuation	First-implementation cycle starts here. New items (HRD-008+) opened as work begins; per Universal §11.4.12, every commit that introduces a non-trivial change MUST reference its HRD– id.

Table of contents

- [Format and scope](#)
- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Format and scope

Issues.md is the canonical open-work tracker for the Herald repository (per Universal Constitution §11.4.12 + §11.4.15 + §11.4.16). Every entry has:

- **ID** — HRD–NNN, zero-padded, monotonic per project (per spec §8.1).

- **Type** — one of bug | issue | task | implementation | investigation | query | request (per Universal §11.4.16; spec §32.6).
- **Status** — open | in_progress | blocked | operator-blocked (per Universal §11.4.15 / §11.4.21).
- **Criticality** — critical | high | middle | low (per spec §18.2.2).
- **Opened** — ISO 8601 date.
- **Last update** — ISO 8601 date; the auto-bump script updates this whenever the row changes.
- **Reference** — link to investigation doc / PR / external tracker.

When an item is resolved its row migrates atomically (per Universal §11.4.19) from this file into `Fixed.md`.

Open

(none — first-implementation cycle has not started)

In progress

ID	Type	Status	Criticality	Title	Opened	Last update	Reference
HRD-007	task	in_progress	middle	V3 r3 cross-doc sync (this file + parent-doc path refs + full re-export)	2026-05-20	2026-05-20	spec §30.8

Blocked

(none)

Conventions

- New items: append to the **Open** section; allocate next sequence via the `workable_items` schema (spec §8.3) once that schema exists; for now, manually increment.
- Status transitions: edit row in place; **Last update** MUST move; status vocabulary follows Universal §11.4.15 + §11.4.33.
- Closure: move the row atomically (one commit) from `Issues.md` to `Fixed.md` (per Universal §11.4.19); record closure date + outcome.

- Reopens: per Universal §11.4.55 — move back to `Issues.md` with `status=in_progress` and create / append to `Reopens/<HRD-NNN>.md`.
- Sync to summary: `Issues_Summary.md` is regenerated whenever this file changes (per Universal §11.4.12).
- Diary/exports: `.html` + `.pdf` siblings stay in sync via Pandoc + WeasyPrint (per Universal §11.4.61 + §11.4.65).