

Herald



Herald — Issues

Field	Value
Revision	26
Created	2026-05-20
Last modified	2026-05-28
Status	active
Status summary	r26 (v0.6.0 Wave 7 T8 — spec V3 r12→r13) marks HRD-117 Open→in_progress. Spec edits document the already-shipped Wave 7 framework + Slack: §11.0 gains the inbound-runtime extension note (<code>commons_messaging/channels.Channel</code> embeds <code>commons.Channel</code> + <code>SendReplyGeneric</code> + <code>BotSelfIdentity</code> + <code>DownloadAttachment</code> + <code>init()</code> -registered registry + generalized <code>IsSelfEcho</code> via <code>SelfIdentity{Kind: IdentityUsername</code>
Issues	HRD-008, HRD-015, HRD-019..HRD-025, HRD-029..HRD-056, HRD-081, HRD-085..HRD-090, HRD-115, HRD-116, HRD-117, HRD-131 37 open / in-progress workable items. r17 (v1.0.0 Batch A): HRD-018 (<code>commons_constitution</code> package — <code>Evaluator+emit+migrations+bundle-hash+mode-ladder</code> , completing the <code>constitution_audit</code> write-through that was the remaining §107 PASS-bluff: <code>RunOutcome.Audited</code> set true with nothing persisted), HRD-026 (<code>bundle-hash</code> now persisted on every emitted event AND audit row for replay), HRD-027 (<code>mode-ladder</code> runtime config + 3 admin REST endpoints <code>GET/PUT /v1/compliance/modes[:rule_id]</code>) closed atomically Task→done, migrated Issues→Fixed per §11.4.19. Evidence docs/qa/HRD-018-20260527T142556Z/ (real-PG emit→persist + admin-REST flip round-trips + §11.4.85 stress 512 emit→persist no-lost-writes + chaos 960 concurrent flips). Prior r16: HRD-122..HRD-130 (GAP-3 §11.4.85 stress+chaos suite) closed atomically as Completed + HRD-132 (Runner idempotency-window bug) closed as Fixed — 11 rows migrated Issues→Fixed; HRD-131 (SQLite SSoT migration Phase 1) remains OPEN (Phases 2-6 follow-on). r15: HRD-100 closed atomically (Wave 6 pherald inbound runtime — code-doc closure; live evidence operator-pending → T10b). r14: substrate upgrade only (Wave 4b TOON; no HRDs migrated). r12: HRD-016 closed atomically (Wave 3b pherald Runner live + e2e E37-E42 PASS or honest SKIP-with-reason when PG :24100 absent). r11: HRD-011 (Telegram live) closed atomically with live message_id=5 evidence. r10 doc-cleanup renumbered HRD-093 → HRD-099. r9: HRD-028 + HRD-098 closed (Wave 3a). Carry-over to Wave 3c: HRD-024 (iherald paging), HRD-033
Issues summary	

Field	Value
	(destructive-guard body), HRD-018..027 flavor-specific bindings, plus the rest of the §43 command catalogue.
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-016, HRD-017, HRD-018, HRD-026, HRD-027, HRD-028, HRD-080, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100, HRD-110, HRD-111, HRD-112, HRD-113, HRD-114, HRD-122, HRD-123, HRD-124, HRD-125, HRD-126, HRD-127, HRD-128, HRD-129, HRD-130, HRD-132
Fixed summary	see <code>Fixed.md</code> .
Continuation	see <code>CONTINUATION.md</code> .

Table of contents

- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Open

Per Universal §11.4.74 every new row carries a Catalogue-Check line in its References cell (one of `reuse|extend|no-match <org/repo>@<sha>`). For HRDs whose catalogue-check is still pending, the row records `no-match (2026-05-20)` — operators reviewing the implementation PR will re-verify.

ID	Type	Status	Criticality	Title	Open
HRD-015	task	open	low	Inheritance gate I8 invariants for Go scaffold (go.work + commons/types.go + null adapter test passes)	2026-
HRD-019	task	in_progress	high	cherald constitution bindings — cherald/internal/bindings Pipeline registers the 32 cherald-owned §42.3 rules as concrete commons_constitution.Evaluator impls routed through 5 event classes (<code>.policy.violation/.gate.failed/.gate.recovered/</code> over the Batch-A emit+persist+audit foundation; <code>POST /v1/compliance/evaluate</code> write surface drives detect→emit→persist→audit, visible on the existing <code>GET /v1/compliance</code> pull surface. Vertical-slice bespoke detectors landed (§11.4.29 naming, §11.4.10/10.A credentials, §11.4.44 doc-revision-header, §11.4.18 script-docs, §11.4.73 spec-drift, §11.4.74 catalogue-miss); remaining 25 rules use the shared marker-check mechanism (verdict decided upstream by the §43 catalogue command / sweep) with the full emit-routing framework in place — deepening each remaining bespoke detector is per-rule follow-up. sherald host-safety + repo-safety constitution bindings — sherald/internal/bindings Pipeline registers the 15 sherald-owned §42.3 host/repo-safety rules (§2, §9.1/.2/.3, §11.4.24/.26/.32/.36/.41/.47/.71, §12.1/.2/.3/.6) as concrete	2026-
HRD-020	task	in_progress	high		2026-

ID	Type	Status	Criticality	Title	Open
HRD-021	task	in_progress	middle	commons_constitution.Evaluator impls routed through 6 SAFETY event classes (.host.safety.breach/.repo.safety.breach/.gate.recovered) over the Batch-A emit+persist+audit foundation, mirroring the proven HRD-019 cherald Pipeline pattern. The 3 named DETECTION hooks landed as REAL pure classifiers — destructive-op detector (§9.1: rm/git-reset/clean without backup → .repo.safety.breach), force-push interceptor (§11.4.41/§9.2: force-push without merge-first OR session-auth → .repo.safety.breach), mem-budget watcher (§12.6: reported used_fraction > 60% → .host.safety.breach) — plus forbidden-host-op (§12.1) + prereq-marker detectors for the remaining rows. CRITICAL §12-safety: every detector DETECTS+REPORTS from a Subject string description; NONE performs the destructive op, force-pushes, suspends the host, or allocates memory (the mem-budget watcher reads a fabricated fraction — no real exhaustion). The §43 command bodies (HRD-033/046/056) supply the live op-interception feeding these detectors. bherald CI/test bindings — bherald/internal/bindings Pipeline registers the 22 bherald-owned §42.3 CI/test gate-result rules (§1, §1.1, §11.4.2/.3/.4/.5/.7/.9/.13/.14/.24/.27/.30/.39/.43/.46/.48–.52/.67) as concrete commons_constitution.Evaluator impls routed through 3 event classes (.gate.failed/.gate.recovered via the build/test gate-result class + .policy.violation + .repo.safety.breach for the shared §11.4.30 build-artifact row) over the Batch-A emit+persist+audit foundation, mirroring the proven HRD-019/020 Pipeline pattern. bherald is the BUILD/CI flavor; it emits CI/test gate-result constitution events that integrate with the consuming project's CI workflow. 3 bespoke pure detectors landed: gate-result classification (§1/§11.4.50 — PASS/FAIL/flaky from a recorded gate outcome → .gate.failed/.gate.recovered), test-tier-verify (§11.4.27/§40.2 — the 8-tier test matrix; a missing tier FAILs), anti-bluff-PASS detection (§11.4.2/.5 — a gate that PASSes WITHOUT a captured-evidence artefact is a §11.4 PASS-bluff → FAIL). Remaining rows use the shared marker-check mechanism (verdict decided upstream by the §43 command/CI gate) with the full emit-routing framework in place. rherald release constitution bindings — rherald/internal/bindings Pipeline registers the 4 rherald-owned §42.3 release-lifecycle rules (§4 tag mirroring, §5 changelog + multi-format export [shared with cherald], §11.4.38 installable-asset evidence, §11.4.40 full-suite retest before release tag) as concrete commons_constitution.Evaluator impls routed through 2 event classes (.release.gate.blocked via the existing ReleaseEvent/ReleaseGateBlocked emitter	2026-
HRD-022	task	in_progress	middle		2026-

ID	Type	Status	Criticality	Title	Open
HRD-023	task	in_progress	middle	surface for §4/§11.4.38/§11.4.40 + .policy.violation for the shared §5 changelog row; a release recovery maps to the shared .gate.recovered companion since the release class family has no distinct "recovered" leaf) over the Batch-A emit+persist+audit foundation, mirroring the proven HRD-019/020/021 Pipeline pattern. rherald is the RELEASE flavor. 4 bespoke PURE detectors landed: tag-mirror-parity (§4 — tag present on parent but missing on any owned mirror, with_tag<mirrors, → .release.gate.blocked), changelog-conformance (§5 — non-Conventional-Commits changelog OR stale multi-format export → .policy.violation), pre-tag-retest-gate (§11.4.40 CRITICAL — tag attempted without a green all-8-§40.2-tier retest → .release.gate.blocked), installable-asset-evidence (§11.4.38 — release asset fails its install check → .release.gate.blocked). CRITICAL §12-safety: every detector CLASSIFIES a recorded release-op outcome string; NONE tags, pushes, force-pushes, runs git, downloads, or installs — the live release-op interception is scope-locked to the §43 follow-ups (HRD-031/032/045). pherald project bindings (§2 commit+push, §3 submodule propagation, §11.4.11/.15/.21/.22/.34/.37/.42/.55/.66/.71/.74) — Batch B: pherald/internal/bindings/ Pipeline + §42.3-owned rule set + 5 bespoke PURE detectors (commit-push-discipline / submodule-propagation-order / pre-push-fetch-guard / fetch-before-edit) wired through the commons_constitution Evaluator+audit foundation; -race -count=3 green, e2e E94. Live op-interception deferred to §43 HRD-029/030/043/044/049/053.	2026-
HRD-024	task	in_progress	middle	iherald constitution-rule escalation bindings (§11.4.10/.10.A credential-leak page-out, §11.4.21 + §11.4.66 operator-blocked escalation) — Batch B: iherald/internal/bindings/ Pipeline routing .credential.leak (forced-critical) + .policy.violation + 5 bespoke detectors wired through commons_constitution Evaluator+audit; -race -count=3 green, e2e E95, no-real-secret attestation. Live paging deferred to §43 / HRD-024-paging.	2026-
HRD-025	task	in_progress	low	scherald scheduled-audit bindings (§11.4.45 periodic Status.md sweep + daily/weekly/monthly compliance digest) — Batch B: scherald/internal/bindings/ Pipeline routing .policy.violation + 3 bespoke detectors (status-sweep / digest-cadence / stale-item) wired through commons_constitution Evaluator+audit; -race -count=3 green, e2e E96. Live cron/scheduler deferred to §43 HRD-047.	2026-
HRD-029	task	in_progress	middle	§2 pherald commit-push — single-entripoint locked commit + multi-mirror push — Batch C: implemented as gitops command (§11.4.74 wrap of git binary); --emit feeds HRD-023 binding; hermetic temp-repo tests -race green	2026-
HRD-030	task	in_progress	middle	§3 pherald submodule propagate — owned-submodule walk in propagation order — Batch C:	2026-

ID	Type	Status	Criticality	Title	Open
				implemented as gitops command (§11.4.74 wrap of git binary); --emit feeds HRD-023 binding; hermetic temp-repo tests -race green	
HRD-031	task	in_progress	middle	§4 rherald tag mirror — assert tag exists on every owned submodule — Batch C: implemented as rherald §43 release command (rherald/cmd/rherald/release_cmds.go) feeding the HRD-022 rherald binding; reuses shared commons/gitops; hermetic -race green	2026-
HRD-032	task	in_progress	low	§5 rherald changelog generate — Conventional Commits → docs/changelogs/<v>.md + multi-format export — Batch C: implemented as rherald §43 release command (rherald/cmd/rherald/release_cmds.go) feeding the HRD-022 rherald binding; reuses shared commons/gitops; hermetic -race green	2026-
HRD-033	task	in_progress	high	§9.1 sherard destructive guard <op> — wrap rm/git-reset/git-push-force with prerequisite checks — Batch C: implemented as sherard §43 command (sherard/cmd/sherard/sysops_cmds.go) feeding the HRD-020 sherard binding; PRE-FLIGHT GATE (detects+classifies+exits-nonzero, never performs the op); hermetic -race green; §107 lazy-verifier fix so the CLI runs without a JWT secret	2026-
HRD-034	task	in_progress	middle	§9.3 sherard backup-snapshot <target> — hardlinked snapshot helper — Batch C straggler: implemented in sherard/cmd/sherard/sysops_cmds.go (os.Link hardlinks, refuses overwrite, classifies §9.3 SubjectBackup → .gate.recovered); hermetic inode-equality -race green	2026-
HRD-035	task	in_progress	middle	§11.4.2 bherald evidence capture <test_id> — captured-evidence recorder — Batch C: implemented as bherald §43 build/CI command (bherald/cmd/bherald/build_cmds.go) feeding the HRD-021 bherald binding; hermetic -race green	2026-
HRD-036	task	in_progress	high	§11.4.10 cherald creds scan — gitleaks/trufflehog integration, emits .credential.leak — Batch C: implemented as cherald §43 verify/check command (cherald/cmd/cherald/checkops_cmds.go) feeding the HRD-019 cherald binding; detect-only; hermetic -race green (routed to §11.4.10 credential-leak; findings REDACTED — no secret value printed)	2026-
HRD-037	task	in_progress	low	§11.4.12 cherald docs sync — regen Issues_Summary / Fixed_Summary / Status_Summary — Batch C: implemented as cherald §43 docs-pipeline command (cherald/cmd/cherald/docops_cmds.go) feeding the HRD-019 cherald binding; detect-by-default + - - apply to regenerate; ships the §107 lazy-verifier fix so the CLI runs without a JWT secret; hermetic -race green	2026-
HRD-038	task	in_progress	low	§11.4.18 cherald script-docs check — assert sibling .md for every scripts/**/*sh — Batch C: implemented as cherald §43 verify/check command (cherald/cmd/cherald/checkops_cmds.go) feeding the HRD-019	2026-

ID	Type	Status	Criticality	Title	Open
HRD-039	task	in_progress	low	cherald binding; detect-only; hermetic -race green (routed to §11.4.60 — §11.4.62 has no cherald rule) §11.4.19 / .23 cherald fixed align + cherald colorize — Issues/Fixed format + HTML colorizer — Batch C: implemented as cherald §43 docs-pipeline command (cherald/cmd/cherald/docops_cmds.go) feeding the HRD-019 cherald binding; detect-by-default + --apply to regenerate; ships the §107 lazy-verifier fix so the CLI runs without a JWT secret; hermetic -race green	2026-
HRD-040	task	in_progress	high	§11.4.26 sherald constitution pull — wrap fetch + rebase + validation gate, emits .bundle.updated — Batch C: implemented as sherald §43 command (sherald/cmd/sherald/sysops_cmds.go) feeding the HRD-020 sherald binding; PRE-FLIGHT GATE (detects+classifies+exits-nonzero, never performs the op); hermetic -race green; §107 lazy-verifier fix so the CLI runs without a JWT secret	2026-
HRD-041	task	in_progress	middle	§11.4.27 bherald test-tier verify — 8-tier matrix verification — Batch C: implemented as bherald §43 build/CI command (bherald/cmd/bherald/build_cmds.go) feeding the HRD-021 bherald binding; hermetic -race green	2026-
HRD-042	task	in_progress	low	§11.4.31 cherald submanifest verify — Submodule-Dependency-Manifest gate — Batch C: implemented as cherald §43 verify/check command (cherald/cmd/cherald/checkops_cmds.go) feeding the HRD-019 cherald binding; detect-only; hermetic -race green	2026-
HRD-043	task	in_progress	high	§11.4.36 pherald install-upstreams — install_upstreams wrapper — Batch C: implemented as gitops command (§11.4.74 FindScript-resolved constitution script); --emit feeds HRD-023 binding; hermetic temp-repo tests -race green	2026-
HRD-044	task	in_progress	middle	§11.4.37 pherald fetch-guard — pre-edit fetch + rebase enforcement — Batch C: implemented as gitops command (§11.4.74 wrap of git binary); --emit feeds HRD-023 binding; hermetic temp-repo tests -race green	2026-
HRD-045	task	in_progress	high	§11.4.40 rherald gate retest — pre-tag full-suite retest gate — Batch C: implemented as rherald §43 release command (rherald/cmd/rherald/release_cmds.go) feeding the HRD-022 rherald binding; reuses shared commons/gitops; hermetic -race green	2026-
HRD-046	task	in_progress	high	§11.4.41 sherald force-push gate — merge-first + per-session-auth enforcement — Batch C: implemented as sherald §43 command (sherald/cmd/sherald/sysops_cmds.go) feeding the HRD-020 sherald binding; PRE-FLIGHT GATE (detects+classifies+exits-nonzero, never performs the op); hermetic -race green; §107 lazy-verifier fix so the CLI runs without a JWT secret	2026-
HRD-047	task	in_progress	middle	§11.4.45 / .56 scherald status-digest — periodic Status.md sweep + Status_Summary regen — Batch C	2026-

ID	Type	Status	Criticality	Title	Open
				straggler: implemented in <code>scherald/cmd/scherald/digest_cmds.go</code> feeding the HRD-025 <code>scherald</code> binding (§11.4.45 <code>status-sweep</code> ; <code>detect/report + --apply</code> regenerates <code>Status_Summary</code>); <code>hermetic -race</code> green	
HRD-048	task	in_progress	low	§11.4.53 <code>cherald fixed-summary sync</code> — standalone <code>Fixed_Summary</code> backfill — Batch C: implemented as <code>cherald §43 docs-pipeline</code> command (<code>cherald/cmd/cherald/docops_cmds.go</code>) feeding the HRD-019 <code>cherald</code> binding; <code>detect-by-default + --apply</code> to regenerate; ships the §107 lazy-verifier fix so the CLI runs without a JWT secret; <code>hermetic -race</code> green	2026-
HRD-049	task	in_progress	middle	§11.4.55 <code>pherald reopen <HRD-NNN></code> — <code>Issues→Fixed</code> reversal + <code>Reopens</code> history — Batch C: implemented as <code>gitops</code> command (the Wave 6.5 inbound <code>Fixed→Issues</code> migration); <code>--emit</code> feeds HRD-023 binding; <code>hermetic temp-repo tests -race</code> green	2026-
HRD-050	task	in_progress	middle	§11.4.59 <code>cherald readme sync</code> — <code>README</code> doc-link regen + multi-format re-export — Batch C: implemented as <code>cherald §43 docs-pipeline</code> command (<code>cherald/cmd/cherald/docops_cmds.go</code>) feeding the HRD-019 <code>cherald</code> binding; <code>detect-by-default + --apply</code> to regenerate; ships the §107 lazy-verifier fix so the CLI runs without a JWT secret; <code>hermetic -race</code> green	2026-
HRD-051	task	in_progress	high	§11.4.60 <code>cherald composite-gate</code> — canonical implementation of <code>CM-DOCS-COMPOSITE-SYNC</code> — Batch C: implemented as <code>cherald §43 verify/check</code> command (<code>cherald/cmd/cherald/checkops_cmds.go</code>) feeding the HRD-019 <code>cherald</code> binding; <code>detect-only</code> ; <code>hermetic -race</code> green	2026-
HRD-052	task	in_progress	middle	§11.4.65 <code>cherald export</code> — bulk Markdown export wrapper (<code>md/html/pdf/docx</code>) — Batch C: implemented as <code>cherald §43 docs-pipeline</code> command (<code>cherald/cmd/cherald/docops_cmds.go</code>) feeding the HRD-019 <code>cherald</code> binding; <code>detect-by-default + --apply</code> to regenerate; ships the §107 lazy-verifier fix so the CLI runs without a JWT secret; <code>hermetic -race</code> green	2026-
HRD-053	task	in_progress	high	§11.4.71 <code>pherald pre-push</code> — <code>fetch + investigate + integrate</code> hook — Batch C: implemented as <code>gitops</code> command (§11.4.74 wrap of <code>git</code> binary); <code>--emit</code> feeds HRD-023 binding; <code>hermetic temp-repo tests -race</code> green	2026-
HRD-054	task	in_progress	middle	§11.4.73 <code>cherald spec-version check</code> — <code>Revision-vs-edits</code> drift detection — Batch C: implemented as <code>cherald §43 verify/check</code> command (<code>cherald/cmd/cherald/checkops_cmds.go</code>) feeding the HRD-019 <code>cherald</code> binding; <code>detect-only</code> ; <code>hermetic -race</code> green	2026-
HRD-055	task	in_progress	middle	§11.4.74 <code>cherald catalogue-check <pr></code> — scan PR for <code>Catalogue-Check + survey</code> runner over <code>vasic-digital + HelixDevelopment</code> — Batch C: implemented as <code>cherald §43 verify/check</code> command (<code>cherald/cmd/cherald/</code>	2026-

ID	Type	Status	Criticality	Title	Open
HRD-056	task	in_progress	high	checkops_cmds.go) feeding the HRD-019 cherald binding; detect-only; hermetic -race green §12.6 sherald mem-budget watch — daemon-mode 60% threshold watcher emitting .host.safety_breach — Batch C: implemented as sherald §43 command (sherald/cmd/sherald/sysops_cmds.go) feeding the HRD-020 sherald binding; PRE-FLIGHT GATE (detects+classifies+exits-nonzero, never performs the op); hermetic -race green; §107 lazy-verifier fix so the CLI runs without a JWT secret Extend digital.vasic.containers/pkg/compose to detect podman-compose vs docker compose runtime and either emit runtime-appropriate flags (no --wait for podman-compose) or fall back to host-side healthcheck polling.	2026-
HRD-081	task	open	low	Composes with §11.4.76 — required so compose.WithWait(true) works across both backends. Also fix Status() parsing for podman-compose ps output (returns 0 services even when containers are visible to podman directly). Per §11.4.76: extend upstream submodule, never reimplement. Implement single-task admin operations on commons_infra.pgxTaskRepository — GetByID, Update, Delete. Required for Requeue + MoveToDeadLetter call chains and operator tooling. Currently all three return ErrUnsupported (HRD-085). Scope: read one BackgroundTask row by ID; full-row Update including JSONB columns; soft- or hard-Delete decision per §107.	2026-
HRD-085	task	in_progress	middle	Implement worker-side running-task state mutations on commons_infra.pgxTaskRepository — UpdateStatus, UpdateProgress, UpdateHeartbeat, SaveCheckpoint. Required by River workers + the stuck-detector reaper. Currently all four return ErrUnsupported (HRD-086). Scope: status transitions guarded by valid-state-machine check; progress as (float64, message); heartbeat as updated_at = now() writeback; checkpoint as opaque []byte blob persisted alongside the task row.	2026-
HRD-086	task	in_progress	middle	Implement admin / stats / audit reads on commons_infra.pgxTaskRepository — GetByStatus, GetPendingTasks, CountByStatus, GetTaskHistory. Drives the /v1/queue/* introspection endpoints + Peek delegate. Currently all four return ErrUnsupported (HRD-087). Scope: status-filtered paginated reads; pending-task slice for Peek; status-bucketed counts; per-task execution-history rows from the task_execution_history table.	2026-
HRD-087	task	in_progress	low	Implement queue-recovery reads on commons_infra.pgxTaskRepository — GetStaleTasks, GetByWorkerID. Drives the stuck-task	2026-
HRD-088	task	in_progress	middle		2026-

ID	Type	Status	Criticality	Title	Open
HRD-089	task	in_progress	low	reaper + worker-crash recovery loop. Currently both return <code>ErrUnsupported</code> (HRD-088). Scope: stale-threshold filter against <code>updated_at</code>; per-worker assignment lookup for re-dispatch after a worker disappears. Implement resource-monitor I/O on <code>commons_infra.pgxTaskRepository</code> — <code>SaveResourceSnapshot</code>, <code>GetResourceSnapshots</code>. Persists per-task CPU/memory/IO samples for capacity-planning + post-mortem. Currently both return <code>ErrUnsupported</code> (HRD-089). Scope: append-only insert keyed by <code>(task_id, captured_at)</code>; per-task paginated read in reverse-chronological order. Schema target: a <code>task_resource_snapshots</code> table not yet in the §9.6 migration set — adding it is part of this HRD.	2026-
HRD-090	task	open	middle	Implement dead-letter handling on <code>commons_infra.pgxTaskRepository</code> — <code>MoveToDeadLetter</code>. Required failure path when a task exhausts retries or fails a §107 invariant. Currently returns <code>ErrUnsupported</code> (HRD-090). Scope: atomically move the <code>BackgroundTask</code> row to a <code>dead_letter_tasks</code> table with the failure-reason string + original-row JSONB snapshot; emit a <code>.queue.dead_letter</code> event via <code>commons_constitution</code> per §42.1. Schema target: a <code>dead_letter_tasks</code> table not yet in the §9.6 migration set — adding it is part of this HRD.	2026-
HRD-115	task	in_progress	high	Wave 7 T6 — Slack channel adapter (Socket Mode): <code>commons_messaging/channels/slack/</code> implements <code>channels.Channel</code> — <code>New/NewWithBaseURL/NewFromURL</code> parsing <code>slack://<bot-token>@<workspace>/<channel-id>[?app_token=...]</code>, <code>Send</code> (<code>chat.postMessage</code>), <code>SendReply</code> (<code>thread_ts</code>) + <code>SendReplyGeneric</code> (interface delegate w/ <code>files.uploadV2</code> attachment fan-out), <code>Subscribe</code> (Socket Mode), <code>BotSelfIdentity</code> (<code>auth.test</code> → <code>IdentityUserID</code>, cached), <code>DownloadAttachment</code> (<code>files.info</code> → <code>content-addressed inbox/slack/<sha>.<ext></code> via <code>channels.WriteContentAddressed</code>), <code>HealthCheck</code>. Vendored <code>submodules/slack-go @ v0.16.0</code> (commit 209ec09) + <code>commons_messaging/go.mod</code> replace per Herald §11.4.74. 22 hermetic <code>httptest</code> tests (33 incl. subtests) - race green; inheritance gate 15/0 post-.gitmodules-edit; <code>TestSlackSatisfiesChannel</code> confirms interface satisfaction.	2026-
HRD-116	task	in_progress	middle	Wave 7 T7 — qaherald <code>Slack MessengerClient</code> + channel-keyed builder (<code>qaherald/internal/messenger/{slack.go,builder.go}</code>): raw-HTTP client implementing all 11 <code>MessengerClient</code> methods (<code>Me/Send/SendPhoto/SendDocument/SendVoice/GetUpdates/WaitForReply/Download/Preflight/GetChatMember/Close</code>); <code>GetUpdates</code> via <code>conversations.history+oldest=<ts> watermark</code>	2026-

ID	Type	Status	Criticality	Title	Open
HRD-117	task	in_progress	low	(Slack has no <code>getUpdates</code>); <code>MessageID</code> = dotted-float ts string; channel-keyed <code>Build</code>(<code>BuildConfig</code>) (tgram/slack/unknown→error). Token NEVER in errors — <code>sanitizeError()</code> defense + <code>TestSlack_Send_ErrorDoesNotLeakToken</code> pins it with a planted <code>xoxb-SUPERSECRET-must-not-leak-7777</code>. 30 hermetic <code>httpTest</code> tests - race green; compile-time pin <code>var _ MessengerClient = (*SlackClient)(nil)</code>. KNOWN-FUTURE-CLEANUP: ships <code>files.upload V1</code> (deprecated by Slack 2025-Q1 in favor of two-step <code>V2</code>) — functionally equivalent for the <code>httpTest</code> seam, swappable without API breakage; documented in <code>slack.go</code> header. Wave 7 T8 — spec V3 r12→r13: §11.0 <code>channels.Channel</code> inbound-runtime extension note + §32.2 Telegram/Slack marked LIVE + §43 multi-channel pherald <code>listen</code> row. Documents the Wave 7 framework + 2026-Slack adapter (T6) + qaherald Slack client (T7) shipped reality — spec catches up to shipped code (no new product code in T8). Migrate text HRD trackers to versioned SQLite single-source-of-truth (§11.4.93 / Herald §108.h, 6-phase) — DB committed as authoritative SSoT per operator mandate 2026-05-27. Phase 1 (this item): file the scope-locked tracking HRD. Phase 2: scaffold/adopt the migration Go binary that already lives in the constitution submodule (<code>constitution/scripts/workable-items/</code>) — Herald references it per §11.4.74 catalogue-first and never reimplements it. Phase 3: sync <code>md→db</code> (<code>load docs/Issues.md / docs/Fixed.md / *_Summary.md / docs/Status.md / docs/CONTINUATION.md</code> §3 into <code>docs/.workable_items.db</code>). Phase 4: sync <code>db→md</code> byte-identical (round-trip regeneration so MD[?]DB drift is mechanically impossible). Phase 5: generator shims (the <code>*_Summary.md</code> variants + <code>Status/CONTINUATION</code> become derived from the DB). Phase 6: prohibit text-direct edits (release-gate guard that the DB is the only authoring surface). Operator divergence from the parent §11.4.93 gitignored-with-regeneration default: for Herald the DB IS the authoritative artefact — <code>docs/.workable_items.db</code> is version-controlled (committed), NOT regenerated-on-clone; only the transient WAL/SHM sidecars (<code>docs/.workable_items.db-wal / -shm</code>) stay gitignored ("We should not git ignore our workable items database since it is our single source of truth regarding items we have to do on the project!"). Scope-lock: this HRD covers Phase 1 (this row) + Phase 2 adoption ONLY. Phases 3-6 (<code>md→db</code> sync, <code>db→md</code> byte-identical regeneration, generator shims, text-direct-edit prohibition) are follow-on work-items to be opened as Phase 2 completes, so the §106 spec-change / §107.x evidence invariants are never broken mid-migration.	
HRD-131	task	open	middle		2026-

In progress

ID	Type	Status	Criticality	Title	Opened	Last update	References
HRD-008	task	in_progress	middle	Operator-side quickstart compose validation (Postgres + Redis + OTel + pherald container)	2026-05-20	2026-05-20	spec V3 §26.5 — scaffold shipped, live end-to-end run pending operator; Catalogue-Check: no-match (2026-05-20) — bespoke to Herald

Blocked

(none)

Conventions

See [Fixed.md](#) for closed items + Universal §11.4.12/.15/.16/.19/.33/.55/.73/.74 composition rules.