

Herald — Continuation

Herald — Continuation

Field	Value
Revision	5
Created	2026-05-20
Last modified	2026-05-20
Status	active
Status summary	Foundation M1 landed. commons_constitution (14 files, ~2.9k LOC) green under -race. Spec V3 r7 with §44. HRD-080 opened (I6 gate refinement for git-submodule support). Next: M2 Postgres + digital.vasic.background + RLS wiring.
Issues	HRD-008, HRD-010, HRD-011, HRD-012, HRD-015, HRD-016, HRD-018 (in_progress), HRD-019..HRD-028, HRD-029..HRD-056
Issues summary	see Issues.md
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-013, HRD-014, HRD-017
Fixed summary	see Fixed.md
Continuation	M1 scaffold of commons_constitution (Evaluator + 12 emit helpers + BundleHash + ModeLadder + in-memory ConstitutionStore) composed atop the 9 Helix-stack submodules. Then M2 (Postgres + digital.vasic.background queue) then M3 (Gin REST + Redis cache). Each milestone closes its own end-to-end smoke. Multi-mirror push after each. After Foundation lands: codegraph integration per https://github.com/colbymchenry/codegraph for Claude Code + OpenCode + Kimi CLI + Crush + Qwen Code. Update on every non-trivial commit (per Universal §12.10).

Table of contents

- [§0. How to use this document](#)
- [§1. Snapshot](#)
- [§2. Last commit landed](#)

- [§3. Active work](#)
- [§4. Next concrete steps](#)
- [§5. Long-form pointers](#)

§0. How to use this document

Paste the following block into any CLI agent (Claude Code / OpenCode / Cursor / Aider / Gemini CLI) to resume Herald work exactly where it was left:

```
You are working on the Herald project at ~/Projects/Herald (also
reachable as the Herald/ submodule of a consuming project). The Helix
Universal Constitution lives at <ancestor>/constitution/ (parent-walk
discovery). Read in this order: CLAUDE.md, AGENTS.md, README.md, docs/
guides/HERALD_CONSTITUTION.md, docs/guides/
CONSTITUTION_INHERITANCE.md, docs/specs/mvp/
specification.V3.md. Then read docs/CONTINUATION.md (this file) for
live state, docs/Issues.md for open work, docs/Status.md for current
phase, docs/Fixed.md for closed history. Go workspace builds via go
test ./commons/... ./commons_prefix/... ./
commons_messaging/... ./commons_storage/.... Inheritance gate
tests/test_constitution_inheritance.sh MUST exit 0 before any
commit. Multi-mirror fan-out push to four hosts (GitHub + GitLab + GitFlic
+ GitVerse) is mandatory per Constitution §103.
```

§1. Snapshot

- **Active spec:** docs/specs/mvp/specification.V3.md Revision 4 (~4300 lines).
- **Archived specs:** V1 + V2 in docs/specs/mvp/archive/ (frozen).
- **Go modules:** commons, commons_prefix, commons_messaging, commons_storage, pherald (all compile + unit tests pass).
- **Container scaffold:** containers/quickstart/{docker-compose.quickstart.yml, Dockerfile.pherald, otel-config.yaml, .env.example} for §26.5 quickstart.
- **CLI:** pherald version --json returns canonical build info; serve/send/doctor/migrate/subscriber/deadletter stubbed with HRD-NNN pointers.
- **Inheritance gate:** 12 PASS / 0 FAIL. Meta-test ✓.
- **Phase:** implementation r1.

§2. Last commit landed

This commit (V3 r4 + Go scaffold + tracking-doc refresh) closes HRD-009/HRD-009b/HRD-013/HRD-014 (with a Universal §11.4.19 atomic Issues.md → Fixed.md migration) and lands spec V3 §37–§41 (tracker events, workable-item announcement contract, message presentation + Herald Canonical Template, docs/ tests completeness, REST API surface). Builds + tests:

```
$ go test ./commons/... ./commons_prefix/... ./
commons_messaging/... ./commons_storage/...
ok      github.com/vasic-digital/herald/commons 1.135s
```

```
ok      github.com/vasic-digital/herald/commons_prefix 0.639s
ok      github.com/vasic-digital/herald/commons_messaging/
channels/null 0.890s
ok      github.com/vasic-digital/herald/commons_messaging/
dispatch/claude_code 1.381s
ok      github.com/vasic-digital/herald/commons_storage 1.630s
```

§3. Active work

ID	Status	What
HRD-008	in_progress	Operator-side Quickstart compose validation (Postgres + Redis + OTel + pherald container) — scaffold shipped this commit; live end-to-end run pending operator.
HRD-010	open	commons_storage live (pgx pool + golang-migrate driver + River queue + Redis ACL).
HRD-011	open	Telegram adapter live (telebot SDK + getUpdates long-poll + webhook secret_token).
HRD-012	open	Claude Code dispatcher live (claude --resume + parse <<<HERALD-REPLY>>>).
HRD-015	open	Inheritance gate I8 invariants for Go scaffold (go.work + commons/types.go + null adapter test passes).
HRD-016	open	REST API surface via Gin Gonic per spec §41.
HRD-017	open	Propagate Universal §11.4.6X spec-versioning + submodule-catalogue-first mandates into the parent constitution.

§4. Next concrete steps

1. **HRD-018 Catalogue-Check survey + commons_constitution scaffold** — first action of the §42 implementation rollout. **MUST start** with a vasic-digital + HelixDevelopment catalogue survey per the brand-new Universal §11.4.74. Record Catalogue-Check: reuse|extend|no-match on HRD-018 before any Go code lands. Then scaffold the Evaluator interface, 12 event-class emit helpers, constitution_state + constitution_bindings migrations, bundle-hash captureer, mode-ladder runtime config.
2. **HRD-008 quickstart validation** — On a fresh laptop with Podman or Docker:

```
git clone <Herald repo>
git submodule update --init
cd containers/quickstart
podman build -t herald/pherald:dev -f Dockerfile.pherald ../..
cp .env.example ../../.env && $EDITOR ../../.env
podman-compose -f docker-compose.quickstart.yml up -d
curl --retry 30 --retry-delay 2 http://localhost:24090/readyz
```

The current pherald serve returns "not implemented" — HRD-010/HRD-011/HRD-012 must land first to make the live `curl POST /v1/events` succeed end-to-end. Validation reveals which of the spec's assumptions (port ranges, Compose syntax, OTel collector config, Postgres healthcheck) hold against real infrastructure.

3. **HRD-010** — wire `commons_storage/storage.go`'s `MigrationDriver` to `golang-migrate`; bring `pgx` + `River` + `Redis` client up; add integration tests under `//go:build integration`.
4. **HRD-011** — replace `commons_messaging/channels/tgram/tgram.go` stub with a live implementation against `gopkg.in/telebot.v3` or `github.com/mymmrac/telego`; recorded HTTP fixtures under `testdata/`.
5. **HRD-012** — replace `commons_messaging/dispatch/claude_code/claude_code.go`'s `Dispatch` stub with a real `claude --resume` invocation; capture session `UUID`; parse `<<<HERALD-REPLY>>>`.
6. **HRD-016** — scaffold `pherald/internal/http/` with Gin routes per V3 §41; wire `pherald serve` to mount the Gin router on `http_port`.
7. **HRD-017** — propagate Universal §11.4.6X new mandates (spec-versioning + submodule-catalogue-first) into the constitution submodule.

§5. Long-form pointers

- `docs/specs/mvp/specification.V3.md` — full active spec (Revision 4).
- `docs/specs/mvp/specification.V3.md#30-v2-self-review-log` — every review pass.
- `docs/guides/HERALD_CONSTITUTION.md` — §101..§106 extending Universal.
- `docs/guides/CONSTITUTION_INHERITANCE.md` — parent-discovery + gate.
- `tests/test_constitution_inheritance.sh` — the gate.
- `containers/quickstart/` — HRD-008 scaffold.
- `commons/types.go` — the §11.0 type contract reference.