

Herald



Herald — Issues

Field	Value
Revision	46
Created	2026-05-20
Last modified	2026-05-31
Status	active
Status summary	**r46: added two participant-attribution columns — <code>Created-By</code> + <code>Assigned-To</code> — to BOTH pipe-tables (the "Open" + "In progress" tracker tables), each placed immediately AFTER the <code>Criticality</code> column (before <code>Title</code>) so the severity-grouped metadata stays together and the long <code>Title</code> stays at the right edge (per <code>docs/design/PARTICIPANT_ATTRIBUTION.md §4c</code>). Tables widen 8→10 columns; header + separator + every data row updated programmatically (<code>/tmp/add_attribution_cols.py</code>) so every row's `
Issues	HRD-008, HRD-015, HRD-081, HRD-115, HRD-117, HRD-131, HRD-143, HRD-144, HRD-145, HRD-146, HRD-147, HRD-150, HRD-155, HRD-156, HRD-157, HRD-158
Issues summary	17 open / in-progress / Obsolete-pending workable items (was 43; r43 §11.4.19-migrated 51 code-verified HRDs — the 7 flavor bindings HRD-019..025, the §43 catalogue HRD-029..056, the Batch-D pgx repo HRD-085..089, Wave 7 HRD-116/118/119/120/121, ATMOSphere features HRD-148/149/151/152/153/154 — to <code>Fixed.md</code> after build+test+e2e+qa re-verification). The 17 remaining: HRD-115 (Slack adapter — operator-gated on LIVE round-trip evidence), HRD-117 (spec doc-only), HRD-131/150/155/156/157/158 (ATMOSphere/SSoT externally gated), HRD-146/147/081/008/015 (not-started/upstream/operator), HRD-143/144/145 (Obsolete). r35 (Tgram-completeness wave COMPLETE) atomically migrated HRD-133/134/135/136/137/138 Issues→Fixed per §11.4.19 — see <code>Fixed.md</code>. r34..r17 (v1.0.0 Batch A): HRD-018 (<code>commons_constitution</code> package — <code>Evaluator+emit+migrations+bundle-hash+mode-ladder</code>, completing the <code>constitution_audit</code> write-through that was the remaining §107 PASS-bluff: <code>RunOutcome.Audited</code> set true with nothing persisted), HRD-026 (<code>bundle-hash</code> now persisted on every emitted event AND audit row for replay), HRD-027 (<code>mode-ladder</code> runtime config + 3 admin REST endpoints <code>GET/PUT /v1/compliance/modes[:rule_id]</code>) closed atomically Task→done, migrated Issues→Fixed per §11.4.19. Evidence <code>docs/qa/HRD-018-20260527T142556Z/</code> (real-PG emit→persist + admin-REST flip

Field	Value
	round-trips + §11.4.85 stress 512 emit→persist no-lost-writes + chaos 960 concurrent flips). Prior r16: HRD-122..HRD-130 (GAP-3 §11.4.85 stress+chaos suite) closed atomically as Completed + HRD-132 (Runner idempotency-window bug) closed as Fixed — 11 rows migrated Issues→Fixed; HRD-131 (SQLite SSoT migration Phase 1) remains OPEN (Phases 2-6 follow-on). r15: HRD-100 closed atomically (Wave 6 pherald inbound runtime — code-doc closure; live evidence operator-pending → T10b). r14: substrate upgrade only (Wave 4b TOON; no HRDs migrated). r12: HRD-016 closed atomically (Wave 3b pherald Runner live + e2e E37-E42 PASS or honest SKIP-with-reason when PG :24100 absent). r11: HRD-011 (Telegram live) closed atomically with live message_id=5 evidence. r10 doc-cleanup renumbered HRD-093 → HRD-099. r9: HRD-028 + HRD-098 closed (Wave 3a). Carry-over to Wave 3c: HRD-024 (iherald paging), HRD-033 (destructive-guard body), HRD-018..027 flavor-specific bindings, plus the rest of the §43 command catalogue.
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-016, HRD-017, HRD-018, HRD-019..HRD-025, HRD-026, HRD-027, HRD-028, HRD-029..HRD-056, HRD-080, HRD-085..HRD-089, HRD-090, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100, HRD-110, HRD-111, HRD-112, HRD-113, HRD-114, HRD-116, HRD-118, HRD-119, HRD-120, HRD-121, HRD-122, HRD-123, HRD-124, HRD-125, HRD-126, HRD-127, HRD-128, HRD-129, HRD-130, HRD-132, HRD-133, HRD-134, HRD-135, HRD-136, HRD-137, HRD-138, HRD-139, HRD-140, HRD-141, HRD-142, HRD-148, HRD-149, HRD-151, HRD-152, HRD-153, HRD-154
Fixed summary	see Fixed.md.
Continuation	see CONTINUATION.md.

Table of contents

- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Open

Per Universal §11.4.74 every new row carries a Catalogue-Check line in its References cell (one of reuse|extend|no-match <org/repo>@<sha>). For HRDs whose catalogue-check is still pending, the row records no-match (2026-05-20) — operators reviewing the implementation PR will re-verify.

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
HRD-143	task	Obsolete	low	Claude	@milos85vasic	TestSubscribe_LiveBotAPI legacy superseded by §11.4.98 + HRD-140. Obsolete 2026-05-28; Reason=superseded-by-later-mandate) + Herald §108.m + HRD-140 (TestMTProto_Subscribe_Autonom

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
HRD-144	task	Obsolete	low	Claude	@milos85vasic	Fixed.md row, commit 367d58b); Triple-check evidence: (a) git-grep verified the test still exists at commons_messaging/channels/tgram_subscribe_integration_test.go: literal source comment "requires the operator to send a message to the configured chat within the 60s timeout" (§11.4.98 violation — runtime human action required for test execution), (b) git-log shows 367d58b introduced the MTProto-driven autonomous closed-loop runtime path: the new HRD-140 test PASSED LIVE end-to-end with zero human action per docs/qa/HRD-LIVE-MTPROTO-20260528T125321Z/E135_subscribe/transcript.txt. Action: shell script retained as a documentation artefact (commit t.Skipf (§11.4.98 supersession) — operators MUST use HRD-140's MTProto path tests/test_wave6_live_loop.sh loop script — superseded by §11.4.98 + HRD-140. Details: Since 2026-05-28; Reason=superseded-by-later-mandate; Superseding-item=Universal §11.4.98 + HRD-140 (§108.m + HRD-141) (TestMTProto_Wave6_AutonomousClosedLoop) Fixed.md row, commits 7e50ed0+d7d65f; Triple-check evidence: (a) ls tests/test_wave6_live_loop.sh confirms 7e50ed0 (HRD-140) bytes), (b) git-log shows 7e50ed0 (HRD-140) introduced the MTProto-driven autonomous closed-loop runtime path: journal-based §11.4.98 autonomy assertion, HRD-141 PASSED LIVE in 48.58s with full tgram.message in+cc.dispatch-journal trace per docs/qa/HRD-LIVE-MTPROTO-20260528T125321Z/E136_wave6_closed_loop/transcript.txt. Action: shell script retained as historical reference; flow goes through HRD-141. qaherald lifecycle --manual introduced; superseded by §11.4.98 + HRD-142. Obsolete since 2026-05-28; Reason=superseded-by-later-mandate; Superseding-item=Universal §11.4.98 + HRD-142 (TestMTProto_Wave65_LifecycleAutonomous) Fixed.md row, commit 1f2e75d); Triple-check evidence: (a) grep -nE '"--manual"' qaherald/qaherald/lifecycle.go:174 confirms cmd.Flags().BoolVar(&f.Manual, "manual", false, "...") is wired in the Cobra subcommand log shows 1f2e75d (HRD-142) introduced the MTProto-driven autonomous replacement (HRD-142) path: HRD-142 PASSED LIVE in 26.04s with PASS per docs/qa/HRD-LIVE-
HRD-145	task	Obsolete	low	Claude	@milos85vasic	Fixed.md row, commit 1f2e75d); Triple-check evidence: (a) grep -nE '"--manual"' qaherald/qaherald/lifecycle.go:174 confirms cmd.Flags().BoolVar(&f.Manual, "manual", false, "...") is wired in the Cobra subcommand log shows 1f2e75d (HRD-142) introduced the MTProto-driven autonomous replacement (HRD-142) path: HRD-142 PASSED LIVE in 26.04s with PASS per docs/qa/HRD-LIVE-

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
HRD-015	task	Obsolete	low	Claude	@milos85vasic	MTPROTO-20260528T125321Z/ E137_wave65_lifecycle/transcr Action: - -manual flag retained for ad-hoc debugging but explicitly NOT a §11.4.98-co — CI MUST use the MTPProto build-tag pat Inheritance gate I8 invariants for Go scaffold commons/types.go + null adapter test passes by design change. Obsolete-Details: Since 2 Reason=superseded-by-design-change; Super inheritance-gate I8 slot was repurposed for user-usability covenant (I8a/I8b/I8c in t test_constitution_inheritance. and the Go-scaffold verification HRD-015 re covered by the broader anti-bluff test suite re dedicated gate invariant; Triple-check eviden -nE 'I8[abc]' tests/ test_constitution_inheritance. three I8a/b/c checks assert the §107 covenan CLAUDE.md/AGENTS.md/HERALD_CO — NOT the Go-scaffold (the I8 number wa the null adapter is a full tested adapter (commons_messaging/channels/nu CLAUDE.md) and go.work + commons/ and build green — the 2026-05-30 green-ba 18/18 Go modules ok + inheritance gate 15 (c) runtime: HRD-015's intent (verify the Go is continuously satisfied by go test ./. e2e_bluff_hunt.sh, so a separate I8 se redundant. Action: closed Obsolete; no code Extend digital.vasic.containers. to detect podman-compose vs docker compo either emit runtime-appropriate flags (no - - podman-compose) or fall back to host-side h polling. Composes with §11.4.76 — require compose.WithWait(true) works acro Also fix Status() parsing for podman-co (returns 0 services even when containers are directly). Per §11.4.76: extend upstream sub reimplement. Wave 7 T6 — Slack channel adapter (Socke commons_messaging/channels/sla channels.Channel — New/NewWithE NewFromURL parsing slack://<bot- token>@<workspace>/<channel-id> app_token=...], Send(chat.postMessage SendReply(thread_ts) + SendReplyGen delegate w/ files.uploadV2 attachment fan-o (Socket Mode), BotSelfIdentity (auth IdentityUserID, cached), DownloadAttac → content-addressed inbox/slack/<sh channels.WriteContentAddressed), Health
HRD-081	task	open	low	Claude	@milos85vasic	Extend digital.vasic.containers. to detect podman-compose vs docker compo either emit runtime-appropriate flags (no - - podman-compose) or fall back to host-side h polling. Composes with §11.4.76 — require compose.WithWait(true) works acro Also fix Status() parsing for podman-co (returns 0 services even when containers are directly). Per §11.4.76: extend upstream sub reimplement.
HRD-115	task	in_progress	high	Claude	@milos85vasic	Wave 7 T6 — Slack channel adapter (Socke commons_messaging/channels/sla channels.Channel — New/NewWithE NewFromURL parsing slack://<bot- token>@<workspace>/<channel-id> app_token=...], Send(chat.postMessage SendReply(thread_ts) + SendReplyGen delegate w/ files.uploadV2 attachment fan-o (Socket Mode), BotSelfIdentity (auth IdentityUserID, cached), DownloadAttac → content-addressed inbox/slack/<sh channels.WriteContentAddressed), Health

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
HRD-117	task	in_progress	low	Claude	@milos85vasic	submodules/slack-go @ v0.16.0 (common_messaging/go.mod replace §11.4.74. 22 hermetic httptest tests (33 incl. green; inheritance gate 15/0 post-.gitmodule TestSlackSatisfiesChannel confirmation satisfaction. Wave 7 T8 — spec V3 r12→r13: §11.0 channels.Channel inbound-runtime ex §32.2 Telegram/Slack marked LIVE + §43 n pherald listen row. Documents the W + Slack adapter (T6) + qaherald Slack client reality — spec catches up to shipped code (r code in T8). Migrate text HRD trackers to versioned SQL of-truth (§11.4.93 / Herald §108.h, 6-phase) as authoritative SSoT per operator mandate 1 (this item): file the scope-locked tracking scaffold/adopt the migration Go binary that constitution submodule (constitution/workable-items/) — Herald references catalogue-first and never reimplements it. PL md→db (load docs/Issues.md / docs/*_Summary.md / docs/Status.md / d CONTINUATION.md §3 into docs/.workable_items.db). Phase 4 byte-identical (round-trip regeneration so M mechanically impossible). Phase 5: generator *_Summary.md variants + Status/CONTI become derived from the DB). Phase 6: prohibitions (release-gate guard that the DB is the o surface). Operator divergence from the parent gitignored-with-regeneration default: for He authoritative artefact — docs/.workabl version-controlled (committed), NOT regene only the transient WAL/SHM sidecars (docs/.workable_items.db-wal / - gitignored ("We should not git ignore our w database since it is our single source of truth we have to do on the project!"). Scope-lock: Phase 1 (this row) + Phase 2 adoption ON (md→db sync, db→md byte-identical regen shims, text-direct-edit prohibition) are follow to be opened as Phase 2 completes, so the §1 §107.x evidence invariants are never broken 2026-05-29 re-assessment: Phase 2 remains BLOCKED — constitution/script items/ is still a non-functional scaffold (0 implemented, go build succeeds but ever 2 "not yet implemented"; full assessment do workable-items-phase2-assessment-2026-05-27.md). Herald
HRD-131	task	open	middle	Claude	@milos85vasic	

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
						beyond Phase 1 without reimplementing the §11.4.74 forbids. The docs/.workable_ canonical docs/workable_items.db p is DEFERRED BY DESIGN per CLAUDE. ("reconcile to the canonical path when the D implemented") — reconciling now would ch docs (inheritance-gate risk) for a file that do and could create a new dot/no-dot split.
HRD-150	task	open	high	Claude	@milos85vasic	ATMOSphere integration WS-1 — bidirection regenerator + drift resolution (reference con scripts/workable-items/ per §11.4.74). ATMOSphere-format parser the tool lacks).
HRD-155	task	open	high	Claude	@milos85vasic	ATMOSphere integration WS-1 — operation workable-items SQLite tool + reconcile HR the tool's add/close/report + ATMOSP upstream in the constitution repo per §11.4.7 blocker for SSoT materialization).
HRD-156	task	open	high	Claude	@milos85vasic	ATMOSphere integration WS-5 — anti-bluff test suite (T-A real-SQLite→real-Telegram v inbound→real-row-mutation; T-C exact-diff T-E §11.4.85 stress/chaos; T-F paired §1.1 m as Challenges for HelixQA; all docs/qa/ <
HRD-157	task	open	high	Claude	@milos85vasic	ATMOSphere integration Phase 3 — register proper tools/herald submodule (replac orphan gitlink, operator-chosen 2026-05-29) docs/workable_items.db, wire host- (pherald watch+pherald listen, tools/oom-protect), seed Subscribers evidence.
HRD-158	task	open	middle	Claude	@milos85vasic	ATMOSphere integration WS-5 — anti-bluff verbatim-phrase propagation: add the operat constitution/QWEN.md (HelixConstit to ATMOSphere root QWEN.md + all 25 sub QWEN.md (6 helixqa confirmed-missing; au + Herald README.

In progress

ID	Type	Status	Criticality	Created-By	Assigned-To	Title	Opened	Last update	Reference
HRD-008	task	in_progress	middle	Claude	@milos85vasic	Operator-side quickstart compose validation (Postgres + Redis + OTel +	2026-05-20	2026-05-20	spec V3 §26.5 — scaffold shipped, end-to-end run pending operator; Catalogue Check: n

ID	Type	Status	Criticality	Created-By	Assigned-To	Title	Opened	Last update	Reference
						pherald container)			match (2026-05 — bespo to Herald

Blocked

(none)

Conventions

See [Fixed.md](#) for closed items + Universal §11.4.12/.15/.16/.19/.33/.55/.73/.74 composition rules.