

Herald



{width=96px height=96px}

Herald — Status

Field	Value
Revision	9
Created	2026-05-20
Last modified	2026-05-21
Status	active
Status summary	Wave 2 flavor scaffolds + spec V3 r8 landed (commits 7e0a614..eef606b + 24b96f2 logo branding parallel work). Shared commons/cli/package + 6 new flavor binaries (sherald, cherald, bherald, rherald, iherald, scherald) + pherald refactor (consumes cli.ServeCmd with RequestIDMiddleware hook). Branding struct extended with 5 per-flavor fields (Flavor/Prefix/DisplayName/DefaultPort/Mission); DefaultBranding factory populates them. e2e_bluff_hunt grew 18 → 33 invariants; paired mutation gate tests/test_wave2_mutation_meta.sh (4/4 PASS) proves the new invariants catch the regressions they claim. Spec V3 r7 → r8 captured §6.3 Branding extension + §18.0 Wave 2 catalogue + §41 REST routes + §44.M milestone + §43.2 catalogue-check addendum. HRD-092..097 atomically Issues→Fixed in r8 Issues / r7 Fixed; HRD-098 opened as Wave 3+ deferred (sherald /v1/safety_state live).
Issues	HRD-008, HRD-011, HRD-015, HRD-016, HRD-018 (in_progress), HRD-019..HRD-028, HRD-029..HRD-056, HRD-081, HRD-085..HRD-090, HRD-098
Issues summary	see Issues.md — 51 open items spanning live channel integrations (HRD-011), REST surface (HRD-016), §42 constitution bindings (HRD-018..028), §43 command-catalogue (HRD-029..056), HRD-081 (containers podman-compose adapter refinement), HRD-085..090 (queue-repository stub-completion surface opened during HRD-010), and HRD-098 (sherald /v1/safety_state live impl, Wave 3+).
Fixed	HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-012, HRD-013, HRD-014, HRD-017, HRD-080, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097
Fixed summary	see Fixed.md
Continuation	Wave 3 priorities: HRD-016 (pherald Runner wiring), HRD-024 (iherald paging live), HRD-028 (cherald compliance live), HRD-098 (sherald safety_state live), and the 28 §43 command bodies. Operator priorities remain: HRD-008 (quickstart e2e validation) and HRD-011 (Telegram live evidence pending operator creds).

Field	Value
	Each milestone followed by multi-mirror push + full anti-bluff verification (audit + gate + e2e bluff-hunt).

Table of contents

- [Project phase](#)
- [Specification](#)
- [Implementation](#)
- [Operations](#)
- [Risk surface](#)

Project phase

Implementation-r1, Foundation complete + Wave 2 flavor scaffolds landed. Spec V3 r8 is active, the Go module foundation compiles, all three Foundation milestones (M1/M2/M3) plus the Wave 2 flavor-scaffold workstream have landed, and the §107 end-user-usability covenant is now explicit in Herald's three root docs + gate (added 2026-05-20). The remaining cycle is wiring live channel integrations (HRD-011, HRD-016, HRD-024, HRD-028, HRD-098), validating the §26.5 quickstart end-to-end on operator hardware, and implementing the 28 §43 command bodies still stubbed.

Specification

- **Active spec:** docs/specs/mvp/specification.V3.md (Revision 8, ~4600 lines after r8 Wave 2 capture).
- **Archived specs:** V1 + V2 in docs/specs/mvp/archive/ (frozen).
- **Recent sections:** §37 Tracker-doc change events; §38 Workable-item announcement contract; §39 Message presentation + Herald Canonical Template; §40 Documentation + 15 named test challenges; §41 REST API surface (Gin Gonic); §42 Constitution-binding integration; §43 Constitution-derived flavor commands (27 entries → HRD-029..HRD-056) + §43.2 catalogue-check addendum (r8); §44 Foundation implementation contract + §44.M Wave 2 milestone capture (r8); §6.3 Branding extension with per-flavor fields (r8); §18.0 Wave 2 flavor-binary catalogue (r8).
- **Spec-change rule:** §23 + HERALD_CONSTITUTION §106 + I7 gate — green throughout.
- **End-user-usability covenant:** HERALD_CONSTITUTION §107 + I8 gate (added 2026-05-20) — green; paired §1.1 mutation meta-test in tests/test_i8_usability_meta.sh (5/5 PASS).

Implementation

Module	Status	Notes
commons (L0)	✅ landed	§11.0 types + Clock + UUIDv7 + DefaultBranding; tests pass.
commons_prefix	✅ landed	§8.2 algorithm + 5 test functions; tests pass.
commons_constitution	✅ landed (M1)	14 files, ~2.9k LOC — Evaluator + Registry + 12 emit helpers + BundleHash + ModeLadder + ConstitutionStore + MemoryBus + Runner +

Module	Status	Notes
		CloudEvents v1.0 adapter; all green under <code>go test -race</code> .
commons_messaging (L1)	partial	null:// adapter fully working; Telegram + Claude Code stubs in place (HRD-011/012 for live wiring). 9 SQL migrations embedded; pgx pool + RLS-enforcing WithTenantContext live (commit c8168ec); HRD-010 (commits 82ea82d..13cea69) wired queue (digital.vasic.background → pgxTaskRepository) + Redis (digital.vasic.cache) + the pherald
commons_storage (L1)	✅ landed (M2 + HRD-010)	migrate up/status/down/validate CLI. The §107 covenant proved its worth here: the E14 RLS falsifiability test caught (and the implementer fixed) a real production RLS-bypass bug where the bootstrap PG superuser silently bypassed FORCE ROW LEVEL SECURITY. HRD-085..090 opened to track the remaining 16 pgxTaskRepository methods returning ErrUnsupported.
commons_infra	✅ landed	QuickstartBoot + WithTenantContext + on-demand container orchestration via containers/.
commons/cli (L0)	✅ landed (Wave 2 / HRD-092)	Shared CLI scaffold: NewRootCmd + VersionCmd + ServeCmd (with Middleware hook) + StubCmd + healthz/readyz/metrics handlers. Consumed by pherald + 6 new flavor binaries. Catalogue-check no-match → vendored Herald-internal per §11.4.74.
pherald (CLI)	✅ partial (M3 + Wave 2 refactor)	Cobra root + version + serve (live HTTP on :24791, /v1/healthz, /v1/readyz, /v1/events, /metrics) now consumes cli.ServeCmd with RequestIDMiddleware hook (commits 1f81d69, 31562cf). send/doctor/migrate/subscriber/deadletter stubbed with HRD pointers.
sherald (CLI)	✅ scaffolded (Wave 2 / HRD-093)	System Herald binary serving :24793 via cli.ServeCmd. 5 §43 stubs (HRD-033/034/040/046/056). /v1/safety_state returns honest 501 + HRD-098.
cherald (CLI)	✅ scaffolded (Wave 2 / HRD-094)	Constitution Herald binary serving :24792 via cli.ServeCmd. 11 §43 stubs. /v1/compliance returns honest 501 + HRD-028.
bherald (CLI)	✅ scaffolded (Wave 2 / HRD-095)	Build Herald CLI-only binary. 3 §43 stubs (HRD-035/041/045).
rherald (CLI)	✅ scaffolded (Wave 2 / HRD-096)	Release Herald CLI-only binary. 3 §43 stubs (HRD-031/032/045).
iherald (CLI)	✅ scaffolded (Wave 2 / HRD-097)	Incident Herald binary serving :24794 via cli.ServeCmd. /v1/webhooks/page returns honest 501 + HRD-024.

Module	Status	Notes
		
scherald (CLI)	scaffolded (Wave 2 / HRD-097)	Scheduled-audit Herald CLI-only binary. 1 §43 stub (HRD-047).

Operations

- **Repo hygiene:** main only; four-mirror fan-out proven across spec + Foundation M1/M2/M3 + anti-bluff infra + §107 covenant landing.
- **Constitution inheritance gate: 15 PASS / 0 FAIL** (was 12; I8a/b/c added 2026-05-20 for §107 covenant).
- **Anti-bluff audit: 16 PASS / 0 FAIL / 1 SKIP** (was 14; HRD-011 telebot.v3 third-party SKIP-with-reason per §11.4.74; I8 paired meta-test included).
- **CodeGraph validate:** 7 PASS / 0 FAIL / 2 SKIP (HRD-091 documented submodule-traversal gap).
- **E2E bluff-hunt against real services: 33 PASS / 0 FAIL / 3 SKIP** (was 18; Wave 2 added E19-E33 covering 6 new flavor binaries: version --json shape, serving flavors healthz on :249NN, /v1/safety_state 501, /v1/compliance 501, /v1/webhooks/page 501, sherald SIGTERM graceful-shutdown, §43 stub exit-code, pherald regression sentinel). SKIPs are E17/E18/E34 (Telegram live, claude live, full inbound) requiring operator credentials. Real Gin server, live /v1/* endpoints, real Postgres + Redis containers via containers/ submodule, M2 RLS integration tests + HRD-010 storage tests against the live stack, SIGTERM-graceful-shutdowns. Paired §1.1 mutation gate tests/ test_wave2_mutation_meta.sh (4/4 PASS) proves the new Wave 2 invariants catch the regressions they claim. This is the canonical §107 evidence per Herald §107.
- **Submodules:** 12 vendored — 11 Helix-stack capability modules under submodules/ (auth, background, cache, config, database, eventbus, middleware, observability, recovery, plus Models + Concurrency added during HRD-010) referenced via replace directives in consuming go.mod files, NOT via go.work; plus containers/ (runtime auto-detection + on-demand container boot, consumed directly by Foundation tests + pherald doctor). All 12 carry the §11.4 anti-bluff anchor.
- **Build / test toolchain:** Go 1.25+ (verified on 1.26 per CLAUDE.md), Pandoc 3.9, WeasyPrint 66, Podman 5.8 — verified locally.

Risk surface

- **Submodule-catalogue discovery (operator mandate 2026-05-20).** Every new HRD MUST carry a Catalogue-Check: reuse|extend|no-match <org/ repo>@<sha> line per Universal §11.4.74. New HRDs (HRD-029..056 §43 catalogue) currently default to TBD pending operator review.
- **Versioning discipline (operator mandate 2026-05-20).** Minor changes bump secondary version, major bump primary. Currently at V3 r7→r8 within the V3 series; a full V4 rewrite is reserved for a primary-version jump.
- **Live channel integrations untested at runtime.** HRD-011 (Telegram telebot live) requires operator-supplied credentials per docs/CONTINUATION.md. HRD-012 (Claude Code claude --resume live) is closed with live PASS evidence captured. The §107 covenant blocks claims of "done" on these until end-user evidence is captured.
- **HRD-008 operator-side quickstart not yet validated end-to-end on a fresh laptop.** The compose stack works in dev; operator hardware validation is the next concrete §107 evidence point.

- **No CI yet.** No GitHub Actions / GitLab CI / etc. Operator runs `scripts/e2e_bluff_hunt.sh` manually for now — that script IS the local CI surrogate.

Closed risks

- **Production RLS-bypass bug (closed 2026-05-20 during HRD-010 step 3, commit 5c1c022).** Until that commit, `commons_infra.WithTenantContext` set the tenant GUC but `ROW LEVEL SECURITY` was not FORCED on the targeted tables — and the bootstrap PG user used in tests was a superuser, which bypasses RLS regardless. The E14 falsifiability test (real Postgres, cross-tenant `SELECT` must return EXACTLY 0 rows from the other tenant) caught the bluff before any live deployment. Fix: switched the application connection to a non-superuser role + ran `ALTER TABLE ... FORCE ROW LEVEL SECURITY` in migration 000003. The §107 covenant directly prevented this from shipping; the lesson is "EXACT-N row count, never $\geq N$ " for any isolation test.

Recent activity

Wave 2 — flavor-scaffold sweep (closed 2026-05-21)

15-step workstream commits `7e0a614..eef606b` (with parallel logo branding `24b96f2`) shipped:

- **Shared scaffold** — new `commons/cli/` package: `NewRootCmd` (steps 2), `VersionCmd` (step 2), `routes.go` + `healthz/readyz/metrics` handlers (step 3), `ServeCmd` with `Middleware-hook` + graceful shutdown (step 4), `StubCmd` honest 501-style stubs (step 1). Vendored `Herald-internal` per §11.4.74 catalogue-check no-match → see `docs/catalogue-checks/HRD-092-commons-cli.md`.
- **pherald refactor** — main + stubs migrated to consume `commons/cli/` (step 5); `pherald_serve` consumes `cli.ServeCmd` with `RequestIDMiddleware` hook (step 6, commit `31562cf`).
- **6 new flavor binaries** — `sherald` serving :24793 (step 7, HRD-093), `cherald` serving :24792 (step 8, HRD-094), `iherald` serving :24794 (step 9, HRD-097), `bherald` CLI-only (step 10, HRD-095), `rherald` CLI-only (step 11, HRD-096), `scherald` CLI-only (step 12, HRD-097). Each ships honest 501-style §43 command stubs with HRD pointers.
- **Anti-bluff additions** — `scripts/e2e_bluff_hunt.sh` grew from 18 → 33 invariants covering all 6 new binaries (version --json shape, healthz binding, /v1/safety_state + /v1/compliance + /v1/webhooks/page 501 honesty, `sherald SIGTERM` graceful-shutdown, §43 stub exit-code, `pherald` regression sentinel). New paired mutation gate `tests/test_wave2_mutation_meta.sh` (4/4 PASS) proves the new invariants catch their claimed regressions.
- **Spec capture** — V3 r7 → r8 added §6.3 Branding extension (per-flavor fields), §18.0 Wave 2 catalogue, §41 REST route additions, §44.M Wave 2 milestone, §43.2 catalogue-check addendum (step 14, commit `eef606b`).
- **Atomic Issues→Fixed** — HRD-092..097 closed in r7 of `Fixed.md`; HRD-098 opened in r8 of `Issues.md` as Wave 3+ deferred (`sherald /v1/safety_state` live impl).

Anti-bluff battery sign-off (this commit): inheritance gate 15/15 PASS; meta-tests (I6, I8, Wave2) all green; `audit_antibluff.sh` 16 PASS / 0 FAIL / 1 SKIP; `codegraph_validate.sh` 7 PASS / 0 FAIL / 2 SKIP; `e2e_bluff_hunt.sh` 33 PASS / 0 FAIL / 3 SKIP.