

Herald



Herald — Issues

Field	Value
Revision	48
Created	2026-05-20
Last modified	2026-05-31
Status	active
Status summary	**r48: §11.4.19 closed HRD-117 (Wave 7 T8 spec-doc) Issues→Fixed — its deliverable is VERIFIED PRESENT in the active spec V4 (§11.0 line 1548 "Wave 7 inbound-runtime extension" note + Channel . Subscribe, §32.2 Telegram/ Slack LIVE, §43 multi-channel pherald listen row); doc-only (no product code — that shipped under HRD-116/118/119/120/121, already Fixed). Open 10→9. Prior r47: §11.4.90 + §11.4.19 atomic Obsolete→Fixed migration — moved the 4 Obsolete-status HRDs (HRD-143 TestSubscribe_LiveBotAPI legacy live test, HRD-144 tests/ test_wave6_live_loop.sh legacy closed-loop script, HRD-145 qaherald lifecycle --manual interactive mode, HRD-015 Go-scaffold inheritance-gate I8 invariants) out of Issues.md into Fixed.md, each preserving its full **Obsolete-Details:** line (Since / Reason / Superseding-item / triple-check evidence per §11.4.90). Each superseding artefact was re-verified to exist before migration: HRD-140/141/142 MTProto-driven replacement tests present under qaherald/internal/lifecycle/, their Fixed.md rows present, the legacy source comment / shell script / --manual Cobra flag still on disk; HRD-015's I8a/b/c §107-covenant checks present at tests/test_constitution_inheritance.sh:133-137 and commons/types.go + null adapter build green. Open count 14→10. Prior **r46: added two participant-attribution columns — Created-By + Assigned-To — to BOTH pipe-tables (the "Open" + "In progress" tracker tables), each placed immediately AFTER the Criticality column (before Title) so the severity-grouped metadata stays together and the long Title stays at the right edge (per docs/design/PARTICIPANT_ATTRIBUTION.md §4c). Tables widen 8→10 columns; header + separator + every data row updated programmatically (/tmp/add_attribution_cols.py) so every row's `
Issues	HRD-008, HRD-081, HRD-115, HRD-131, HRD-150, HRD-155, HRD-156, HRD-157, HRD-158
Issues summary	9 open / in-progress workable items (r47 §11.4.90+§11.4.19-migrated the 4 Obsolete HRDs — HRD-143/144/145 legacy-live-test supersessions + HRD-015

Field	Value
	Go-scaffold I8 design-supersession — out to <code>Fixed.md</code>; was 43, r43 had already §11.4.19-migrated 51 code-verified HRDs). The 10 remaining: HRD-115 (Slack adapter — operator-gated on LIVE round-trip evidence), HRD-117 (spec doc-only), HRD-131/150/155/156/157/158 (ATMOSphere/SSoT externally gated), HRD-081/008 (upstream/operator-validation). r35 (Tgram-completeness wave COMPLETE) atomically migrated HRD-133/134/135/136/137/138 Issues→Fixed per §11.4.19 — see <code>Fixed.md</code>. r34..r17 (v1.0.0 Batch A): HRD-018 (commons_constitution package — Evaluator+emit+migrations+bundle-hash+mode-ladder, completing the <code>constitution_audit</code> write-through that was the remaining §107 PASS-bluff: <code>RunOutcome.Audited</code> set true with nothing persisted), HRD-026 (bundle-hash now persisted on every emitted event AND audit row for replay), HRD-027 (mode-ladder runtime config + 3 admin REST endpoints <code>GET/PUT /v1/compliance/modes[:rule_id]</code>) closed atomically Task→done, migrated Issues→Fixed per §11.4.19. Evidence docs / qa/HRD-018-20260527T142556Z/ (real-PG emit→persist + admin-REST flip round-trips + §11.4.85 stress 512 emit→persist no-lost-writes + chaos 960 concurrent flips). Prior r16: HRD-122..HRD-130 (GAP-3 §11.4.85 stress+chaos suite) closed atomically as Completed + HRD-132 (Runner idempotency-window bug) closed as Fixed — 11 rows migrated Issues→Fixed; HRD-131 (SQLite SSoT migration Phase 1) remains OPEN (Phases 2-6 follow-on). r15: HRD-100 closed atomically (Wave 6 pherald inbound runtime — code-doc closure; live evidence operator-pending → T10b). r14: substrate upgrade only (Wave 4b TOON; no HRDs migrated). r12: HRD-016 closed atomically (Wave 3b pherald Runner live + e2e E37-E42 PASS or honest SKIP-with-reason when PG :24100 absent). r11: HRD-011 (Telegram live) closed atomically with live message_id=5 evidence. r10 doc-cleanup renumbered HRD-093 → HRD-099. r9: HRD-028 + HRD-098 closed (Wave 3a). Carry-over to Wave 3c: HRD-024 (iherald paging), HRD-033 (destructive-guard body), HRD-018..027 flavor-specific bindings, plus the rest of the §43 command catalogue. HRD-001..HRD-007, HRD-009, HRD-009b, HRD-010, HRD-011, HRD-012, HRD-013, HRD-014, HRD-015, HRD-016, HRD-017, HRD-018, HRD-019..HRD-025, HRD-026, HRD-027, HRD-028, HRD-029..HRD-056, HRD-080, HRD-085..HRD-089, HRD-090, HRD-092, HRD-093, HRD-094, HRD-095, HRD-096, HRD-097, HRD-098, HRD-099, HRD-100, HRD-110, HRD-111, HRD-112, HRD-113, HRD-114, HRD-116, HRD-118, HRD-119, HRD-120, HRD-121, HRD-122, HRD-123, HRD-124, HRD-125, HRD-126, HRD-127, HRD-128, HRD-129, HRD-130, HRD-132, HRD-133, HRD-134, HRD-135, HRD-136, HRD-137, HRD-138, HRD-139, HRD-140, HRD-141, HRD-142, HRD-143, HRD-144, HRD-145, HRD-146, HRD-147, HRD-148, HRD-149, HRD-151, HRD-152, HRD-153, HRD-154
Fixed	
Fixed summary	see <code>Fixed.md</code> .
Continuation	see <code>CONTINUATION.md</code> .

Table of contents

- [Open](#)
- [In progress](#)
- [Blocked](#)
- [Conventions](#)

Open

Per Universal §11.4.74 every new row carries a Catalogue-Check line in its References cell (one of reuse|extend|no-match <org/repo>@<sha>). For HRDs whose catalogue-check is still pending, the row records no-match (2026-05-20) — operators reviewing the implementation PR will re-verify.

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
HRD-159	bug	open	high	Claude	@milos85vasic	§11.4.98 reply-DELIVERY evidence gap (CHANNEL). The fully-automated round-trip prove the autonomy chain (user → Socket-MTProto inbound → Claude dispatch → Claude but do NOT prove the final reply-DELIVERY (Claude's reply text posted back to the messengerald listen bootstraps a FRESH, Claude session per §11.4.98 rule-2 (no collision the dev conductor), and such a session returns EMPTY reply text → inbound: reply - empty reply text → nothing is possible. Affects BOTH channels: the Telegram roundtrip (qaherald/internal/lifecycle/mtproto_wave6_loop_test.go:255) this with a soft "BONUS" log; the Slack roundtrip (slack_roundtrip_test.go) now SKIPPED reason instead of false-passing. Found 2026-05-20: hardening the Slack reply assertion (ts>probability) during HRD-115 live work. Fix option to investigate: (a) seed the bootstrap test session with minimal repo/reply context so a real reply is possible; (b) a dedicated long-lived context-rich QA session (non-colliding); (c) assert delivery against a deterministic fast-path reply (e.g. a status/heal command that does NOT round-trip through Robustness already hardened: an empty reply no longer crashes the listener (dispatcher . actReply empty-text guard + TestDispatcherEmptyReplyDoesNotCrash). Extend digital.vasic.containers.compose to detect podman-compose vs docker-compose runtime and either emit runtime-approval flags (no --wait for podman-compose) or to host-side healthcheck polling. Composes §11.4.76 — required so compose.WithWait(true) works across backends. Also fix Status() parsing for podman-compose ps output (returns 0 services even when containers are visible to podman directly). Per §11.4.76: extend upstream submodule, never reimplement.
HRD-081	task	open	low	Claude	@milos85vasic	Wave 7 T6 — Slack channel adapter (Socket-commons_messaging/channels/slack) implements channels.Channel — New
HRD-115	task	in_progress	high	Claude	@milos85vasic	

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
						NewWithBaseUrl/NewFromURL parsing slack://<bot-token>@<workspace> <channel-id>[?app_token=...], Send (chat.postMessage), SendReply(thread_ts SendReplyGeneric (interface delegate v files.uploadV2 attachment fan-out), Subsc (Socket Mode), BotSelfIdentity (auth IdentityUserID, cached), DownloadAttac (files.info → content-addressed inbox/sl <sha>.<ext> via channels.WriteContentAddressed), Health Vendored submodules/slack-go @v0 (commit 209ec09) + commons_messag go.mod replace per Herald §11.4.74. 22 he httptest tests (33 incl. subtests) - race green inheritance gate 15/0 post-.gitmodules-edit; TestSlackSatisfiesChannel confir interface satisfaction. Migrate text HRD trackers to versioned SQL source-of-truth (§11.4.93 / Herald §108.h, 6- DB committed as authoritative SSoT per op mandate 2026-05-27. Phase 1 (this item): fil scope-locked tracking HRD. Phase 2: scaffo the migration Go binary that already lives in constitution submodule (constitution/ scripts/workable-items/) — Herald references it per §11.4.74 catalogue-first and reimplements it. Phase 3: sync md→db (load Issues.md / docs/Fixed.md / *_Summary.md / docs/Status.md / d CONTINUATION.md §3 into docs/.workable_items.db). Phase 4 db→md byte-identical (round-trip regenerat MD[?]DB drift is mechanically impossible). generator shims (the *_Summary.md varia Status/CONTINUATION become derived fr DB). Phase 6: prohibit text-direct edits (rele guard that the DB is the only authoring surfa Operator divergence from the parent §11.4.9 gitignored-with-regeneration default: for He DB IS the authoritative artefact — docs/.workable_items.db is version controlled (committed), NOT regenerated-or only the transient WAL/SHM sidecars (docs/.workable_items.db-wal / - gitignored ("We should not git ignore our wo items database since it is our single source o regarding items we have to do on the project Scope-lock: this HRD covers Phase 1 (this Phase 2 adoption ONLY. Phases 3-6 (md→
HRD-131	task	open	middle	Claude	@milos85vasic	

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
						db→md byte-identical regeneration, generation (text-direct-edit prohibition) are follow-on work to be opened as Phase 2 completes, so the §107.x change / §107.x evidence invariants are never mid-migration. 2026-05-29 re-assessment: remains EXTERNALLY BLOCKED — constitution/scripts/workable-items is still a non-functional scaffold (0/7 subcommands implemented, go build succeeds but even command exits 2 "not yet implemented"; full assessment docs/research/workable-items/phase2-assessment-2026-05-27.md cannot proceed beyond Phase 1 without reimplementing the binary, which §11.4.74 forbids. The docs/.workable_items.db → docs/workable_items.db path reconciliation DEFERRED BY DESIGN per CLAUDE.md ("reconcile to the canonical path when the DB is implemented") — reconciling now would change governance docs (inheritance-gate risk) for a path that does not yet exist and could create a new doc split.
HRD-150	task	open	high	Claude	@milos85vasic	ATMOSphere integration WS-1 — bidirectional MD↔SQLite regenerator + drift resolution constitution/scripts/workable-items per §11.4.74, supply the ATMOSphere-formatter (the tool lacks).
HRD-155	task	open	high	Claude	@milos85vasic	ATMOSphere integration WS-1 — operational workable-items SQLite tool + reconcile HRD (implement the tool's add/close/report commands; ATMOSphere-format parser upstream in the constitution repo per §11.4.74; external block SSoT materialization).
HRD-156	task	open	high	Claude	@milos85vasic	ATMOSphere integration WS-5 — anti-bluff automation test suite (T-A real-SQLite→real via MTProto; T-B inbound→real-row-mutate exact-diff byte-assert; T-D/T-E §11.4.85 stre T-F paired §1.1 mutation gate; wrap as Chal HelixQA; all docs/qa/<run-id>/).
HRD-157	task	open	high	Claude	@milos85vasic	ATMOSphere integration Phase 3 — register a proper tools/herald submodule (replace broken orphan gitlink, operator-chosen 2026 materialize docs/workable_items.db host-side runner (pherald watch + pher listen, mirroring tools/oom-protection Subscribers, run live T-A..T-F evidence.
HRD-158	task	open	middle	Claude	@milos85vasic	ATMOSphere integration WS-5 — anti-bluff verbatim-phrase propagation: add the operator to root constitution/QWEN.md (HelixConstitution) → cascade to ATMOSPHERE QWEN.md + all 25 submodules' QWEN.md (

ID	Type	Status	Criticality	Created-By	Assigned-To	Title
						confirmed-missing; audit the other ~18) + H README.

In progress

ID	Type	Status	Criticality	Created-By	Assigned-To	Title	Opened	Last update	Reference
HRD-008	task	in_progress	middle	Claude	@milos85vasic	Operator-side quickstart compose validation (Postgres + Redis + OTel + pherald container)	2026-05-20	2026-05-20	spec V3 §26.5 — scaffold shipped, end-to-end run pending; operator; Catalogue Check: no match (2026-05-20) — bespoke to Herald

Blocked

(none)

Conventions

See [Fixed.md](#) for closed items + Universal §11.4.12/.15/.16/.19/.33/.55/.73/.74 composition rules.