Follow-ups triage (machine-derived)

Field	Value
Revision	5
Created	2026-11-12
Last modified	2026-11-13 (Rev 5: WP10R4 nits - closing token as sentence subject is not a status, more remainder phrases, slash-listed heading ids, entry layer beats heading layer, wider negation windows, Source row names what was read; Rev 4: negated/qualified landed claims (NO-GO headings, case-insensitive inline remainders, bracketed open) are not landed; Rev 3: three-valued status, strong-evidence landed rule, unclassified blocker value)
Status	active (PROVISIONAL: derived by script, not human-verified row by row)
Roadmap-Item	CAT-WP10-TRIAGE
Source	`docs/FOLLOW_UPS_NEXT_PHASE.md` as read from the file system (identical to the copy in `main`); git evidence (code commits) from `main` at `713a4f380`
Generator	`scripts/docs/gen_follow_ups_triage.py` (test: `scripts/docs/test_gen_follow_ups_triage.py`)
Companion docs	`docs/FOLLOW_UPS_NEXT_PHASE.md`, `docs/WORKABLE_ITEMS_REGISTER.md`

Do not edit the table by hand; regenerate: `python3 scripts/docs/gen_follow_ups_triage.py --out docs/FOLLOW_UPS_TRIAGE_2026-11-12.md`.

Table of contents

- Method and limits
- Counts

- Top blockers
- Proposed follow-up policy
- Full table

Method and limits

- Rows are bullet entries of the register that begin with an id (one row per id and line). Ids mentioned only inside prose are not rows. Ids that appear as the lead of several bullets (`F1`, `R1`, ...) are listed once per bullet and get no git evidence.
- Reused generic ids (`F1`, `F3`, `R1`, ...) have several rows; a closing in a later section cannot be tied to the right row by id, so such rows may still read `open`. Review them by line. Status sources, in order: duplicate-of; `landed` (STRONG only): the entry itself opens with a closing token (FIXED / LANDED / [LANDED] / PROVISIONAL-DONE / DONE / CLOSED / RESOLVED, also inside its first parenthesis) and states nothing open anywhere in it, or it is nested under a bullet that opens that way, or a `Fixed:`/`Closed:` label line above it, or a heading that names the id or an id range landed (`PX-F1..F7 landed`; not when the heading is negated: NO-GO, NOT, pending, blocked, unlanded), or a CODE commit naming the id or a range of ids (id with at least 3 family letters, unique among the lead ids; the commit subject is not `docs:`/`docs(`, not a register commit, and its diff touches a file that is neither `*.md` nor under `docs/`); `open`: the entry says OPEN/OWED/Queued near its start; `unconfirmed`: everything weaker (a landed claim whose own text states a remainder, case-insensitive: still open/unguarded/missing, not re-checked/covered/yet, `Follow-ups:`/`Remaining:`/`Caveat:` lists, `for the X side`, partially, an open operator decision; a closing word that is not at the start of the entry, a later prose line, a partial entry that opens with a closing token but also states an open remainder, a code commit against an entry that states an open remainder). **`unconfirmed` is NOT closed**: it needs a human check and is counted next to open, never as done.
- Severity is only what the entry (first 200 characters) or its section heading states (`(sec)` = taken from the section heading). Not stated: `UNKNOWN`. Nothing is inferred.
- Layer: stated (`source-defect` / `test-instrumentation` / `process-doc`) or, with a trailing `*`, derived from the Type word or keywords (a heuristic).
- Status: `landed` only on the strong evidence above (PROVISIONAL: a code commit on `main` shows work reached main, not that the register was updated or the fix verified); `duplicate-of` only when the entry says so. Known misses: reused generic ids (`FU-4`, `F1`, ...) whose

closing sits in another section stay `open` or `unconfirmed`; nothing is guessed.
- Blocker (rows that are open or unconfirmed): `yes` on a stated critical, a stated release-blocking word, or important + (source-defect or unclassifiable layer, per 11.4.235(D) unclassifiable = source-defect). A security-adjacent word does not make an important test-instrumentation or process-doc row a blocker. `unclassified` = severity UNKNOWN with a source-defect or UNKNOWN layer: it can be called neither a blocker nor a non-blocker (11.4.276(G.2) / 11.4.235(D): an unrecorded severity is not minor-class, and it is not stated critical either); it is a triage defect, see proposed policy (4). Everything else `no` with the reason. This is a rule, not a verdict; the operator decides.
- Cluster: id family plus section title. It groups for batching; it is NOT a proven common root cause.
- Control needles (11.4.273) passed before this file was written: CAT-PREEXIST-1 present, PX-F* family present, fabricated ZZ-NOSUCH-999 absent; status needles PXF23-R2 landed, FU2-1 open, SMB-FU-17 not landed, R3-1 unconfirmed.

Counts

Rows: 867. By status: landed 196, open 596, unconfirmed 75. **`unconfirmed` rows are NOT closed**: they have only weak evidence and need a human check; they are not part of the landed count.

Unconfirmed rows by severity: UNKNOWN 49, important 3, minor 18, nit 5; by layer: UNKNOWN 42, process-doc 5, source-defect 2, test-instrumentation 26.

Open rows by layer (derived * merged): UNKNOWN 342, process-doc 72, source-defect 27, test-instrumentation 155.

Open rows by severity: UNKNOWN 302, important 13, minor 184, nit 97.

Open layer x severity:

layer	critical	important	minor	nit	UNKNOWN
source-defect	0	1	17	5	4
test-instrumentation	0	8	67	27	53

layer	critical	important	minor	nit	UNKNOWN
process-doc	0	1	31	14	26
UNKNOWN	0	3	69	51	219

Blockers by rule (open or unconfirmed): 7 (open 5, unconfirmed 2). `unclassified` (severity UNKNOWN + source-defect/UNKNOWN layer; neither blocker nor non-blocker): 257, of which 27 carry a security-adjacent word and need triage first. See proposed policy (4): every id carries a stated severity.

Open rows per cluster family (top 15):

family	open
SMB-FU	18
F5	13
D4	13
F4	12
F3	12
ERRLEAK	12
F6	11
FAVR3	11
F2	10
R2	10
S	10
AZ2	10
WP03R3FU	10
F7	9
SUB	9

Top blockers

Rule `yes` rows first, then the security-adjacent `unclassified` rows (first 25).

blocker	id	line	status	layer	severity	reason	cluster
yes	F3	402	open				

blocker	id	line	status	layer	severity	reason	cluster
				source-defect	important	important + source-defect	F3 / Responsive audit seri
yes	P2	759	unconfirmed	source-defect	important	status unconfirmed (not closed); important + source-defect	P2 / Auth review r3 follow-up
yes	N2	1027	open	UNKNOWN	important	important + layer unclassifiable = source-defect per 11.4.235(D)	N2 / Rout permissio review
yes	AZ2-R1	1111	unconfirmed	source-defect	important	status unconfirmed (not closed); important + source-defect	AZ2 / Aut round 2 r view follow-up
yes	UI-FAV-1	1475	open	UNKNOWN	important	important + layer unclassifiable = source-defect per 11.4.235(D)	UI-FAV / Stack-3 browser pass follo ups registered
yes	TAURI-F6	1564	open	UNKNOWN	important	important + layer unclassifiable = source-defect per 11.4.235(D)	TAURI / Tauri confirm-c URL-char follow-up
yes	WP03R3FU-11	2210	open	UNKNOWN	minor	entry states release-blocking	WP03R3F wp03-d9s fu review follow-up
unclassified	R3-M2	383	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN +	R3 / WrapHT- TPHandle path-para fix

blocker	id	line	status	layer	severity	reason	cluster
						UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
unclassified	F10	626	open	source-defect	UNKNOWN	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	F10 / CAT-001 review R1 deferrals
unclassified	R3-M2	663	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at	R3 / Authorization ga

blocker	id	line	status	layer	severity	reason	cluster
						registration; security-adjacent word present, triage first	
unclassified	CAT-050	663	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	CAT / Authorizatio gaps
unclassified	R2	750	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R2 / CAT-001 r view R4 class inventory
unclassified	S1	797	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN	S1 / Live scaling /

blocker	id	line	status	layer	severity	reason	cluster
						layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	stress / chaos sui
unclassified	S1	834	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	S1 / S1 resolution
unclassified	CV-F4	1044	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word	CV / Converter hardenin landing f low-ups

blocker	id	line	status	layer	severity	reason	cluster
						present, triage first	
unclassified	WL8	1093	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browser specs for catalog-w
unclassified	WL11	1096	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browser specs for catalog-w
unclassified	WL12-F2	1099	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed);	WL12 / Li browser

blocker	id	line	status	layer	severity	reason	cluster
						severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	specs for catalog-w
unclassified	AZ2-8	1105	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live browser specs for catalog-w
unclassified	AZ2-10	1107	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration;	AZ2 / Live browser specs for catalog-w

blocker	id	line	status	layer	severity	reason	cluster
						security-adjacent word present, triage first	
unclassified	LV3-1	1383	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	LV3 / Live verificati of stack 3
unclassified	SECQ-2	1393	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ / Security queue fix
unclassified	SECQ-8	1400	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not	SECQ / Security queue fix

blocker	id	line	status	layer	severity	reason	cluster
						(11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
unclassified	STK3-FU-2	1426	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack-3 verificati pack follo ups
unclassified	STK3-FU-4	1428	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack-3 verificati pack follo ups
unclassified	SECQ1-F1	1440	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN	SECQ1 / SECQ-1 fo low-ups

blocker	id	line	status	layer	severity	reason	cluster
						layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	and SUB-CONTRACT-1
unclassified	AND-FU-1	1505	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AND-FU / Android boot land
unclassified	HELIXQA-FU-2	1528	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word	HELIXQA FU / Live rerun 2026-11-0 on stack 3

blocker	id	line	status	layer	severity	reason	cluster
						present, triage first	
unclassified	SMB-FU-9	1679	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SMB-FU / CAT-FOL-LOWUPS-UNIT-1 review follow-up
unclassified	STACK-CTR-FU-1	1737	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STACK-CTR-FU / CAT-QA-STACK-LIFE-CYCLE-1: stack scripts vi ctrc
unclassified	N2	1771	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	N2 / CAT-REL-CHECK-1 follow-up

blocker	id	line	status	layer	severity	reason	cluster
						not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
unclassified	PX-F22	1888	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PX / PX-F F16 lande

Scope of the open set: only bullet entries that BEGIN with an id are rows. 1 further ids are mentioned only inside prose or only in the register and are NOT rows, so a blocker that exists only there is invisible to the table. Prose/register-only ids on a line that says important/critical/blocker (first 20): CAT-QA-SONAR-1 (line 1757). Known prose-only candidate: `OBF-1` ("Follow-ups (Queued, minor): OBF-1 ..." list near line 1921; minor, a rollback that can delete an unreadable config). `CAT-D9-SUSPEND` is a row (line 1279) and also in the register Part A. The table it does not replace the register.

Proposed follow-up policy (not applied)

PROPOSAL for operator decision (11.4.66); no rule file was changed. Text for `docs/FOLLOW_UPS_NEXT_PHASE.md` header or the review-budget policy:

> **Follow-up triage policy (proposed 2026-11-12).** (1) A reviewer finding of severity minor joins an existing open class item of the same root-cause family (same id family and section) as an added line, unless it is security-adjacent (authz, credential, injection, path confinement, data loss, information leak); a security-adjacent minor keeps its own id and is triaged for the next release. (2) A nit is not registered as its own id: it is applied in the same change when trivial, or listed once under the class item; a nit still open after the triage pass for the next release is closed with the reason `nit-after-triage`. (3) Each landed batch registers at most one new item per distinct class; the count of open ids must not grow between consecutive releases except for new increments (11.4.230(E.4) direction rule). (4) Every id carries a stated severity; UNKNOWN is a triage defect to fix at registration.

Full table

id	line	layer	severity	blocker	reason	cluster
F3	402	source-defect	important	yes	important + source-defect	F3 / Responsive audit series
N2	1027	UNKNOWN	important	yes	important + layer unclassifiable = source-defect per 11.4.235(D)	N2 / Route permissions review
UI-FAV-1	1475	UNKNOWN	important	yes	important + layer unclassifiable = source-defect per 11.4.235(D)	UI-FAV / Stack-3 browser pass follow-ups registe
TAURI-F6	1564	UNKNOWN	important	yes	important + layer unclassifiable = source-defect per 11.4.235(D)	TAURI / Tauri co firm-on-URL-ch follow-ups
WP03R3FU-11	2210	UNKNOWN	minor	yes		

id	line	layer	severity	blocker	reason	cluster
					entry states release-blocking	WP03R3FU / wp d9s-fu reviewer follow-ups
S1	257	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S1 / FTP live-tes low-ups S1-S4 a T1
S3	288	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3 / FTP live-tes low-ups S1-S4 a T1
S4	289	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S4 / FTP live-tes low-ups S1-S4 a T1
E7	319	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called	E7 / e2e credent default follow-u

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
C1	354	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	C1 / check_submodu gate follow-ups
R3-M1	382	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	R3 / WrapHTTPHandler path param fix
F5	426	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F5 / Responsive low-ups, closed branch `fix-res
F7	431				severity UNKNOWN +	

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F7 / Responsive low-ups, closed branch `fix-res
F2	470	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F2 / Responsive low-ups, closed branch `fix-res
F3	471	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F3 / Responsive low-ups, closed branch `fix-res
F4	472	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	F4 / Responsive low-ups, closed branch `fix-res

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
F-E3	497	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F / CAT-002 PDF isolation - follow ups
R7	578	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	R7 / Login/valid fix
F10	626	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	F10 / CAT-001 review R1 deferra
F2	627				severity UNKNOWN +	

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F2 / CAT-001 rev R1 deferrals
F2	628	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F2 / CAT-001 rev R1 deferrals
F3	629	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F3 / CAT-001 rev R1 deferrals
CAT-052	664	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	CAT / Authoriza gaps

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
B1	668	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	B1 / Authorizati gaps
F4	691	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F4 / Review R1 c ferrals
F6	692	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F6 / Review R1 c ferrals
F10	693	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	F10 / Review R1 ferrals

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
R2-N2	696	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R2 / Review R1 c ferrals
R3-C3	696	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R3 / Review R1 c ferrals
R2-N7	700	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R2 / Review R1 c ferrals
R4-6	733	UNKNOWN	UNKNOWN		severity UNKNOWN + UNKNOWN	R4 / CAT-001 rev R4 class invento

id	line	layer	severity	blocker	reason	cluster
				un-classified	layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
R4-9b	734	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	R4 / CAT-001 rev R4 class invento
R2	750	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R2 / CAT-001 rev R4 class invento
S1	797	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not	S1 / Live scaling stress / chaos su

id	line	layer	severity	blocker	reason	cluster
					(11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
S2	798	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S2 / Live scaling stress / chaos su
S3	799	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3 / Live scaling stress / chaos su
S4	800	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S4 / Live scaling stress / chaos su

id	line	layer	severity	blocker	reason	cluster
S5	801	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S5 / Live scaling stress / chaos su
R5-7	821	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	R5 / CAT-001 rev R5
S1	834	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	S1 / S1 resolutio
F5	853	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot	F5 / Pool-deadlo class fix + scalin suite findings

id	line	layer	severity	blocker	reason	cluster
					be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
F7	855	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F7 / Pool-deadlo class fix + scalin suite findings
F7	865	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F7 / Pool-class fi view
W10	890	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	W10 / Live Yand WebDAV suite

id	line	layer	severity	blocker	reason	cluster
F5	914	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F5 / Registration proval + ffmpeg image review
F6	931	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F6 / Converter hardening + registration follow-u
N4	932	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	N4 / Converter hardening + registration follow-u
F5	943	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	F5 / Converter hardening + registration follow-u

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration	
F6	944	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F6 / Converter hardening + registration follow-u
N6	949	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	N6 / Converter hardening + registration follow-u
F2	962	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F2 / Docs sync C view
F3	963	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called	F3 / Docs sync C view

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
F4	964	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F4 / Docs sync C view
F6	966	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F6 / Docs sync C view
SC1	977	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S / Smart collect round 1 follow-
SC2	978				severity UNKNOWN +	

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S / Smart collect round 1 follow-
SC3	979	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S / Smart collect round 1 follow-
SC4	980	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S / Smart collect round 1 follow-
SC5	981	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	S / Smart collect round 1 follow-

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
QC8	1018	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	Q / QA consume review follow-u
SC8	1021	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S / QA consume review follow-u
SC9	1022	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S / QA consume review follow-u
UI-F5	1034	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	UI / UI D1/D2 la ing follow-ups

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
UI-F7	1035	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 lan ing follow-ups
UI-F8	1036	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 lan ing follow-ups
UI-F2	1037	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 lan ing follow-ups
CV-F4	1044	UNKNOWN	UNKNOWN		severity UNKNOWN + UNKNOWN	

id	line	layer	severity	blocker	reason	cluster
				un-classified	layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	CV / Converter hardening landi follow-ups
CV-F5	1045	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CV / Converter hardening landi follow-ups
AZ2-1	1054	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	AZ2 / Authz rou
AZ2-2	1055	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not	AZ2 / Authz rou

id	line	layer	severity	blocker	reason	cluster
					(11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
AZ2-4	1057	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz rou
AZ2-5	1058	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz rou
AZ2-7	1060	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz rou
N2	1061	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot	N2 / Authz roun

id	line	layer	severity	blocker	reason	cluster
					be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
N4	1061	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N4 / Authz roun
N2	1065	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N2 / Smart colle tions round-4 re view follow-ups
AC1	1069	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	A / Live API con tract sweep

id	line	layer	severity	blocker	reason	cluster
AC2	1070	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	A / Live API contract sweep
AC3	1071	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	A / Live API contract sweep
AC4	1072	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	A / Live API contract sweep
AC5	1073	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	A / Live API contract sweep

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration	
WL2	1088	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browse specs for catalo web
WL3	1089	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browse specs for catalo web
WL4	1090	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browse specs for catalo web
WL9	1094	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called	W / Live browse specs for catalo web

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
WL12-F3	1101	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	WL12 / Live browser specs f catalog-web
AZ2-8	1105	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live brow specs for catalo web
AZ2-9	1106	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	AZ2 / Live brow specs for catalo web

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
AZ2-10	1107	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live brow specs for catalo web
CS-N2	1179	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CS / Contract sw review round 2 follow-ups
CSRF-3	1217	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CSRF / CAT-CSRI LAN follow-ups
LW3-1	1239				severity UNKNOWN +	

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	LW3 / Live QA round 3 + storag findings
D11	1255	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D11 / Conversio defects D1, D2, I
CONV-F1	1256	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CONV / Convers defects D1, D2, I
CONV-F2	1257	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	CONV / Convers defects D1, D2, I

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
CONV-F3	1260	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CONV / Convers defects D1, D2, I
CONV-F4	1261	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CONV / Convers defects D1, D2, I
CONV-F3	1266	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CONV / Convers defects D1, D2, I
D4-1	1336	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	D4 / D4 docume full-text search

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
D4-2	1337	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
D4-3	1338	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
D4-4	1339	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
D4-5	1340	UNKNOWN	UNKNOWN		severity UNKNOWN + UNKNOWN	D4 / D4 docume full-text search

id	line	layer	severity	blocker	reason	cluster
				un-classified	layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
D4-7	1342	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
D4-9	1344	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
D4-10	1345	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D4 / D4 docume full-text search

id	line	layer	severity	blocker	reason	cluster
D4-12	1348	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
F7	1369	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F7 / D11/D7 revi round 1 follow-
F8	1371	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F8 / D11/D7 revi round 1 follow-
LV3-1	1383	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	LV3 / Live verification of s 3

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
LV3-2	1384	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	LV3 / Live verification of s 3
LV3-5	1387	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	LV3 / Live verification of s 3
SECQ-2	1393	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adja-	SECQ / Security queue fix

id	line	layer	severity	blocker	reason	cluster
					cent word present, triage first	
SECQ-4	1395	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SECQ / Security queue fix
SECQ-7	1399	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SECQ / Security queue fix
SECQ-8	1400	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ / Security queue fix

id	line	layer	severity	blocker	reason	cluster
STK3-FU-1	1425	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	STK3-FU / Stack verification pac follow-ups
STK3-FU-2	1426	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack verification pac follow-ups
STK3-FU-3	1427	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	STK3-FU / Stack verification pac follow-ups
STK3-FU-4	1428	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot	STK3-FU / Stack verification pac follow-ups

id	line	layer	severity	blocker	reason	cluster
					be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
NEW1F3-FU-3	1433	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	NEW1F3-FU / NEW1-F3/F4 lan 2026-11-05
SECQ1-F1	1440	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ1 / SECQ-1 low-ups and SU CONTRACT-1
SECQ4B-FU-4	1454	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot	SECQ4B-FU / SECQ-4b landed 2026-11-05

id	line	layer	severity	blocker	reason	cluster
					be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
SECQ-3	1461	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Stack-3 li re-verification 2
UI-D1-FU-1	1470	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D1-FU / Stack browser pass fo low-ups register
UI-D1-FU-2	1471	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D1-FU / Stack browser pass fo low-ups register

id	line	layer	severity	blocker	reason	cluster
UI-D2-FU-1	1472	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D2-FU / Stack browser pass fo low-ups registe
UI-D3-FU-1	1474	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D3-FU / Stack browser pass fo low-ups registe
UI-D4-FU-1	1476	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D4-FU / Stack browser pass fo low-ups registe
SECQ-3	1478	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	SECQ / Stack-3 browser pass fo low-ups registe

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration	
UI-D7-FU-1	1491	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D7-FU / UI-D landed
UI-D8-FU-1	1492	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D8-FU / UI-D landed
UI-D7-FU-1	1501	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D7-FU / UI-D landed
AND-FU-1	1505	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called	AND-FU / Andro QA boot landed

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
TAURI-FU-1	1510	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI-FU / Tauri boot / S3 follow-registered
S3-FU-1	1511	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3-FU / Tauri QA boot / S3 follow-registered
TAURI-FU-6	1519	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	TAURI-FU / Tauri boot review follow-ups

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
TAURI-FU-7	1520	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI-FU / Taur boot review foll ups
UI-D3-FU-4	1525	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D3-FU / Live rerun 2026-11-0 stack 3
UI-D5-FU-3	1526	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-D5-FU / Live rerun 2026-11-0 stack 3
HELIXQA-FU-1	1527	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	HELIXQA-FU / L UI rerun 2026-1 on stack 3

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
HELIXQA-FU-2	1528	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	HELIXQA-FU / L UI rerun 2026-1 on stack 3
D7-F3	1535	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7 / D7 remaini contrast follow-
TAURI-F6	1549	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D));	TAURI / Tauri SS

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
S3-R2-1	1552	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3-R2 / S3 proto follow-ups
S3-R2-2	1553	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3-R2 / S3 proto follow-ups
S3-R2-5	1556	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3-R2 / S3 proto follow-ups
S3-LIVE-FU-1	1559	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	S3-LIVE-FU / S3

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
TAURI-F7	1565	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI / Tauri co firm-on-URL-cha follow-ups
D7-R3-FU1	1571	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7-R3-F / D7 cla wide contrast
D7-R3-M3	1573	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7-R3 / D7 class wide contrast
PROM-R2-2	1590	UNKNOWN	UNKNOWN		severity UNKNOWN + UNKNOWN	

id	line	layer	severity	blocker	reason	cluster
				un-classified	layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	PROM-R2 / Prometheus auth landed
TP-FU-2	1613	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TP-FU / TRUSTED_PROXIES hardening follo ups
TP-FU-3	1614	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TP-FU / TRUSTED_PROXIES hardening follo ups
TAURI-R1-FU-7	1623	source-defect	UNKNOWN	un-classified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI-R1-FU / T native QA revie

id	line	layer	severity	blocker	reason	cluster
FU20-1	1640	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FU20 / followups-202611 review
FU20-2	1641	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FU20 / followups-202611 review
LIP-FU-5	1651	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	LIP-FU / lanip-d review
SMB-FU-4	1659	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	SMB-FU / smb-s dir / tauri round notes

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration	
SMB-FU-7	1662	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SMB-FU / smb-s dir / tauri round notes
LIP-FU-9	1673	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	LIP-FU / CAT-FO LOWUPS-UNIT- view follow-ups
SMB-FU-9b	1680	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
SMB-FU-13	1681	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
TAURI-R2-FU-3	1690	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R2-FU / T guard follow-up
R1-FU-6	1690	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R1-FU / Tauri gu follow-ups
TAURI-R2-FU-5	1691	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R2-FU / T guard follow-up
	1692				severity UNKNOWN +	

id	line	layer	severity	blocker	reason	cluster
TAURI-R3-FU-1		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI-R3-FU / T guard follow-up
TAURI-R4	1694	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI / Tauri gu follow-ups
TAURI-R4-FU-1	1695	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI-R4-FU / T guard follow-up
TAURI-R4-FU-2	1696	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	TAURI-R4-FU / T guard follow-up

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
TAURI-R4-FU-4	1698	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	TAURI-R4-FU / T guard follow-up
STACK-CTR-FU-1	1737	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STACK-CTR-FU / CAT-QA-STACK-I FECYCLE-1: stac scripts via ctrc
STACK-CTR-FU-2	1738	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	STACK-CTR-FU / CAT-QA-STACK-I FECYCLE-1: stac scripts via ctrc
	1739				severity UNKNOWN +	STACK-CTR-FU / CAT-QA-STACK-I

id	line	layer	severity	blocker	reason	cluster
STACK-CTR-FU-3		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FECYCLE-1: stac scripts via ctrc
STACK-CTR-FU-5	1741	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	STACK-CTR-FU / CAT-QA-STACK- FECYCLE-1: stac scripts via ctrc
N1	1770	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	N1 / CAT-REL-CHECK-1 follow
N2	1771	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at	N2 / CAT-REL-CHECK-1 follow

id	line	layer	severity	blocker	reason	cluster
					registration; security-adjacent word present, triage first	
N3	1772	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	N3 / CAT-REL-CHECK-1 follow
N4	1773	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	N4 / CAT-REL-CHECK-1 follow
S3358	1778	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	S3358 / CAT-QA-SONAR-7
FU-3	1783	UNKNOWN	UNKNOWN		severity UNKNOWN + UNKNOWN	FU / CAT-QA-SONAR-7 follow-ups

id	line	layer	severity	blocker	reason	cluster
				un-classified	layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
FU-4	1784	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FU / CAT-QA-SOAR-7 follow-ups
F2	1788	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F2 / CAT-REL-CHECK-1 round follow-ups
F4	1790	UNKNOWN	UNKNOWN	un-classified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	F4 / CAT-REL-CHECK-1 round follow-ups

id	line	layer	severity	blocker	reason	cluster
FU2-4	1801	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FU2 / CAT-QA-SC AR-7 FU round-2
PW-F4	1847	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	PW / CAT-PREEX IST-7/8/9 landed
PX-F14	1876	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	PX / PX-F8..F12 landed
PX-F17	1879	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	PX / PX-F8..F12 landed

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration	
PX-F20	1886	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	PX / PX-F15/F16 landed
PX-F21	1887	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	PX / PX-F15/F16 landed
PX-F22	1888	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PX / PX-F15/F16 landed

id	line	layer	severity	blocker	reason	cluster
SECQ-1	1892	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SECQ / CAT-OPDB
PXF23-F1	1912	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PXF23 / CAT-PXI
PXF23-F2	1913	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	PXF23 / CAT-PXI
PXF23-R5	1927	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot	PXF23 / PXF23-R landed

id	line	layer	severity	blocker	reason	cluster
					be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
PXF23-R5b	1936	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PXF23 / CAT-PXF R5 landed
PXF23-R5c	1937	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PXF23 / CAT-PXF R5 landed
PXF23-R5d	1938	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adja-	PXF23 / CAT-PXF R5 landed

id	line	layer	severity	blocker	reason	cluster
					cent word present, triage first	
D9S-F5	1965	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND
D9S-F6	1966	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND
CAT-SECQ1-B	2010	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CAT-SECQ1-B / CSECQ1-A follow-
CAT-SECQ1-C	2011	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called	CAT-SECQ1-C / CSECQ1-A follow-

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
CAT-SECQ1-D	2012	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT-SECQ1-D / C SECQ1-A follow
UI-FAV-1a	2057	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-FAV / CAT-UI FAV-1
UI-FAV-1b	2058	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-FAV / CAT-UI FAV-1
UI-FAV-1c	2059				severity UNKNOWN +	

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	UI-FAV / CAT-UI-FAV-1
D9S-M1	2085	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SU PEND round-2 r view follow-ups
D9S-M4	2085	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SU PEND round-2 r view follow-ups
D9S-M5	2085	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D));	D9S / CAT-D9-SU PEND round-2 r view follow-ups

id	line	layer	severity	blocker	reason	cluster
					set severity at registration	
D9S-F5	2086	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND round-2 review follow-ups
D9S-F6	2087	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND round-2 review follow-ups
D9S-F7	2088	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND round-2 review follow-ups
FAVR3-6	2101	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	FAVR3 / CAT-D9-SUSPEND round review follow-u

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
SEC-WS-1-F1	2102	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1 / CAT-SUSPEND round review follow-u
SEC-WS-1R3-3	2167	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1R3 / SE WS-1R3 — auth round
SEC-WS-1-F5	2168	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1 / SEC-WS-1R3 — auth round
FAVR3-7	2179	UNKNOWN	UNKNOWN		severity UNKNOWN + UNKNOWN	FAVR3 / FAVR3 f low-ups round 2

id	line	layer	severity	blocker	reason	cluster
				unclassified	layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
FAVR3-8	2180	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FAVR3 / FAVR3 f low-ups round 2
FAVR3-9	2181	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FAVR3 / FAVR3 f low-ups round 2
FAVR3-6	2183	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FAVR3 / FAVR3 f low-ups round 2

id	line	layer	severity	blocker	reason	cluster
DEVEMU-F1	2197	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	DEVEMU / Devic emulation plan follow-ups
SEC-WS-1F3FU-1	2249	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3
SEC-WS-1F3FU-2	2250	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3
SEC-WS-1F3FU-3	2251	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/	SEC-WS-1F3FU / SEC-WS-1 F3

id	line	layer	severity	blocker	reason	cluster
					11.4.235(D)); set severity at registration	
SEC-WS-1F3FU-4	2252	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3
SEC-WS-1F3FU-5	2253	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3
SEC-WS-1F3FU-6	2254	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3
FU-4	2260	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called	FU / Reviewer fo low-ups for fix/s ws-1-f3

id	line	layer	severity	blocker	reason	cluster
					blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
O1	14	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O1 / Container hygiene guard
O2	17	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O2 / Container hygiene guard
O3	19	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O3 / Container hygiene guard
O4	23	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O4 / Container hygiene guard
RM6	36	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	R / Container hygiene guard
F9	74	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F9 / Secrets scan
F4	95	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F4 / Path confinement

id	line	layer	severity	blocker	reason	cluster
T1	281	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	T1 / FTP live-tes low-ups S1-S4 a T1
S2	285	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	S2 / FTP live-tes low-ups S1-S4 a T1
E1	297	test-instrumentation	important	no	important but test-instrumentation layer	E1 / e2e credent default follow-u
E2	300	test-instrumentation	important	no	important but test-instrumentation layer	E2 / e2e credent default follow-u
E3	303	test-instrumentation	minor	no	severity minor	E3 / e2e credent default follow-u
E4	305	test-instrumentation	important	no	important but test-instrumentation layer	E4 / e2e credent default follow-u
E5	310	test-instrumentation	important	no	important but test-instrumentation layer	E5 / e2e credent default follow-u
E6	314	process-doc	minor	no	severity minor	E6 / e2e credent default follow-u
M6	330	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	M6 / Appendix c gests
N9-1	347	test-instru-	UNKNOWN	no	severity UNKNOWN but test-instru-	N9 / check_submodu gate follow-ups

id	line	layer	severity	blocker	reason	cluster
		mentation*			mentation layer	
N9-2	348	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N9 / check_submodu gate follow-ups
S3	374	UNKNOWN	minor	no	severity minor	S3 / WrapHTTPHandler path param fix
S4	375	UNKNOWN	minor	no	severity minor	S4 / WrapHTTPHandler path param fix
T1	376	test-instrumentation	minor	no	severity minor	T1 / WrapHTTPHandler path param fix
T6	377	test-instrumentation	minor	no	severity minor	T6 / WrapHTTPHandler path param fix
F5	408	process-doc	important	no	important but process-doc layer	F5 / Responsive audit series
F6	413	source-defect	minor	no	severity minor	F6 / Responsive audit series
F7	416	source-defect	minor	no	severity minor	F7 / Responsive audit series
F5	473	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F5 / Responsive low-ups, closed branch `fix-res
F7	474	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F7 / Responsive low-ups, closed branch `fix-res
F8	475	test-instru-		no	severity UNKNOWN but	

id	line	layer	severity	blocker	reason	cluster
		mentation*	UNKNOWN		test-instrumentation layer	F8 / Responsive low-ups, closed branch `fix-res
N1	487	UNKNOWN	minor(sec)	no	severity minor	N1 / Runner scr
N2	488	UNKNOWN	minor(sec)	no	severity minor	N2 / Runner scr
N3	489	UNKNOWN	minor(sec)	no	severity minor	N3 / Runner scr
N4	490	UNKNOWN	minor(sec)	no	severity minor	N4 / Runner scr
T1	491	test-instrumentation*	minor(sec)	no	severity minor	T1 / Runner scri
T2	492	test-instrumentation*	minor(sec)	no	severity minor	T2 / Runner scri
T3	493	test-instrumentation*	minor(sec)	no	severity minor	T3 / Runner scri
F1	504	UNKNOWN	minor(sec)	no	severity minor	F1 / CAT-002 rev round 5 follow-
F2	505	test-instrumentation*	nit	no	severity nit	F2 / CAT-002 rev round 5 follow-
F3	506	test-instrumentation*	minor(sec)	no	severity minor	F3 / CAT-002 rev round 5 follow-
F5	507	UNKNOWN	minor(sec)	no	severity minor	F5 / CAT-002 rev round 5 follow-
F3	559	source-defect	minor	no	severity minor	F3 / Docs C2/C5 landing
F4	561		minor	no		

id	line	layer	severity	blocker	reason	cluster
		source-defect			severity minor	F4 / Docs C2/C5 landing
F6	562	source-defect	minor	no	severity minor	F6 / Docs C2/C5 landing
R6	566	process-doc	minor(sec)	no	severity minor	R6 / Docs C2/C5 view round 2 fo low-ups
R3-2	593	test-instru-menta-tion	minor(sec)	no	severity minor	R3 / Crash-pages view round 3 fo low-ups
N7	667	UN-KNOWN	minor	no	severity minor	N7 / Authorizati gaps
R2	751	process-doc*	UN-KNOWN	no	severity UN-KNOWN but process-doc layer	R2 / CAT-001 rev R4 class invento
T1	755	test-instru-menta-tion	minor	no	severity minor	T1 / Authz revie follow-ups
T2	756	process-doc*	nit	no	severity nit	T2 / Authz revie follow-ups
T3	757	test-instru-menta-tion*	nit	no	severity nit	T3 / Authz revie follow-ups
T4	758	UN-KNOWN	minor	no	severity minor	T4 / Authz revie follow-ups
P3	760	UN-KNOWN	minor	no	severity minor	P3 / Authz revie follow-ups
F1	807	test-instru-menta-tion	important	no	important but test-instru-mentation layer	F1 / Scaling/cha review r1 follow ups
F2	808	test-instru-	important	no	important but test-instru-	F2 / Scaling/cha review r1 follow ups

id	line	layer	severity	blocker	reason	cluster
		mentation			mentation layer	
F3	809	test-instrumentation*	minor	no	severity minor	F3 / Scaling/cha review r1 follov ups
F4	810	UNKNOWN	minor	no	severity minor	F4 / Scaling/cha review r1 follov ups
F5	811	source-defect	minor	no	severity minor	F5 / Scaling/cha review r1 follov ups
F6	812	UNKNOWN	minor	no	severity minor	F6 / Scaling/cha review r1 follov ups
F7	813	source-defect	minor	no	severity minor	F7 / Scaling/cha review r1 follov ups
F8	814	UNKNOWN	nit	no	severity nit	F8 / Scaling/cha review r1 follov ups
F1	826	UNKNOWN	minor	no	severity minor	F1 / CAT-001 ver ation round
F2	827	UNKNOWN	nit	no	severity nit	F2 / CAT-001 ver ation round
F3	828	process-doc	UNKNOWN	no	severity UNKNOWN but process-doc layer	F3 / CAT-001 ver ation round
F4	829	process-doc*	nit	no	severity nit	F4 / CAT-001 ver ation round
F5	830	UNKNOWN	minor	no	severity minor	F5 / CAT-001 ver ation round
F6	831	UNKNOWN	nit	no	severity nit	F6 / CAT-001 ver ation round
F1	841	test-instru-	minor	no	severity minor	F1 / S1 memory review

id	line	layer	severity	blocker	reason	cluster
		mentation*				
F2	842	process-doc*	minor	no	severity minor	F2 / S1 memory review
F3	843	process-doc*	nit	no	severity nit	F3 / S1 memory review
F4	844	UNKNOWN	minor	no	severity minor	F4 / S1 memory review
F5	845	UNKNOWN	nit	no	severity nit	F5 / S1 memory review
F6	846	UNKNOWN	minor	no	severity minor	F6 / S1 memory review
F7	847	UNKNOWN	minor	no	severity minor	F7 / S1 memory review
F1	859	UNKNOWN	minor	no	severity minor	F1 / Pool-class fi view
F2	860	UNKNOWN	minor	no	severity minor	F2 / Pool-class fi view
F3	861	UNKNOWN	minor	no	severity minor	F3 / Pool-class fi view
F4	862	test-instrumentation*	nit	no	severity nit	F4 / Pool-class fi view
F5	863	UNKNOWN	minor	no	severity minor	F5 / Pool-class fi view
F6	864	UNKNOWN	nit	no	severity nit	F6 / Pool-class fi view
F8	866	UNKNOWN	nit	no	severity nit	F8 / Pool-class fi view
W9	889	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	W9 / Live Yande WebDAV suite
WD-F1	892	process-doc*	UNKNOWN	no	severity UNKNOWN but	WD / Live Yand WebDAV suite

id	line	layer	severity	blocker	reason	cluster
					process-doc layer	
F6	915	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F6 / Registration proval + ffmpeg image review
D1	954	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	D1 / Docs sync C
D5	958	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	D5 / Docs sync C
F5	965	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F5 / Docs sync C view
F7	967	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F7 / Docs sync C view
F-R6	974	UNKNOWN	nit	no	severity nit	F / Route permissions rev
QC1	1011	UNKNOWN	minor	no	severity minor	Q / QA consume review follow-u
QC2	1012	UNKNOWN	minor	no	severity minor	Q / QA consume review follow-u
QC3	1013	test-instrumentation*	minor	no	severity minor	Q / QA consume review follow-u
QC4	1014	test-instrumentation*	minor	no	severity minor	Q / QA consume review follow-u

id	line	layer	severity	blocker	reason	cluster
QC5	1015	test-instrumentation*	minor	no	severity minor	Q / QA consume review follow-u
QC6	1016	UNKNOWN	nit	no	severity nit	Q / QA consume review follow-u
QC7	1017	test-instrumentation*	nit	no	severity nit	Q / QA consume review follow-u
SC6	1019	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	S / QA consume review follow-u
N4	1029	UNKNOWN	minor	no	severity minor	N4 / Route perm sions review
N5	1030	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N5 / Route perm sions review
N6	1031	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N6 / Route perm sions review
CV-F1	1041	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	CV / Converter hardening landi follow-ups
CV-F2	1042	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	CV / Converter hardening landi follow-ups
CV-F3	1043	process-doc*	UNKNOWN	no	severity UNKNOWN but	

id	line	layer	severity	blocker	reason	cluster
					process-doc layer	CV / Converter hardening landi follow-ups
R4-1	1048	test-instrumentation	minor	no	severity minor	R4 / P2 round-4 view follow-up
AZ2-3	1056	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	AZ2 / Authz rou
AZ2-6	1059	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	AZ2 / Authz rou
SC10	1063	test-instrumentation	minor	no	severity minor	S / Smart collect round-4 review follow-ups
SC11	1064	process-doc	nit	no	severity nit	S / Smart collect round-4 review follow-ups
W10	1075	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	W10 / Live API c tract sweep
R2-1	1078	test-instrumentation	minor	no	severity minor	R2 / WebDAV liv suite round-2 re view follow-ups
R2-2	1079	test-instrumentation	minor	no	severity minor	R2 / WebDAV liv suite round-2 re view follow-ups
R2-3	1080	test-instru-	nit	no	severity nit	R2 / WebDAV liv suite round-2 re view follow-ups

id	line	layer	severity	blocker	reason	cluster
		mentation*				
R2-4	1081	process-doc	minor	no	severity minor	R2 / WebDAV liv suite round-2 re view follow-ups
R2-5	1082	UNKNOWN	nit	no	severity nit	R2 / WebDAV liv suite round-2 re view follow-ups
R2-6	1083	UNKNOWN	nit	no	severity nit	R2 / WebDAV liv suite round-2 re view follow-ups
WL10	1095	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	W / Live browse specs for catalo web
WL12-D1	1100	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	WL12 / Live browser specs f catalog-web
MG-C1	1128	UNKNOWN	minor	no	severity minor	MG / Media fixtu generator revie follow-ups
MG-C2	1129	process-doc	minor	no	severity minor	MG / Media fixtu generator revie follow-ups
MG-C3	1130	test-instrumentation	minor	no	severity minor	MG / Media fixtu generator revie follow-ups
WL13-F2	1134	UNKNOWN	minor	no	severity minor	WL13 / Web pla review follow-u
WL13-F3	1135	process-doc*	minor	no	severity minor	WL13 / Web pla review follow-u
WL13-F4	1136	UNKNOWN	nit	no	severity nit	WL13 / Web pla review follow-u
S3-1	1140	test-instru-	minor	no	severity minor	S3 / Stack 3 scri review follow-u

id	line	layer	severity	blocker	reason	cluster
		mentation				
S3-2	1141	process-doc	minor	no	severity minor	S3 / Stack 3 scri review follow-u
S3-3	1142	process-doc	minor	no	severity minor	S3 / Stack 3 scri review follow-u
LM-F1	1147	test-instrumentation	minor	no	severity minor	LM / Live-map r view round 3 fo low-ups
LM-F2	1148	process-doc	nit	no	severity nit	LM / Live-map r view round 3 fo low-ups
LM-F3	1149	process-doc	nit	no	severity nit	LM / Live-map r view round 3 fo low-ups
F3	1153	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F3 / Live-eviden verifier / record
F4	1154	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F4 / Live-eviden verifier / record
CS-N1	1178	test-instrumentation	important	no	important but test-instrumentation layer	CS / Contract sw review round 2 follow-ups
CS-N3	1180	test-instrumentation	minor	no	severity minor	CS / Contract sw review round 2 follow-ups
CS-N4	1181	UNKNOWN	minor	no	severity minor	CS / Contract sw review round 2 follow-ups
CS-N5	1182		minor	no		

id	line	layer	severity	block-er	reason	cluster
		process-doc			severity minor	CS / Contract sw review round 2 follow-ups
CS-N6	1183	UN-KNOWN	minor	no	severity minor	CS / Contract sw review round 2 follow-ups
NS-1	1187	source-defect	minor(sec)	no	severity minor	NS / Nil-slice cla review round 1 follow-ups
NS-2	1188	test-in-stru-menta-tion	minor(sec)	no	severity minor	NS / Nil-slice cla review round 1 follow-ups
NS-4	1190	UN-KNOWN	minor(sec)	no	severity minor	NS / Nil-slice cla review round 1 follow-ups
NS-5	1191	process-doc	minor(sec)	no	severity minor	NS / Nil-slice cla review round 1 follow-ups
NS-6	1192	UN-KNOWN	minor(sec)	no	severity minor	NS / Nil-slice cla review round 1 follow-ups
NS3-F1	1197	UN-KNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 view round 1 fo low-ups
NS3-F2	1198	UN-KNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 view round 1 fo low-ups
NS3-F3	1199	UN-KNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 view round 1 fo low-ups
NS3-F4	1200	UN-KNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 view round 1 fo low-ups
NS3-F5	1201	test-in-stru-menta-tion*	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 view round 1 fo low-ups

id	line	layer	severity	blocker	reason	cluster
NS3-F6	1202	UNKNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 view round 1 fo low-ups
WL13-R1	1206	test-instrumentation	minor	no	severity minor	WL13 / WL13 re view follow-ups
WL13-R2	1207	test-instrumentation	minor	no	severity minor	WL13 / WL13 re view follow-ups
WL13-R3	1208	process-doc	minor	no	severity minor	WL13 / WL13 re view follow-ups
WL13-R6	1210	test-instrumentation*	nit	no	severity nit	WL13 / WL13 re view follow-ups
CSRF-2	1216	process-doc	UNKNOWN	no	severity UNKNOWN but process-doc layer	CSRF / CAT-CSRI LAN follow-ups
MON-G4	1227	test-instrumentation	minor	no	severity minor	MON / Monitori deploy review f low-ups
MON-G5	1228	process-doc	nit	no	severity nit	MON / Monitori deploy review f low-ups
ST-F5	1243	UNKNOWN	minor	no	severity minor	ST / Live QA rou 3 + storage r1 fi ings
N2	1264	UNKNOWN	nit	no	severity nit	N2 / Conversion fects D1, D2, D7
ST-R4-1	1282	test-instrumentation	minor	no	severity minor	ST-R4 / Storage ents fix: Opus round-4 follow-
ST-R4-2	1283	test-instru-	minor	no		

id	line	layer	severity	blocker	reason	cluster
		mentation			severity minor	ST-R4 / Storage ents fix: Opus round-4 follow-
ST-R4-3	1284	source-defect	nit	no	severity nit	ST-R4 / Storage ents fix: Opus round-4 follow-
ST-R4-4	1285	source-defect	nit	no	severity nit	ST-R4 / Storage ents fix: Opus round-4 follow-
SUB-F1	1298	UNKNOWN	minor	no	severity minor	SUB / Subtitle de fects D5-D8 + de route
SUB-F2	1299	UNKNOWN	minor	no	severity minor	SUB / Subtitle de fects D5-D8 + de route
SUB-H1	1302	test-instrumentation	minor	no	severity minor	SUB / Subtitle de fects: Opus roun follow-ups
SUB-H2	1303	source-defect	minor	no	severity minor	SUB / Subtitle de fects: Opus roun follow-ups
SUB-H3	1304	source-defect	minor	no	severity minor	SUB / Subtitle de fects: Opus roun follow-ups
SUB-H4	1305	source-defect	nit	no	severity nit	SUB / Subtitle de fects: Opus roun follow-ups
SUB-H5	1306	test-instrumentation	nit	no	severity nit	SUB / Subtitle de fects: Opus roun follow-ups
SUB-H6	1307	process-doc	minor	no	severity minor	SUB / Subtitle de fects: Opus roun follow-ups
SUB-H7	1308	process-doc	nit	no	severity nit	SUB / Subtitle de fects: Opus roun follow-ups

id	line	layer	severity	blocker	reason	cluster
D3-R3-1	1322	test-instrumentation	minor	no	severity minor	D3-R3 / D3 pdf-pages: poppler-rendering, go-fi
D9-F1	1328	source-defect	minor	no	severity minor	D9 / D3 pdf-page poppler-only re dering, go-fitz r
D9-F2	1329	process-doc	minor	no	severity minor	D9 / D3 pdf-page poppler-only re dering, go-fitz r
D9-F3	1330	UNKNOWN	nit	no	severity nit	D9 / D3 pdf-page poppler-only re dering, go-fitz r
D4-6	1341	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D4 / D4 docume full-text search
D4-8	1343	UNKNOWN	nit	no	severity nit	D4 / D4 docume full-text search
D4-13	1349	UNKNOWN	minor	no	severity minor	D4 / D4 docume full-text search
D4-14	1350	UNKNOWN	nit	no	severity nit	D4 / D4 docume full-text search
D11-F1	1359	UNKNOWN	minor	no	severity minor	D11 / D11a, D11 D7/D8 remainde
D11-F2	1360	UNKNOWN	minor	no	severity minor	D11 / D11a, D11 D7/D8 remainde
D11-F3	1361	UNKNOWN	minor	no	severity minor	D11 / D11a, D11 D7/D8 remainde
D11-F4	1362	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D11 / D11a, D11 D7/D8 remainde
D11-R2-2	1374	process-doc	minor	no	severity minor	D11-R2 / D11/D7 view round 1 fo low-ups

id	line	layer	severity	blocker	reason	cluster
D11-R2-3	1375	test-instrumentation	nit	no	severity nit	D11-R2 / D11/D7 view round 1 follow-ups
D11-R2-4	1376	process-doc	nit	no	severity nit	D11-R2 / D11/D7 view round 1 follow-ups
D11-R2-5	1377	source-defect	nit	no	severity nit	D11-R2 / D11/D7 view round 1 follow-ups
LV3-3	1385	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LV3 / Live verification of s 3
LV3-4	1386	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LV3 / Live verification of s 3
NEW1-F2	1406	test-instrumentation	minor	no	severity minor	NEW1 / NEW-1 er thumbnails
SECQ1-F1	1413	UNKNOWN	nit	no	severity nit	SECQ1 / SECQ-1 WebDAV storag root SSRF guard
SECQ1-F2	1414	UNKNOWN	minor	no	severity minor	SECQ1 / SECQ-1 WebDAV storag root SSRF guard
NEW1F3-FU-1	1431	process-doc*	nit	no	severity nit	NEW1F3-FU / NEW1-F3/F4 lan 2026-11-05
NEW1F3-FU-2	1432	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	NEW1F3-FU / NEW1-F3/F4 lan 2026-11-05
SECQ1FU-1	1448	test-instru-	minor	no	severity minor	

id	line	layer	severity	blocker	reason	cluster
		mentation*				SECQ1FU / SECQ follow-ups land 2026-11-05
SECQ4B-FU-1	1451	test-instrumentation*	minor	no	severity minor	SECQ4B-FU / SECQ-4b landed 2026-11-05
SECQ4B-FU-3	1453	UNKNOWN	nit	no	severity nit	SECQ4B-FU / SECQ-4b landed 2026-11-05
UI-D2-FU-2	1473	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	UI-D2-FU / Stack browser pass fo low-ups registe
UI-D3-FU-2	1481	UNKNOWN	nit	no	severity nit	UI-D3-FU / UI-D2 landed
UI-D3-FU-3	1482	UNKNOWN	nit	no	severity nit	UI-D3-FU / UI-D2 landed
UI-D1-FU-3	1485	UNKNOWN	minor	no	severity minor	UI-D1-FU / UI-D1 landed
UI-D1-FU-4	1486	UNKNOWN	nit	no	severity nit	UI-D1-FU / UI-D1 landed
UI-D1-FU-5	1487	test-instrumentation*	nit	no	severity nit	UI-D1-FU / UI-D1 landed
UI-D8-FU-2	1493	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	UI-D8-FU / UI-D7 landed
UI-D8-FU-3	1494	test-instrumentation*	nit	no	severity nit	UI-D8-FU / UI-D7 landed
UI-D5D6-FU-1	1497	test-instru-	minor	no	severity minor	UI-D5D6-FU / UI D6 landed

id	line	layer	severity	blocker	reason	cluster
		mentation*				
UI-D5D6-FU-2	1498	test-instrumentation*	nit	no	severity nit	UI-D5D6-FU / UI D6 landed
MP-FLAKE-1	1499	test-instrumentation*	minor	no	severity minor	MP-FLAKE / UI- D6 landed
WEB-DEPS-1	1500	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	WEB-DEPS / UI- D6 landed
AND-FU-6	1506	source-defect	minor	no	severity minor	AND-FU / Andro QA boot landed
AND-FU-7	1507	process-doc*	nit	no	severity nit	AND-FU / Andro QA boot landed
TAURI-FU-2	1515	process-doc	minor	no	severity minor	TAURI-FU / Taur boot review foll ups
TAURI-FU-3	1516	test-instrumentation	minor	no	severity minor	TAURI-FU / Taur boot review foll ups
TAURI-FU-4	1517	test-instrumentation	nit	no	severity nit	TAURI-FU / Taur boot review foll ups
HQA-R3-1	1539	UNKNOWN	nit	no	severity nit	HQA-R3 / HelixQ stack3 wrapper follow-ups
HQA-R3-2	1540	process-doc	minor	no	severity minor	HQA-R3 / HelixQ stack3 wrapper follow-ups
HQA-R3-3	1541	UNKNOWN	nit	no	severity nit	

id	line	layer	severity	blocker	reason	cluster
						HQA-R3 / HelixQ stack3 wrapper follow-ups
HQA-R3-4	1542	UNKNOWN	nit	no	severity nit	HQA-R3 / HelixQ stack3 wrapper follow-ups
TAURI-F14	1546	UNKNOWN	nit	no	severity nit	TAURI / Tauri SS
S3-R2-3	1554	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	S3-R2 / S3 proto follow-ups
S3-R2-4	1555	test-instrumentation*	nit	no	severity nit	S3-R2 / S3 proto follow-ups
S3-LIVE-FU-2	1560	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	S3-LIVE-FU / S3
TAURI-F9	1566	test-instrumentation*	minor	no	severity minor	TAURI / Tauri co firm-on-URL-cha follow-ups
TAURI-F10	1567	test-instrumentation*	minor	no	severity minor	TAURI / Tauri co firm-on-URL-cha follow-ups
D7-R3-M1	1572	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D7-R3 / D7 class wide contrast
PROM-R2-1	1589	test-instrumentation*	minor	no	severity minor	PROM-R2 / Prometheus auth landed
TAURI-R1-FU-1	1617	test-instru-	minor	no	severity minor	TAURI-R1-FU / T native QA revie

id	line	layer	severity	blocker	reason	cluster
		mentation				
TAURI-R1-FU-2	1618	test-instrumentation	minor	no	severity minor	TAURI-R1-FU / T native QA revie
TAURI-R1-FU-3	1619	test-instrumentation	minor	no	severity minor	TAURI-R1-FU / T native QA revie
TAURI-R1-FU-4	1620	process-doc	minor	no	severity minor	TAURI-R1-FU / T native QA revie
TAURI-R1-FU-5	1621	process-doc	minor	no	severity minor	TAURI-R1-FU / T native QA revie
TAURI-R1-FU-8	1624	source-defect	nit	no	severity nit	TAURI-R1-FU / T native QA revie
TAURI-R2-FU-5	1636	UNKNOWN	nit	no	severity nit	TAURI-R2-FU / T follow-ups revie
FU20-4	1643	process-doc	UNKNOWN	no	severity UNKNOWN but process-doc layer	FU20 / followups-202611 review
LIP-FU-1	1647	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LIP-FU / lanip-d review
LIP-FU-2	1648	UNKNOWN	nit	no	severity nit	LIP-FU / lanip-d review
LIP-FU-3	1649	UNKNOWN	nit	no	severity nit	LIP-FU / lanip-d review
LIP-FU-6	1652	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LIP-FU / lanip-d review
SMB-FU-3	1658	test-instru-	UNKNOWN	no	severity UNKNOWN but	

id	line	layer	severity	blocker	reason	cluster
		mentation*			test-instrumentation layer	SMB-FU / smb-s dir / tauri round notes
SMB-FU-5	1660	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	SMB-FU / smb-s dir / tauri round notes
SMB-FU-6	1661	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / smb-s dir / tauri round notes
SMB-FU-8	1663	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / smb-s dir / tauri round notes
SMB-FU-5	1666	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	SMB-FU / smb-s dir / tauri round notes
FU20-3b	1669	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU20 / CAT-FOL LOWUPS-UNIT- view follow-ups
PROM-R3-1	1670	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PROM-R3 / CAT- FOLLOWUPS- UNIT-1 review f low-ups
LIP-FU-7	1671	UNKNOWN	nit	no	severity nit	LIP-FU / CAT-FO LOWUPS-UNIT- view follow-ups
LIP-FU-8	1672	process-doc*	nit	no	severity nit	LIP-FU / CAT-FO LOWUPS-UNIT- view follow-ups
SMB-FU-11	1677	test-instru-	UNKNOWN	no	severity UNKNOWN but	

id	line	layer	severity	blocker	reason	cluster
		mentation*			test-instrumentation layer	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
TAURI-R4-FU-3	1697	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	TAURI-R4-FU / T guard follow-up
TAURI-R4-FU-5	1699	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	TAURI-R4-FU / T guard follow-up
SMB-FU-16	1702	process-doc*	minor	no	severity minor	SMB-FU / Dead- cleanup review follow-ups
SMB-FU-16b	1703	UNKNOWN	nit	no	severity nit	SMB-FU / Dead- cleanup review follow-ups
SMB-FU-16c	1704	UNKNOWN	nit	no	severity nit	SMB-FU / Dead- cleanup review follow-ups
SMB-FU-17	1712	UNKNOWN	minor(sec)	no	severity minor	SMB-FU / CAT-Q STACK-LIFECYC follow-ups
SMB-FU-18	1713	UNKNOWN	minor	no	severity minor	SMB-FU / CAT-Q STACK-LIFECYC follow-ups
SMB-FU-19a	1723	test-instrumentation*	minor(sec)	no	severity minor	SMB-FU / CAT-S SUBDIR-1 follow ups
SMB-FU-19b	1724	process-doc*	minor(sec)	no	severity minor	SMB-FU / CAT-S SUBDIR-1 follow ups
SMB-FU-19c	1725	test-instrumentation*	nit	no	severity nit	SMB-FU / CAT-S SUBDIR-1 follow ups

id	line	layer	severity	blocker	reason	cluster
STACK-CTR-FU-4	1740	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	STACK-CTR-FU / CAT-QA-STACK-FECYCLE-1: stac scripts via ctrc
STACK-CTR-FU-14	1754	test-instrumentation	minor(sec)	no	severity minor	STACK-CTR-FU / STACK-CTR-FU-6
LIFE-FU-19	1755	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / STACK CTR-FU-6..12
CAT-QA-SONAR-2	1757	UNKNOWN	minor(sec)	no	severity minor	CAT-QA-SONAR STACK-CTR-FU-6
CAT-QA-SONAR-3	1759	test-instrumentation*	minor(sec)	no	severity minor	CAT-QA-SONAR STACK-CTR-FU-6
N5	1774	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	N5 / CAT-REL-CHECK-1 follow
F3	1789	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F3 / CAT-REL-CHECK-1 round follow-ups
F5	1791	UNKNOWN	nit	no	severity nit	F5 / CAT-REL-CHECK-1 round follow-ups
FU2-1	1798	process-doc	minor	no	severity minor	FU2 / CAT-QA-SC AR-7 FU round-2
RC2-4	1812	process-doc	minor	no	severity minor	RC2 / CAT-REL-CHECK-1 Opus round-2 re-revi
PW-F11	1871	UNKNOWN	nit	no	severity nit	PW / PW-F7/F8 landed

id	line	layer	severity	blocker	reason	cluster
PX-F13	1875	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PX / PX-F8..F12 landed
PX-F18	1880	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PX / PX-F8..F12 landed
PX-F19	1881	process-doc*	nit	no	severity nit	PX / PX-F8..F12 landed
PXF23-F3	1914	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	PXF23 / CAT-PXI
PXF23-F4	1915	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PXF23 / CAT-PXI
PXF23-R5a	1935	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PXF23 / CAT-PXI R5 landed
R5B-1	1971	test-instrumentation*	minor	no	severity minor	R5B / PXF23-R5b
R5B-2	1972	test-instrumentation*	minor	no	severity minor	R5B / PXF23-R5b
R5B-3	1973	UNKNOWN	minor	no	severity minor	R5B / PXF23-R5b
R5B-4	1974	process-doc*	minor	no	severity minor	R5B / PXF23-R5b
R5B-5	1975		minor	no		R5B / PXF23-R5b

id	line	layer	severity	blocker	reason	cluster
		test-instrumentation*			severity minor	
R5B-6	1976	UNKNOWN	minor	no	severity minor	R5B / PXF23-R5b
CAT-SECQ1-E	2013	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	CAT-SECQ1-E / C SECQ1-A follow-
A1	2014	UNKNOWN	minor	no	severity minor	A1 / CAT-SECQ1- follow-ups
A2	2015	UNKNOWN	minor	no	severity minor	A2 / CAT-SECQ1- follow-ups
A3	2016	UNKNOWN	minor	no	severity minor	A3 / CAT-SECQ1- follow-ups
A4	2017	test-instrumentation*	nit	no	severity nit	A4 / CAT-SECQ1- follow-ups
UI-FAV-1b	2067	UNKNOWN	nit	no	severity nit	UI-FAV / CAT-UI-FAV-1b
SECQ-2	2079	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	SECQ / SECQ-2 / F1 re-reproduct follow-ups
WD-F1	2079	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	WD / SECQ-2 / W F1 re-reproduct follow-ups
WD-F1a	2079	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	WD / SECQ-2 / W F1 re-reproduct follow-ups
SECQ2WD-R1-1	2080	process-doc	minor	no	severity minor	SECQ2WD-R1 / SECQ-2 / WD-F1 reproduction fo low-ups

id	line	layer	severity	blocker	reason	cluster
SECQ2WD-R1-2	2081	process-doc	minor	no	severity minor	SECQ2WD-R1 / SECQ-2 / WD-F1 reproduction fo low-ups
SECQ2WD-R1-3	2082	UNKNOWN	nit	no	severity nit	SECQ2WD-R1 / SECQ-2 / WD-F1 reproduction fo low-ups
FAVR3-3	2098	process-doc	minor	no	severity minor	FAVR3 / CAT-D9- SUSPEND round review follow-u
FAVR3-4	2099	process-doc	minor	no	severity minor	FAVR3 / CAT-D9- SUSPEND round review follow-u
FAVR3-5	2100	UNKNOWN	nit	no	severity nit	FAVR3 / CAT-D9- SUSPEND round review follow-u
SEC-WS-1-F2	2103	UNKNOWN	minor	no	severity minor	SEC-WS-1 / CAT- SUSPEND round review follow-u
SEC-WS-1-F3	2104	UNKNOWN	minor	no	severity minor	SEC-WS-1 / CAT- SUSPEND round review follow-u
SEC-WS-1-F4	2105	test-instrumentation*	nit	no	severity nit	SEC-WS-1 / CAT- SUSPEND round review follow-u
WP10R4-1	2109	UNKNOWN	minor	no	severity minor	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
WP10R4-2	2110	UNKNOWN	minor	no	severity minor	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
WP10R4-3	2111	test-instrumentation	minor	no	severity minor	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups

id	line	layer	severity	blocker	reason	cluster
WP10R4-4	2112	UNKNOWN	minor	no	severity minor	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
WP10R4-5	2113	process-doc	minor	no	severity minor	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
WP10R4-6	2114	UNKNOWN	nit	no	severity nit	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
WP10R4-7	2115	UNKNOWN	nit	no	severity nit	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
WP10R4-8	2116	test-instrumentation*	nit	no	severity nit	WP10R4 / WP-1 triage generator Opus round-4 fo low-ups
FAVR3-7	2129	source-defect	minor	no	severity minor	FAVR3 / CAT-WP MECH — Opus round-3 follow-
FAVR3-8	2130	source-defect	minor	no	severity minor	FAVR3 / CAT-WP MECH — Opus round-3 follow-
FAVR3-9	2131	UNKNOWN	nit	no	severity nit	FAVR3 / CAT-WP MECH — Opus round-3 follow-
FAVR3R2-1	2135	test-instrumentation	minor	no	severity minor	FAVR3R2 / FAVR Opus round-2 fo low-up
SEC-WS-1-F5	2136	UNKNOWN	minor	no	severity minor	SEC-WS-1 / FAVI Opus round-2 fo low-up
SEC-WS-1-F6	2137	process-doc*	minor	no	severity minor	SEC-WS-1 / FAVI Opus round-2 fo low-up

id	line	layer	severity	blocker	reason	cluster
SEC-WS-1R3-2	2142	test-instrumentation	nit	no	severity nit	SEC-WS-1R3 / SE WS-1 — Opus round-3 follow-
SEC-WS-1R3-3	2143	UNKNOWN	nit	no	severity nit	SEC-WS-1R3 / SE WS-1 — Opus round-3 follow-
D9S-R3-LANDED	2144	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D9S-R3-LANDED SEC-WS-1 — Op round-3 follow-
D9SR3-F1	2147	test-instrumentation	minor	no	severity minor	D9SR3 / D9SR3 r viewer follow-u
D9SR3-F2	2148	test-instrumentation	minor	no	severity minor	D9SR3 / D9SR3 r viewer follow-u
D9SR3-F3	2149	source-defect	minor	no	severity minor	D9SR3 / D9SR3 r viewer follow-u
D9SR3-F4	2150	UNKNOWN	nit	no	severity nit	D9SR3 / D9SR3 r viewer follow-u
D9SR3-F5	2151	UNKNOWN	nit	no	severity nit	D9SR3 / D9SR3 r viewer follow-u
WP03R3FU-1	2154	UNKNOWN	minor	no	severity minor	WP03R3FU / CA WP03-MECH — WP03R3 fix rou
WP03R3FU-2	2155	test-instrumentation*	nit	no	severity nit	WP03R3FU / CA WP03-MECH — WP03R3 fix rou
WP03R3FU-3	2156	test-instrumentation*	minor	no	severity minor	WP03R3FU / CA WP03-MECH — WP03R3 fix rou
WP03R3FU-4	2159		minor	no		

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN			severity minor	WP03R3FU / WP fu reviewer follow-ups
SEC-WS-1R3-F7	2169	test-instrumentation*	nit	no	severity nit	SEC-WS-1R3 / SEC-WS-1R3 — auth round
SEC-WS-1R3FU-1	2172	test-instrumentation	minor	no	severity minor	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups
SEC-WS-1R3FU-2	2173	test-instrumentation	minor	no	severity minor	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups
SEC-WS-1R3FU-3	2174	UNKNOWN	nit	no	severity nit	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups
SEC-WS-1R3FU-4	2175	UNKNOWN	nit	no	severity nit	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups
FAVR3R2-1	2178	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FAVR3R2 / FAVR follow-ups roun
FAVR3F2-1	2182	UNKNOWN	minor	no	severity minor	FAVR3F2 / FAVR follow-ups roun
FAVR3R3FU-1	2186	source-defect	minor	no	severity minor	FAVR3R3FU / FA round-3 review follow-ups
FAVR3R3FU-2	2187	source-defect	minor	no	severity minor	FAVR3R3FU / FA round-3 review follow-ups
FAVR3R3FU-3	2188	process-doc	minor	no	severity minor	FAVR3R3FU / FA round-3 review follow-ups
FAVR3R3FU-4	2189	test-instru-	nit	no	severity nit	

id	line	layer	severity	blocker	reason	cluster
		mentation*				FAVR3R3FU / FA round-3 review follow-ups
SONARRA-FU-1	2192	UNKNOWN	minor	no	severity minor	SONARRA-FU / S ar registry-auth
SONARRA-FU-2	2193	test-instrumentation*	nit	no	severity nit	SONARRA-FU / S ar registry-auth
SONARRA-FU-3	2194	test-instrumentation*	nit	no	severity nit	SONARRA-FU / S ar registry-auth
D9SR3-F1	2200	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D9SR3 / D9SR3 f low-up round
F4	2200	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F4 / D9SR3 follo up round
WP03R3FU-4	2204	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	WP03R3FU / WP03R3FU-4..7 dressed
WP03R3FU-8	2205	test-instrumentation*	nit	no	severity nit	WP03R3FU / WP03R3FU-4..7 dressed
WP03R3FU-9	2206	UNKNOWN	nit	no	severity nit	WP03R3FU / WP03R3FU-4..7 dressed
WP03R3FU-10	2209	test-instrumentation*	minor	no	severity minor	WP03R3FU / wp d9s-fu reviewer follow-ups

id	line	layer	severity	blocker	reason	cluster
WP03R3FU-12	2211	UNKNOWN	nit	no	severity nit	WP03R3FU / wp d9s-fu reviewer follow-ups
D9SR3-FU-N2	2212	process-doc*	nit	no	severity nit	D9SR3-FU / wp0 d9s-fu reviewer follow-ups
ERRLEAK-1	2227	test-instrumentation	minor	no	severity minor	ERRLEAK / CAT-WP02-ERRLEAK
ERRLEAK-2	2228	test-instrumentation*	minor	no	severity minor	ERRLEAK / CAT-WP02-ERRLEAK
ERRLEAK-3	2229	UNKNOWN	nit	no	severity nit	ERRLEAK / CAT-WP02-ERRLEAK
ERRLEAK-4	2230	UNKNOWN	nit	no	severity nit	ERRLEAK / CAT-WP02-ERRLEAK
ERRLEAK-F4	2237	test-instrumentation	important(sec)	no	important but test-instrumentation layer	ERRLEAK / CAT-WP02-ERRLEAK view round 1
ERRLEAK-N1	2240	test-instrumentation*	minor	no	severity minor	ERRLEAK / Revi er follow-ups fo fix/wp02-errlea
ERRLEAK-N2	2241	test-instrumentation*	minor	no	severity minor	ERRLEAK / Revi er follow-ups fo fix/wp02-errlea
ERRLEAK-N3	2242	UNKNOWN	minor	no	severity minor	ERRLEAK / Revi er follow-ups fo fix/wp02-errlea
ERRLEAK-N4	2243	UNKNOWN	nit	no	severity nit	ERRLEAK / Revi er follow-ups fo fix/wp02-errlea
ERRLEAK-N5	2244	test-instru-	nit	no	severity nit	

id	line	layer	severity	blocker	reason	cluster
		mentation*				ERRLEAK / Revi er follow-ups fo fix/wp02-errleal
ERRLEAK-N6	2245	test-instrumentation*	nit	no	severity nit	ERRLEAK / Revi er follow-ups fo fix/wp02-errleal
ERRLEAK-N7	2246	UNKNOWN	nit	no	severity nit	ERRLEAK / Revi er follow-ups fo fix/wp02-errleal
SEC-WS-1F3FU-7	2258	test-instrumentation*	minor	no	severity minor	SEC-WS-1F3FU viewer follow-u for fix/sec-ws-1-
SEC-WS-1F3FU-8	2259	UNKNOWN	minor	no	severity minor	SEC-WS-1F3FU viewer follow-u for fix/sec-ws-1-
NASEMU-SEED-N1	2264	test-instrumentation*	minor	no	severity minor	NASEMU-SEED NE-3 nasemu se
NASEMU-SEED-N2	2265	test-instrumentation*	minor	no	severity minor	NASEMU-SEED NE-3 nasemu se
NASEMU-SEED-N3	2266	UNKNOWN	minor	no	severity minor	NASEMU-SEED NE-3 nasemu se
NASEMU-SEED-N4	2267	UNKNOWN	minor	no	severity minor	NASEMU-SEED NE-3 nasemu se
NASEMU-SEED-N5	2268	UNKNOWN	nit	no	severity nit	NASEMU-SEED NE-3 nasemu se
CAT-OPB-FU2-S2	2272	UNKNOWN	minor	no	severity minor	CAT-OPB-FU2 / C OPB-FU2
OPB-FU2-F1	2276	process-doc	minor	no	severity minor	OPB-FU2 / CAT-C FU2 review follo ups
OPB-FU2-F2	2277	test-instru-	minor	no	severity minor	

id	line	layer	severity	blocker	reason	cluster
		mentation				OPB-FU2 / CAT-0 FU2 review follo ups
OPB-FU2-F3	2278	test-instrumentation	minor	no	severity minor	OPB-FU2 / CAT-0 FU2 review follo ups
OPB-FU2-F4	2279	UNKNOWN	nit	no	severity nit	OPB-FU2 / CAT-0 FU2 review follo ups
OPB-FU2-F5	2280	test-instrumentation	nit	no	severity nit	OPB-FU2 / CAT-0 FU2 review follo ups
P2	759	source-defect	important	yes	status unconfirmed (not closed); important + source-defect	P2 / Authz revie follow-ups
AZ2-R1	1111	source-defect	important	yes	status unconfirmed (not closed); important + source-defect	AZ2 / Authz rou review follow-u
CAT-021	368	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CAT / CAT-001 fo low-ups
CAT-021	370	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN +	CAT / CAT-001 fo low-ups

id	line	layer	severity	blocker	reason	cluster
					UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
R3-M2	383	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R3 / WrapHTTPHandler path param fix
R3-M1	662	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	R3 / Authorizati gaps

id	line	layer	severity	blocker	reason	cluster
CAT-049	662	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CAT / Authoriza gaps
R3-M2	663	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R3 / Authorizati gaps
CAT-050	663	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or	CAT / Authoriza gaps

id	line	layer	severity	blocker	reason	cluster
					not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
D4	957	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / Docs sync C
N1-N5	968	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N1 / Docs sync C review
SC7	1020	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UN-	S / QA consume review follow-u

id	line	layer	severity	blocker	reason	cluster
					KNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
WL7	1092	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browse specs for catalo web
WL8	1093	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word	W / Live browse specs for catalo web

id	line	layer	severity	blocker	reason	cluster
					present, triage first	
WL11	1096	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browse specs for catalo web
WL12	1097	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	W / Live browse specs for catalo web
WL12-F2	1099	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot	WL12 / Live browser specs f catalog-web

id	line	layer	severity	blocker	reason	cluster
					be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	
D7	1253	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D7 / Conversion fects D1, D2, D7
D10	1254	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D10 / Conversio defects D1, D2, I
FU-1	1265	UNKNOWN	UNKNOWN		severity UNKNOWN +	FU / Conversion fects D1, D2, D7

id	line	layer	severity	blocker	reason	cluster
				unclassified	UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
D9	1272	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9 / D9 admin r change
D4-11	1346	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D4 / D4 docume full-text search
D11a	1356	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UN-	D11a / D11a, D1 D7/D8 remainde

id	line	layer	severity	blocker	reason	cluster
					KNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	
SECQ-3	1394	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Security queue fix
SECQ-4b	1396	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Security queue fix
SMB-FU-9	1675	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups

id	line	layer	severity	blocker	reason	cluster
					layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
SMB-FU-10	1676	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
SMB-FU-9	1679	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
FU-2	1782					

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	FU / CAT-QA-SO AR-7 follow-ups
RC-3b	1829	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	RC / CAT-REL-CHECK-1 review findings on the v2.4.2
CAT-QA-SONAR-5	1890	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	CAT-QA-SONAR CAT-OPDEC-B
OPB-M1	1898	UNKNOWN	UNKNOWN		status unconfirmed (not	OPB / OPDEC-B landed

id	line	layer	severity	blocker	reason	cluster
					closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	
D9S-F2	1962	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND
D9S-F3	1963	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND
D9S-F4	1964					

id	line	layer	severity	blocker	reason	cluster
		UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	D9S / CAT-D9-SUPEND
RC-3b	2032	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration	RC / CAT-REL-CHECK-1 RC-3 / RC-3b / RC2-1 / RC2-3 res
R7	567	process-doc	minor(sec)	no	severity minor	R7 / Docs C2/C5 view round 2 fo low-ups
R3-1	592	test-instrumentation	minor(sec)	no	severity minor	R3 / Crash-pages view round 3 fo low-ups
N1	665	UNKNOWN	minor	no	severity minor	N1 / Authorizati gaps
F11	694	test-instru-	UNKNOWN	no	severity UNKNOWN but	F11 / Review R1 ferrals

id	line	layer	severity	blocker	reason	cluster
		mentation*			test-instrumentation layer	
F6	928	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F6 / Converter hardening + registration follow-u
D3	956	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D3 / Docs sync C
SSRF-F6	1125	test-instrumentation*	nit	no	severity nit	SSRF / SSRF resolvers review follo ups
F8	1155	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F8 / Live-eviden verifier / record
NS-3	1189	test-instrumentation	minor(sec)	no	severity minor	NS / Nil-slice cla review round 1 follow-ups
WL13-R4	1209	process-doc	minor	no	severity minor	WL13 / WL13 re view follow-ups
CSRF-1	1215	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	CSRF / CAT-CSRF LAN follow-ups
CSRF-R2-2	1222	UNKNOWN	nit	no	severity nit	CSRF-R2 / CSRF- review follow-u
SECQ-5	1397	test-instru-	UNKNOWN	no	severity UNKNOWN but	SECQ / Security queue fix

id	line	layer	severity	blocker	reason	cluster
		mentation*			test-instrumentation layer	
SECQ-6	1398	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SECQ / Security queue fix
SECQ4B-FU-2	1452	process-doc*	minor	no	severity minor	SECQ4B-FU / SECQ-4b landed 2026-11-05
NEW-1	1457	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	NEW / NEW-1 li re-verification
FU20-3	1642	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU20 / followups-202611 review
SMB-FU-14	1682	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
SMB-FU-15	1683	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
LIFE-FU-4	1710	UNKNOWN	nit	no	severity nit	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups
LIFE-FU-6	1717	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups roun
LIFE-FU-9	1720		minor(sec)	no		

id	line	layer	severity	blocker	reason	cluster
		test-instrumentation*			severity minor	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups roun
LIFE-FU-12	1730	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / LIFE-FU-10..15
STACK-CTR-FU-8	1746	test-instrumentation*	minor(sec)	no	severity minor	STACK-CTR-FU / STACK-CTR-FU-6
STACK-CTR-FU-13	1752	UNKNOWN	minor(sec)	no	severity minor	STACK-CTR-FU / STACK-CTR-FU-6
CAT-QA-SONAR-1b	1758	UNKNOWN	minor(sec)	no	severity minor	CAT-QA-SONAR STACK-CTR-FU-6
CAT-QA-SONAR-5	1761	UNKNOWN	minor(sec)	no	severity minor	CAT-QA-SONAR STACK-CTR-FU-6
CAT-QA-SONAR-6	1763	UNKNOWN	minor	no	severity minor	CAT-QA-SONAR STACK-CTR-FU-6
CAT-QA-SONAR-4	1765	test-instrumentation*	minor	no	severity minor	CAT-QA-SONAR STACK-CTR-FU-6
CAT-QA-COVERART-1	1767	test-instrumentation*	minor(sec)	no	severity minor	CAT-QA-COVER-ART / STACK-CT FU-6..12
FU-1	1781	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU / CAT-QA-SO AR-7 follow-ups

id	line	layer	severity	blocker	reason	cluster
F1	1787	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F1 / CAT-REL-CHECK-1 round follow-ups
FU-1	1794	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU / CAT-QA-SO AR-7 follow-ups FU-1..FU-7 resol tion
RC2-2	1810	UNKNOWN	nit	no	severity nit	RC2 / CAT-REL-CHECK-1 Opus round-2 re-revi
RC2-3	1811	test-instrumentation*	nit	no	severity nit	RC2 / CAT-REL-CHECK-1 Opus round-2 re-revi
PX-F8	1856	test-instrumentation*	minor	no	severity minor	PX / PX-F1..F7 landed
PX-F10	1858	test-instrumentation*	minor	no	severity minor	PX / PX-F1..F7 landed
OPB-I1	1897	test-instrumentation*	important	no	important but test-instrumentation layer	OPB / OPDEC-B landed
PXF23-R1	1923	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PXF23 / PXF23-F landed
TI-1	56	test-instrumentation	UNKNOWN	no	not open	TI / Secrets scan
TI-2	60			no	not open	TI / Secrets scan

id	line	layer	severity	blocker	reason	cluster
		test-instrumentation	UNKNOWN			
TI-3	61	test-instrumentation	UNKNOWN	no	not open	TI / Secrets scan
PD-1	62	test-instrumentation	UNKNOWN	no	not open	PD / Secrets scan
D1	452	UNKNOWN	UNKNOWN	no	not open	D1 / Responsive low-ups, closed branch `fix-res
D2	457	UNKNOWN	UNKNOWN	no	not open	D2 / Responsive low-ups, closed branch `fix-res
R2	548	source-defect	important	no	not open	R2 / Docs C2/C5 landing
R5	553	source-defect	important	no	not open	R5 / Docs C2/C5 landing
F1	555	source-defect	important	no	not open	F1 / Docs C2/C5 landing
F2	557	source-defect	important	no	not open	F2 / Docs C2/C5 landing
F4	661	UNKNOWN	UNKNOWN	no	not open	F4 / Authorizati gaps
CAT-051	661	UNKNOWN	UNKNOWN	no	not open	CAT / Authoriza gaps
N2	666	UNKNOWN	UNKNOWN	no	not open	N2 / Authorizati gaps

id	line	layer	severity	blocker	reason	cluster
F1	910	source-defect	important	no	not open	F1 / Registration proval + ffmpeg image review
F2	911	process-doc*	UNKNOWN	no	not open	F2 / Registration proval + ffmpeg image review
F3	912	test-instrumentation*	UNKNOWN	no	not open	F3 / Registration proval + ffmpeg image review
F4	913	UNKNOWN	UNKNOWN	no	not open	F4 / Registration proval + ffmpeg image review
F7	916	UNKNOWN	UNKNOWN	no	not open	F7 / Registration proval + ffmpeg image review
F1	922	UNKNOWN	UNKNOWN	no	not open	F1 / Converter hardening + registration follow-u
F2	923	UNKNOWN	UNKNOWN	no	not open	F2 / Converter hardening + registration follow-u
F3	924	UNKNOWN	UNKNOWN	no	not open	F3 / Converter hardening + registration follow-u
F4	925	UNKNOWN	UNKNOWN	no	not open	F4 / Converter hardening + registration follow-u
F7	926	UNKNOWN	UNKNOWN	no	not open	F7 / Converter hardening + registration follow-u

id	line	layer	severity	blocker	reason	cluster
N1	927	UNKNOWN	UNKNOWN	no	not open	N1 / Converter hardening + registration follow-u
F1	939	UNKNOWN	UNKNOWN	no	not open	F1 / Converter hardening + registration follow-u
F2	940	UNKNOWN	UNKNOWN	no	not open	F2 / Converter hardening + registration follow-u
F3	941	process-doc*	UNKNOWN	no	not open	F3 / Converter hardening + registration follow-u
F4	942	test-instrumentation*	UNKNOWN	no	not open	F4 / Converter hardening + registration follow-u
D2	955	process-doc*	UNKNOWN	no	not open	D2 / Docs sync C
F1	961	test-instrumentation*	UNKNOWN	no	not open	F1 / Docs sync C view
F-R1	971	test-instrumentation*	UNKNOWN	no	not open	F / Route permissions rev
N1	1026	UNKNOWN	UNKNOWN	no	not open	N1 / Route permissions review
WL1	1087	process-doc*	UNKNOWN	no	not open	W / Live browse specs for catalog web
WL6	1091	UNKNOWN	UNKNOWN	no	not open	W / Live browse specs for catalog web
WL12-F5	1098	test-instru-	UNKNOWN	no	not open	

id	line	layer	severity	blocker	reason	cluster
		mentation*				WL12 / Live browser specs f catalog-web
WL5	1103	test-instrumentation*	UNKNOWN	no	not open	W / Live browse specs for catalo web
AZ2-R2	1112	test-instrumentation*	minor	no	not open	AZ2 / Authz rou review follow-u
AZ2-R3	1113	test-instrumentation*	minor	no	not open	AZ2 / Authz rou review follow-u
AZ2-R4	1114	test-instrumentation*	minor	no	not open	AZ2 / Authz rou review follow-u
AZ2-R5	1115	UNKNOWN	minor	no	not open	AZ2 / Authz rou review follow-u
AZ2-R6	1116	UNKNOWN	nit	no	not open	AZ2 / Authz rou review follow-u
SSRF-F1	1120	test-instrumentation*	minor	no	not open	SSRF / SSRF reso ers review follo ups
SSRF-F2	1121	test-instrumentation*	minor	no	not open	SSRF / SSRF reso ers review follo ups
SSRF-F3	1122	test-instru-	minor	no	not open	

id	line	layer	severity	blocker	reason	cluster
		mentation*				SSRF / SSRF reso ers review follo ups
SSRF-F4	1123	test-instrumentation*	nit	no	not open	SSRF / SSRF reso ers review follo ups
SSRF-F5	1124	source-defect	minor	no	not open	SSRF / SSRF reso ers review follo ups
WL13-F1	1133	UNKNOWN	minor	no	not open	WL13 / Web pla review follow-u
CSRF-R2-1	1221	test-instrumentation	minor	no	not open	CSRF-R2 / CSRF- review follow-u
ST-D1	1240	UNKNOWN	UNKNOWN	no	not open	ST / Live QA rou 3 + storage r1 fi ings
ST-D2	1241	UNKNOWN	UNKNOWN	no	not open	ST / Live QA rou 3 + storage r1 fi ings
ST-D3	1242	process-doc*	UNKNOWN	no	not open	ST / Live QA rou 3 + storage r1 fi ings
ST-F7	1244			no	not open	

id	line	layer	severity	blocker	reason	cluster
		process-doc*	UNKNOWN			ST / Live QA rou 3 + storage r1 fi ings
D1	1251	UNKNOWN	UNKNOWN	no	not open	D1 / Conversion fects D1, D2, D7
D2	1252	UNKNOWN	UNKNOWN	no	not open	D2 / Conversion fects D1, D2, D7
CAT-D9-SUSPEND	1279	UNKNOWN	important	no	not open	CAT-D9-SUSPEN D9 review roun follow-ups
D5	1292	UNKNOWN	UNKNOWN (stated HIGH, not in vocabulary)	no	not open	D5 / Subtitle def D5-D8 + delete r
D6	1293	UNKNOWN	UNKNOWN	no	not open	D6 / Subtitle def D5-D8 + delete r
D11b	1357	UNKNOWN	UNKNOWN	no	not open	D11b / D11a, D1 D7/D8 remainde
SECQ-1	1392	UNKNOWN	important	no	not open	SECQ / Security queue fix
NEW1-F3	1407	source-defect	minor	no	not open	NEW1 / NEW-1 er thumbnails
NEW1-F4	1408	source-defect	minor	no	not open	NEW1 / NEW-1 er thumbnails
SECQ1-F3	1415	process-doc*	nit	no	not open	SECQ1 / SECQ-1 WebDAV storag root SSRF guard

id	line	layer	severity	blocker	reason	cluster
SECQ1-F4	1416	UNKNOWN	minor	no	not open	SECQ1 / SECQ-1 WebDAV storag root SSRF guard
SECQ1-F5	1417	test-instrumentation	minor	no	not open	SECQ1 / SECQ-1 WebDAV storag root SSRF guard
SECQ1-F3	1437	process-doc*	UNKNOWN	no	not open	SECQ1 / SECQ-1 low-ups and SU CONTRACT-1
SECQ1-F4	1438	UNKNOWN	UNKNOWN	no	not open	SECQ1 / SECQ-1 low-ups and SU CONTRACT-1
SECQ1-F5	1439	test-instrumentation*	UNKNOWN	no	not open	SECQ1 / SECQ-1 low-ups and SU CONTRACT-1
SUB-CONTRACT-1	1441	process-doc*	UNKNOWN	no	not open	SUB-CONTRACT SECQ-1 follow-u and SUB-CONTRACT-1
UI-D7	1477	UNKNOWN	UNKNOWN	no	not open	UI / Stack-3 brow pass follow-ups gistered
D8	1490	UNKNOWN	UNKNOWN	no	not open	D8 / UI-D7/D8 landed
TAURI-FU-5	1518	source-defect	UNKNOWN	no	not open	TAURI-FU / Taur boot review foll ups
D7-R2-F1	1531	UNKNOWN	important	no	not open	D7-R2 / D7 rema ing-contrast foll ups
D7-R2-F2	1532	UNKNOWN	UNKNOWN	no	not open	

id	line	layer	severity	blocker	reason	cluster
						D7-R2 / D7 rema ing-contrast foll ups
D7-R2-F3	1533	UNKNOWN	UNKNOWN	no	not open	D7-R2 / D7 rema ing-contrast foll ups
D7-R2-F4	1534	test-instrumentation*	UNKNOWN	no	not open	D7-R2 / D7 rema ing-contrast foll ups
TAURI-F15	1547	test-instrumentation*	nit	no	not open	TAURI / Tauri SS
TAURI-F16	1548	test-instrumentation*	nit	no	not open	TAURI / Tauri SS
D7-R4-1	1582	source-defect	minor	no	not open	D7-R4 / D7 follow ups landed
D7-R4-2	1583	test-instrumentation*	nit	no	not open	D7-R4 / D7 follow ups landed
D7-R4-3	1584	UNKNOWN	UNKNOWN	no	not open	D7-R4 / D7 follow ups landed
D7-R4-4	1585	UNKNOWN	UNKNOWN	no	not open	D7-R4 / D7 follow ups landed
D7-R4-1	1600	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 fo low-ups landed
D7-R4-2	1601			no	not open	

id	line	layer	severity	blocker	reason	cluster
		test-instrumentation*	UNKNOWN			D7-R4 / D7 R4 follow-ups landed
D7-R4-3	1602	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 follow-ups landed
D7-R4-4	1603	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 follow-ups landed
D7-R4-FU-1	1606	test-instrumentation	minor	no	not open	D7-R4-FU / D7-R view round 1 follow-ups
D7-R4-FU-2	1607	UNKNOWN	minor	no	not open	D7-R4-FU / D7-R view round 1 follow-ups
D7-R4-FU-3	1608	test-instrumentation*	nit	no	not open	D7-R4-FU / D7-R view round 1 follow-ups
D7-R4-FU-4	1609	UNKNOWN	nit	no	not open	D7-R4-FU / D7-R view round 1 follow-ups
TP-FU-1	1612	test-instrumentation*	UNKNOWN	no	not open	TP-FU / TRUSTED_PROXIES hardening follow-ups
TAURI-R1-FU-6	1622	process-doc	minor	no	not open	TAURI-R1-FU / Tauri native QA review
D7-R4-FU-4	1628	process-doc*	UNKNOWN	no	not open	D7-R4-FU / Follow-ups worked on in followups-2026

id	line	layer	severity	blocker	reason	cluster
CAT-VERIFY-LANBIND-1	1629	test-instrumentation*	UNKNOWN	no	not open	CAT-VERIFY-LA BIND / Follow-u worked on feat/ lowups-202611
CAT-FRONTDOOR-LOCALMODE-1	1630	test-instrumentation*	UNKNOWN	no	not open	CAT-FRONTDOO LOCALMODE / F low-ups worked feat/fol-lowups-202611
TAURI-R2-FU-1	1632	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / T follow-ups revie
TAURI-R2-FU-2	1633	process-doc*	UNKNOWN	no	not open	TAURI-R2-FU / T follow-ups revie
TAURI-R2-FU-3	1634	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / T follow-ups revie
TAURI-R2-FU-4	1635	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / T follow-ups revie
LIP-FU-4	1650	process-doc*	UNKNOWN	no	not open	LIP-FU / lanip-d review
TAURI-R2-FU-3	1655	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / s subdir / tauri round-2 notes
SMB-FU-1	1656	UNKNOWN	UNKNOWN	no	not open	SMB-FU / smb-s dir / tauri round notes
SMB-FU-2	1657	test-instrumentation*	UNKNOWN	no	not open	SMB-FU / smb-s dir / tauri round notes
SMB-FU-12	1678	UNKNOWN	UNKNOWN	no	not open	

id	line	layer	severity	block-er	reason	cluster
						SMB-FU / CAT-F LOWUPS-UNIT- view follow-ups
TAURI-R2-FU-1	1687	process-doc*	UN-KNOWN	no	not open	TAURI-R2-FU / T guard follow-up
TAURI-R2-FU-2	1688	test-in-stru-menta-tion*	UN-KNOWN	no	not open	TAURI-R2-FU / T guard follow-up
TAURI-R2-FU-4	1689	UN-KNOWN	UN-KNOWN	no	not open	TAURI-R2-FU / T guard follow-up
LIFE-FU-1	1707	test-in-stru-menta-tion*	minor(sec)	no	not open	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups
LIFE-FU-2	1708	test-in-stru-menta-tion*	minor(sec)	no	not open	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups
LIFE-FU-3	1709	test-in-stru-menta-tion*	minor(sec)	no	not open	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups
LIFE-FU-5	1716	test-in-stru-menta-tion*	minor(sec)	no	not open	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups roun
LIFE-FU-7	1718	test-in-stru-menta-tion*	minor(sec)	no	not open	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups roun
LIFE-FU-8	1719	test-in-stru-menta-tion*	minor(sec)	no	not open	LIFE-FU / CAT-Q STACK-LIFECYC follow-ups roun
LIFE-FU-10	1728	process-doc*	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15

id	line	layer	severity	blocker	reason	cluster
LIFE-FU-11	1729	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15
LIFE-FU-13	1731	UNKNOWN	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15
LIFE-FU-14	1732	UNKNOWN	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15
LIFE-FU-15	1733	UNKNOWN	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15
STACK-CTR-FU-6	1744	test-instrumentation*	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6
STACK-CTR-FU-7	1745	test-instrumentation*	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6
STACK-CTR-FU-9	1747	UNKNOWN	nit	no	not open	STACK-CTR-FU / STACK-CTR-FU-6
STACK-CTR-FU-10	1748	test-instrumentation*	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6
STACK-CTR-FU-11	1749	UNKNOWN	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6
STACK-CTR-FU-12	1750	UNKNOWN	nit	no	not open	STACK-CTR-FU / STACK-CTR-FU-6

id	line	layer	severity	blocker	reason	cluster
FU2-2	1799	test-instrumentation*	UNKNOWN	no	not open	FU2 / CAT-QA-SC AR-7 FU round-2
FU2-3	1800	test-instrumentation*	UNKNOWN	no	not open	FU2 / CAT-QA-SC AR-7 FU round-2
F1	1804	process-doc*	UNKNOWN	no	not open	F1 / CAT-REL-CHECK-1 round
RC2-1	1809	process-doc*	nit	no	not open	RC2 / CAT-REL-CHECK-1 Opus round-2 re-revi
CAT-PREEXIST-1	1816	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-2	1817	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-3	1818	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-4	1819	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-5	1820	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-6	1821	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail

id	line	layer	severity	blocker	reason	cluster
CAT-PREEXIST-7	1822	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-8	1823	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-9	1824	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
CAT-PREEXIST-10	1825	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST p existing test fail
RC-3	1828	UNKNOWN	important	no	not open	RC / CAT-REL-CHECK-1 review findings on the v2.4.2
PX-F1	1833	source-defect*	minor	no	not open	PX / CAT-PREEX IST-1..6 landed
PX-F2	1834	test-instrumentation*	minor	no	not open	PX / CAT-PREEX IST-1..6 landed
PX-F3	1835	source-defect*	minor	no	not open	PX / CAT-PREEX IST-1..6 landed
PX-F4	1836	test-instrumentation*	UNKNOWN	no	not open	PX / CAT-PREEX IST-1..6 landed

id	line	layer	severity	blocker	reason	cluster
PX-F5	1837	test-instrumentation*	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed
PX-F6	1838	UNKNOWN	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed
PX-F7	1839	test-instrumentation*	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed
PW-F1	1844	test-instrumentation*	minor	no	not open	PW / CAT-PREEXIST-7/8/9 landed
PW-F2	1845	test-instrumentation*	minor	no	not open	PW / CAT-PREEXIST-7/8/9 landed
PW-F3	1846	test-instrumentation*	nit	no	not open	PW / CAT-PREEXIST-7/8/9 landed
PW-F5	1851	test-instrumentation*	minor	no	not open	PW / PW-F1..F3 landed
PW-F6	1852	UNKNOWN	nit	no	not open	PW / PW-F1..F3 landed
PX-F9	1857	source-defect*	minor	no	not open	PX / PX-F1..F7 landed
PX-F11	1859	test-instru-	minor	no	not open	PX / PX-F1..F7 landed

id	line	layer	severity	blocker	reason	cluster
		mentation*				
PX-F12	1860	process-doc*	nit	no	not open	PX / PX-F1..F7 landed
PW-F7	1864	test-instrumentation*	minor	no	not open	PW / PW-F5/F6 landed
PW-F8	1865	test-instrumentation*	nit	no	not open	PW / PW-F5/F6 landed
PW-F9	1869	UNKNOWN	UNKNOWN	no	not open	PW / PW-F7/F8 landed
PW-F10	1870	UNKNOWN	UNKNOWN	no	not open	PW / PW-F7/F8 landed
PX-F15	1877	UNKNOWN	UNKNOWN	no	not open	PX / PX-F8..F12 landed
PX-F16	1878	test-instrumentation*	UNKNOWN	no	not open	PX / PX-F8..F12 landed
FU2-4	1891	test-instrumentation*	UNKNOWN	no	not open	FU2 / CAT-OPDE
OPB-N1	1899	UNKNOWN	UNKNOWN	no	not open	OPB / OPDEC-B landed
PXF23-R2	1924	test-instrumentation*	UNKNOWN	no	not open	PXF23 / PXF23-F landed

id	line	layer	severity	blocker	reason	cluster
PXF23-R3	1925	test-instrumentation*	UNKNOWN	no	not open	PXF23 / PXF23-F landed
PXF23-R4	1926	test-instrumentation*	UNKNOWN	no	not open	PXF23 / PXF23-F landed
PXF23-R6	1928	process-doc*	UNKNOWN	no	not open	PXF23 / PXF23-F landed
R5-F1	1944	test-instrumentation*	UNKNOWN	no	not open	R5 / CAT-R5-FU landed
R5-F2	1945	test-instrumentation*	UNKNOWN	no	not open	R5 / CAT-R5-FU landed
R5-F3	1946	test-instrumentation*	UNKNOWN	no	not open	R5 / CAT-R5-FU landed
R5-F5	1947	UNKNOWN	UNKNOWN	no	not open	R5 / CAT-R5-FU landed
PXR-1	1948	test-instrumentation*	UNKNOWN	no	not open	PXR / CAT-R5-FU landed
D9S-F1	1961	UNKNOWN	UNKNOWN	no	not open	D9S / CAT-D9-SU PEND
RC-3	2031	process-doc*	UNKNOWN	no	not open	RC / CAT-REL-CHECK-1 RC-3 / RC-3b / RC2-1 / RC2-3 res
RC2-1	2033	process-doc*	UNKNOWN	no	not open	RC2 / CAT-REL-CHECK-1 RC-3 /

id	line	layer	severity	blocker	reason	cluster
						RC-3b / RC2-1 / RC2-3 res
D9S-R3-1	2090	source-defect	minor	no	not open	D9S-R3 / CAT-D9 SUSPEND round review follow-u
D9S-R3-2	2091	test-instrumentation	minor	no	not open	D9S-R3 / CAT-D9 SUSPEND round review follow-u
D9S-R3-3	2092	UNKNOWN	minor	no	not open	D9S-R3 / CAT-D9 SUSPEND round review follow-u
D9S-R3-4	2093	UNKNOWN	minor	no	not open	D9S-R3 / CAT-D9 SUSPEND round review follow-u
SEC-WS-1	2094	test-instrumentation*	important	no	not open	SEC-WS / CAT-D SUSPEND round review follow-u
FAVR3-1	2096	source-defect	minor	no	not open	FAVR3 / CAT-D9 SUSPEND round review follow-u
FAVR3-2	2097	test-instrumentation	minor	no	not open	FAVR3 / CAT-D9 SUSPEND round review follow-u
WP03R3-F1	2120		minor	no	not open	

id	line	layer	severity	blocker	reason	cluster
		source-defect				WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
WP03R3-F2	2121	UNKNOWN	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
WP03R3-F3	2122	test-instrumentation	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
WP03R3-F4	2123	test-instrumentation*	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
WP03R3-F5	2124	process-doc	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
WP03R3-F6	2125	UNKNOWN	nit	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
WP03R3-F7	2126	UNKNOWN	nit	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 fo low-ups
SEC-WS-1R3-1	2141	source-defect	minor	no	not open	SEC-WS-1R3 / SE WS-1 — Opus round-3 follow-
WP03R3FU-5	2160	UNKNOWN	minor	no	not open	WP03R3FU / WP fu reviewer foll ups
WP03R3FU-6	2161	test-instru-	minor	no	not open	WP03R3FU / WP fu reviewer foll ups

id	line	layer	severity	block-er	reason	cluster
		menta-tion*				
WP03R3FU-7	2162	test-in-stru-menta-tion*	minor	no	not open	WP03R3FU / WP fu reviewer foll ups
F2	2200	test-in-stru-menta-tion*	UN-KNOWN	no	not open	F2 / D9SR3 follo up round
F1	2233	test-in-stru-menta-tion*	import-ant(sec)	no	not open	F1 / CAT-WP02-I RLEAK review round 1
F3	2234	test-in-stru-menta-tion*	import-ant(sec)	no	not open	F3 / CAT-WP02-I RLEAK review round 1
F2	2235	UN-KNOWN	import-ant(sec)	no	not open	F2 / CAT-WP02-I RLEAK review round 1
F5	2236	test-in-stru-menta-tion*	import-ant(sec)	no	not open	F5 / CAT-WP02-I RLEAK review round 1