Follow-ups triage (machine-derived)

Field	Value
Revision	5
Created	2026-11-12
Last modified	2026-11-13 (Rev 5: WP10R4 nits - closing token as sentence subject is not a status, more remainder phrases, slash-listed heading ids, entry layer beats heading layer, wider negation windows, Source row names what was read; Rev 4: negated/qualified landed claims (NO-GO headings, case-insensitive inline remainders, bracketed open) are not landed; Rev 3: three-valued status, strong-evidence landed rule, unclassified blocker value)
Status	active (PROVISIONAL: derived by script, not human-verified row by row)
Roadmap-Item	CAT-WP10-TRIAGE
Source	`docs/FOLLOW_UPS_NEXT_PHASE.md` as read from the file system (identical to the copy in `main`); git evidence (code commits) from `main` at `713a4f380`
Generator	`scripts/docs/gen_follow_ups_triage.py` (test: `scripts/docs/test_gen_follow_ups_triage.py`)
Companion docs	`docs/FOLLOW_UPS_NEXT_PHASE.md`, `docs/WORKABLE_ITEMS_REGISTER.md`

Do not edit the table by hand; regenerate: `python3 scripts/docs/gen_follow_ups_triage.py --out docs/FOLLOW_UPS_TRIAGE_2026-11-12.md`.

Table of contents

- Method and limits
- Counts
- Top blockers
- Proposed follow-up policy
- Full table

Method and limits

- Rows are bullet entries of the register that begin with an id (one row per id and line). Ids mentioned only inside prose are not rows. Ids that appear as the lead of several bullets (`F1`, `R1`, ...) are listed once per bullet and get no git evidence.
- Reused generic ids (`F1`, `F3`, `R1`, ...) have several rows; a closing in a later section cannot be tied to the right row by id, so such rows may still read `open`. Review them by line. Status sources, in order: duplicate-of; `landed` (STRONG only): the entry itself opens with a closing token (FIXED / LANDED / [LANDED] / PROVISIONAL-DONE / DONE / CLOSED / RESOLVED, also inside its first parenthesis) and states nothing open anywhere in it, or it is nested under a bullet that opens that way, or a `Fixed:` / `Closed:` label line above it, or a heading that names the id or an id range landed (`PX-F1..F7 landed`; not when the heading is negated: NO-GO, NOT, pending, blocked, unlanded), or a CODE commit naming the id or a range of ids (id with at least 3 family letters, unique among the lead ids; the commit subject is not `docs:` / `docs(`, not a register commit, and its diff touches a file that is neither `*.md` nor under `docs/`); `open`: the entry says OPEN/OWED/Queued near its start; `unconfirmed`: everything weaker (a landed claim whose own text states a remainder, case-insensitive: still open/unguarded/missing, not re-checked/covered/yet, `Follow-ups:` / `Remaining:`/`Caveat:` lists, `for the X side`, partially, an open operator decision; a closing word that is not at the start of the entry, a later prose line, a partial entry that opens with a closing token but also states an open remainder, a code commit against an entry that states an open remainder). **`unconfirmed` is NOT closed**: it needs a human check and is counted next to open, never as done.

- Severity is only what the entry (first 200 characters) or its section heading states (`(sec)` = taken from the section heading). Not stated: `UNKNOWN`. Nothing is inferred.
- Layer: stated (`source-defect` / `test-instrumentation` / `process-doc`) or, with a trailing *, derived from the Type word or keywords (a heuristic).
- Status: `landed` only on the strong evidence above (PROVISIONAL: a code commit on `main` shows work reached main, not that the register was updated or the fix verified); `duplicate-of` only when the entry says so. Known misses: reused generic ids (`FU-4`, `F1`, ...) whose closing sits in another section stay `open` or `unconfirmed`; nothing is guessed.
- Blocker (rows that are open or unconfirmed): `yes` on a stated critical, a stated release-blocking word, or important + (source-defect or unclassifiable layer, per 11.4.235(D) unclassifiable = source-defect). A security-adjacent word does not make an important test-instrumentation or process-doc row a blocker. `unclassified` = severity UNKNOWN with a source-defect or UNKNOWN layer: it can be called neither a blocker nor a non-blocker (11.4.276(G.2) / 11.4.235(D): an unrecorded severity is not minor-class, and it is not stated critical either); it is a triage defect, see proposed policy (4). Everything else `no` with the reason. This is a rule, not a verdict; the operator decides.
- Cluster: id family plus section title. It groups for batching; it is NOT a proven common root cause.
- Control needles (11.4.273) passed before this file was written: CAT-PREEXIST-1 present, PX-F* family present, fabricated ZZ-NOSUCH-999 absent; status needles PXF23-R2 landed, FU2-1 open, SMB-FU-17 not landed, R3-1 unconfirmed.

Counts

Rows: 867. By status: landed 196, open 596, unconfirmed 75. **`unconfirmed` rows are NOT closed**: they have only weak evidence and need a human check; they are not part of the landed count.

Unconfirmed rows by severity: UNKNOWN 49, important 3, minor 18, nit 5; by layer: UNKNOWN 42, process-doc 5, source-defect 2, test-instrumentation 26.

Open rows by layer (derived * merged): UNKNOWN 342, process-doc 72, source-defect 27, test-instrumentation 155.

Open rows by severity: UNKNOWN 302, important 13, minor 184, nit 97.

Open layer x severity:

layer	critical	important	minor	nit	UNKNOWN
source-defect	0	1	17	5	4
test-instrumentation	0	8	67	27	53
process-doc	0	1	31	14	26
UNKNOWN	0	3	69	51	219

Blockers by rule (open or unconfirmed): 7 (open 5, unconfirmed 2). `unclassified` (severity UNKNOWN + source-defect/UNKNOWN layer; neither blocker nor non-blocker): 257, of which 27 carry a security-adjacent word and need triage first. See proposed policy (4): every id carries a stated severity.

Open rows per cluster family (top 15):

family	open
SMB-FU	18
F5	13
D4	13

family	open
F4	12
F3	12
ERRLEAK	12
F6	11
FAVR3	11
F2	10
R2	10
S	10
AZ2	10
WP03R3FU	10
F7	9
SUB	9

Top blockers

Rule `yes` rows first, then the security-adjacent `unclassified` rows (first 25).

blocker	id	line	status	layer	severity	reason	cluster
yes	F3	402	open	source-defect	important	important + source-defect	F3 / Responsive audit series
yes	P2	759	unconfirmed	source-defect	important	status unconfirmed (not closed); important + source-defect	P2 / Authz review r3 follow-ups
yes	N2	1027	open	UNKNOWN	important	important + layer unclassifiable = source-defect per 11.4.235(D)	N2 / Route permissions review
yes	AZ2-R1	1111	unconfirmed	source-defect	important	status unconfirmed (not closed); important + source-defect	AZ2 / Authz round 2 review follow-ups
yes	UI-FAV-1	1475	open	UNKNOWN	important	important + layer unclassifiable = source-defect per 11.4.235(D)	UI-FAV / Stack-3 browser pass follow-ups registered
yes	TAURI-F6	1564	open	UNKNOWN	important	important + layer unclassifiable = source-defect per 11.4.235(D)	TAURI / Tauri confirm-on-URL-change follow-ups
yes	WP03R3FU-11	2210	open	UNKNOWN	minor	entry states release-blocking	WP03R3FU / wp03-d9s-fu reviewer follow-ups
unclassified	R3-M2	383	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R3 / WrapHTTPHandler path-param fix
unclassified	F10	626	open	source-defect	UNKNOWN	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	F10 / CAT-001 review R1 deferrals
unclassified	R3-M2	663	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R3 / Authorization gaps

blocker	id	line	status	layer	severity	reason	cluster
unclassified	CAT-050	663	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	CAT / Authorization gaps
unclassified	R2	750	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R2 / CAT-001 review R4 class inventory
unclassified	S1	797	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	S1 / Live scaling / stress / chaos suite
unclassified	S1	834	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	S1 / S1 resolution
unclassified	CV-F4	1044	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	CV / Converter hardening landing follow-ups
unclassified	WL8	1093	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browser specs for catalog-web
unclassified	WL11	1096	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browser specs for catalog-web
unclassified	WL12-F2	1099	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	WL12 / Live browser specs for catalog-web
unclassified	AZ2-8	1105	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live browser specs for catalog-web
unclassified	AZ2-10	1107	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live browser specs for catalog-web
unclassified	LV3-1	1383	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	LV3 / Live verification of stack 3

blocker	id	line	status	layer	severity	reason	cluster
unclassified	SECQ-2	1393	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ / Security queue fix
unclassified	SECQ-8	1400	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ / Security queue fix
unclassified	STK3-FU-2	1426	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack-3 verification pack follow-ups
unclassified	STK3-FU-4	1428	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack-3 verification pack follow-ups
unclassified	SECQ1-F1	1440	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ1 / SECQ-1 follow-ups and SUB-CONTRACT-1
unclassified	AND-FU-1	1505	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AND-FU / Android QA boot landed
unclassified	HELIXQA-FU-2	1528	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	HELIXQA-FU / Live UI rerun 2026-11-05 on stack 3
unclassified	SMB-FU-9	1679	unconfirmed	UNKNOWN	UNKNOWN	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups
unclassified	STACK-CTR-FU-1	1737	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STACK-CTR-FU / CAT-QA-STACK-LIFECYCLE-1: stack scripts via ctrc
unclassified	N2	1771	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	N2 / CAT-REL-CHECK-1 follow-ups
unclassified	PX-F22	1888	open	UNKNOWN	UNKNOWN	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PX / PX-F15/F16 landed

Scope of the open set: only bullet entries that BEGIN with an id are rows. 1 further ids are mentioned only inside prose or only in the register and are NOT rows, so a blocker that exists only there is invisible to the table. Prose/register-only ids on a line that says important/critical/blocker (first 20): CAT-QA-SONAR-1 (line 1757). Known prose-only candidate: `OBF-1` ("Follow-ups (Queued, minor): OBF-1 ..." list near line 1921; minor, a rollback that can delete an unreadable config). `CAT-D9-SUSPEND` is a row (line 1279) and also in the register Part A. The table it does not replace the register.

Proposed follow-up policy (not applied)

PROPOSAL for operator decision (11.4.66); no rule file was changed. Text for `docs/FOLLOW_UPS_NEXT_PHASE.md` header or the review-budget policy:

> **Follow-up triage policy (proposed 2026-11-12).** (1) A reviewer finding of severity minor joins an existing open class item of the same root-cause family (same id family and section) as an added line, unless it is security-adjacent (authz, credential, injection, path confinement, data loss, information leak); a security-adjacent minor keeps its own id and is triaged for the next release. (2) A nit is not registered as its own id: it is applied in the same change when trivial, or listed once under the class item; a nit still open after the triage pass for the next release is closed with the reason `nit-after-triage`. (3) Each landed batch registers at most one new item per distinct class; the count of open ids must not grow between consecutive releases except for new increments (11.4.230(E.4) direction rule). (4) Every id carries a stated severity; UNKNOWN is a triage defect to fix at registration.

Full table

id	line	layer	severity	blocker	reason	cluster	status	evidence
F3	402	source-defect	important	yes	important + source-defect	F3 / Responsive audit series	open	no closing evidence in the entry, no code commit on ref
N2	1027	UNKNOWN	important	yes	important + layer unclassifiable = source-defect per 11.4.235(D)	N2 / Route permissions review	open	entry states OPEN/OWED/Queued near its start
UI-FAV-1	1475	UNKNOWN	important	yes	important + layer unclassifiable = source-defect per 11.4.235(D)	UI-FAV / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
TAURI-F6	1564	UNKNOWN	important	yes	important + layer unclassifiable = source-defect per 11.4.235(D)	TAURI / Tauri confirm-on-URL-change follow-ups	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-11	2210	UNKNOWN	minor	yes	entry states release-blocking	WP03R3FU / wp03-d9s-fu reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
S1	257	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S1 / FTP live-test follow-ups S1-S4 and T1	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
S3	288	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3 / FTP live-test follow-ups S1-S4 and T1	open	no closing evidence in the entry, no code commit on ref
S4	289	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S4 / FTP live-test follow-ups S1-S4 and T1	open	no closing evidence in the entry, no code commit on ref
E7	319	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	E7 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
C1	354	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	C1 / check_submodule_ff gate follow-ups	open	no closing evidence in the entry, no code commit on ref
R3-M1	382	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R3 / WrapHTTPHandler path-param fix	open	no closing evidence in the entry, no code commit on ref
F5	426	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F5 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
F7	431	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F7 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F2	470	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F2 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
F3	471	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F3 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
F4	472	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F4 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
F-E3	497	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F / CAT-002 PDF text isolation - follow-ups	open	no closing evidence in the entry, no code commit on ref
R7	578	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R7 / Login/validator fix	open	no closing evidence in the entry, no code commit on ref
F10	626	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	F10 / CAT-001 review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
F2	627	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F2 / CAT-001 review R1 deferrals	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F2	628	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F2 / CAT-001 review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
F3	629	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F3 / CAT-001 review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
CAT-052	664	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT / Authorization gaps	open	no closing evidence in the entry, no code commit on ref
B1	668	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	B1 / Authorization gaps	open	no closing evidence in the entry, no code commit on ref
F4	691	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F4 / Review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
F6	692	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F6 / Review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
F10	693	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F10 / Review R1 deferrals	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
R2-N2	696	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R2 / Review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
R3-C3	696	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R3 / Review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
R2-N7	700	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R2 / Review R1 deferrals	open	no closing evidence in the entry, no code commit on ref
R4-6	733	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R4 / CAT-001 review R4 class inventory	open	under an "Open/Still open:" label line
R4-9b	734	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R4 / CAT-001 review R4 class inventory	open	under an "Open/Still open:" label line
R2	750	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R2 / CAT-001 review R4 class inventory	open	under an "Open/Still open:" label line
S1	797	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	S1 / Live scaling / stress / chaos suite	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
S2	798	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S2 / Live scaling / stress / chaos suite	open	no closing evidence in the entry, no code commit on ref
S3	799	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3 / Live scaling / stress / chaos suite	open	no closing evidence in the entry, no code commit on ref
S4	800	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S4 / Live scaling / stress / chaos suite	open	no closing evidence in the entry, no code commit on ref
S5	801	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S5 / Live scaling / stress / chaos suite	open	no closing evidence in the entry, no code commit on ref
R5-7	821	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R5 / CAT-001 review R5	open	under an "Open/Still open:" label line
S1	834	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	S1 / S1 resolution	open	no closing evidence in the entry, no code commit on ref
F5	853	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F5 / Pool-deadlock class fix + scaling-suite findings	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F7	855	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F7 / Pool-deadlock class fix + scaling-suite findings	open	no closing evidence in the entry, no code commit on ref
F7	865	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F7 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
W10	890	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W10 / Live Yandex WebDAV suite	open	no closing evidence in the entry, no code commit on ref
F5	914	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F5 / Registration approval + ffmpeg image review	open	no closing evidence in the entry, no code commit on ref
F6	931	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F6 / Converter hardening + registration follow-ups	open	under an "Open/Still open:" label line
N4	932	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N4 / Converter hardening + registration follow-ups	open	under an "Open/Still open:" label line
F5	943	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F5 / Converter hardening + registration follow-ups	open	under an "Open/Still open:" label line

id	line	layer	severity	blocker	reason	cluster	status	evidence
F6	944	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F6 / Converter hardening + registration follow-ups	open	under an "Open/Still open:" label line
N6	949	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N6 / Converter hardening + registration follow-ups	open	entry states OPEN/OWED/Queued near its start
F2	962	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F2 / Docs sync C4 review	open	no closing evidence in the entry, no code commit on ref
F3	963	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F3 / Docs sync C4 review	open	no closing evidence in the entry, no code commit on ref
F4	964	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F4 / Docs sync C4 review	open	no closing evidence in the entry, no code commit on ref
F6	966	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F6 / Docs sync C4 review	open	no closing evidence in the entry, no code commit on ref
SC1	977	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / Smart collections round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
SC2	978	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / Smart collections round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SC3	979	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / Smart collections round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SC4	980	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / Smart collections round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SC5	981	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / Smart collections round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
QC8	1018	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
SC8	1021	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
SC9	1022	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
UI-F5	1034	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 landing follow-ups	open	no closing evidence in the entry, no code commit on ref
UI-F7	1035	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 landing follow-ups	open	no closing evidence in the entry, no code commit on ref
UI-F8	1036	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 landing follow-ups	open	no closing evidence in the entry, no code commit on ref
UI-F2	1037	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI / UI D1/D2 landing follow-ups	open	no closing evidence in the entry, no code commit on ref
CV-F4	1044	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	CV / Converter hardening landing follow-ups	open	no closing evidence in the entry, no code commit on ref
CV-F5	1045	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CV / Converter hardening landing follow-ups	open	no closing evidence in the entry, no code commit on ref
AZ2-1	1054	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz round 2	open	under an "Open/Still open:" label line

id	line	layer	severity	blocker	reason	cluster	status	evidence
AZ2-2	1055	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz round 2	open	under an "Open/Still open:" label line
AZ2-4	1057	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz round 2	open	under an "Open/Still open:" label line
AZ2-5	1058	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz round 2	open	under an "Open/Still open:" label line
AZ2-7	1060	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Authz round 2	open	under an "Open/Still open:" label line
N2	1061	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N2 / Authz round 2	open	under an "Open/Still open:" label line
N4	1061	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N4 / Authz round 2	open	under an "Open/Still open:" label line
N2	1065	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N2 / Smart collections round-4 review follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
AC1	1069	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	A / Live API contract sweep	open	entry states OPEN/OWED/Queued near its start
AC2	1070	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	A / Live API contract sweep	open	entry states OPEN/OWED/Queued near its start
AC3	1071	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	A / Live API contract sweep	open	entry states OPEN/OWED/Queued near its start
AC4	1072	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	A / Live API contract sweep	open	entry states OPEN/OWED/Queued near its start
AC5	1073	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	A / Live API contract sweep	open	entry states OPEN/OWED/Queued near its start
WL2	1088	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
WL3	1089	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
WL4	1090	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
WL9	1094	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
WL12-F3	1101	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	WL12 / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
AZ2-8	1105	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
AZ2-9	1106	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	AZ2 / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
AZ2-10	1107	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AZ2 / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
CS-N2	1179	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CS / Contract sweep review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
CSRF-3	1217	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CSRF / CAT-CSRF-LAN follow-ups	open	no closing evidence in the entry, no code commit on ref
LW3-1	1239	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	LW3 / Live QA round 3 + storage r1 findings	open	no closing evidence in the entry, no code commit on ref
D11	1255	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D11 / Conversion defects D1, D2, D7	open	entry states OPEN/OWED/Queued near its start
CONV-F1	1256	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CONV / Conversion defects D1, D2, D7	open	entry states OPEN/OWED/Queued near its start
CONV-F2	1257	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CONV / Conversion defects D1, D2, D7	open	entry states OPEN/OWED/Queued near its start
CONV-F3	1260	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CONV / Conversion defects D1, D2, D7	open	entry states OPEN/OWED/Queued near its start
CONV-F4	1261	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CONV / Conversion defects D1, D2, D7	open	entry states OPEN/OWED/Queued near its start

id	line	layer	severity	blocker	reason	cluster	status	evidence
CONV-F3	1266	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CONV / Conversion defects D1, D2, D7	open	no closing evidence in the entry, no code commit on ref
D4-1	1336	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-2	1337	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-3	1338	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-4	1339	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-5	1340	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-7	1342	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line

id	line	layer	severity	blocker	reason	cluster	status	evidence
D4-9	1344	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-10	1345	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-12	1348	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
F7	1369	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F7 / D11/D7 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F8	1371	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F8 / D11/D7 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
LV3-1	1383	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	LV3 / Live verification of stack 3	open	under an "Open/Still open:" label line
LV3-2	1384	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	LV3 / Live verification of stack 3	open	under an "Open/Still open:" label line

id	line	layer	severity	blocker	reason	cluster	status	evidence
LV3-5	1387	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	LV3 / Live verification of stack 3	open	under an "Open/Still open:" label line
SECQ-2	1393	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ / Security queue fix	open	no closing evidence in the entry, no code commit on ref
SECQ-4	1395	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Security queue fix	open	entry states OPEN/OWED/Queued near its start
SECQ-7	1399	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Security queue fix	open	no closing evidence in the entry, no code commit on ref
SECQ-8	1400	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ / Security queue fix	open	no closing evidence in the entry, no code commit on ref
STK3-FU-1	1425	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	STK3-FU / Stack-3 verification pack follow-ups	open	no closing evidence in the entry, no code commit on ref
STK3-FU-2	1426	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack-3 verification pack follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
STK3-FU-3	1427	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	STK3-FU / Stack-3 verification pack follow-ups	open	no closing evidence in the entry, no code commit on ref
STK3-FU-4	1428	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STK3-FU / Stack-3 verification pack follow-ups	open	no closing evidence in the entry, no code commit on ref
NEW1F3-FU-3	1433	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	NEW1F3-FU / NEW1-F3/F4 landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
SECQ1-F1	1440	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SECQ1 / SECQ-1 follow-ups and SUB-CONTRACT-1	open	no closing evidence in the entry, no code commit on ref
SECQ4B-FU-4	1454	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ4B-FU / SECQ-4b landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
SECQ-3	1461	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Stack-3 live re-verification 2	open	no closing evidence in the entry, no code commit on ref
UI-D1-FU-1	1470	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D1-FU / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
UI-D1-FU-2	1471	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D1-FU / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
UI-D2-FU-1	1472	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D2-FU / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
UI-D3-FU-1	1474	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D3-FU / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
UI-D4-FU-1	1476	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D4-FU / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
SECQ-3	1478	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
UI-D7-FU-1	1491	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D7-FU / UI-D7/D8 landed	open	no closing evidence in the entry, no code commit on ref
UI-D8-FU-1	1492	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D8-FU / UI-D7/D8 landed	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
UI-D7-FU-1	1501	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D7-FU / UI-D5/D6 landed	open	no closing evidence in the entry, no code commit on ref
AND-FU-1	1505	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	AND-FU / Android QA boot landed	open	no closing evidence in the entry, no code commit on ref
TAURI-FU-1	1510	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-FU / Tauri QA boot / S3 follow-ups registered	open	no closing evidence in the entry, no code commit on ref
S3-FU-1	1511	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3-FU / Tauri QA boot / S3 follow-ups registered	open	no closing evidence in the entry, no code commit on ref
TAURI-FU-6	1519	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-FU / Tauri QA boot review follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-FU-7	1520	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-FU / Tauri QA boot review follow-ups	open	no closing evidence in the entry, no code commit on ref
UI-D3-FU-4	1525	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D3-FU / Live UI rerun 2026-11-05 on stack 3	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
UI-D5-FU-3	1526	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-D5-FU / Live UI rerun 2026-11-05 on stack 3	open	no closing evidence in the entry, no code commit on ref
HELIXQA-FU-1	1527	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	HELIXQA-FU / Live UI rerun 2026-11-05 on stack 3	open	no closing evidence in the entry, no code commit on ref
HELIXQA-FU-2	1528	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	HELIXQA-FU / Live UI rerun 2026-11-05 on stack 3	open	no closing evidence in the entry, no code commit on ref
D7-F3	1535	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7 / D7 remaining-contrast follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-F6	1549	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI / Tauri SSRF	open	no closing evidence in the entry, no code commit on ref
S3-R2-1	1552	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3-R2 / S3 protocol follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-R2-2	1553	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3-R2 / S3 protocol follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
S3-R2-5	1556	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3-R2 / S3 protocol follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-LIVE-FU-1	1559	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3-LIVE-FU / S3 live	open	no closing evidence in the entry, no code commit on ref
TAURI-F7	1565	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI / Tauri confirm-on-URL-change follow-ups	open	no closing evidence in the entry, no code commit on ref
D7-R3-FU1	1571	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7-R3-F / D7 class-wide contrast	open	no closing evidence in the entry, no code commit on ref
D7-R3-M3	1573	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7-R3 / D7 class-wide contrast	open	no closing evidence in the entry, no code commit on ref
PROM-R2-2	1590	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PROM-R2 / Prometheus auth landed	open	no closing evidence in the entry, no code commit on ref
TP-FU-2	1613	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TP-FU / TRUSTED_PROXIES hardening follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
TP-FU-3	1614	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TP-FU / TRUSTED_PROXIES hardening follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-7	1623	source-defect	UNKNOWN	unclassified	severity UNKNOWN + source-defect layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
FU20-1	1640	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU20 / followups-20261110 review	open	no closing evidence in the entry, no code commit on ref
FU20-2	1641	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU20 / followups-20261110 review	open	no closing evidence in the entry, no code commit on ref
LIP-FU-5	1651	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	LIP-FU / lanip-dyn review	open	no closing evidence in the entry, no code commit on ref
SMB-FU-4	1659	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref
SMB-FU-7	1662	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
LIP-FU-9	1673	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	LIP-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-9b	1680	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-13	1681	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R2-FU-3	1690	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R2-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
R1-FU-6	1690	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R1-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R2-FU-5	1691	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R2-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R3-FU-1	1692	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R3-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
TAURI-R4	1694	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R4-FU-1	1695	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R4-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R4-FU-2	1696	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R4-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R4-FU-4	1698	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	TAURI-R4-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
STACK-CTR-FU-1	1737	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	STACK-CTR-FU / CAT-QA-STACK-LIFECYCLE-1: stack scripts via ctrc	open	no closing evidence in the entry, no code commit on ref
STACK-CTR-FU-2	1738	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	STACK-CTR-FU / CAT-QA-STACK-LIFECYCLE-1: stack scripts via ctrc	open	no closing evidence in the entry, no code commit on ref
STACK-CTR-FU-3	1739	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	STACK-CTR-FU / CAT-QA-STACK-LIFECYCLE-1: stack scripts via ctrc	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
STACK-CTR-FU-5	1741	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	STACK-CTR-FU / CAT-QA-STACK-LIFECYCLE-1: stack scripts via ctrc	open	no closing evidence in the entry, no code commit on ref
N1	1770	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N1 / CAT-REL-CHECK-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
N2	1771	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	N2 / CAT-REL-CHECK-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
N3	1772	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N3 / CAT-REL-CHECK-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
N4	1773	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N4 / CAT-REL-CHECK-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
S3358	1778	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S3358 / CAT-QA-SONAR-7	open	no closing evidence in the entry, no code commit on ref
FU-3	1783	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU / CAT-QA-SONAR-7 follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
FU-4	1784	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU / CAT-QA-SONAR-7 follow-ups	open	no closing evidence in the entry, no code commit on ref
F2	1788	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F2 / CAT-REL-CHECK-1 round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
F4	1790	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	F4 / CAT-REL-CHECK-1 round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
FU2-4	1801	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU2 / CAT-QA-SONAR-7 FU round-2	open	no closing evidence in the entry, no code commit on ref
PW-F4	1847	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PW / CAT-PREEXIST-7/8/9 landed	open	no closing evidence in the entry, no code commit on ref
PX-F14	1876	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PX / PX-F8..F12 landed	open	no closing evidence in the entry, no code commit on ref
PX-F17	1879	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PX / PX-F8..F12 landed	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
PX-F20	1886	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PX / PX-F15/F16 landed	open	no closing evidence in the entry, no code commit on ref
PX-F21	1887	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PX / PX-F15/F16 landed	open	no closing evidence in the entry, no code commit on ref
PX-F22	1888	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PX / PX-F15/F16 landed	open	no closing evidence in the entry, no code commit on ref
SECQ-1	1892	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / CAT-OPDEC-B	open	no closing evidence in the entry, no code commit on ref
PXF23-F1	1912	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PXF23 / CAT-PXF23	open	entry states OPEN/OWED/Queued near its start
PXF23-F2	1913	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PXF23 / CAT-PXF23	open	entry states OPEN/OWED/Queued near its start
PXF23-R5	1927	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PXF23 / PXF23-R landed	open	entry states OPEN/OWED/Queued near its start

id	line	layer	severity	blocker	reason	cluster	status	evidence
PXF23-R5b	1936	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PXF23 / CAT-PXF23-R5 landed	open	under an "Open/Still open:" label line
PXF23-R5c	1937	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	PXF23 / CAT-PXF23-R5 landed	open	under an "Open/Still open:" label line
PXF23-R5d	1938	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	PXF23 / CAT-PXF23-R5 landed	open	under an "Open/Still open:" label line
D9S-F5	1965	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND	open	no closing evidence in the entry, no code commit on ref
D9S-F6	1966	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND	open	no closing evidence in the entry, no code commit on ref
CAT-SECQ1-B	2010	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT-SECQ1-B / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
CAT-SECQ1-C	2011	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT-SECQ1-C / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
CAT-SECQ1-D	2012	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT-SECQ1-D / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
UI-FAV-1a	2057	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-FAV / CAT-UI-FAV-1	open	no closing evidence in the entry, no code commit on ref
UI-FAV-1b	2058	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-FAV / CAT-UI-FAV-1	open	entry states OPEN/OWED/Queued near its start
UI-FAV-1c	2059	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	UI-FAV / CAT-UI-FAV-1	open	no closing evidence in the entry, no code commit on ref
D9S-M1	2085	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
D9S-M4	2085	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
D9S-M5	2085	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
D9S-F5	2086	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
D9S-F6	2087	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
D9S-F7	2088	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-6	2101	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FAVR3 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1-F1	2102	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3-3	2167	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1R3 / SEC-WS-1R3 — author round	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1-F5	2168	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1 / SEC-WS-1R3 — author round	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
FAVR3-7	2179	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FAVR3 / FAVR3 follow-ups round 2	open	no closing evidence in the entry, no code commit on ref
FAVR3-8	2180	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FAVR3 / FAVR3 follow-ups round 2	open	no closing evidence in the entry, no code commit on ref
FAVR3-9	2181	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FAVR3 / FAVR3 follow-ups round 2	open	no closing evidence in the entry, no code commit on ref
FAVR3-6	2183	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FAVR3 / FAVR3 follow-ups round 2	open	no closing evidence in the entry, no code commit on ref
DEVEMU-F1	2197	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	DEVEMU / Device-emulation plan follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-1	2249	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-2	2250	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
SEC-WS-1F3FU-3	2251	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-4	2252	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-5	2253	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-6	2254	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SEC-WS-1F3FU / SEC-WS-1 F3	open	no closing evidence in the entry, no code commit on ref
FU-4	2260	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU / Reviewer follow-ups for fix/ sec-ws-1-f3	open	no closing evidence in the entry, no code commit on ref
O1	14	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O1 / Container hygiene guard	open	no closing evidence in the entry, no code commit on ref
O2	17	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O2 / Container hygiene guard	open	no closing evidence in the entry, no code commit on ref
O3	19	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O3 / Container hygiene guard	open	no closing evidence in the entry, no code commit on ref
O4	23	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	O4 / Container hygiene guard	open	no closing evidence in the entry, no code commit on ref
RM6	36	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	R / Container hygiene guard	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F9	74	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F9 / Secrets scanner	open	no closing evidence in the entry, no code commit on ref
F4	95	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F4 / Path confinement	open	no closing evidence in the entry, no code commit on ref
T1	281	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	T1 / FTP live-test follow-ups S1-S4 and T1	open	no closing evidence in the entry, no code commit on ref
S2	285	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	S2 / FTP live-test follow-ups S1-S4 and T1	open	no closing evidence in the entry, no code commit on ref
E1	297	test-instrumentation	important	no	important but test-instrumentation layer	E1 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
E2	300	test-instrumentation	important	no	important but test-instrumentation layer	E2 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
E3	303	test-instrumentation	minor	no	severity minor	E3 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
E4	305	test-instrumentation	important	no	important but test-instrumentation layer	E4 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
E5	310	test-instrumentation	important	no	important but test-instrumentation layer	E5 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
E6	314	process-doc	minor	no	severity minor	E6 / e2e credential-default follow-ups	open	no closing evidence in the entry, no code commit on ref
M6	330	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	M6 / Appendix digests	open	no closing evidence in the entry, no code commit on ref
N9-1	347	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N9 / check_submodule_ff gate follow-ups	open	no closing evidence in the entry, no code commit on ref
N9-2	348	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N9 / check_submodule_ff gate follow-ups	open	no closing evidence in the entry, no code commit on ref
S3	374	UNKNOWN	minor	no	severity minor	S3 / WrapHTTPHandler path-param fix	open	no closing evidence in the entry, no code commit on ref
S4	375	UNKNOWN	minor	no	severity minor	S4 / WrapHTTPHandler path-param fix	open	no closing evidence in the entry, no code commit on ref
T1	376	test-instrumentation	minor	no	severity minor	T1 / WrapHTTPHandler path-param fix	open	no closing evidence in the entry, no code commit on ref
T6	377	test-instrumentation	minor	no	severity minor	T6 / WrapHTTPHandler path-param fix	open	no closing evidence in the entry, no code commit on ref
F5	408	process-doc	important	no	important but process-doc layer	F5 / Responsive audit series	open	no closing evidence in the entry, no code commit on ref
F6	413	source-defect	minor	no	severity minor	F6 / Responsive audit series	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F7	416	source-defect	minor	no	severity minor	F7 / Responsive audit series	open	no closing evidence in the entry, no code commit on ref
F5	473	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F5 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
F7	474	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F7 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
F8	475	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F8 / Responsive follow-ups, closed on branch `fix-res	open	no closing evidence in the entry, no code commit on ref
N1	487	UNKNOWN	minor(sec)	no	severity minor	N1 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
N2	488	UNKNOWN	minor(sec)	no	severity minor	N2 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
N3	489	UNKNOWN	minor(sec)	no	severity minor	N3 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
N4	490	UNKNOWN	minor(sec)	no	severity minor	N4 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
T1	491	test-instrumentation*	minor(sec)	no	severity minor	T1 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
T2	492	test-instrumentation*	minor(sec)	no	severity minor	T2 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
T3	493	test-instrumentation*	minor(sec)	no	severity minor	T3 / Runner scripts	open	no closing evidence in the entry, no code commit on ref
F1	504	UNKNOWN	minor(sec)	no	severity minor	F1 / CAT-002 review round 5 follow-ups	open	no closing evidence in the entry, no code commit on ref
F2	505	test-instrumentation*	nit	no	severity nit	F2 / CAT-002 review round 5 follow-ups	open	no closing evidence in the entry, no code commit on ref
F3	506	test-instrumentation*	minor(sec)	no	severity minor	F3 / CAT-002 review round 5 follow-ups	open	no closing evidence in the entry, no code commit on ref
F5	507	UNKNOWN	minor(sec)	no	severity minor	F5 / CAT-002 review round 5 follow-ups	open	no closing evidence in the entry, no code commit on ref
F3	559	source-defect	minor	no	severity minor	F3 / Docs C2/C5 landing	open	no closing evidence in the entry, no code commit on ref
F4	561	source-defect	minor	no	severity minor	F4 / Docs C2/C5 landing	open	no closing evidence in the entry, no code commit on ref
F6	562	source-defect	minor	no	severity minor	F6 / Docs C2/C5 landing	open	no closing evidence in the entry, no code commit on ref
R6	566	process-doc	minor(sec)	no	severity minor	R6 / Docs C2/C5 review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref
R3-2	593	test-instrumentation	minor(sec)	no	severity minor	R3 / Crash-pages review round 3 follow-ups	open	no closing evidence in the entry, no code commit on ref
N7	667	UNKNOWN	minor	no	severity minor	N7 / Authorization gaps	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
R2	751	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	R2 / CAT-001 review R4 class inventory	open	under an "Open/Still open:" label line
T1	755	test-instrumentation	minor	no	severity minor	T1 / Authz review r3 follow-ups	open	no closing evidence in the entry, no code commit on ref
T2	756	process-doc*	nit	no	severity nit	T2 / Authz review r3 follow-ups	open	no closing evidence in the entry, no code commit on ref
T3	757	test-instrumentation*	nit	no	severity nit	T3 / Authz review r3 follow-ups	open	no closing evidence in the entry, no code commit on ref
T4	758	UNKNOWN	minor	no	severity minor	T4 / Authz review r3 follow-ups	open	no closing evidence in the entry, no code commit on ref
P3	760	UNKNOWN	minor	no	severity minor	P3 / Authz review r3 follow-ups	open	no closing evidence in the entry, no code commit on ref
F1	807	test-instrumentation	important	no	important but test-instrumentation layer	F1 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F2	808	test-instrumentation	important	no	important but test-instrumentation layer	F2 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F3	809	test-instrumentation*	minor	no	severity minor	F3 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F4	810	UNKNOWN	minor	no	severity minor	F4 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F5	811	source-defect	minor	no	severity minor	F5 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F6	812	UNKNOWN	minor	no	severity minor	F6 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F7	813	source-defect	minor	no	severity minor	F7 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F8	814	UNKNOWN	nit	no	severity nit	F8 / Scaling/chaos review r1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F1	826	UNKNOWN	minor	no	severity minor	F1 / CAT-001 verification round	open	no closing evidence in the entry, no code commit on ref
F2	827	UNKNOWN	nit	no	severity nit	F2 / CAT-001 verification round	open	no closing evidence in the entry, no code commit on ref
F3	828	process-doc	UNKNOWN	no	severity UNKNOWN but process-doc layer	F3 / CAT-001 verification round	open	no closing evidence in the entry, no code commit on ref
F4	829	process-doc*	nit	no	severity nit	F4 / CAT-001 verification round	open	no closing evidence in the entry, no code commit on ref
F5	830	UNKNOWN	minor	no	severity minor	F5 / CAT-001 verification round	open	no closing evidence in the entry, no code commit on ref
F6	831	UNKNOWN	nit	no	severity nit	F6 / CAT-001 verification round	open	no closing evidence in the entry, no code commit on ref
F1	841	test-instrumentation*	minor	no	severity minor	F1 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F2	842	process-doc*	minor	no	severity minor	F2 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref
F3	843	process-doc*	nit	no	severity nit	F3 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref
F4	844	UNKNOWN	minor	no	severity minor	F4 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref
F5	845	UNKNOWN	nit	no	severity nit	F5 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref
F6	846	UNKNOWN	minor	no	severity minor	F6 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref
F7	847	UNKNOWN	minor	no	severity minor	F7 / S1 memory fix review	open	no closing evidence in the entry, no code commit on ref
F1	859	UNKNOWN	minor	no	severity minor	F1 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
F2	860	UNKNOWN	minor	no	severity minor	F2 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
F3	861	UNKNOWN	minor	no	severity minor	F3 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
F4	862	test-instrumentation*	nit	no	severity nit	F4 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
F5	863	UNKNOWN	minor	no	severity minor	F5 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
F6	864	UNKNOWN	nit	no	severity nit	F6 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
F8	866	UNKNOWN	nit	no	severity nit	F8 / Pool-class fix review	open	no closing evidence in the entry, no code commit on ref
W9	889	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	W9 / Live Yandex WebDAV suite	open	no closing evidence in the entry, no code commit on ref
WD-F1	892	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	WD / Live Yandex WebDAV suite	open	no closing evidence in the entry, no code commit on ref
F6	915	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F6 / Registration approval + ffmpeg image review	open	no closing evidence in the entry, no code commit on ref
D1	954	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	D1 / Docs sync C4	open	no closing evidence in the entry, no code commit on ref
D5	958	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	D5 / Docs sync C4	open	no closing evidence in the entry, no code commit on ref
F5	965	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F5 / Docs sync C4 review	open	no closing evidence in the entry, no code commit on ref
F7	967	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F7 / Docs sync C4 review	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
F-R6	974	UNKNOWN	nit	no	severity nit	F / Route permissions review	open	no closing evidence in the entry, no code commit on ref
QC1	1011	UNKNOWN	minor	no	severity minor	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
QC2	1012	UNKNOWN	minor	no	severity minor	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
QC3	1013	test-instrumentation*	minor	no	severity minor	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
QC4	1014	test-instrumentation*	minor	no	severity minor	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
QC5	1015	test-instrumentation*	minor	no	severity minor	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
QC6	1016	UNKNOWN	nit	no	severity nit	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
QC7	1017	test-instrumentation*	nit	no	severity nit	Q / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
SC6	1019	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	S / QA consumers review follow-ups	open	no closing evidence in the entry, no code commit on ref
N4	1029	UNKNOWN	minor	no	severity minor	N4 / Route permissions review	open	no closing evidence in the entry, no code commit on ref
N5	1030	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N5 / Route permissions review	open	no closing evidence in the entry, no code commit on ref
N6	1031	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	N6 / Route permissions review	open	no closing evidence in the entry, no code commit on ref
CV-F1	1041	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	CV / Converter hardening landing follow-ups	open	no closing evidence in the entry, no code commit on ref
CV-F2	1042	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	CV / Converter hardening landing follow-ups	open	no closing evidence in the entry, no code commit on ref
CV-F3	1043	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	CV / Converter hardening landing follow-ups	open	no closing evidence in the entry, no code commit on ref
R4-1	1048	test-instrumentation	minor	no	severity minor	R4 / P2 round-4 review follow-up	open	no closing evidence in the entry, no code commit on ref
AZ2-3	1056	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	AZ2 / Authz round 2	open	under an "Open/Still open:" label line
AZ2-6	1059	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	AZ2 / Authz round 2	open	under an "Open/Still open:" label line

id	line	layer	severity	blocker	reason	cluster	status	evidence
SC10	1063	test-instrumentation	minor	no	severity minor	S / Smart collections round-4 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SC11	1064	process-doc	nit	no	severity nit	S / Smart collections round-4 review follow-ups	open	no closing evidence in the entry, no code commit on ref
W10	1075	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	W10 / Live API contract sweep	open	no closing evidence in the entry, no code commit on ref
R2-1	1078	test-instrumentation	minor	no	severity minor	R2 / WebDAV live suite round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
R2-2	1079	test-instrumentation	minor	no	severity minor	R2 / WebDAV live suite round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
R2-3	1080	test-instrumentation*	nit	no	severity nit	R2 / WebDAV live suite round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
R2-4	1081	process-doc	minor	no	severity minor	R2 / WebDAV live suite round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
R2-5	1082	UNKNOWN	nit	no	severity nit	R2 / WebDAV live suite round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
R2-6	1083	UNKNOWN	nit	no	severity nit	R2 / WebDAV live suite round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
WL10	1095	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	W / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
WL12-D1	1100	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	WL12 / Live browser specs for catalog-web	open	no closing evidence in the entry, no code commit on ref
MG-C1	1128	UNKNOWN	minor	no	severity minor	MG / Media fixture generator review follow-ups	open	no closing evidence in the entry, no code commit on ref
MG-C2	1129	process-doc	minor	no	severity minor	MG / Media fixture generator review follow-ups	open	no closing evidence in the entry, no code commit on ref
MG-C3	1130	test-instrumentation	minor	no	severity minor	MG / Media fixture generator review follow-ups	open	no closing evidence in the entry, no code commit on ref
WL13-F2	1134	UNKNOWN	minor	no	severity minor	WL13 / Web player review follow-ups	open	no closing evidence in the entry, no code commit on ref
WL13-F3	1135	process-doc*	minor	no	severity minor	WL13 / Web player review follow-ups	open	no closing evidence in the entry, no code commit on ref
WL13-F4	1136	UNKNOWN	nit	no	severity nit	WL13 / Web player review follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-1	1140	test-instrumentation	minor	no	severity minor	S3 / Stack 3 scripts review follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-2	1141	process-doc	minor	no	severity minor	S3 / Stack 3 scripts review follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-3	1142	process-doc	minor	no	severity minor	S3 / Stack 3 scripts review follow-ups	open	no closing evidence in the entry, no code commit on ref
LM-F1	1147	test-instrumentation	minor	no	severity minor	LM / Live-map review round 3 follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
LM-F2	1148	process-doc	nit	no	severity nit	LM / Live-map review round 3 follow-ups	open	no closing evidence in the entry, no code commit on ref
LM-F3	1149	process-doc	nit	no	severity nit	LM / Live-map review round 3 follow-ups	open	no closing evidence in the entry, no code commit on ref
F3	1153	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F3 / Live-evidence verifier / recorders	open	entry states OPEN/OWED/Queued near its start
F4	1154	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F4 / Live-evidence verifier / recorders	open	entry states OPEN/OWED/Queued near its start
CS-N1	1178	test-instrumentation	important	no	important but test-instrumentation layer	CS / Contract sweep review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref
CS-N3	1180	test-instrumentation	minor	no	severity minor	CS / Contract sweep review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref
CS-N4	1181	UNKNOWN	minor	no	severity minor	CS / Contract sweep review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref
CS-N5	1182	process-doc	minor	no	severity minor	CS / Contract sweep review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref
CS-N6	1183	UNKNOWN	minor	no	severity minor	CS / Contract sweep review round 2 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS-1	1187	source-defect	minor(sec)	no	severity minor	NS / Nil-slice class review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS-2	1188	test-instrumentation	minor(sec)	no	severity minor	NS / Nil-slice class review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS-4	1190	UNKNOWN	minor(sec)	no	severity minor	NS / Nil-slice class review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS-5	1191	process-doc	minor(sec)	no	severity minor	NS / Nil-slice class review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS-6	1192	UNKNOWN	minor(sec)	no	severity minor	NS / Nil-slice class review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS3-F1	1197	UNKNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS3-F2	1198	UNKNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS3-F3	1199	UNKNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS3-F4	1200	UNKNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS3-F5	1201	test-instrumentation*	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
NS3-F6	1202	UNKNOWN	minor(sec)	no	severity minor	NS3 / NS-1/NS-3 review round 1 follow-ups	open	no closing evidence in the entry, no code commit on ref
WL13-R1	1206	test-instrumentation	minor	no	severity minor	WL13 / WL13 review follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
WL13-R2	1207	test-instrumentation	minor	no	severity minor	WL13 / WL13 review follow-ups	open	no closing evidence in the entry, no code commit on ref
WL13-R3	1208	process-doc	minor	no	severity minor	WL13 / WL13 review follow-ups	open	no closing evidence in the entry, no code commit on ref
WL13-R6	1210	test-instrumentation*	nit	no	severity nit	WL13 / WL13 review follow-ups	open	no closing evidence in the entry, no code commit on ref
CSRF-2	1216	process-doc	UNKNOWN	no	severity UNKNOWN but process-doc layer	CSRF / CAT-CSRF-LAN follow-ups	open	no closing evidence in the entry, no code commit on ref
MON-G4	1227	test-instrumentation	minor	no	severity minor	MON / Monitoring deploy review follow-ups	open	no closing evidence in the entry, no code commit on ref
MON-G5	1228	process-doc	nit	no	severity nit	MON / Monitoring deploy review follow-ups	open	no closing evidence in the entry, no code commit on ref
ST-F5	1243	UNKNOWN	minor	no	severity minor	ST / Live QA round 3 + storage r1 findings	open	no closing evidence in the entry, no code commit on ref
N2	1264	UNKNOWN	nit	no	severity nit	N2 / Conversion defects D1, D2, D7	open	no closing evidence in the entry, no code commit on ref
ST-R4-1	1282	test-instrumentation	minor	no	severity minor	ST-R4 / Storage clients fix: Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
ST-R4-2	1283	test-instrumentation	minor	no	severity minor	ST-R4 / Storage clients fix: Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
ST-R4-3	1284	source-defect	nit	no	severity nit	ST-R4 / Storage clients fix: Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
ST-R4-4	1285	source-defect	nit	no	severity nit	ST-R4 / Storage clients fix: Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-F1	1298	UNKNOWN	minor	no	severity minor	SUB / Subtitle defects D5-D8 + delete route	open	no closing evidence in the entry, no code commit on ref
SUB-F2	1299	UNKNOWN	minor	no	severity minor	SUB / Subtitle defects D5-D8 + delete route	open	no closing evidence in the entry, no code commit on ref
SUB-H1	1302	test-instrumentation	minor	no	severity minor	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-H2	1303	source-defect	minor	no	severity minor	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-H3	1304	source-defect	minor	no	severity minor	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-H4	1305	source-defect	nit	no	severity nit	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-H5	1306	test-instrumentation	nit	no	severity nit	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-H6	1307	process-doc	minor	no	severity minor	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
SUB-H7	1308	process-doc	nit	no	severity nit	SUB / Subtitle defects: Opus round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
D3-R3-1	1322	test-instrumentation	minor	no	severity minor	D3-R3 / D3 pdf-pages: poppler-only rendering, go-fitz re	open	entry states OPEN/OWED/Queued near its start
D9-F1	1328	source-defect	minor	no	severity minor	D9 / D3 pdf-pages: poppler-only rendering, go-fitz re	open	entry states OPEN/OWED/Queued near its start
D9-F2	1329	process-doc	minor	no	severity minor	D9 / D3 pdf-pages: poppler-only rendering, go-fitz re	open	entry states OPEN/OWED/Queued near its start
D9-F3	1330	UNKNOWN	nit	no	severity nit	D9 / D3 pdf-pages: poppler-only rendering, go-fitz re	open	entry states OPEN/OWED/Queued near its start
D4-6	1341	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-8	1343	UNKNOWN	nit	no	severity nit	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-13	1349	UNKNOWN	minor	no	severity minor	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D4-14	1350	UNKNOWN	nit	no	severity nit	D4 / D4 document full-text search	open	under an "Open/Still open:" label line
D11-F1	1359	UNKNOWN	minor	no	severity minor	D11 / D11a, D11b, D7/D8 remainder	open	no closing evidence in the entry, no code commit on ref
D11-F2	1360	UNKNOWN	minor	no	severity minor	D11 / D11a, D11b, D7/D8 remainder	open	no closing evidence in the entry, no code commit on ref
D11-F3	1361	UNKNOWN	minor	no	severity minor	D11 / D11a, D11b, D7/D8 remainder	open	no closing evidence in the entry, no code commit on ref
D11-F4	1362	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D11 / D11a, D11b, D7/D8 remainder	open	no closing evidence in the entry, no code commit on ref
D11-R2-2	1374	process-doc	minor	no	severity minor	D11-R2 / D11/D7 review round 1 follow-ups	open	entry states OPEN/OWED/Queued near its start
D11-R2-3	1375	test-instrumentation	nit	no	severity nit	D11-R2 / D11/D7 review round 1 follow-ups	open	entry states OPEN/OWED/Queued near its start
D11-R2-4	1376	process-doc	nit	no	severity nit	D11-R2 / D11/D7 review round 1 follow-ups	open	entry states OPEN/OWED/Queued near its start
D11-R2-5	1377	source-defect	nit	no	severity nit	D11-R2 / D11/D7 review round 1 follow-ups	open	entry states OPEN/OWED/Queued near its start
LV3-3	1385	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LV3 / Live verification of stack 3	open	under an "Open/Still open:" label line
LV3-4	1386	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LV3 / Live verification of stack 3	open	under an "Open/Still open:" label line
NEW1-F2	1406	test-instrumentation	minor	no	severity minor	NEW1 / NEW-1 cover thumbnails	open	no closing evidence in the entry, no code commit on ref
SECQ1-F1	1413	UNKNOWN	nit	no	severity nit	SECQ1 / SECQ-1 WebDAV storage-root SSRF guard	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
SECQ1-F2	1414	UNKNOWN	minor	no	severity minor	SECQ1 / SECQ-1 WebDAV storage-root SSRF guard	open	no closing evidence in the entry, no code commit on ref
NEW1F3-FU-1	1431	process-doc*	nit	no	severity nit	NEW1F3-FU / NEW1-F3/F4 landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
NEW1F3-FU-2	1432	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	NEW1F3-FU / NEW1-F3/F4 landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
SECQ1FU-1	1448	test-instrumentation*	minor	no	severity minor	SECQ1FU / SECQ-1 follow-ups landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
SECQ4B-FU-1	1451	test-instrumentation*	minor	no	severity minor	SECQ4B-FU / SECQ-4b landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
SECQ4B-FU-3	1453	UNKNOWN	nit	no	severity nit	SECQ4B-FU / SECQ-4b landed 2026-11-05	open	no closing evidence in the entry, no code commit on ref
UI-D2-FU-2	1473	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	UI-D2-FU / Stack-3 browser pass follow-ups registered	open	no closing evidence in the entry, no code commit on ref
UI-D3-FU-2	1481	UNKNOWN	nit	no	severity nit	UI-D3-FU / UI-D2/D3 landed	open	no closing evidence in the entry, no code commit on ref
UI-D3-FU-3	1482	UNKNOWN	nit	no	severity nit	UI-D3-FU / UI-D2/D3 landed	open	no closing evidence in the entry, no code commit on ref
UI-D1-FU-3	1485	UNKNOWN	minor	no	severity minor	UI-D1-FU / UI-D1 landed	open	no closing evidence in the entry, no code commit on ref
UI-D1-FU-4	1486	UNKNOWN	nit	no	severity nit	UI-D1-FU / UI-D1 landed	open	no closing evidence in the entry, no code commit on ref
UI-D1-FU-5	1487	test-instrumentation*	nit	no	severity nit	UI-D1-FU / UI-D1 landed	open	no closing evidence in the entry, no code commit on ref
UI-D8-FU-2	1493	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	UI-D8-FU / UI-D7/D8 landed	open	no closing evidence in the entry, no code commit on ref
UI-D8-FU-3	1494	test-instrumentation*	nit	no	severity nit	UI-D8-FU / UI-D7/D8 landed	open	no closing evidence in the entry, no code commit on ref
UI-D5D6-FU-1	1497	test-instrumentation*	minor	no	severity minor	UI-D5D6-FU / UI-D5/D6 landed	open	no closing evidence in the entry, no code commit on ref
UI-D5D6-FU-2	1498	test-instrumentation*	nit	no	severity nit	UI-D5D6-FU / UI-D5/D6 landed	open	no closing evidence in the entry, no code commit on ref
MP-FLAKE-1	1499	test-instrumentation*	minor	no	severity minor	MP-FLAKE / UI-D5/D6 landed	open	no closing evidence in the entry, no code commit on ref
WEB-DEPS-1	1500	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	WEB-DEPS / UI-D5/D6 landed	open	no closing evidence in the entry, no code commit on ref
AND-FU-6	1506	source-defect	minor	no	severity minor	AND-FU / Android QA boot landed	open	no closing evidence in the entry, no code commit on ref
AND-FU-7	1507	process-doc*	nit	no	severity nit	AND-FU / Android QA boot landed	open	no closing evidence in the entry, no code commit on ref
TAURI-FU-2	1515	process-doc	minor	no	severity minor	TAURI-FU / Tauri QA boot review follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
TAURI-FU-3	1516	test-instrumentation	minor	no	severity minor	TAURI-FU / Tauri QA boot review follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-FU-4	1517	test-instrumentation	nit	no	severity nit	TAURI-FU / Tauri QA boot review follow-ups	open	no closing evidence in the entry, no code commit on ref
HQA-R3-1	1539	UNKNOWN	nit	no	severity nit	HQA-R3 / HelixQA stack3 wrapper follow-ups	open	no closing evidence in the entry, no code commit on ref
HQA-R3-2	1540	process-doc	minor	no	severity minor	HQA-R3 / HelixQA stack3 wrapper follow-ups	open	no closing evidence in the entry, no code commit on ref
HQA-R3-3	1541	UNKNOWN	nit	no	severity nit	HQA-R3 / HelixQA stack3 wrapper follow-ups	open	no closing evidence in the entry, no code commit on ref
HQA-R3-4	1542	UNKNOWN	nit	no	severity nit	HQA-R3 / HelixQA stack3 wrapper follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-F14	1546	UNKNOWN	nit	no	severity nit	TAURI / Tauri SSRF	open	no closing evidence in the entry, no code commit on ref
S3-R2-3	1554	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	S3-R2 / S3 protocol follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-R2-4	1555	test-instrumentation*	nit	no	severity nit	S3-R2 / S3 protocol follow-ups	open	no closing evidence in the entry, no code commit on ref
S3-LIVE-FU-2	1560	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	S3-LIVE-FU / S3 live	open	no closing evidence in the entry, no code commit on ref
TAURI-F9	1566	test-instrumentation*	minor	no	severity minor	TAURI / Tauri confirm-on-URL-change follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-F10	1567	test-instrumentation*	minor	no	severity minor	TAURI / Tauri confirm-on-URL-change follow-ups	open	no closing evidence in the entry, no code commit on ref
D7-R3-M1	1572	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D7-R3 / D7 class-wide contrast	open	no closing evidence in the entry, no code commit on ref
PROM-R2-1	1589	test-instrumentation*	minor	no	severity minor	PROM-R2 / Prometheus auth landed	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-1	1617	test-instrumentation	minor	no	severity minor	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-2	1618	test-instrumentation	minor	no	severity minor	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-3	1619	test-instrumentation	minor	no	severity minor	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-4	1620	process-doc	minor	no	severity minor	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-5	1621	process-doc	minor	no	severity minor	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
TAURI-R1-FU-8	1624	source-defect	nit	no	severity nit	TAURI-R1-FU / Tauri native QA review	open	no closing evidence in the entry, no code commit on ref
TAURI-R2-FU-5	1636	UNKNOWN	nit	no	severity nit	TAURI-R2-FU / Tauri follow-ups review	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
FU20-4	1643	process-doc	UNKNOWN	no	severity UNKNOWN but process-doc layer	FU20 / followups-20261110 review	open	no closing evidence in the entry, no code commit on ref
LIP-FU-1	1647	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LIP-FU / lanip-dyn review	open	no closing evidence in the entry, no code commit on ref
LIP-FU-2	1648	UNKNOWN	nit	no	severity nit	LIP-FU / lanip-dyn review	open	no closing evidence in the entry, no code commit on ref
LIP-FU-3	1649	UNKNOWN	nit	no	severity nit	LIP-FU / lanip-dyn review	open	no closing evidence in the entry, no code commit on ref
LIP-FU-6	1652	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	LIP-FU / lanip-dyn review	open	no closing evidence in the entry, no code commit on ref
SMB-FU-3	1658	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref
SMB-FU-5	1660	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref
SMB-FU-6	1661	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref
SMB-FU-8	1663	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref
SMB-FU-5	1666	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	SMB-FU / smb-subdir / tauri round-2 notes	open	no closing evidence in the entry, no code commit on ref
FU20-3b	1669	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU20 / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
PROM-R3-1	1670	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PROM-R3 / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
LIP-FU-7	1671	UNKNOWN	nit	no	severity nit	LIP-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
LIP-FU-8	1672	process-doc*	nit	no	severity nit	LIP-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-11	1677	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R4-FU-3	1697	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	TAURI-R4-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref
TAURI-R4-FU-5	1699	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	TAURI-R4-FU / Tauri guard follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
SMB-FU-16	1702	process-doc*	minor	no	severity minor	SMB-FU / Dead-SMB cleanup review follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-16b	1703	UNKNOWN	nit	no	severity nit	SMB-FU / Dead-SMB cleanup review follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-16c	1704	UNKNOWN	nit	no	severity nit	SMB-FU / Dead-SMB cleanup review follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-17	1712	UNKNOWN	minor(sec)	no	severity minor	SMB-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-18	1713	UNKNOWN	minor	no	severity minor	SMB-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-19a	1723	test-instrumentation*	minor(sec)	no	severity minor	SMB-FU / CAT-SMB-SUBDIR-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-19b	1724	process-doc*	minor(sec)	no	severity minor	SMB-FU / CAT-SMB-SUBDIR-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
SMB-FU-19c	1725	test-instrumentation*	nit	no	severity nit	SMB-FU / CAT-SMB-SUBDIR-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
STACK-CTR-FU-4	1740	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	STACK-CTR-FU / CAT-QA-STACK-LIFECYCLE-1: stack scripts via ctrc	open	no closing evidence in the entry, no code commit on ref
STACK-CTR-FU-14	1754	test-instrumentation	minor(sec)	no	severity minor	STACK-CTR-FU / STACK-CTR-FU-6..12	open	entry states OPEN/OWED/Queued near its start
LIFE-FU-19	1755	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / STACK-CTR-FU-6..12	open	entry states OPEN/OWED/Queued near its start
CAT-QA-SONAR-2	1757	UNKNOWN	minor(sec)	no	severity minor	CAT-QA-SONAR / STACK-CTR-FU-6..12	open	entry states OPEN/OWED/Queued near its start
CAT-QA-SONAR-3	1759	test-instrumentation*	minor(sec)	no	severity minor	CAT-QA-SONAR / STACK-CTR-FU-6..12	open	entry states OPEN/OWED/Queued near its start
N5	1774	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	N5 / CAT-REL-CHECK-1 follow-ups	open	no closing evidence in the entry, no code commit on ref
F3	1789	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F3 / CAT-REL-CHECK-1 round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
F5	1791	UNKNOWN	nit	no	severity nit	F5 / CAT-REL-CHECK-1 round-2 follow-ups	open	no closing evidence in the entry, no code commit on ref
FU2-1	1798	process-doc	minor	no	severity minor	FU2 / CAT-QA-SONAR-7 FU round-2	open	entry states OPEN/OWED/Queued near its start
RC2-4	1812	process-doc	minor	no	severity minor	RC2 / CAT-REL-CHECK-1 Opus round-2 re-review	open	no closing evidence in the entry, no code commit on ref
PW-F11	1871	UNKNOWN	nit	no	severity nit	PW / PW-F7/F8 landed	open	no closing evidence in the entry, no code commit on ref
PX-F13	1875	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PX / PX-F8..F12 landed	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
PX-F18	1880	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PX / PX-F8..F12 landed	open	no closing evidence in the entry, no code commit on ref
PX-F19	1881	process-doc*	nit	no	severity nit	PX / PX-F8..F12 landed	open	no closing evidence in the entry, no code commit on ref
PXF23-F3	1914	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	PXF23 / CAT-PXF23	open	entry states OPEN/OWED/Queued near its start
PXF23-F4	1915	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PXF23 / CAT-PXF23	open	entry states OPEN/OWED/Queued near its start
PXF23-R5a	1935	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PXF23 / CAT-PXF23-R5 landed	open	under an "Open/Still open:" label line
R5B-1	1971	test-instrumentation*	minor	no	severity minor	R5B / PXF23-R5b	open	no closing evidence in the entry, no code commit on ref
R5B-2	1972	test-instrumentation*	minor	no	severity minor	R5B / PXF23-R5b	open	no closing evidence in the entry, no code commit on ref
R5B-3	1973	UNKNOWN	minor	no	severity minor	R5B / PXF23-R5b	open	no closing evidence in the entry, no code commit on ref
R5B-4	1974	process-doc*	minor	no	severity minor	R5B / PXF23-R5b	open	no closing evidence in the entry, no code commit on ref
R5B-5	1975	test-instrumentation*	minor	no	severity minor	R5B / PXF23-R5b	open	no closing evidence in the entry, no code commit on ref
R5B-6	1976	UNKNOWN	minor	no	severity minor	R5B / PXF23-R5b	open	no closing evidence in the entry, no code commit on ref
CAT-SECQ1-E	2013	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	CAT-SECQ1-E / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
A1	2014	UNKNOWN	minor	no	severity minor	A1 / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
A2	2015	UNKNOWN	minor	no	severity minor	A2 / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
A3	2016	UNKNOWN	minor	no	severity minor	A3 / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
A4	2017	test-instrumentation*	nit	no	severity nit	A4 / CAT-SECQ1-A follow-ups	open	no closing evidence in the entry, no code commit on ref
UI-FAV-1b	2067	UNKNOWN	nit	no	severity nit	UI-FAV / CAT-UI-FAV-1b	open	no closing evidence in the entry, no code commit on ref
SECQ-2	2079	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	SECQ / SECQ-2 / WD-F1 re-reproduction follow-ups	open	no closing evidence in the entry, no code commit on ref
WD-F1	2079	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	WD / SECQ-2 / WD-F1 re-reproduction follow-ups	open	no closing evidence in the entry, no code commit on ref
WD-F1a	2079	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	WD / SECQ-2 / WD-F1 re-reproduction follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
SECQ2WD-R1-1	2080	process-doc	minor	no	severity minor	SECQ2WD-R1 / SECQ-2 / WD-F1 re-reproduction follow-ups	open	no closing evidence in the entry, no code commit on ref
SECQ2WD-R1-2	2081	process-doc	minor	no	severity minor	SECQ2WD-R1 / SECQ-2 / WD-F1 re-reproduction follow-ups	open	no closing evidence in the entry, no code commit on ref
SECQ2WD-R1-3	2082	UNKNOWN	nit	no	severity nit	SECQ2WD-R1 / SECQ-2 / WD-F1 re-reproduction follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-3	2098	process-doc	minor	no	severity minor	FAVR3 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-4	2099	process-doc	minor	no	severity minor	FAVR3 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-5	2100	UNKNOWN	nit	no	severity nit	FAVR3 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1-F2	2103	UNKNOWN	minor	no	severity minor	SEC-WS-1 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1-F3	2104	UNKNOWN	minor	no	severity minor	SEC-WS-1 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1-F4	2105	test-instrumentation*	nit	no	severity nit	SEC-WS-1 / CAT-D9-SUSPEND round-2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-1	2109	UNKNOWN	minor	no	severity minor	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-2	2110	UNKNOWN	minor	no	severity minor	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-3	2111	test-instrumentation	minor	no	severity minor	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-4	2112	UNKNOWN	minor	no	severity minor	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-5	2113	process-doc	minor	no	severity minor	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-6	2114	UNKNOWN	nit	no	severity nit	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-7	2115	UNKNOWN	nit	no	severity nit	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
WP10R4-8	2116	test-instrumentation*	nit	no	severity nit	WP10R4 / WP-10 triage generator — Opus round-4 follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-7	2129	source-defect	minor	no	severity minor	FAVR3 / CAT-WP03-MECH — Opus round-3 follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-8	2130	source-defect	minor	no	severity minor	FAVR3 / CAT-WP03-MECH — Opus round-3 follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3-9	2131	UNKNOWN	nit	no	severity nit	FAVR3 / CAT-WP03-MECH — Opus round-3 follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3R2-1	2135	test-instrumentation	minor	no	severity minor	FAVR3R2 / FAVR3 — Opus round-2 follow-up	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
SEC-WS-1-F5	2136	UNKNOWN	minor	no	severity minor	SEC-WS-1 / FAVR3 — Opus round-2 follow-up	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1-F6	2137	process-doc*	minor	no	severity minor	SEC-WS-1 / FAVR3 — Opus round-2 follow-up	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3-2	2142	test-instrumentation	nit	no	severity nit	SEC-WS-1R3 / SEC-WS-1 — Opus round-3 follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3-3	2143	UNKNOWN	nit	no	severity nit	SEC-WS-1R3 / SEC-WS-1 — Opus round-3 follow-ups	open	no closing evidence in the entry, no code commit on ref
D9S-R3-LANDED	2144	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D9S-R3-LANDED / SEC-WS-1 — Opus round-3 follow-ups	open	no closing evidence in the entry, no code commit on ref
D9SR3-F1	2147	test-instrumentation	minor	no	severity minor	D9SR3 / D9SR3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
D9SR3-F2	2148	test-instrumentation	minor	no	severity minor	D9SR3 / D9SR3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
D9SR3-F3	2149	source-defect	minor	no	severity minor	D9SR3 / D9SR3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
D9SR3-F4	2150	UNKNOWN	nit	no	severity nit	D9SR3 / D9SR3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
D9SR3-F5	2151	UNKNOWN	nit	no	severity nit	D9SR3 / D9SR3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-1	2154	UNKNOWN	minor	no	severity minor	WP03R3FU / CAT-WP03-MECH — WP03R3 fix round	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-2	2155	test-instrumentation*	nit	no	severity nit	WP03R3FU / CAT-WP03-MECH — WP03R3 fix round	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-3	2156	test-instrumentation*	minor	no	severity minor	WP03R3FU / CAT-WP03-MECH — WP03R3 fix round	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-4	2159	UNKNOWN	minor	no	severity minor	WP03R3FU / WP03 fu reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3-F7	2169	test-instrumentation*	nit	no	severity nit	SEC-WS-1R3 / SEC-WS-1R3 — author round	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3FU-1	2172	test-instrumentation	minor	no	severity minor	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3FU-2	2173	test-instrumentation	minor	no	severity minor	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3FU-3	2174	UNKNOWN	nit	no	severity nit	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1R3FU-4	2175	UNKNOWN	nit	no	severity nit	SEC-WS-1R3FU / SEC-WS-1R3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3R2-1	2178	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FAVR3R2 / FAVR3 follow-ups round 2	open	no closing evidence in the entry, no code commit on ref
FAVR3F2-1	2182	UNKNOWN	minor	no	severity minor	FAVR3F2 / FAVR3 follow-ups round 2	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
FAVR3R3FU-1	2186	source-defect	minor	no	severity minor	FAVR3R3FU / FAVR3 round-3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3R3FU-2	2187	source-defect	minor	no	severity minor	FAVR3R3FU / FAVR3 round-3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3R3FU-3	2188	process-doc	minor	no	severity minor	FAVR3R3FU / FAVR3 round-3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
FAVR3R3FU-4	2189	test-instrumentation*	nit	no	severity nit	FAVR3R3FU / FAVR3 round-3 reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
SONARRA-FU-1	2192	UNKNOWN	minor	no	severity minor	SONARRA-FU / Sonar registry-auth	open	no closing evidence in the entry, no code commit on ref
SONARRA-FU-2	2193	test-instrumentation*	nit	no	severity nit	SONARRA-FU / Sonar registry-auth	open	no closing evidence in the entry, no code commit on ref
SONARRA-FU-3	2194	test-instrumentation*	nit	no	severity nit	SONARRA-FU / Sonar registry-auth	open	no closing evidence in the entry, no code commit on ref
D9SR3-F1	2200	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D9SR3 / D9SR3 follow-up round	open	no closing evidence in the entry, no code commit on ref
F4	2200	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F4 / D9SR3 follow-up round	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-4	2204	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	WP03R3FU / WP03R3FU-4..7 addressed	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-8	2205	test-instrumentation*	nit	no	severity nit	WP03R3FU / WP03R3FU-4..7 addressed	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-9	2206	UNKNOWN	nit	no	severity nit	WP03R3FU / WP03R3FU-4..7 addressed	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-10	2209	test-instrumentation*	minor	no	severity minor	WP03R3FU / wp03-d9s-fu reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
WP03R3FU-12	2211	UNKNOWN	nit	no	severity nit	WP03R3FU / wp03-d9s-fu reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
D9SR3-FU-N2	2212	process-doc*	nit	no	severity nit	D9SR3-FU / wp03-d9s-fu reviewer follow-ups	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-1	2227	test-instrumentation	minor	no	severity minor	ERRLEAK / CAT-WP02-ERRLEAK	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-2	2228	test-instrumentation*	minor	no	severity minor	ERRLEAK / CAT-WP02-ERRLEAK	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-3	2229	UNKNOWN	nit	no	severity nit	ERRLEAK / CAT-WP02-ERRLEAK	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-4	2230	UNKNOWN	nit	no	severity nit	ERRLEAK / CAT-WP02-ERRLEAK	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-F4	2237	test-instrumentation	important(sec)	no	important but test-instrumentation layer	ERRLEAK / CAT-WP02-ERRLEAK review round 1	open	entry states OPEN/OWED/Queued near its start

id	line	layer	severity	blocker	reason	cluster	status	evidence
ERRLEAK-N1	2240	test-instrumentation*	minor	no	severity minor	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-N2	2241	test-instrumentation*	minor	no	severity minor	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-N3	2242	UNKNOWN	minor	no	severity minor	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-N4	2243	UNKNOWN	nit	no	severity nit	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-N5	2244	test-instrumentation*	nit	no	severity nit	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-N6	2245	test-instrumentation*	nit	no	severity nit	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
ERRLEAK-N7	2246	UNKNOWN	nit	no	severity nit	ERRLEAK / Reviewer follow-ups for fix/wp02-errleak	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-7	2258	test-instrumentation*	minor	no	severity minor	SEC-WS-1F3FU / Reviewer follow-ups for fix/sec-ws-1-f3	open	no closing evidence in the entry, no code commit on ref
SEC-WS-1F3FU-8	2259	UNKNOWN	minor	no	severity minor	SEC-WS-1F3FU / Reviewer follow-ups for fix/sec-ws-1-f3	open	no closing evidence in the entry, no code commit on ref
NASEMU-SEED-N1	2264	test-instrumentation*	minor	no	severity minor	NASEMU-SEED / NE-3 nasemu seed	open	no closing evidence in the entry, no code commit on ref
NASEMU-SEED-N2	2265	test-instrumentation*	minor	no	severity minor	NASEMU-SEED / NE-3 nasemu seed	open	no closing evidence in the entry, no code commit on ref
NASEMU-SEED-N3	2266	UNKNOWN	minor	no	severity minor	NASEMU-SEED / NE-3 nasemu seed	open	no closing evidence in the entry, no code commit on ref
NASEMU-SEED-N4	2267	UNKNOWN	minor	no	severity minor	NASEMU-SEED / NE-3 nasemu seed	open	no closing evidence in the entry, no code commit on ref
NASEMU-SEED-N5	2268	UNKNOWN	nit	no	severity nit	NASEMU-SEED / NE-3 nasemu seed	open	no closing evidence in the entry, no code commit on ref
CAT-OPB-FU2-S2	2272	UNKNOWN	minor	no	severity minor	CAT-OPB-FU2 / CAT-OPB-FU2	open	no closing evidence in the entry, no code commit on ref
OPB-FU2-F1	2276	process-doc	minor	no	severity minor	OPB-FU2 / CAT-OPB-FU2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
OPB-FU2-F2	2277	test-instrumentation	minor	no	severity minor	OPB-FU2 / CAT-OPB-FU2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
OPB-FU2-F3	2278	test-instrumentation	minor	no	severity minor	OPB-FU2 / CAT-OPB-FU2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
OPB-FU2-F4	2279	UNKNOWN	nit	no	severity nit	OPB-FU2 / CAT-OPB-FU2 review follow-ups	open	no closing evidence in the entry, no code commit on ref
OPB-FU2-F5	2280	test-instrumentation	nit	no	severity nit	OPB-FU2 / CAT-OPB-FU2 review follow-ups	open	no closing evidence in the entry, no code commit on ref

id	line	layer	severity	blocker	reason	cluster	status	evidence
P2	759	source-defect	important	yes	status unconfirmed (not closed); important + source-defect	P2 / Authz review r3 follow-ups	unconfirmed	only a later prose line 764 mentions it closed: "Closed here: P2 (storage/scan/SMB/copy routes with no permission check), T1 (`binEnv` race" (weak)
AZ2-R1	1111	source-defect	important	yes	status unconfirmed (not closed); important + source-defect	AZ2 / Authz round 2 review follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
CAT-021	368	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT / CAT-001 follow-ups	unconfirmed	later entry of the same id at line 370 only weakly states it closed (NOT closed)
CAT-021	370	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT / CAT-001 follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
R3-M2	383	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R3 / WrapHTTPHandler path-param fix	unconfirmed	a closing word appears in the entry but not at its start (weak)
R3-M1	662	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	R3 / Authorization gaps	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
CAT-049	662	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT / Authorization gaps	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)

id	line	layer	severity	blocker	reason	cluster	status	evidence
R3-M2	663	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	R3 / Authorization gaps	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
CAT-050	663	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	CAT / Authorization gaps	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
D4	957	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / Docs sync C4	unconfirmed	a closing word appears in the entry but not at its start (weak)
N1-N5	968	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	N1 / Docs sync C4 review	unconfirmed	only a later prose line 1786 mentions it closed: "llow-ups (N1-N5 landed; Opus GO-with-follow-ups, 2026-11-12)" (weak)
SC7	1020	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	S / QA consumers review follow-ups	unconfirmed	only a later prose line 1396 mentions it closed: "ECQ-4b (= SC7, collections, DONE in-process 2026-11-05; Postgre" (weak)

id	line	layer	severity	blocker	reason	cluster	status	evidence
WL7	1092	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browser specs for catalog-web	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
WL8	1093	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browser specs for catalog-web	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
WL11	1096	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	W / Live browser specs for catalog-web	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
WL12	1097	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	W / Live browser specs for catalog-web	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
WL12-F2	1099	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	WL12 / Live browser specs for catalog-web	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)

id	line	layer	severity	blocker	reason	cluster	status	evidence
D7	1253	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D7 / Conversion defects D1, D2, D7	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
D10	1254	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D10 / Conversion defects D1, D2, D7	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
FU-1	1265	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU / Conversion defects D1, D2, D7	unconfirmed	later entry of the same id at line 1794 only weakly states it closed (NOT closed)
D9	1272	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9 / D9 admin role change	unconfirmed	only a later prose line 1270 mentions it closed: "## D9 admin role change (2026-11-04) - PROVISIONAL-DONE" (weak)
D4-11	1346	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D4 / D4 document full-text search	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
D11a	1356	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D11a / D11a, D11b, D7/D8 remainder	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)

id	line	layer	severity	blocker	reason	cluster	status	evidence
SECQ-3	1394	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Security queue fix	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
SECQ-4b	1396	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SECQ / Security queue fix	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
SMB-FU-9	1675	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	unconfirmed	later entry of the same id at line 1679 only weakly states it closed (NOT closed)
SMB-FU-10	1676	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
SMB-FU-9	1679	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration; security-adjacent word present, triage first	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
FU-2	1782	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	FU / CAT-QA-SONAR-7 follow-ups	unconfirmed	only a later prose line 1794 mentions it closed: "viewItem. FU-2 DONE: Enter-to-toggle restored via keydown on the" (weak)

id	line	layer	severity	blocker	reason	cluster	status	evidence
RC-3b	1829	UNKNOWN	UNKNOWN	unclassified	severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	RC / CAT-REL-CHECK-1 reviewer findings on the v2.4.2	unconfirmed	later entry of the same id at line 2032 only weakly states it closed (NOT closed)
CAT-QA-SONAR-5	1890	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	CAT-QA-SONAR / CAT-OPDEC-B	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
OPB-M1	1898	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	OPB / OPDEC-B landed	unconfirmed	a closing word appears in the entry but not at its start (weak)
D9S-F2	1962	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND	unconfirmed	a closing word appears in the entry but not at its start (weak)
D9S-F3	1963	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND	unconfirmed	a closing word appears in the entry but not at its start (weak)
D9S-F4	1964	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	D9S / CAT-D9-SUSPEND	unconfirmed	a closing word appears in the entry but not at its start (weak)

id	line	layer	severity	blocker	reason	cluster	status	evidence
RC-3b	2032	UNKNOWN	UNKNOWN	unclassified	status unconfirmed (not closed); severity UNKNOWN + UNKNOWN layer: cannot be called blocker or not (11.4.276(G.2)/ 11.4.235(D)); set severity at registration	RC / CAT-REL-CHECK-1 RC-3 / RC-3b / RC2-1 / RC2-3 res	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
R7	567	process-doc	minor(sec)	no	severity minor	R7 / Docs C2/C5 review round 2 follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
R3-1	592	test-instrumentation	minor(sec)	no	severity minor	R3 / Crash-pages review round 3 follow-ups	unconfirmed	only a later prose line 1267 mentions it closed: "cc5b709): R3-1 FIXED (a path after an unclosed quote, e.g. a too" (weak)
N1	665	UNKNOWN	minor	no	severity minor	N1 / Authorization gaps	unconfirmed	a closing word appears in the entry but not at its start (weak)
F11	694	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F11 / Review R1 deferrals	unconfirmed	only a later prose line 791 mentions it closed: "- P2-p (F11, CLOSED here): `UserRepository.livePermissions` (" (weak)
F6	928	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F6 / Converter hardening + registration follow-ups	unconfirmed	under a "Fixed/Closed:" label line but the entry also states an open remainder
D3	956	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	D3 / Docs sync C4	unconfirmed	only a later prose line 957 mentions it closed: "NE by the D3 change below (PROVISIONAL-DONE)." (weak)
SSRF-F6	1125	test-instrumentation*	nit	no	severity nit	SSRF / SSRF resolvers review follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
F8	1155	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	F8 / Live-evidence verifier / recorders	unconfirmed	a closing word appears in the entry but not at its start (weak)
NS-3	1189	test-instrumentation	minor(sec)	no	severity minor	NS / Nil-slice class review round 1 follow-ups	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
WL13-R4	1209	process-doc	minor	no	severity minor	WL13 / WL13 review follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
CSRF-1	1215	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	CSRF / CAT-CSRF-LAN follow-ups	unconfirmed	only a later prose line 1221 mentions it closed: "ONE until CSRF-1 runs live. **Startup test DONE (security queue):" (weak)
CSRF-R2-2	1222	UNKNOWN	nit	no	severity nit	CSRF-R2 / CSRF-LAN review follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)

id	line	layer	severity	blocker	reason	cluster	status	evidence
SECQ-5	1397	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SECQ / Security queue fix	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
SECQ-6	1398	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SECQ / Security queue fix	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
SECQ4B-FU-2	1452	process-doc*	minor	no	severity minor	SECQ4B-FU / SECQ-4b landed 2026-11-05	unconfirmed	a closing word appears in the entry but not at its start (weak)
NEW-1	1457	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	NEW / NEW-1 live re-verification	unconfirmed	heading line 1403 names it landed but the entry states an open remainder
FU20-3	1642	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU20 / followups-20261110 review	unconfirmed	a closing word appears in the entry but not at its start (weak)
SMB-FU-14	1682	test-instrumentation	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
SMB-FU-15	1683	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
LIFE-FU-4	1710	UNKNOWN	nit	no	severity nit	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
LIFE-FU-6	1717	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups round 3	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
LIFE-FU-9	1720	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups round 3	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
LIFE-FU-12	1730	test-instrumentation*	minor(sec)	no	severity minor	LIFE-FU / LIFE-FU-10..15	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
STACK-CTR-FU-8	1746	test-instrumentation*	minor(sec)	no	severity minor	STACK-CTR-FU / STACK-CTR-FU-6..12	unconfirmed	heading line 1743 names it landed but the entry states an open remainder
STACK-CTR-FU-13	1752	UNKNOWN	minor(sec)	no	severity minor	STACK-CTR-FU / STACK-CTR-FU-6..12	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)

id	line	layer	severity	blocker	reason	cluster	status	evidence
CAT-QA-SONAR-1b	1758	UNKNOWN	minor(sec)	no	severity minor	CAT-QA-SONAR / STACK-CTR-FU-6..12	unconfirmed	a closing word appears in the entry but not at its start (weak)
CAT-QA-SONAR-5	1761	UNKNOWN	minor(sec)	no	severity minor	CAT-QA-SONAR / STACK-CTR-FU-6..12	unconfirmed	later entry of the same id at line 1890 only weakly states it closed (NOT closed)
CAT-QA-SONAR-6	1763	UNKNOWN	minor	no	severity minor	CAT-QA-SONAR / STACK-CTR-FU-6..12	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
CAT-QA-SONAR-4	1765	test-instrumentation*	minor	no	severity minor	CAT-QA-SONAR / STACK-CTR-FU-6..12	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
CAT-QA-COVERART-1	1767	test-instrumentation*	minor(sec)	no	severity minor	CAT-QA-COVERART / STACK-CTR-FU-6..12	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
FU-1	1781	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU / CAT-QA-SONAR-7 follow-ups	unconfirmed	later entry of the same id at line 1794 only weakly states it closed (NOT closed)
F1	1787	process-doc*	UNKNOWN	no	severity UNKNOWN but process-doc layer	F1 / CAT-REL-CHECK-1 round-2 follow-ups	unconfirmed	a closing word appears in the entry but not at its start (weak)
FU-1	1794	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	FU / CAT-QA-SONAR-7 follow-ups FU-1..FU-7 resolution	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)
RC2-2	1810	UNKNOWN	nit	no	severity nit	RC2 / CAT-REL-CHECK-1 Opus round-2 re-review	unconfirmed	a closing word appears in the entry but not at its start (weak)
RC2-3	1811	test-instrumentation*	nit	no	severity nit	RC2 / CAT-REL-CHECK-1 Opus round-2 re-review	unconfirmed	only a later prose line 2033 mentions it closed: "ionCode`. RC2-3 DONE: tests for a mid-line-only CR in BSD and GNU" (weak)
PX-F8	1856	test-instrumentation*	minor	no	severity minor	PX / PX-F1..F7 landed	unconfirmed	heading line 1873 names it landed but the entry states an open remainder
PX-F10	1858	test-instrumentation*	minor	no	severity minor	PX / PX-F1..F7 landed	unconfirmed	heading line 1873 names it landed but the entry states an open remainder
OPB-I1	1897	test-instrumentation*	important	no	important but test-instrumentation layer	OPB / OPDEC-B landed	unconfirmed	a closing word appears in the entry but not at its start (weak)
PXF23-R1	1923	test-instrumentation*	UNKNOWN	no	severity UNKNOWN but test-instrumentation layer	PXF23 / PXF23-R landed	unconfirmed	partial: opens with a closing token but also states an open/owed/ partial remainder (landed in part; NOT closed)

id	line	layer	severity	blocker	reason	cluster	status	evidence
TI-1	56	test-instrumentation	UNKNOWN	no	not open	TI / Secrets scanner	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TI-2	60	test-instrumentation	UNKNOWN	no	not open	TI / Secrets scanner	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TI-3	61	test-instrumentation	UNKNOWN	no	not open	TI / Secrets scanner	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PD-1	62	test-instrumentation	UNKNOWN	no	not open	PD / Secrets scanner	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D1	452	UNKNOWN	UNKNOWN	no	not open	D1 / Responsive follow-ups, closed on branch `fix-res	landed	nested under a closed parent bullet (PROVISIONAL)
D2	457	UNKNOWN	UNKNOWN	no	not open	D2 / Responsive follow-ups, closed on branch `fix-res	landed	nested under a closed parent bullet (PROVISIONAL)
R2	548	source-defect	important	no	not open	R2 / Docs C2/C5 landing	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
R5	553	source-defect	important	no	not open	R5 / Docs C2/C5 landing	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F1	555	source-defect	important	no	not open	F1 / Docs C2/C5 landing	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F2	557	source-defect	important	no	not open	F2 / Docs C2/C5 landing	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F4	661	UNKNOWN	UNKNOWN	no	not open	F4 / Authorization gaps	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
CAT-051	661	UNKNOWN	UNKNOWN	no	not open	CAT / Authorization gaps	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
N2	666	UNKNOWN	UNKNOWN	no	not open	N2 / Authorization gaps	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F1	910	source-defect	important	no	not open	F1 / Registration approval + ffmpeg image review	landed	series pairing: landed entry of the same id at line 922 (section headings share a word) (PROVISIONAL)
F2	911	process-doc*	UNKNOWN	no	not open	F2 / Registration approval + ffmpeg image review	landed	series pairing: landed entry of the same id at line 923 (section headings share a word) (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
F3	912	test-instrumentation*	UNKNOWN	no	not open	F3 / Registration approval + ffmpeg image review	landed	series pairing: landed entry of the same id at line 924 (section headings share a word) (PROVISIONAL)
F4	913	UNKNOWN	UNKNOWN	no	not open	F4 / Registration approval + ffmpeg image review	landed	series pairing: landed entry of the same id at line 925 (section headings share a word) (PROVISIONAL)
F7	916	UNKNOWN	UNKNOWN	no	not open	F7 / Registration approval + ffmpeg image review	landed	series pairing: landed entry of the same id at line 926 (section headings share a word) (PROVISIONAL)
F1	922	UNKNOWN	UNKNOWN	no	not open	F1 / Converter hardening + registration follow-ups	landed	under a "Fixed/Closed:" label line in its section (PROVISIONAL)
F2	923	UNKNOWN	UNKNOWN	no	not open	F2 / Converter hardening + registration follow-ups	landed	under a "Fixed/Closed:" label line in its section (PROVISIONAL)
F3	924	UNKNOWN	UNKNOWN	no	not open	F3 / Converter hardening + registration follow-ups	landed	under a "Fixed/Closed:" label line in its section (PROVISIONAL)
F4	925	UNKNOWN	UNKNOWN	no	not open	F4 / Converter hardening + registration follow-ups	landed	under a "Fixed/Closed:" label line in its section (PROVISIONAL)
F7	926	UNKNOWN	UNKNOWN	no	not open	F7 / Converter hardening + registration follow-ups	landed	under a "Fixed/Closed:" label line in its section (PROVISIONAL)
N1	927	UNKNOWN	UNKNOWN	no	not open	N1 / Converter hardening + registration follow-ups	landed	under a "Fixed/Closed:" label line in its section (PROVISIONAL)
F1	939	UNKNOWN	UNKNOWN	no	not open	F1 / Converter hardening + registration follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F2	940	UNKNOWN	UNKNOWN	no	not open	F2 / Converter hardening + registration follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F3	941	process-doc*	UNKNOWN	no	not open	F3 / Converter hardening + registration follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F4	942	test-instrumentation*	UNKNOWN	no	not open	F4 / Converter hardening + registration follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D2	955	process-doc*	UNKNOWN	no	not open	D2 / Docs sync C4	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F1	961	test-instrumentation*	UNKNOWN	no	not open	F1 / Docs sync C4 review	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F-R1	971	test-instrumentation*	UNKNOWN	no	not open	F / Route permissions review	landed	entry opens with a closing token and states nothing open (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
N1	1026	UNKNOWN	UNKNOWN	no	not open	N1 / Route permissions review	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
WL1	1087	process-doc*	UNKNOWN	no	not open	W / Live browser specs for catalog-web	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
WL6	1091	UNKNOWN	UNKNOWN	no	not open	W / Live browser specs for catalog-web	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
WL12-F5	1098	test-instrumentation*	UNKNOWN	no	not open	WL12 / Live browser specs for catalog-web	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
WL5	1103	test-instrumentation*	UNKNOWN	no	not open	W / Live browser specs for catalog-web	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
AZ2-R2	1112	test-instrumentation*	minor	no	not open	AZ2 / Authz round 2 review follow-ups	landed	code commit fa65687db fix(ssrf): strict dial-time client for fanart/ igdb/llm-image/cover-art fetches; (PROVISIONAL)
AZ2-R3	1113	test-instrumentation*	minor	no	not open	AZ2 / Authz round 2 review follow-ups	landed	code commit fa65687db fix(ssrf): strict dial-time client for fanart/ igdb/llm-image/cover-art fetches; (PROVISIONAL)
AZ2-R4	1114	test-instrumentation*	minor	no	not open	AZ2 / Authz round 2 review follow-ups	landed	code commit fa65687db fix(ssrf): strict dial-time client for fanart/ igdb/llm-image/cover-art fetches; (PROVISIONAL)
AZ2-R5	1115	UNKNOWN	minor	no	not open	AZ2 / Authz round 2 review follow-ups	landed	code commit bd12cd1e7 fix(deploy): Prometheus scrape token written in-container from env (no host toke (PROVISIONAL)
AZ2-R6	1116	UNKNOWN	nit	no	not open	AZ2 / Authz round 2 review follow-ups	landed	code commit bd12cd1e7 fix(deploy): Prometheus scrape token written in-container from env (no host toke (PROVISIONAL)
SSRF-F1	1120	test-instrumentation*	minor	no	not open	SSRF / SSRF resolvers review follow-ups	landed	code commit 8e7e459c6 fix(security): bound the SOCKS5 handshake of cover-art downloads; census doc (SS (PROVISIONAL)
SSRF-F2	1121	test-instrumentation*	minor	no	not open	SSRF / SSRF resolvers review follow-ups	landed	code commit 98af5739d fix(security): cover-art ffmpeg/ ffprobe accept only plain containers and are tim (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
SSRF-F3	1122	test-instrumentation*	minor	no	not open	SSRF / SSRF resolvers review follow-ups	landed	code commit 98af5739d fix(security): cover-art ffmpeg/ffprobe accept only plain containers and are tim (PROVISIONAL)
SSRF-F4	1123	test-instrumentation*	nit	no	not open	SSRF / SSRF resolvers review follow-ups	landed	code commit 98af5739d fix(security): cover-art ffmpeg/ffprobe accept only plain containers and are tim (PROVISIONAL)
SSRF-F5	1124	source-defect	minor	no	not open	SSRF / SSRF resolvers review follow-ups	landed	code commit 98af5739d fix(security): cover-art ffmpeg/ffprobe accept only plain containers and are tim (PROVISIONAL)
WL13-F1	1133	UNKNOWN	minor	no	not open	WL13 / Web player review follow-ups	landed	code commit edd44d7be fix(web-player): honour Pause during reload, last seek wins during seek-mint, no (PROVISIONAL)
CSRF-R2-1	1221	test-instrumentation	minor	no	not open	CSRF-R2 / CSRF-LAN review follow-ups	landed	code commit 4e5abdb25 test(security): real-binary proof that CSRF_INSECURE_DEV/APP_ENV reach the admin (PROVISIONAL)
ST-D1	1240	UNKNOWN	UNKNOWN	no	not open	ST / Live QA round 3 + storage r1 findings	landed	code commit 1400b74db fix(storage): review r3 - SMB backslash traversal confined, Disconnect after cut (+3 more) (PROVISIONAL)
ST-D2	1241	UNKNOWN	UNKNOWN	no	not open	ST / Live QA round 3 + storage r1 findings	landed	code commit 1400b74db fix(storage): review r3 - SMB backslash traversal confined, Disconnect after cut (+3 more) (PROVISIONAL)
ST-D3	1242	process-doc*	UNKNOWN	no	not open	ST / Live QA round 3 + storage r1 findings	landed	code commit 1400b74db fix(storage): review r3 - SMB backslash traversal confined, Disconnect after cut (+3 more) (PROVISIONAL)
ST-F7	1244	process-doc*	UNKNOWN	no	not open	ST / Live QA round 3 + storage r1 findings	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D1	1251	UNKNOWN	UNKNOWN	no	not open	D1 / Conversion defects D1, D2, D7	landed	entry opens with a closing token and states nothing open (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
D2	1252	UNKNOWN	UNKNOWN	no	not open	D2 / Conversion defects D1, D2, D7	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
CAT-D9-SUSPEND	1279	UNKNOWN	important	no	not open	CAT-D9-SUSPEND / D9 review round 1 follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D5	1292	UNKNOWN	UNKNOWN (stated HIGH, not in vocabulary)	no	not open	D5 / Subtitle defects D5-D8 + delete route	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D6	1293	UNKNOWN	UNKNOWN	no	not open	D6 / Subtitle defects D5-D8 + delete route	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D11b	1357	UNKNOWN	UNKNOWN	no	not open	D11b / D11a, D11b, D7/D8 remainder	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
SECQ-1	1392	UNKNOWN	important	no	not open	SECQ / Security queue fix	landed	heading line 1410: "SECQ-1 WebDAV storage-root SSRF guard (landed 2026-11-05, review round" (PROVISIONAL)
NEW1-F3	1407	source-defect	minor	no	not open	NEW1 / NEW-1 cover thumbnails	landed	heading line 1430: "NEW1-F3/F4 landed 2026-11-05 (review round 2 GO-with-follow-ups)" (PROVISIONAL)
NEW1-F4	1408	source-defect	minor	no	not open	NEW1 / NEW-1 cover thumbnails	landed	heading line 1430: "NEW1-F3/F4 landed 2026-11-05 (review round 2 GO-with-follow-ups)" (PROVISIONAL)
SECQ1-F3	1415	process-doc*	nit	no	not open	SECQ1 / SECQ-1 WebDAV storage-root SSRF guard	landed	later entry of the same id at line 1437 states it landed (PROVISIONAL)
SECQ1-F4	1416	UNKNOWN	minor	no	not open	SECQ1 / SECQ-1 WebDAV storage-root SSRF guard	landed	later entry of the same id at line 1438 states it landed (PROVISIONAL)
SECQ1-F5	1417	test-instrumentation	minor	no	not open	SECQ1 / SECQ-1 WebDAV storage-root SSRF guard	landed	later entry of the same id at line 1439 states it landed (PROVISIONAL)
SECQ1-F3	1437	process-doc*	UNKNOWN	no	not open	SECQ1 / SECQ-1 follow-ups and SUB-CONTRACT-1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
SECQ1-F4	1438	UNKNOWN	UNKNOWN	no	not open	SECQ1 / SECQ-1 follow-ups and SUB-CONTRACT-1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
SECQ1-F5	1439	test-instrumentation*	UNKNOWN	no	not open	SECQ1 / SECQ-1 follow-ups and SUB-CONTRACT-1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
SUB-CONTRACT-1	1441	process-doc*	UNKNOWN	no	not open	SUB-CONTRACT / SECQ-1 follow-ups and SUB-CONTRACT-1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
UI-D7	1477	UNKNOWN	UNKNOWN	no	not open	UI / Stack-3 browser pass follow-ups registered	landed	heading line 1489: "UI-D7/D8 landed (reviewed GO round 2/5; PROVISIONAL until live rerun o" (PROVISIONAL)
D8	1490	UNKNOWN	UNKNOWN	no	not open	D8 / UI-D7/D8 landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-FU-5	1518	source-defect	UNKNOWN	no	not open	TAURI-FU / Tauri QA boot review follow-ups	landed	code commit 8487243be fix(desktop): extract request_via_config so tests drive the command guard; heade (+3 more) (PROVISIONAL)
D7-R2-F1	1531	UNKNOWN	important	no	not open	D7-R2 / D7 remaining-contrast follow-ups	landed	code commit 54fa797df fix(catalog-web): class-wide dark-mode contrast for static gray text on dark sur (PROVISIONAL)
D7-R2-F2	1532	UNKNOWN	UNKNOWN	no	not open	D7-R2 / D7 remaining-contrast follow-ups	landed	code commit 54fa797df fix(catalog-web): class-wide dark-mode contrast for static gray text on dark sur (PROVISIONAL)
D7-R2-F3	1533	UNKNOWN	UNKNOWN	no	not open	D7-R2 / D7 remaining-contrast follow-ups	landed	code commit 54fa797df fix(catalog-web): class-wide dark-mode contrast for static gray text on dark sur (PROVISIONAL)
D7-R2-F4	1534	test-instrumentation*	UNKNOWN	no	not open	D7-R2 / D7 remaining-contrast follow-ups	landed	code commit 54fa797df fix(catalog-web): class-wide dark-mode contrast for static gray text on dark sur (PROVISIONAL)
TAURI-F15	1547	test-instrumentation*	nit	no	not open	TAURI / Tauri SSRF	landed	code commit 9c05bc571 feat(desktop): backend-enforced native confirmation for server URL changes; IPC (PROVISIONAL)
TAURI-F16	1548	test-instrumentation*	nit	no	not open	TAURI / Tauri SSRF	landed	code commit 9c05bc571 feat(desktop): backend-enforced native confirmation for server URL changes; IPC (PROVISIONAL)
D7-R4-1	1582	source-defect	minor	no	not open	D7-R4 / D7 follow-ups landed	landed	later entry of the same id at line 1600 states it landed (PROVISIONAL)
D7-R4-2	1583	test-instrumentation*	nit	no	not open	D7-R4 / D7 follow-ups landed	landed	later entry of the same id at line 1601 states it landed (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
D7-R4-3	1584	UNKNOWN	UNKNOWN	no	not open	D7-R4 / D7 follow-ups landed	landed	later entry of the same id at line 1602 states it landed (PROVISIONAL)
D7-R4-4	1585	UNKNOWN	UNKNOWN	no	not open	D7-R4 / D7 follow-ups landed	landed	later entry of the same id at line 1603 states it landed (PROVISIONAL)
D7-R4-1	1600	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 follow-ups landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D7-R4-2	1601	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 follow-ups landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D7-R4-3	1602	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 follow-ups landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D7-R4-4	1603	test-instrumentation*	UNKNOWN	no	not open	D7-R4 / D7 R4 follow-ups landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D7-R4-FU-1	1606	test-instrumentation	minor	no	not open	D7-R4-FU / D7-R4 review round 1 follow-ups	landed	code commit 9928be7f0 test(catalog-web): tighten island detector and fetch-leak checks (D7-R4-FU-1..4) (PROVISIONAL)
D7-R4-FU-2	1607	UNKNOWN	minor	no	not open	D7-R4-FU / D7-R4 review round 1 follow-ups	landed	code commit 9928be7f0 test(catalog-web): tighten island detector and fetch-leak checks (D7-R4-FU-1..4) (PROVISIONAL)
D7-R4-FU-3	1608	test-instrumentation*	nit	no	not open	D7-R4-FU / D7-R4 review round 1 follow-ups	landed	code commit 9928be7f0 test(catalog-web): tighten island detector and fetch-leak checks (D7-R4-FU-1..4) (PROVISIONAL)
D7-R4-FU-4	1609	UNKNOWN	nit	no	not open	D7-R4-FU / D7-R4 review round 1 follow-ups	landed	later entry of the same id at line 1628 states it landed (PROVISIONAL)
TP-FU-1	1612	test-instrumentation*	UNKNOWN	no	not open	TP-FU / TRUSTED_PROXIES hardening follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R1-FU-6	1622	process-doc	minor	no	not open	TAURI-R1-FU / Tauri native QA review	landed	code commit c504d1971 chore(tauri): untrack generated gen/schemas/capabilities.json (TAURI-R1-FU-6) (PROVISIONAL)
D7-R4-FU-4	1628	process-doc*	UNKNOWN	no	not open	D7-R4-FU / Follow-ups worked on feat/followups-20261110	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
CAT-VERIFY-LANBIND-1	1629	test-instrumentation*	UNKNOWN	no	not open	CAT-VERIFY-LANBIND / Follow-ups worked on feat/followups-20261110	landed	entry opens with a closing token and states nothing open (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
CAT-FRONTDOOR-LOCALMODE-1	1630	test-instrumentation*	UNKNOWN	no	not open	CAT-FRONTDOOR-LOCALMODE / Follow-ups worked on feat/followups-20261110	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R2-FU-1	1632	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / Tauri follow-ups review	landed	later entry of the same id at line 1687 states it landed (PROVISIONAL)
TAURI-R2-FU-2	1633	process-doc*	UNKNOWN	no	not open	TAURI-R2-FU / Tauri follow-ups review	landed	later entry of the same id at line 1688 states it landed (PROVISIONAL)
TAURI-R2-FU-3	1634	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / Tauri follow-ups review	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R2-FU-4	1635	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / Tauri follow-ups review	landed	later entry of the same id at line 1689 states it landed (PROVISIONAL)
LIP-FU-4	1650	process-doc*	UNKNOWN	no	not open	LIP-FU / lanip-dyn review	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R2-FU-3	1655	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / smb-subdir / tauri round-2 notes	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
SMB-FU-1	1656	UNKNOWN	UNKNOWN	no	not open	SMB-FU / smb-subdir / tauri round-2 notes	landed	code commit 3428435eb refactor(smb): remove dead SMB handlers and the code only they kept alive (SMB-F (PROVISIONAL)
SMB-FU-2	1657	test-instrumentation*	UNKNOWN	no	not open	SMB-FU / smb-subdir / tauri round-2 notes	landed	code commit 8c1596bf1 fix(smb): blocklist 6to4/SIIT/local NAT64/broadcast/CGNAT, warn on invalid CATAL (+3 more) (PROVISIONAL)
SMB-FU-12	1678	UNKNOWN	UNKNOWN	no	not open	SMB-FU / CAT-FOLLOWUPS-UNIT-1 review follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R2-FU-1	1687	process-doc*	UNKNOWN	no	not open	TAURI-R2-FU / Tauri guard follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R2-FU-2	1688	test-instrumentation*	UNKNOWN	no	not open	TAURI-R2-FU / Tauri guard follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
TAURI-R2-FU-4	1689	UNKNOWN	UNKNOWN	no	not open	TAURI-R2-FU / Tauri guard follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-1	1707	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
LIFE-FU-2	1708	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-3	1709	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-5	1716	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups round 3	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-7	1718	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups round 3	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-8	1719	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / CAT-QA-STACK-LIFECYCLE-1 follow-ups round 3	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-10	1728	process-doc*	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-11	1729	test-instrumentation*	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-13	1731	UNKNOWN	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-14	1732	UNKNOWN	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
LIFE-FU-15	1733	UNKNOWN	minor(sec)	no	not open	LIFE-FU / LIFE-FU-10..15	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
STACK-CTR-FU-6	1744	test-instrumentation*	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6..12	landed	heading line 1743: "STACK-CTR-FU-6..12 (Opus round-1 review of feat/stack-scripts-via-ctrc" (PROVISIONAL)
STACK-CTR-FU-7	1745	test-instrumentation*	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6..12	landed	heading line 1743: "STACK-CTR-FU-6..12 (Opus round-1 review of feat/stack-scripts-via-ctrc" (PROVISIONAL)
STACK-CTR-FU-9	1747	UNKNOWN	nit	no	not open	STACK-CTR-FU / STACK-CTR-FU-6..12	landed	heading line 1743: "STACK-CTR-FU-6..12 (Opus round-1 review of feat/stack-scripts-via-ctrc" (PROVISIONAL)
STACK-CTR-FU-10	1748	test-instrumentation*	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6..12	landed	heading line 1743: "STACK-CTR-FU-6..12 (Opus round-1 review of feat/stack-scripts-via-ctrc" (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
STACK-CTR-FU-11	1749	UNKNOWN	minor(sec)	no	not open	STACK-CTR-FU / STACK-CTR-FU-6..12	landed	heading line 1743: "STACK-CTR-FU-6..12 (Opus round-1 review of feat/stack-scripts-via-ctrc" (PROVISIONAL)
STACK-CTR-FU-12	1750	UNKNOWN	nit	no	not open	STACK-CTR-FU / STACK-CTR-FU-6..12	landed	heading line 1743: "STACK-CTR-FU-6..12 (Opus round-1 review of feat/stack-scripts-via-ctrc" (PROVISIONAL)
FU2-2	1799	test-instrumentation*	UNKNOWN	no	not open	FU2 / CAT-QA-SONAR-7 FU round-2	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
FU2-3	1800	test-instrumentation*	UNKNOWN	no	not open	FU2 / CAT-QA-SONAR-7 FU round-2	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F1	1804	process-doc*	UNKNOWN	no	not open	F1 / CAT-REL-CHECK-1 round-3/4	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
RC2-1	1809	process-doc*	nit	no	not open	RC2 / CAT-REL-CHECK-1 Opus round-2 re-review	landed	later entry of the same id at line 2033 states it landed (PROVISIONAL)
CAT-PREEXIST-1	1816	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1831: "CAT-PREEXIST-1..6 landed (2026-11-12) — PROVISIONAL, Opus round-2 GO-w" (PROVISIONAL)
CAT-PREEXIST-2	1817	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1831: "CAT-PREEXIST-1..6 landed (2026-11-12) — PROVISIONAL, Opus round-2 GO-w" (PROVISIONAL)
CAT-PREEXIST-3	1818	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1831: "CAT-PREEXIST-1..6 landed (2026-11-12) — PROVISIONAL, Opus round-2 GO-w" (PROVISIONAL)
CAT-PREEXIST-4	1819	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1831: "CAT-PREEXIST-1..6 landed (2026-11-12) — PROVISIONAL, Opus round-2 GO-w" (PROVISIONAL)
CAT-PREEXIST-5	1820	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1831: "CAT-PREEXIST-1..6 landed (2026-11-12) — PROVISIONAL, Opus round-2 GO-w" (PROVISIONAL)
CAT-PREEXIST-6	1821	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1831: "CAT-PREEXIST-1..6 landed (2026-11-12) — PROVISIONAL, Opus round-2 GO-w" (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
CAT-PREEXIST-7	1822	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1842: "CAT-PREEXIST-7/8/9 landed (2026-11-12) — PROVISIONAL, Opus GO-with-fol" (PROVISIONAL)
CAT-PREEXIST-8	1823	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1842: "CAT-PREEXIST-7/8/9 landed (2026-11-12) — PROVISIONAL, Opus GO-with-fol" (PROVISIONAL)
CAT-PREEXIST-9	1824	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	heading line 1842: "CAT-PREEXIST-7/8/9 landed (2026-11-12) — PROVISIONAL, Opus GO-with-fol" (PROVISIONAL)
CAT-PREEXIST-10	1825	source-defect*	UNKNOWN	no	not open	CAT-PREEXIST / CAT-PREEXIST pre-existing test failures	landed	code commit 87033b385 test(stress): CAT-PREEXIST-10 review follow-ups F1-F5 (assert no failed writes, (+1 more) (PROVISIONAL)
RC-3	1828	UNKNOWN	important	no	not open	RC / CAT-REL-CHECK-1 reviewer findings on the v2.4.2	landed	later entry of the same id at line 2031 states it landed (PROVISIONAL)
PX-F1	1833	source-defect*	minor	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PX-F2	1834	test-instrumentation*	minor	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PX-F3	1835	source-defect*	minor	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PX-F4	1836	test-instrumentation*	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PX-F5	1837	test-instrumentation*	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PX-F6	1838	UNKNOWN	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
PX-F7	1839	test-instrumentation*	UNKNOWN	no	not open	PX / CAT-PREEXIST-1..6 landed	landed	heading line 1854: "PX-F1..F7 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PW-F1	1844	test-instrumentation*	minor	no	not open	PW / CAT-PREEXIST-7/8/9 landed	landed	heading line 1849: "PW-F1..F3 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PW-F2	1845	test-instrumentation*	minor	no	not open	PW / CAT-PREEXIST-7/8/9 landed	landed	heading line 1849: "PW-F1..F3 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PW-F3	1846	test-instrumentation*	nit	no	not open	PW / CAT-PREEXIST-7/8/9 landed	landed	heading line 1849: "PW-F1..F3 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (" (PROVISIONAL)
PW-F5	1851	test-instrumentation*	minor	no	not open	PW / PW-F1..F3 landed	landed	heading line 1862: "PW-F5/F6 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (m" (PROVISIONAL)
PW-F6	1852	UNKNOWN	nit	no	not open	PW / PW-F1..F3 landed	landed	heading line 1862: "PW-F5/F6 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups (m" (PROVISIONAL)
PX-F9	1857	source-defect*	minor	no	not open	PX / PX-F1..F7 landed	landed	heading line 1873: "PX-F8..F12 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)
PX-F11	1859	test-instrumentation*	minor	no	not open	PX / PX-F1..F7 landed	landed	heading line 1873: "PX-F8..F12 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)
PX-F12	1860	process-doc*	nit	no	not open	PX / PX-F1..F7 landed	landed	heading line 1873: "PX-F8..F12 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)
PW-F7	1864	test-instrumentation*	minor	no	not open	PW / PW-F5/F6 landed	landed	heading line 1867: "PW-F7/F8 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)
PW-F8	1865	test-instrumentation*	nit	no	not open	PW / PW-F5/F6 landed	landed	heading line 1867: "PW-F7/F8 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
PW-F9	1869	UNKNOWN	UNKNOWN	no	not open	PW / PW-F7/F8 landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PW-F10	1870	UNKNOWN	UNKNOWN	no	not open	PW / PW-F7/F8 landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PX-F15	1877	UNKNOWN	UNKNOWN	no	not open	PX / PX-F8..F12 landed	landed	heading line 1884: "PX-F15/F16 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)
PX-F16	1878	test-instrumentation*	UNKNOWN	no	not open	PX / PX-F8..F12 landed	landed	heading line 1884: "PX-F15/F16 landed (2026-11-12) — PROVISIONAL, Opus GO-with-follow-ups" (PROVISIONAL)
FU2-4	1891	test-instrumentation*	UNKNOWN	no	not open	FU2 / CAT-OPDEC-B	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
OPB-N1	1899	UNKNOWN	UNKNOWN	no	not open	OPB / OPDEC-B landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PXF23-R2	1924	test-instrumentation*	UNKNOWN	no	not open	PXF23 / PXF23-R landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PXF23-R3	1925	test-instrumentation*	UNKNOWN	no	not open	PXF23 / PXF23-R landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PXF23-R4	1926	test-instrumentation*	UNKNOWN	no	not open	PXF23 / PXF23-R landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
PXF23-R6	1928	process-doc*	UNKNOWN	no	not open	PXF23 / PXF23-R landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
R5-F1	1944	test-instrumentation*	UNKNOWN	no	not open	R5 / CAT-R5-FU landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
R5-F2	1945	test-instrumentation*	UNKNOWN	no	not open	R5 / CAT-R5-FU landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
R5-F3	1946	test-instrumentation*	UNKNOWN	no	not open	R5 / CAT-R5-FU landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
R5-F5	1947	UNKNOWN	UNKNOWN	no	not open	R5 / CAT-R5-FU landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
PXR-1	1948	test-instrumentation*	UNKNOWN	no	not open	PXR / CAT-R5-FU landed	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D9S-F1	1961	UNKNOWN	UNKNOWN	no	not open	D9S / CAT-D9-SUSPEND	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
RC-3	2031	process-doc*	UNKNOWN	no	not open	RC / CAT-REL-CHECK-1 RC-3 / RC-3b / RC2-1 / RC2-3 res	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
RC2-1	2033	process-doc*	UNKNOWN	no	not open	RC2 / CAT-REL-CHECK-1 RC-3 / RC-3b / RC2-1 / RC2-3 res	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
D9S-R3-1	2090	source-defect	minor	no	not open	D9S-R3 / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 4e041050d fix(auth): D9S-R3-1..4 NULL is_locked reads, RefreshToken lockedError, login sta (PROVISIONAL)
D9S-R3-2	2091	test-instrumentation	minor	no	not open	D9S-R3 / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 4e041050d fix(auth): D9S-R3-1..4 NULL is_locked reads, RefreshToken lockedError, login sta (PROVISIONAL)
D9S-R3-3	2092	UNKNOWN	minor	no	not open	D9S-R3 / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 4e041050d fix(auth): D9S-R3-1..4 NULL is_locked reads, RefreshToken lockedError, login sta (PROVISIONAL)
D9S-R3-4	2093	UNKNOWN	minor	no	not open	D9S-R3 / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 4e041050d fix(auth): D9S-R3-1..4 NULL is_locked reads, RefreshToken lockedError, login sta (PROVISIONAL)
SEC-WS-1	2094	test-instrumentation*	important	no	not open	SEC-WS / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 234f8da71 fix(ws): SEC-WS-1 F3 round 2 - sentinel-based admin-only test, admin-error downg (+3 more) (PROVISIONAL)
FAVR3-1	2096	source-defect	minor	no	not open	FAVR3 / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 74c413523 fix(catalog-web): favourites optimistic update/rollback on the live query key (F (PROVISIONAL)
FAVR3-2	2097	test-instrumentation	minor	no	not open	FAVR3 / CAT-D9-SUSPEND round-2 review follow-ups	landed	code commit 74c413523 fix(catalog-web): favourites optimistic update/rollback on the live query key (F (PROVISIONAL)
WP03R3-F1	2120	source-defect	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
WP03R3-F2	2121	UNKNOWN	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)
WP03R3-F3	2122	test-instrumentation	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)
WP03R3-F4	2123	test-instrumentation*	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)
WP03R3-F5	2124	process-doc	minor	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)
WP03R3-F6	2125	UNKNOWN	nit	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)
WP03R3-F7	2126	UNKNOWN	nit	no	not open	WP03R3 / CAT-WP03-MECH — Opus round-3 follow-ups	landed	code commit 17b229b61 fix(release): WP03R3-F1..F7 (hardlink --out, record-line sanitising, safe cleanu (PROVISIONAL)
SEC-WS-1R3-1	2141	source-defect	minor	no	not open	SEC-WS-1R3 / SEC-WS-1 — Opus round-3 follow-ups	landed	code commit a7fc523e7 fix(ws): SEC-WS-1R3-1/2/F6 every /ws nginx location forwards Host $http_host (st (PROVISIONAL)
WP03R3FU-5	2160	UNKNOWN	minor	no	not open	WP03R3FU / WP03 fu reviewer follow-ups	landed	code commit 77294f568 fix(release): WP03R3FU-4..7 (all-values pre-scan, regular-file --out, control-ch (PROVISIONAL)
WP03R3FU-6	2161	test-instrumentation*	minor	no	not open	WP03R3FU / WP03 fu reviewer follow-ups	landed	code commit 77294f568 fix(release): WP03R3FU-4..7 (all-values pre-scan, regular-file --out, control-ch (PROVISIONAL)
WP03R3FU-7	2162	test-instrumentation*	minor	no	not open	WP03R3FU / WP03 fu reviewer follow-ups	landed	code commit 77294f568 fix(release): WP03R3FU-4..7 (all-values pre-scan, regular-file --out, control-ch (PROVISIONAL)

id	line	layer	severity	blocker	reason	cluster	status	evidence
F2	2200	test-instrumentation*	UNKNOWN	no	not open	F2 / D9SR3 follow-up round	landed	series pairing: landed entry of the same id at line 2235 (section headings share a word) (PROVISIONAL)
F1	2233	test-instrumentation*	important(sec)	no	not open	F1 / CAT-WP02-ERRLEAK review round 1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F3	2234	test-instrumentation*	important(sec)	no	not open	F3 / CAT-WP02-ERRLEAK review round 1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F2	2235	UNKNOWN	important(sec)	no	not open	F2 / CAT-WP02-ERRLEAK review round 1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)
F5	2236	test-instrumentation*	important(sec)	no	not open	F5 / CAT-WP02-ERRLEAK review round 1	landed	entry opens with a closing token and states nothing open (PROVISIONAL)