

docs_chain — User Guide

Revision: 1 **Last modified:** 2026-05-29T08:59:39Z **Status:** The Phase 1 core engine (internal/hash + internal/graph) is IMPLEMENTED + tested (go test ./... passes). The CLI/daemon workflow described in this guide is PLANNED (Phases 2-4). See status tags per section. **Authority:** Operator mandate 2026-05-29 (docs_chain initiative) **Design provenance:** authoritative Phase-0 DESIGN / RESEARCH / PLAN live in the consuming project research tree (docs/research/docs_chain/); this document is the self-contained specification.

Status legend

Per §11.4.6 (no-guessing), every workflow below carries a status tag:

- **IMPLEMENTED** — the command works today.
- **PLANNED (Phase N)** — designed, not yet built (per PLAN.md).

The Phase 1 core engine (internal/hash + internal/graph) is built and tested and is usable today as a Go library (see the README quick-start). The cmd/ CLI/daemon is Phase 4, so **every shell command invocation in this guide is PLANNED**. The copy-paste examples show the DESIGNED CLI interface so a consuming project can prepare its contexts ahead of the Phase 4 CLI landing. They are not claims that the binary runs today.

1. What you adopt docs_chain for

If your project keeps any of these mutually-consistent, you are the audience:

- Markdown sources and their .html / .pdf exports.
- A SQLite database that is the single source of truth for documents generated from it (and editable back into it).
- Generated summaries / status docs that must never drift from their source.
- Roster / corpus fingerprints that drive a Status doc.

docs_chain replaces the per-purpose sync scripts each of these otherwise requires (see [USE_CASE_CATALOGUE.md](#)).

2. Prerequisites

Status: PLANNED (Phase 4).

Requirement	Why
Go toolchain (build) OR the prebuilt docs_chain binary	the engine is Go
pandoc	markdown→html builtin transform
weasyprint	html→pdf / markdown→pdf builtin transforms
sqlite3 (or the project's DB binary, e.g. §11.4.93 workable-items)	sync edges touching a sqlite node
Any exec: transform scripts your contexts reference	migration adapters

docs_chain shells out to these existing commands during migration, so no rewrite of your current generators is required to start.

3. Install / build

Status: PLANNED (Phase 1 build / Phase 6 submodule distribution).

3.1 As a consuming-project submodule (post Phase 6)

```
# Phase 6 is OPERATOR-GATED: the remote repo + submodule wiring
# are
# created by the operator, not by an agent (§11.4.66).
git submodule add git@github.com:vasic-digital/docs_chain.git
docs_chain
git submodule update --init --recursive
( cd docs_chain && go build -o ../bin/docs_chain ./cmd/
docs_chain )
```

3.2 Build from a checkout

```
cd docs_chain
go build -o ./docs_chain ./cmd/docs_chain
./docs_chain doctor      # validate any contexts you have
                        defined
```

4. Initialize .docs_chain/

Status: PLANNED (Phase 4 — config loader).

docs_chain reads per-context YAML from .docs_chain/contexts/ at your project root and writes its hash state to .docs_chain/state.json.

```
mkdir -p .docs_chain/contexts
```

Add to your .gitignore (state is regenerable per §11.4.77):

```
.docs_chain/state.json
*.docs_chain.tmp
```

The .docs_chain/contexts/*.yaml files ARE tracked — they are your chain definitions. state.json is NOT tracked — docs_chain sync regenerates it from the live artefacts.

5. Define a context

Status: PLANNED (Phase 4).

A context is one YAML file describing the nodes and edges of one chain. Minimal example for a single Markdown doc with HTML + PDF exports (the universal markdown-export chain, §11.4.65):

```
# .docs_chain/contexts/guide.yaml
context: guide
description: One markdown doc with synchronized html + pdf exports
nodes:
  guide_md: { kind: markdown, path: docs/guides/MY_GUIDE.md }
  guide_html: { kind: html, path: docs/guides/MY_GUIDE.html }
  guide_pdf: { kind: pdf, path: docs/guides/MY_GUIDE.pdf }
edges:
  - { type: derive-from, from: guide_md, to: guide_html,
      transform: md-to-html }
  - { type: derive-from, from: guide_html, to: guide_pdf,
      transform: html-to-pdf }
transforms:
```

```
md-to-html: { builtin: pandoc-html }
html-to-pdf: { builtin: weasyprint-pdf }
```

The full field reference is in [CONFIG_SCHEMA.md](#). Ready-to-use recipes for the common chains (issues, fixed, status, roster, changelog, README doc-link, CONTINUATION) are in [USE_CASE_CATALOGUE.md](#).

6. Register nodes + edges (rules of thumb)

Status: PLANNED (Phase 4).

- Every artefact you want kept in sync is a **node** with a unique id and a path.
 - A one-way generation is a **derive-from** edge from → to with a transform.
 - A two-way single-source-of-truth relation (e.g. markdown ↔ sqlite) is a **sync** edge a ↔ b with a declared authority.
 - The derive-from sub-graph **MUST** be acyclic — docs_chain refuses to run on a cycle (exit 4).
-

7. Run a one-shot sync

Status: PLANNED (Phase 4 — sync).

```
# Sync one context
docs_chain sync guide
```

```
# Sync every registered context
docs_chain sync --all
```

Exit-code contract:

Exit	Meaning	Action
0	in-sync, or changes applied	none
2	conflict (both sides of a sync edge dirty)	resolve manually (\$9)
3	a transform failed; run rolled back, no live changes	inspect transform output
4	cycle or config error	fix the context YAML

A run is **all-or-nothing** (ARCHITECTURE §8): on any error before commit, every live artefact and the DB are left byte-identical to the pre-run state.

8. Run the watch daemon

Status: PLANNED (Phase 4 — fsnotify daemon).

For interactive development, the watch daemon runs `sync` automatically on a debounced settle after edits:

```
docs_chain watch                # all contexts
docs_chain watch --context guide # one context
```

Stop it with Ctrl-C. The daemon uses `fsnotify` (via `vasic-digital/Watcher`) — no external daemon process is required.

9. Interpret and resolve conflicts

Status: PLANNED (Phase 3 conflict semantics / Phase 4 surfacing).

A conflict (exit 2) means **both** sides of a sync edge changed since the last sync — for example, `Issues.md` was hand-edited AND `workable_items.db` was mutated by another tool. `docs_chain` writes nothing and reports which nodes are both-dirty.

To resolve (per §11.4.66 — no silent merge, no guessing per §11.4.6):

1. Decide which side is authoritative for this change.
2. Re-apply your intended change to the authoritative side only.
3. Discard / re-derive the other side from the authority.
4. Re-run `docs_chain sync <context>` — now exactly one side is dirty and the run proceeds.

`docs_chain` will never auto-merge two divergent edits; that decision is yours.

10. CI integration

Status: PLANNED (Phase 4 verify; Phase 7.4 operator-gated pre-build wiring).

Use the read-only `verify` command as a gate: it reports drift and writes nothing.

```
# In a CI step or local pre-build gate:
docs_chain verify --all || {
```

```

    echo "Tracked docs are out of sync. Run: docs_chain sync --all"
    >&2
    exit 1
}

```

verify is the deterministic (§11.4.50) sink-side check and the successor to the legacy --check-only script flags. Wiring it into pre_build_verification.sh is **operator-gated** (Phase 7.4) because it edits a governance-adjacent gate file.

For audit, emit the resolved graph:

```

docs_chain graph issues    # DOT/JSON of the issues chain
docs_chain doctor         # validate all contexts + state
                           integrity

```

11. Troubleshooting

Status: PLANNED (Phase 4 — diagnostics).

Symptom	Cause	Resolution
exit 4 at load	a cycle in the derive-from sub-graph, or malformed YAML	run docs_chain graph <context>; remove the cycle or fix the field
exit 2 repeatedly	both sync sides keep changing between runs	stop the second writer, resolve once (§9), re-run
exit 3	a transform command failed	check the transform's stderr in qa-results/docs_chain/<run-id>; run rolled back, no live damage
"node hash mismatch on a file you did not edit"	a transform is non-deterministic	the transform must produce byte-stable output (§11.4.50); fix the generator
state.json missing	gitignored + regenerable	a fresh docs_chain sync rebuilds it (§11.4.77)