tmux documentation

tmx Shell-Session Resume — End-User Master Manual

Revision: 1 **Last modified:** 2026-05-22T14:30:00Z **Authority:** vasic-digital tmux project **Maintainer:** milosvasic **Scope:** End-user (operator) master manual for the v1.0.9 shell-session-resume / SSH-dispatch / Go state-daemon feature triple. Worked examples copy-paste-runnable on macOS + Linux.

Table of contents

---

1. Introduction — what changed in v1.0.9

v1.0.9 ships **four new things** that together let you "pick up where you left off" without typing wrapper commands by hand:

1. `scripts/tmx-shell-init.sh` — the rc-side prompt is now one project-owned file you `.` (source) from `.bashrc`/`.zshrc`. No more drifting hand-pasted snippets. It's safe on SCP / rsync / IDE shells: the script silently exits when stdin is not a TTY.
2. `scripts/tmx-state-bin` (Go) — a tiny daemon that stores per-session last-cwd in `~/.tmx/state.json` with atomic writes and `fcntl(F_SETLKW)` locking. Five subcommands: `record / recall / list / forget / version`.
3. **Wrapper integration** — `tmx new -s NAME` now consults the state daemon and starts the pane in the recorded cwd. A tmux hook records the cwd back on detach / session-closed.
4. **SSH dispatch** — install once on each remote with `bash scripts/tmx-ssh-install.sh <user>@<host>`; afterwards `ssh <host>-tmx <session>` lands you straight inside that session with the right cwd. `ssh <host>-tmx` (no session arg) opens an ordinary login shell.

Why this matters in one sentence: **you stop typing `tmx attach -t work` or guessing what directory you were in yesterday — the wrapper + daemon + ssh dispatcher do it all for you, transparently.**

2. Quick start — fastest path from clone to first resume

This walk-through assumes a fresh checkout on macOS (the steps for Linux are identical except `sudo bash scripts/install_deps.sh` is required before `setup.sh`).

```
# 1. Clone the repo.
git clone --recurse-submodules git@github.com:vasic-digital/
        tmux.git ~/Projects/tmux
cd ~/Projects/tmux

# 2. Build + verify + install. This also generates scripts/tmx-
        shell-init.sh
#    (from the template) AND scripts/tmx-state-bin (from Go), and
        appends
#    the source line to ~/.bashrc and ~/.zshrc.
bash scripts/setup.sh
# Expect: SUMMARY: PASS=24 FAIL=0 SKIP=2 → GREEN.

# 3. Open a fresh shell.
exec $SHELL -l

# You will see the new prompt:
#   [tmx] Enter session name (blank or "default" = bare shell):

# 4. Type a session name (e.g. 'work') and press Enter.
work
# You are now inside tmx session 'work', pane started at $HOME
        because
# this is the first time you've used this name.

# 5. Move around.
cd /tmp
pwd     # /tmp

# 6. Detach (return to your outer shell).
# Press Ctrl-b d. You'll see "[detached (from session work)]".

# 7. Restart a shell — the prompt appears again.
exec $SHELL -l
[tmx] Enter session name (blank or "default" = bare shell): work
pwd
# /tmp                              ← cwd restored from ~/.tmx/
        state.json !
```

That's it. The "restored cwd" is the whole point. The state file lives at `~/.tmx/state.json` and is updated automatically by a tmux hook each time you detach.

3. Daily operations

3.1 Scenario A — your morning

You log in for the day. You want to resume yesterday's work.

```
# Fresh terminal opens. .zshrc fires tmx-shell-init.sh.
[tmx] Enter session name (blank or "default" = bare shell): work
# → ATTACHED to session 'work' (it survived overnight).
# → If it didn't survive (host rebooted), tmx new -s work -c
        <recalled-pwd>
#   creates it fresh at the right cwd.
pwd
# /Users/milosvasic/Projects/tmux/docs       ← where you were
        last night.
```

If the prompt feels noisy, see scenario D for the per-shell opt-out.

3.2 Scenario B — deep-dive on a topic over multiple days

You're investigating a tricky bug. You'll come back to this many times.

```
# Day 1, morning.
$ exec $SHELL -l
[tmx] Enter session name ...: investigate
# inside the new pane:
$ cd /Users/milosvasic/Projects/tmux/scripts
$ less tmx-state/main.go
# read for a while; take notes elsewhere.
$ # Ctrl-b d   (detach)

# Day 1, afternoon.
$ exec $SHELL -l
[tmx] Enter session name ...: investigate
# attached, pane is back where you left it.
$ pwd
/Users/milosvasic/Projects/tmux/scripts
$ cd tmx-state    # narrow further
$ less main.go
$ # Ctrl-b d

# Day 2.
$ exec $SHELL -l
[tmx] Enter session name ...: investigate
```

```
$ pwd
/Users/milosvasic/Projects/tmux/scripts/tmx-
        state   ← still right where you stopped.
```

3.2.1 How the cwd capture actually works (v1.0.13+)

A `PROMPT_COMMAND` (bash) or `precmd_functions` entry (zsh) is installed inside every tmux pane by `tmx-shell-init.sh` (sourced from your `.bashrc` / `.zshrc` / `.bash_profile`). After every command the operator runs in the pane, the shell fires that hook, which calls `tmx-state-bin record <session> $PWD`. The state file therefore always reflects the PWD at the LAST shell prompt before `exit`.

This replaces v1.0.9's flawed design that relied on tmux's `client-detached` and `session-closed` hooks alone — those hooks fire AFTER the pane is destroyed, when `#{pane_current_path}` resolves to empty. v1.0.13 keeps the tmux hooks as best-effort fallback but the prompt-hook is the primary recording mechanism.

End-to-end guarantee: the user-visible behaviour ("open terminal, choose session XXX, cd somewhere, exit, exit, reopen, choose XXX again → pane is in the same dir") is exercised by test `scripts/tests/43_e2e_cwd_persist_real_shell.sh` with positive captured evidence at each phase, 3 deterministic iterations.

3.2.2 Edge cases

The state file records the cwd of the pane whose prompt last fired. If you had two panes open with different cwds and `exit` only one, the surviving pane's prompt-hook continues to record until its own exit — the LAST recorded value wins.

3.3 Scenario C — SSH straight into a remote session

Setting it up once:

```
# On your mac (mistborn.local), with a working `ssh
        milosvasic@nezha.local`:
$ cd ~/Projects/tmux
$ bash scripts/tmx-ssh-install.sh milosvasic@nezha.local
# 8 steps, idempotent. At the end:
#   local alias:    Host nezha.local-tmx
#   remote dispatch /home/milosvasic/Projects/tmux/scripts/tmx-
        ssh-dispatch.sh
#   verification PASS
```

Using it day-to-day:

```
# Empty command — login shell:
$ ssh nezha.local-tmx
[tmx] Enter session name ...: work
# → inside tmx session 'work' on nezha, cwd restored.

# Or skip the prompt by passing the session name directly:
$ ssh nezha.local-tmx work
```

```
# → straight inside the session, no prompt.
# → first time? created at the cwd `tmx-state recall work`
        returned;
# → subsequent? attached to the existing session.
```

The dispatch key has `no-port-forwarding,no-X11-forwarding,no-agent-forwarding` in `authorized_keys`, so even if the key file leaked the worst an attacker could do is open tmx sessions — no shell escape, no port forwarding.

3.4 Scenario D — skip the prompt for one shell

Sometimes you just want a bare shell with no tmx wrapping.

```
# Option 1: type 'default' (literal token) when prompted.
[tmx] Enter session name (blank or "default" = bare shell):
        default
$ # bare shell, no tmx, no nesting.

# Option 2: press Enter (blank input).
[tmx] Enter session name (blank or "default" = bare shell):
$ # same — bare shell.

# Option 3: per-shell opt-out via env var.
$ TMX_SKIP=1 bash -l
# .bashrc runs, but tmx-shell-init.sh exits on the TMX_SKIP
        guard.
$ # bare shell.
$ unset TMX_SKIP

# Option 4: permanently set TMX_SKIP=1 in your rc BEFORE the
        source line.
#   (e.g. on a build server where you never want tmx).
```

3.5 Scenario E — inspect / reset state by hand

```
# What sessions does my state file know about?
$ tmx-state list
build           /Users/milosvasic/Projects/tmux/scripts
        1748189000
investigate     /tmp
        1748190100
work            /Users/milosvasic/Projects/tmux/docs
        1748190500

# Pretty-print the raw file.
$ cat ~/.tmx/state.json | python3 -m json.tool

# Forget one session (idempotent — no error if absent).
$ tmx-state forget investigate
```

```
$ tmx-state recall investigate
$ echo $?
1

# Nuclear option: wipe everything.
$ rm ~/.tmx/state.json
# The next tmx new -s X rebuilds the directory/file
        automatically.
```

4. Reference

The full operator-grade documentation lives in:

Topic	Path
Shell integration (rc snippet)	docs/guides/tmx-shell-integration.md
Go state daemon CLI	docs/guides/tmx-state.md
SSH dispatch	docs/guides/tmx-ssh-dispatch.md
Original install / OS notes	docs/guide/README.md
Design spec	`docs/superpowers/specs/2026-05-22-tmx-shell-session-resume-design.md`
§11.4.18 script companions	`docs/scripts/tmx-shell-init.md`, `tmx-state.md`, `tmx-ssh-install.md`, `tmx-ssh-dispatch.md`

Wrapper command reference unchanged:

```
tmx new -s NAME     # create (or attach if exists), restored cwd
tmx attach -t NAME  # attach (fails if session does not exist)
tmx ls              # list your sessions
tmx kill            # alias for kill-session
tmx kill-server     # nuke all your sessions
```

Per-session resource overrides (unchanged from v1.0.x):

```
TMX_MEM=8G     tmx new -s heavy           # Linux: 8 GB MemoryMax
TMX_CPU=400    tmx new -s build           # Linux: 400% CPUQuota
TMX_CPU_HARD_SEC=3600 tmx new -s timeboxed  # Darwin: 1 hour
        RLIMIT_CPU
```

5. Anti-bluff covenant (§11.4)

This project ships under a hard rule: **every test that says PASS must have captured positive runtime evidence that the feature actually works for an end user.** No green-because-no-crash. No green-because-config-exists.

For v1.0.9 the new tests are 27–40 plus 41 (the doc-render challenge):

Test	What it asserts
27	tmx-state record → recall round-trip + real tmux hook firing
28	typing `default` at the prompt does NOT spawn a tmux server
29	blank input also does NOT spawn a tmux server
30	non-TTY stdin (`</dev/null`) returns 0 in < 5 s, no prompt
31	local SSH dispatcher creates the session
32	real SSH against `nezha.local` creates the session + restores cwd
33	10 parallel `tmx-state record` calls all land — JSON still parses
34	re-running the SSH installer is a no-op (no duplicate AK lines)
35	session names with `;`, `,`, `/`, `..` are rejected
36	dispatcher with `SSH_ORIGINAL_COMMAND="echo hi"` exits 1, no tmux
37	nested invocation under `$TMUX` skips silently
38	recall returns a deleted path → wrapper falls back to `$HOME`
39	`chmod 000 ~/.tmx` → `tmx new` still works
40	`case "$(uname -s)"` branches PASS on both Linux and Darwin
41	every guide + manual renders to HTML + PDF (this very document!)

Paired §1.1 mutations (in `scripts/tests/meta_test_false_positive_proof.sh`) prove the gates themselves are not bluffs: e.g. M20 strips the `-t 0` guard from `tmx-shell-init.sh` and asserts test 30 FAILs.

If you ever suspect a bluff (e.g. a feature says PASS in tests but doesn't work for you), the first thing to look at is the `[evidence]` lines in the test output:

```
$ bash scripts/tests/27_state_persistence.sh
[evidence] iter=1 recall1=/tmp/tmx-test-18-target-12345
        pane_path=/tmp/tmx-test-18-target-12345 recall2=/tmp/tmx-
        test-18-hook-12345-1
[evidence] iter=2 recall1=... pane_path=...
[evidence] iter=3 recall1=... pane_path=...
[evidence] HOST_OS=Darwin reliability_hash=8c4a...
PASS 18 tmx-state cwd persistence end-to-end (3/3 iterations
        identical, hook updated state)
```

Each `[evidence]` line is the raw captured fact. If a PR removes the evidence captures, code review must reject it under §11.4.2.

6. Troubleshooting matrix

Symptom	Likely cause	First thing to try
Prompt missing on login	rc not sourced	`exec $SHELL -l`; if still missing, re-run `bash scripts/setup.sh`
Prompt appears in SCP / rsync (BLOCKING)	Pre-v1.0.9 hand-pasted snippet still in your rc	Remove the old block; ensure ONLY the `. scripts/tmx-shell-init.sh` line remains
Cwd not restored on `tmx new -s work`	`tmx-state-bin` not built or not on PATH	`bash scripts/setup.sh`; `which tmx-state` should print a path

Symptom	Likely cause	First thing to try
Cwd restored to a path that no longer exists	Stale state — directory was moved	`tmx-state forget work` then re-create the session
`ssh nezha.local-tmx work` hangs	Network or sshd issue	`ssh -vv nezha.local-tmx work 2>&1 | head -50`; `journalctl -u sshd` on remote
`ssh nezha.local-tmx work` rejects a valid name	Dispatcher regex mismatch	Names: `[A-Za-z0-9_.-]{1,64}`. Avoid spaces, slashes, semicolons
Two `Host nezha.local-tmx` blocks in `~/.ssh/config`	Manual edit then installer added another	Hand-edit; keep one. Installer is idempotent only when the block is intact
`[tmx] invalid session name 'work;ls'`	Name contains a metachar	Fix the name — by design we reject shell-metachars (security)
Pre-v1.0.9 SSH config still references absolute paths	Old snippet had `command=/abs/path/...`	`bash scripts/tmx-ssh-install.sh --uninstall <target>` then re-install
The state file looks corrupt	Disk full or external process clobbered it	`mv ~/.tmx/state.json ~/.tmx/state.json.bad`; tmx-state rebuilds an empty one

7. Upgrading from pre-v1.0.9

If you're upgrading from v1.0.8 or earlier:

1. Pull the new code:

   ```
   cd ~/Projects/tmux
   git pull --ff-only
   git submodule update --init --recursive
   ```

2. Re-run setup (this is idempotent — it generates the new files, builds the Go binary, and updates your rc snippet):

   ```
   bash scripts/setup.sh
   ```

3. **Important:** remove any LEGACY hand-pasted snippet from your `.bashrc` / `.zshrc` that calls `read -r` directly. The legacy block typically looks like:

   ```
   # OLD — REMOVE
   if [ -t 0 ]; then
       printf 'Enter session: '
       read -r SESSION
       [ -n "$SESSION" ] && tmx new -s "$SESSION"
   fi
   ```

   The new block sources the project-owned file instead:

   ```
   # NEW — KEEP
   [ -r "$VDIGITAL_TMUX_DIR/tmx-shell-init.sh" ] && .
           "$VDIGITAL_TMUX_DIR/tmx-shell-init.sh"
   ```

4. Open a fresh shell. The new prompt is functionally similar; the behaviour differences are:
    - `default` (literal) now means SKIP (used to mean "create default session");
    - blank input also means SKIP (used to be the default-session shortcut);
    - SCP / rsync / IDE shells no longer hang.

If you previously had a wrapper that ran `tmx new -s default` automatically, you now need to type `default-session` (or any other non-`default` name) to get the same behaviour.

7a. Uninstall (v1.0.11+)

The dedicated uninstall entry point removes EVERYTHING setup.sh installed and leaves operator data untouched:

```
cd ~/Projects/tmux
bash scripts/uninstall.sh
```

This calls `setup.sh --uninstall` under the hood (single source of truth), which:

1. Strips the `── vasic-digital optimized tmux ──` fenced block from `~/.bashrc` and `~/.zshrc`.
2. Strips any LEGACY hand-pasted `if command -v tmx ...; then ...; fi` block (operators upgrading from pre-v1.0.9 had this risk).
3. Removes `~/.tmux.conf` ONLY if it carries the `vasic-digital optimized tmux configuration` marker; pre-existing operator-owned `~/.tmux.conf` is preserved (a backup was created at install time as `~/.tmux.conf.pre-vasic-digital`).
4. Removes the generated files in the project: `scripts/tmx`, `scripts/tmx-shell-init.sh`, `scripts/tmx-state-bin`. All three are produced from tracked templates / source at install time, so removing them is safe — the next `setup.sh` regenerates them.

Also purge per-session last-pwd state

By default, `~/.tmx/` (the cwd-memory state file) is preserved per §9 zero-risk-data-safety. To also remove it:

```
bash scripts/uninstall.sh --purge-state
```

Clean-slate reinstall (automatic, v1.0.11+)

Every `bash scripts/setup.sh` invocation now runs the uninstall logic SILENTLY as step 0 before re-installing. You no longer need to manually uninstall before upgrading — just run `setup.sh` and the stale generated artefacts (old wrapper, missing init.sh, half-installed rc block) are cleaned first. Operator data under `~/.tmx/` is preserved.

How to verify the uninstall worked

```
# rc snippet block gone:
grep -c '── vasic-digital optimized tmux ─' ~/.bashrc ~/.zshrc
# expect: 0 in each

# init file gone:
ls -la scripts/tmx-shell-init.sh 2>&1
```

```
# expect: No such file or directory

# wrapper gone:
ls -la scripts/tmx 2>&1
# expect: No such file or directory
```

8. Last verified

2026-05-22 on:

- Darwin arm64, macOS 15.x, bash 3.2 / zsh 5.9, tmux 3.6a, Go 1.22;
- ALT Linux 11, kernel 6.12, systemd 258, bash 5.x, tmux 3.6a, Go 1.22.

Reproducible from a fresh clone via:

```
git clone --recurse-submodules git@github.com:vasic-digital/
        tmux.git ~/Projects/tmux
cd ~/Projects/tmux
bash scripts/install_deps.sh   # Linux only
bash scripts/setup.sh
bash scripts/tests/run_all.sh  # full suite — expect GREEN
```

All §11.4.50 deterministic-consistency loops (3 iterations identical evidence-hash) GREEN; all §11.4.81 cross-platform branches GREEN on both platforms; §1.1 paired-mutation harness reports `caught>0 escaped=0`.