

workable-items — §11.4.93 SQLite-SSoT CLI

Revision: 1 **Last modified:** 2026-05-28T11:55:00Z **Authority:** constitution/Constitution.md §11.4.93 (SQLite SSoT) + §11.4.95 (DB tracked in git) + §11.4.99 (regeneration mechanism cited sources) **Scope:** project tmux — cmd/workable-items/ **Maintainer:** vasic-digital tmux

Purpose

workable-items is the project's per-§11.4.93 single-source-of-truth CLI for workable-item tracking. It bridges the Markdown trackers (Issues.md + Fixed.md at repo root) and the SQLite database at docs/workable_items.db (tracked in git per §11.4.95) so neither side can silently drift from the other. Both representations remain authoritative for human reading; the database is authoritative for mechanical queries, drift-detection gates, and metadata that doesn't fit naturally in Markdown (timestamps, evidence pointers, supersedence chains).

The CLI is consumed by:

- commit_all.sh — pre-git add -A drift gate (this doc + §11.4.93/95).
- scripts/sync_all_markdown_exports.sh via the optional --also-sync-workable-items-db flag — runs sync md-to-db before the Markdown export sweep.
- Future challenge gates (CME-WORKABLE-ITEMS-001 per Q6) + paired §1.1 mutations.

Graceful-degrade is intentional: callers SKIP silently when the binary or DB is absent so historical branches without workable-items still build + commit normally.

Usage

```
workable-items sync md-to-db [--db PATH] [--issues PATH] [--fixed PATH]
workable-items sync db-to-md [--db PATH] [--out-dir PATH]
workable-items diff          [--db PATH] [--issues PATH] [--fixed PATH]
workable-items validate      [--db PATH] [--schema-only]
workable-items add           --type Bug|Feature|Task --severity HIGH|MEDIUM|LOW
                             --title "..." --description "..." [--category A..E]
workable-items close         ATM-NNN --status fixed|implemented|completed|obsolete
```

```

YYYY-MM-DD]
--evidence PATH [--by AI|User] [--on
[--reason ...] [--superseding-
item ...]
[--triple-check-evidence PATH]
workable-items report [--type ...] [--status ...] [--
obsolete-audit]
workable-items --version

```

Defaults (when the flag is omitted)

Flag	Default	Rationale
--db	docs/ workable_items.db	§11.4.95 canonical location
--issues	Issues.md	repo-root canonical tracker
--fixed	Fixed.md	repo-root canonical closure log
--out-dir	repo root	db-to-md writes alongside the originals

Exit codes

Code	Meaning
0	success — round-trip byte-identical OR sync completed cleanly
1	drift detected (for diff) OR validation failure
2	usage error / missing required flag

Inputs

- `Issues.md` (UTF-8 Markdown, §11.4.15 + §11.4.16 + §11.4.54 conformant).
- `Fixed.md` (UTF-8 Markdown, §11.4.19 + §11.4.33 + §11.4.54 conformant).
- `docs/workable_items.db` (SQLite ≥ 3.40, schema per `cmd/workable-items/schema.sql`).

Outputs

- `sync md-to-db` — writes rows into `workable_items` table; idempotent.
- `sync db-to-md` — writes regenerated `Issues.md` + `Fixed.md` into `--out-dir`. Round-trip MUST be byte-identical per Q3 acceptance criteria.
- `diff` — unified-diff output on stdout, exit 1 on drift.
- `validate` — schema + invariant report on stdout (exit 0 GREEN, 1 FAIL).
- `report` — markdown / text report for operator review.

Side-effects

- Writes to `docs/workable_items.db` for `sync md-to-db`, `add`, `close`.

- Temporary directories under \$TMPDIR/wi-* for diff. Cleaned on exit.
- No network calls. No external process spawns. No filesystem mutation outside the paths named above.

Dependencies

- Go 1.22+ at build time.
- modernc.org/sqlite — pure-Go SQLite driver (no CGO, no system libsqlite3 required). Confirmed pure-Go per sources verification below.
- No runtime dependencies on the host other than the produced binary at cmd/workable-items/workable-items.

Cross-references

- Constitution.md §11.4.93 — SQLite SSoT mandate.
- Constitution.md §11.4.95 — DB tracked in git with regeneration path.
- Constitution.md §11.4.99 — sources verification mandate (this doc).
- Constitution.md §11.4.54 — ATM-NNN identifier discipline.
- Constitution.md §11.4.18 — script documentation mandate (this doc).
- Constitution.md §11.4.44 — revision header (above).
- commit_all.sh — pre-commit drift gate caller.
- scripts/sync_all_markdown_exports.sh — --also-sync-workable-items-db flag caller.
- cmd/workable-items/schema.sql — DB schema (owned by PWU-Q3).
- cmd/workable-items/*.go — implementation (owned by PWU-Q3).

Edge cases

- **Empty Issues.md or Fixed.md.** Both files MUST exist; an empty body is permitted (the parser handles zero-item trackers).
- **Binary built for wrong arch.** commit_all.sh checks -x only; an ARM-binary on x86_64 will fail loudly at first invocation.
- **DB locked by another process.** SQLite WAL keeps reads concurrent; writers serialize. commit_all.sh's flock covers the parent.
- **Stale binary vs source.** scripts/setup.sh rebuilds when sources are newer; the gate trusts whatever binary is present.
- **No docs/workable_items.db.** Both callers SKIP silently — fresh clones / historical branches keep working.

Sources verified 2026-05-28

- Project-local cmd/workable-items/ source — read in-tree as of 2026-05-28T11:53Z (this PWU-Q4 session).
- constitution/Constitution.md §11.4.93, §11.4.95, §11.4.99 — verified in constitution/ submodule at the project's current pinned commit (per §11.4.78 CodeGraph index + §11.4.37 fetch-before-edit).
- modernc.org/sqlite package docs — fetched https://pkg.go.dev/modernc.org/sqlite 2026-05-28T11:54Z. Confirmed pure-Go (CGo-free)

port of SQLite 3.53.1; current displayed version v1.51.0 (BSD-3-Clause).
Import path `modernc.org/sqlite` unchanged.

Last verified

2026-05-28