

vasic-digital tmux — Open Issues Tracker

Canonical source of truth for everything currently unfinished, partially validated, or at risk of violating the anti-bluff covenant (`Constitution.md` §1 + §11.4.1 through §11.4.6).

Every PASS in this codebase **MUST** carry positive evidence captured live that the feature works for the end user. Metadata-only PASS, configuration-only PASS, "absence-of-error" PASS, and grep-based PASS without runtime evidence are all critical defects regardless of how green the summary line looks. **Tests AND HelixQA Challenges are bound equally.**

Forensic anchor — direct user mandate (verbatim, 2026-04-28 + 2026-05-07 + 2026-05-08, repeatedly reasserted from upstream vasic-digital projects):

"We had been in position that all tests do execute with success and all Challenges as well, but in reality the most of the features does not work and can't be used! This **MUST NOT** be the case and execution of tests and Challenges **MUST** guarantee the quality, the completion and full usability by end users of the product!"

§11.4.6 forensic anchor (verbatim, 2026-05-08):

"'LIKELY' is guessing, we **MUST NOT** have guessing, since it can be or may not be! No bluffing and uncertainty is allowed at any cost! We **MUST** always know exactly precisely what is happening exactly, in any context, under any conditions, everywhere!"

Compiled: 2026-05-08 (Phase B per-session-containerization cycle). **Author:** Engineering coordinator **Working pool source:** the items below feed the active task list directly. Each item carries a current state, the captured-evidence requirement, and a fix-direction proposal so future-self can resume cold.

Migration policy (mirrors upstream vasic-digital projects): resolved items are moved to **Fixed.md** in the same commit that closes them. **Issues.md holds OPEN / PARTIAL / BLOCKED / RUNNING / INVESTIGATED only**; once an item is closed and verified end-to-end, it migrates to `Fixed.md` and disappears from here. Never delete items outright — history matters for cold-start handover.

Document conventions

Code	Meaning
OPEN	Unfinished work; needs implementation + anti-bluff coverage
PARTIAL	Implementation exists but coverage gaps remain (positive evidence missing or environmental SKIP unresolved)
BLOCKED	Cannot progress without external dependency (host capability, third-party tool, distro support, etc.)
RUNNING	In-flight in this session (background process, ongoing test cycle)
INVESTIGATED	Forensic investigation produced findings; closure pending decision on fix scope

Status reclassification rules (§11.4.6 enforced):

- A PARTIAL may not move to closed without runtime evidence (`/sys/fs/cgroup/.../memory.max readback, systemctl status` showing scope active, `kill -9 survivor proof` — never just script exit code).
- A BLOCKED reclassifies to OPEN when the blocking dependency resolves; it must NOT skip directly to closed.
- An INVESTIGATED item must record the captured forensic trace (file path / command output / log timestamp) — never speculation ("likely" / "probably" / "appears to" — see Constitution §11.4.6).

Categories:

- **A** — Tooling / harness gaps
- **B** — Anti-bluff completeness across the existing test surface
- **C** — Per-session containerization features pending evidence
- **D** — Host-capability + topology dispatch gaps
- **E** — Documentation / Continuation drift

A. Tooling / harness gaps

(none open at this time — A1 META-MUT-001 landed in `Fixed.md`.)

B. Anti-bluff completeness across the existing test surface

B3. P5-M20 + P5-M21 paired-mutation ESCAPES — pre-existing v1.0.9 layer-4 gaps — OPEN

Status: OPEN — pre-existing from v1.0.9 (shell-session-resume PWUs). **Re-discovered:** v1.0.14 verification cycle, 2026-05-22 on Mistborn: `bash scripts/tests/meta_test_false_positive_proof.sh` reports `MUTATIONS CAUGHT (PASS): 39 MUTATIONS ESCAPED (FAIL): 2 SKIPPED: 8.`

Forensic detail (no guessing per §11.4.6):

- **P5-M20** ("strip non-TTY guard from tmx-shell-init.sh"): the mutation removes the explicit non-TTY guard from `scripts/tmx-shell-init.sh`. The target test still exits fast because Darwin / libc enforces POSIX TTY semantics that ALSO cause the script to early-exit on non-TTY stdin (the test sees Darwin: POSIX TTY semantics enforced by libc iter=N elapsed_ms<100). The TEST verifies the END behaviour ("script exits fast") but the END behaviour is defended on TWO layers (script guard + libc semantics) and the test cannot distinguish which layer caught it. Mutation strips one layer; the other still saves the assertion.
- **P5-M21** ("strip cwd-capture tmux hook block from tmx.template"): the mutation removes the hook installation from the generated wrapper, but the target test (test 18 cwd persistence end-to-end) passes anyway because its harness manually triggers the hook via `tmux run-shell` — bypassing the template's auto-install. The test proves the recall MECHANISM works, never that the auto-install RECORDING path works.

Why this is OPEN, not closed-by-disclosure: the FEATURES under test (shell-init non-TTY skip, cwd persistence) do work and are covered by the GREEN tests 18, 21, 43. The escape is a layer-4 test-DESIGN gap — the test assertions cannot distinguish "guard fired" from "fallback fired", so the mutation slips. Fixing requires tightening the test assertions to isolate the layer the mutation targets (e.g. test 21 should drive a build where the libc fallback is intentionally disabled; test 18 should drive ONLY the auto-install path without manually triggering the hook). Both require careful re-architecting of the test harnesses, not a one-line change.

Why not blocker for v1.0.14: these escapes have been present across v1.0.9 → v1.0.13 releases; the operative request for v1.0.14 (clipboard physical proof + multi-host deploy) is fully covered with GREEN tests and physical evidence. Test 44 + M44 close the cycle's own anti-bluff cycle cleanly. Transparency in the release notes per §11.4 / §101.

Companion finding — nezha environmental escape (M22): on nezha, the meta-test additionally reports M22 MUTATION ESCAPED AND V3 does not PASS after revert. M22 targets the CodeGraph Containers/** exclude path in `.codegraph/config.json`. Both the mutate-and-test-fail step and the revert-and-test-pass step fail — indicating the CodeGraph validate baseline itself is broken on nezha (the test cannot reach GREEN even with original config). This is an environmental state issue (CodeGraph index/config) on the remote host, not a v1.0.14 regression. Closure condition: bring nezha's CodeGraph state to the baseline `codegraph_validate` would PASS on; either re-run `bash scripts/codegraph_setup.sh` on nezha or document why M22 should SKIP on nezha-class hosts.

Closure conditions: test 21 design tightening so it specifically asserts the SCRIPT GUARD fired (not the libc fallback); test 18 re-architecture so it does NOT short-circuit the hook auto-install. Both close P5-M20 and P5-M21 in the meta-test in a future cycle.

(no other items open at this time — B1 CHAL-COVER-001, B2 TEST-AUDIT-001 landed in `Fixed.md`.)

C. Per-session containerization features pending evidence

(none open at this time — C1 TMX-T5, C2 TMX-T7, C3 TMX-T8 landed in Fixed.md.)

D. Host-capability + topology dispatch gaps

(none open at this time — D1 TOPO-DISPATCH-001 landed in Fixed.md.)

E. Documentation / Continuation drift

(none open at this time; CONTINUATION.md §3 entries that resolve land in Fixed.md per Constitution §5 / §12.10.)

Last reviewed: 2026-05-22 (v1.0.14 cycle — clipboard physical-proof landing + multi-host deploy; opened B3 to track the pre-existing v1.0.9 P5-M20+P5-M21 layer-4 escapes transparently).