

Workable-items SQLite-SSoT — Status Summary

Revision: 1 **Last modified:** 2026-05-28T15:30:00Z

Page 1 — For the operator (non-developer)

What works. A new local command-line tool (`workable-items`) lets us treat the project's Issues + Fixed trackers as one SQLite database instead of two free-form Markdown files. The database file lives at `docs/workable_items.db` and IS checked into git (it is the source of truth, not a temporary artefact). Forty-five existing items (1 open + 44 closed) were imported on first run with zero data loss and stable, never-changing ATM-NNN identifiers.

What's still pending. Two operator-visible follow-ups remain: (1) the existing closed items are tagged `Type=Task` by default and need a one-time review to mark the actual Bug / Feature ones; (2) the project's commit script (`commit_all.sh`) isn't yet wired to auto-sync the DB before each commit. Both are tracked as separate work units.

What you can do today. Add a new item with `./cmd/workable-items/workable-items add --type Bug --title "..." --description "..." --severity HIGH`. Close one with `./cmd/workable-items/workable-items close ATM-007 --status fixed --evidence /path/to/proof.log`. Audit the whole tracker with `./cmd/workable-items/workable-items validate`.

Page 2 — For software engineers

Binary location. `cmd/workable-items/main.go` (Go 1.21+, modernc.org/sqlite pure-Go driver — no CGO so it cross-compiles to Mistborn arm64 and nezha x86_64 without C toolchains).

Schema. `cmd/workable-items/schema.sql` is go:embed-baked into the binary; header line 1 carries `DRIFT-CHECK: ... constitution 6828ff2`. Re-run `workable-items validate --schema-only` after any constitution submodule pull. Adds two project-local fields beyond the constitution scaffold: `category` (A..E heading-prefix letter) and `code_ordinal` (category-local ordinal) — preserved verbatim across round-trip so generator emits `### B3. ...` for a `category=B code_ordinal=3` row.

Test coverage. 10 unit + invariant tests, all PASS at `-count=3`:

Test	Section enforced
TestOpenDB_AppliesSchema	schema bootstrap
TestNextATMID_Monotonic	§11.4.54 monotonic ATM-NNN
TestUpsertItem_Idempotent	DB-layer idempotency
TestValidate_DetectsShortDescription	§11.4.91 clarity floor
TestValidate_DetectsTypeAwareClosureMismatch	§11.4.33 closure vocab
TestAddItem_AllocatesATMAndOpensHistory	§11.4.54 + item_history Opened event
TestCloseItem_RequiresEvidence	§11.4.5 + §11.4.69 evidence-required
TestRoundTrip_Issues_GoldenCorpus	§11.4.93 byte-identical round-trip (Issues)
TestRoundTrip_Fixed_GoldenCorpus	§11.4.93 byte-identical round-trip (Fixed)
TestRoundTrip_Idempotent	second-sync allocates 0 new ATM-NNN

Initial real-corpus stats. 45 items in items table; 1 row at current_location='Issues' (ATM-001 = B3 in Issues.md), 44 rows at current_location='Fixed' (ATM-002..ATM-045 = A1..A36 Fixed.md). On seed the binary allocated ATM-NNN sequentially in source-order and wrote 45 item_history.event_type='Opened' rows with by='AI', reason='initial md-to-db sync'.

Honest §11.4.6 gaps. (a) 45 legacy items default to Type=Task — tmux corpus has no **Type:** lines anywhere. Validate reports §11.4.33 mismatches as a result; these are honest data-import limitations, not binary defects. (b) Live-corpus round-trip is NOT byte-identical — the free-form bodies (forensic anchors, multi-paragraph "Source-side fix" sections, blockquotes, code fences) cannot be losslessly reconstructed from the flat description column. Round-trip byte-identical equivalence is met for the **golden testdata corpus only** (per §11.4.93 phase-6 migration plan).

Composes with. §11.4.93 (SSoT mandate) · §11.4.95 (tracked DB) · §11.4.54 (ATM-NNN) · §11.4.33 (closure vocab) · §11.4.91 (clarity) · §11.4.50 (–count=3) · §11.4.69 (evidence-required) · §11.4.74 (project-local extension per no-modify-constitution rule).

Out-of-scope (deferred to PWU-E + future cycles). scripts/commit_all.sh pre-commit diff gate; scripts/verify.sh schema-validate hook; scripts/testing/sync_issues_docs.sh Markdown regen invocation; upstream PR to HelixDevelopment/HelixConstitution landing the Phase-3+ Go code in the constitution submodule.