

vasic-digital tmux — v1.0.23 Release Notes

Revision: 1 **Last modified:** 2026-06-16T13:30:00Z **Version:** 1.0.23 / versionCode 24 **Released:** 2026-06-16 **Hosts validated:** Mistborn (Darwin arm64) + nezha (ALT Linux 6.12 x86_64)

Summary

v1.0.23 eliminates the cross-distro `/lib64/libtinfo.so.6`: no version information available warning that the containerized Linux build emitted on **every** tmux invocation when run on a host (ALT Linux on nezha) whose `libtinfo` lacks the build container's NCURSES version nodes. `terminfo` is now linked **statically** so the warning is structurally impossible on any distribution, while `glibc` / `jemalloc` / `libevent` stay dynamic (the `LD_PRELOAD-jemalloc` architecture is preserved). The release also fixes three test-harness timing races (§11.4.1) surfaced while re-validating the full suite on real Linux hardware, and was validated green on both supported OSes.

Fixed

libtinfo cross-distro symbol-version warning (§11.4.81)

`docker/build_inside_container.sh` passes `LIBTINFO_LIBS="-l:libtinfo.a"` to `./configure`. The Linux ELF then carries no `libtinfo.so` `DT_NEEDED` entry and 0 `NCURSES6_TINFO` versioned refs.

Before:

```
tmux/build/bin/tmux: /lib64/libtinfo.so.6: no version information
available (required by tmux)
```

After:

```
$ tmux/build/bin/tmux -V      # stderr
tmux 3.6a                    # 0 warning lines; ldd shows no
libtinfo.so
```

Partial-static (`terminfo` only) — `ldd` still lists `libjemalloc.so.2`, so the build-time `jemalloc` linkage and the wrapper's `LD_PRELOAD jemalloc` are intact. NOT `--enable-static` (which yields a fully-static binary that drops `jemalloc`). Static `terminfo` still reads the host `/usr/share/terminfo` at runtime.

Test 27 — tmx-state cwd persistence (deterministic macOS FAIL)

Phase 3 recorded `#{pane_current_path}` after a blind `sleep 0.4`; macOS tmux updates the pane cwd `~1.5 s` after `send-keys "cd ..."` (measured), so it captured the stale path. Now polls until the cd is reflected before recording. PASS 3/3 on macOS and Linux.

Tests 12 & 14 — cgroup OOM tests (flaky false-negative)

The kernel OOM-kill is asynchronous and `journalctl -k` (the `dmesg_restrict=1` fallback) ingests it with lag; a fixed-`sleep` single sample raced it. Now polls the kernel ring for the OOM line up to a generous timeout. PASS 5/5 with real OOM evidence; assertions unchanged.

Tests — added / hardened

- `scripts/tests/61_no_libtinfo_version_warning.sh` — cross-platform regression guard (no loader warning; Linux: static-tinfo + jemalloc-preserved checks).
- `scripts/verify.sh CM-NO-DYNAMIC-LIBTINFO` — layer-1 pre-build gate; refuses a Linux binary that dynamically links `libtinfo.so` (teeth: `distro /usr/bin/tmux` trips it).
- Tests 27 / 12 / 14 hardened to poll real conditions (§11.4.1 / §11.4.50).

Validation (dual-host)

Host	binary	suite	meta	libtinfo warning
Mistborn (Darwin arm64)	Mach-O build- darwin	run_all PASS=55 FAIL=0 SKIP=5	(Linux-host)	N/A (Mach-O)
nezha (ALT Linux x86_64)	ELF build (rebuilt)	verify.sh EXIT 0 PASS=49 FAIL=0 SKIP=11 (12/14 PASS w/ OOM)	52 CAUGHT / 0 ESCAPED	gone (0 lines)

Files changed

- `docker/build_inside_container.sh` — `LIBTINFO_LIBS="-l:libtinfo.a"` static-tinfo link.

- `scripts/tests/61_no_libtinfo_version_warning.sh` — new regression guard.
- `scripts/verify.sh` — `CM-NO-DYNAMIC-LIBTINFO` gate.
- `scripts/tests/27_state_persistence.sh` — poll-for-cd hardening.
- `scripts/tests/12_memory_pressure_under_cap.sh`, `scripts/tests/14_concurrent_oom_independence.sh` — poll-for-OOM hardening.
- `VERSION` (1.0.23 / `versionCode` 24), `CHANGELOG.md`, `Fixed.md`, `CONTINUATION.md`.
- Evidence: `docs/qa/2026-06-16-libtinfo-crossdistro/evidence.md`.

Sources verified 2026-06-16

- <https://mhcerri.github.io/posts/building-tmux-statically/>
- <https://github.com/tmux/tmux/blob/master/configure.ac>
- <https://www.man7.org/linux/man-pages/man5/terminfo.5.html>
- <https://invisible-island.net/ncurses/ncurses-mapsyms.html>
- <https://invisible-island.net/ncurses/ncurses.faq.html>