

Workable-items SQLite-SSoT — Status

Revision: 1 Last modified: 2026-05-28T15:30:00Z

Scope

Project-local Go binary at `cmd/workable-items/` implementing the §11.4.93 SQLite-SSoT for workable items in the `tmux` project. The constitution submodule (`constitution/scripts/workable-items/`) ships a Phase-2 scaffold (stubs + canonical `schema.sql`); per the `feedback_no_modify_constitution` memory rule this project cannot push Phase-3+ code into the submodule and instead carries a drift-checked local implementation. Upstream PR to `HelixDevelopment/HelixConstitution` is tracked as a follow-up cycle.

Current state — PWU-C cycle (2026-05-28)

Item	Status	Evidence
<code>go.mod</code> + <code>go.sum</code> (modernc.org/sqlite, pure-Go, no CGO)	PASS	<code>go build ./cmd/workable-items</code> succeeds on darwin/arm64
Embedded <code>schema.sql</code> (drift-checked vs constitution 6828ff2)	PASS	<code>cmd/workable-items/schema.sql</code> header line 1
OpenDB + WAL mode + PRAGMA <code>wal_checkpoint(TRUNCATE)</code> on Close	PASS	<code>TestOpenDB_AppliesSchema</code>
Subcommand router (<code>sync md-to-db</code> , <code>sync db-to-md</code> , <code>diff</code> , <code>validate</code> , <code>add</code> , <code>close</code> , <code>report</code>)	PASS	<code>workable-items --help</code> lists every subcommand
Markdown parser — recognises <code>###</code> <code><CAT><N>.</code> <code><title></code> — <code>\`</code> headings	PASS	<code>TestRoundTrip_Issues_GoldenCorpus</code>

Item	Status	Evidence
<code>**Status:** / **Type:** /</code> <code>**Severity:** / **TMX-ID:**</code> body-field extraction	PASS	TestRoundTrip_Idempotent (second sync allocates 0 new TMX-NNN)
Generator — re-emits ### <CAT><N>. <title> - `` byte-stable for golden corpus	PASS	TestRoundTrip_Issues_GoldenCorpus, TestRoundTrip_Fixed_GoldenCorpus
Idempotent re-sync (second md-to-db allocates 0 new IDs)	PASS	TestRoundTrip_Idempotent
§11.4.91 description clarity floor enforced	PASS	TestValidate_DetectsShortDescription
§11.4.33 type-aware closure vocabulary enforced	PASS	TestValidate_DetectsTypeAwareClosureMismatch
§11.4.5 + §11.4.69 evidence-required for close	PASS	TestCloseItem_RequiresEvidence
Initial real-corpus population	PASS	docs/workable_items.db (45 items: 1 from Issues.md, 44 from Fixed.md)
-count=3 deterministic re-run	PASS	go test ./cmd/workable-items/... -count=3

Known §11.4.6 honest gaps

- **45 legacy items default to Type=Task** because the tmux corpus predates §11.4.16 — no `**Type:**` lines exist in Issues.md / Fixed.md. Result: workable-items validate reports §11.4.33 violations for every closed item that used the RESOLVED heading hint (mapped to Fixed (→ Fixed.md), the Bug closure word) while the row's type is Task (which would expect Completed (→ Fixed.md)). This is expected initial state, not a bug in the binary. Closure migration per §11.4.33 is a separate one-time data-cleanup PWU.
- **Live corpus round-trip is NOT byte-identical.** The tmux Issues.md / Fixed.md carries free-form bodies (forensic anchors, multi-paragraph "Source-side fix" + "Captured evidence" sections, blockquotes, code fences) that cannot be losslessly reconstructed from the structured items schema's flat description field. Round-trip byte-identical equivalence is met for the GOLDEN TESTDATA corpus only; live-corpus drift is expected and authorised by the §11.4.93 phase-6 migration plan.

- **commit_all.sh / verify.sh / sync_issues_docs.sh integration is deferred** to PWU-E (main context owns scripts/* edits).

Composition

§11.4.93 (SQLite-SSoT mandate) · §11.4.95 (DB tracked in git) ·
§11.4.54 (TMX-NNN identifier) · §11.4.33 (type-aware closure) ·
§11.4.91 (clarity floor) · §11.4.50 (-count=3 deterministic re-run) ·
§11.4.69 (ab_pass_with_evidence semantics applied to close
evidence-path) · §11.4.74 (project-local extension because no-
modify-constitution memory rule blocks upstream PR this cycle).