

Closure evidence — heading-regex widening + corpus repair

Captured: 2026-09-01T18:36:11Z HEAD: ec25327

Identity-audit unlocated count (review MINOR-5)

	count
BEFORE (period-only regex, pre-repair)	55
AFTER (widened+tightened, post-repair)	57

The count ROSE by 2. This is an honest regression in that one number, not a silent one, and it is explained: 14 previously-invisible blocks now parse into the SSoT, and the audit can only LOCATE a block that declares a `**TMX-ID:**` line. Blocks with no such line assert no ownership and are skipped by design (the audit's own false-positive guard) — they are counted, never hidden.

file	blocks with no <code>**TMX-ID:**</code>	total blocks
Issues.md	3	8
Fixed.md	60	85

Sentinel identities (category Z / code_ordinal <= 0 — heading never parsed)

	count
BEFORE	7
AFTER	3 (of 92 rows)

Corpus duplication

Cross-tracker duplicates BEFORE: 5 (G1..G4 in both trackers; A50 claimed by two items). AFTER: 0 — enforced at the sync seam, which now refuses on the union of ****TMX-ID:**** and heading-identity across every parsed block in both files.

Mutation ledger (§1.1) — every guard pinned, each mutation verified to land before running

#	Mutation	Test that FAILs	Author
M-C	revert headingRE to the loose pre-tightening form	TestHeadingRE_AcceptedAndRefused	me
M-D	desync blockCodeRE from headingRE	TestHeadingRE_AndBlockCodeRE_AgreeOnAcceptance	me
M-A	restrict the duplicate guard to same-code pairs	...RefusesSameIDUnderDifferentBlockCodes	review (survived round)
M-B	restrict the duplicate guard to cross-file pairs	...RefusesSameIDTwiceWithinOneFile	me
R1	disable the byHash key	...RefusesIdLessDuplicateAcrossTrackers	review (survived round)
R5	swap identity-resolution precedence	...HeadingHashWinsAndNoSpuriousRebindIsRecorded	review (survived round)
R17	suppress the rebind counter, keep the history row	...IdentityRebindIsRecordedInHistory	review
R23	strip the prior identity from the history Reason	...IdentityRebindIsRecordedInHistory	review
—	persist document_sources before the guard	...RefusalLeavesDocumentSourcesUntouched	me
—		...IdentityRebindIsRecordedInHistory	me

#	Mutation	Test that FAILs	Author
	remove the rebind's history recording		
—	blank RebindDetails	...IdentityRebindIsRecordedInHistory	me
	restore the		
—	lookupByHeadingHash	...ReportsRealErrorsInsteadOfReportingAbsent	me
	error swallow		
	drop CodeOrdinal		
—	from	...DriftedStoredOrdinalSelfHeals	me
	itemContentEqual		
	drop HeadingHash		
—	from	...StaleStoredHashSelfHeals	me
	itemContentEqual		
—	drop BOTH identity fields	...OrdinalOnlyRenumberIsAppliedAndRecorded	me

Two of my own tests were BLIND on first write and were caught by running these mutations rather than trusting the green: the rebind test's assertions sat behind an inverted condition that skipped them every run, and the precedence test asserted a row outcome that is identical under both orderings (UpsertItem re-resolves by heading-hash internally, so the sync-layer order changes only the audit trail). Both were rewritten to assert what the mutation actually changes.

Review trail (§11.4.134 iterate-to-GO)

Round 2 NO-GO — 1 BLOCKING (my corpus-removal loop over-deleted the ## H. header and its §11.4.114 preamble; restored verbatim from `git show HEAD:Issues.md`), 3 IMPORTANT, 3 MINOR. Round 3 NO-GO — 1 IMPORTANT (the `itemContentEqual` identity gap, found in the seam I asked the reviewer to attack). Round 4 GO — zero findings, zero warnings. Delta review of the two filed tracker items GO.