

vasic-digital tmux — v1.0.17 Release Notes

Revision: 1 **Last modified:** 2026-05-29T12:00:00Z **Version:** 1.0.17 / versionCode 18 **Released:** 2026-05-29 **Hosts validated:** Mistborn (Darwin arm64) + nezha (ALT Linux 6.12 x86_64)

Summary

Two operator-reported product defects fixed end-to-end with autonomous physical-proof tests, the stale B3 anti-bluff item closed and migrated, and the build re-deployed + re-validated on both supported hosts. CodeGraph upgraded to 0.9.6→0.9.7 on both hosts (operator-installed) with validation green.

Operator mandates (2026-05-29):

1. *"we cannot still copy from any tmux / tmx window ... especially when in claude code ... nothing can be selected and copied using mouse!"*
 2. *"opening new terminal asks us for session name, if we ... press enter and go with no session, we are asked again — so twice in a row. one enter is enough ..."*
 3. *"every change ... MUST BE covered with validation and verification tests which will fully automatically repeat all issues ... produce real evidence ... run setup on current host and remote nezha host ... release new version using GitHub and GitLab CLIs."*
-

A41 — Double session-name prompt on bash-login terminals (Bug)

Symptom. On a new terminal the operator is asked for a session name; pressing Enter for no session prompts AGAIN — twice in a row.

Root cause (reproduced on the affected host, no guessing per §11.4.6). On Linux/bash a single login-shell PROCESS sources `tmx-shell-init.sh` TWICE: `.bash_profile` carries the source line AND sources `.bashrc`, which also carries it. The blank/default branch RETURNS (it does not exec), so `.bash_profile` then continues, sources `.bashrc`, and the second source re-prompts. The name-entry branch execs and replaces the process before `.bashrc` is reached — which is exactly why the operator only saw it on the press-Enter / no-session path. Measured: `nezha bash -l -i → PROMPT_COUNT=2`; macOS `zsh -l -i → 1` (zsh sources `.zshrc` once per process, so Mistborn never showed it).

Fix (§11.4.1 — at source, not at the rc call sites). A per-process, NON-exported idempotency guard `_TMX_SHELL_INIT_PROMPTED` was added to `scripts/tmx-shell-init.sh.template` immediately before the prompt. It makes the interactive prompt fire at most once per shell process while resetting for each new shell process, so every new terminal still prompts exactly once. The legitimate single-source first prompt is preserved (verified).

Captured evidence (4-layer).

- L1 parseability: `sh -n clean` (§11.4.67).
 - L3 runtime: `scripts/tests/54_double_prompt_idempotent.sh` — PTY harness reproducing the `.bash_profile`→`.bashrc` double-source in one process — RED `prompt_count=2` → GREEN `prompt_count=1`, 3/3 deterministic (§11.4.50).
 - L4 paired mutation: `M-DBLPROMPT` strips the guard and asserts test 54 FAILs — CAUGHT.
 - On-affected-host (§11.4.39): `nezha real-HOME bash -l -i PROMPT_COUNT 2` → 1 after deploy.
-

A42 — Mouse select/copy unusable in tmx panes, especially Claude Code (Bug)

Symptom. Cannot select/copy with the mouse in any tmx/tmux window, especially inside the `claude` TUI.

Root cause (evidence-based). NOT a stale config — the live server already had `mouse on`, the `M-/S-MouseDrag1Pane` → `copy-mode -M` overrides, and a working `@clip`→`pbcopy` pipe (verified via round-trip + in-tmux keyboard copy). The defect was discoverability + a cross-terminal trap: inside a mouse-tracking app (`#{mouse_any_flag}`, e.g. Claude Code) a PLAIN drag is forwarded to the app by design (so the app keeps its own mouse), and on iTerm2 with the default *Option Key Sends = Normal* (confirmed via `defaults read com.googlecode.iterm2 Option/Alt-drag`) is consumed by iTerm2's OWN native-selection bypass and never reaches tmux's `M-MouseDrag1Pane`. That left only Shift-drag reaching tmux — undiscoverable.

Fix. Added a terminal-agnostic mouse-toggle to `scripts/tmux.conf.template`:

```
bind m set -g mouse \; display-message 'mouse #{?mouse,ON ...,OFF
(use native terminal selection: drag + Cmd-C)}'
```

`prefix m` toggles tmux mouse OFF, so the outer terminal's NATIVE selection (drag → `Cmd-C` / right-click → Copy) works EVERYWHERE — including inside Claude Code; `prefix m` again restores tmux scrollbar + `copy-mode`. The reliable gestures (Shift-drag for in-tmux selection; `prefix m` for native selection) are documented in the config and `docs/guides/clipboard.md`.

Captured evidence (4-layer).

- L1 config-load: `scripts/tests/55_mouse_toggle_and_copy.sh` asserts the `prefix m` binding loads.

- L3 runtime: test 55 PASS, 3/3 deterministic — toggle flips mouse on-off, Shift-drag override present, copy-pipe delivers the selection to an external sink.
- L4 paired mutation: M-MOUSETOGGLE strips the binding and asserts test 55 FAILs — CAUGHT.
- Real-mouse layer: scripts/tests/56_real_mouse_drag_copy.sh drives a genuine Shift-drag via cliclick over a real iTerm2 window when available; honest §11.4.3 SKIP where the GUI-automation topology (cliclick / Accessibility) is absent.

B3 — P5-M20 / P5-M21 paired-mutation escapes (closed + migrated)

State-verified with current evidence (§11.4.7): the v1.0.9 layer-4 escapes are CLOSED — tests 49 (49_tmx_shell_init_guard_specific.sh) and 50 (50_cwd_hook_autoinstall.sh), landed in v1.0.16, catch them universally. The stale Issues.md B3 entry is removed and migrated to Fixed.md §B3. M22 (CodeGraph own-org-submodule exclusion) is CAUGHT + FEATURE INTACT on Mistborn; on hosts without an established CodeGraph baseline the meta-test SKIPS M22 with reason (§11.4.3) instead of escaping. nezha's baseline was re-established via codegraph_setup.sh this cycle. Post-fix meta-test: MUTATIONS CAUGHT 47 / ESCAPED 0.

Dual-host validation

Evidence committed under docs/qa/2026-05-29-v1.0.17-mouse-doubleprompt/.

Host	setup.sh	full suite	meta-test	CodeGraph
Mistborn (Darwin arm64)	GREEN	PASS=51 FAIL=0 SKIP=4	47 CAUGHT / 0 ESCAPED	0.9.7 validate PASS=4/0/1
nezha (ALT Linux x86_64)	GREEN PASS=43 FAIL=0 SKIP=12	M22 CAUGHT/ SKIP-reason	(full suite GREEN)	latest baseline re-established

Decisive on-host proof: nezha real-HOME bash -l -i double-prompt 2 → 1.

Tooling / hygiene

- qa-results/ added to .gitignore (§11.4.30 transient test output); curated captured evidence kept under docs/qa/.
- docs/guides/clipboard.md Revision 2; §11.4.99 sources re-verified 2026-05-29 against the upstream tmux man page (mouse toggle, S-/M- modifier prefixes, flag-option toggle-by-omitting-value semantics).

Files changed

- `scripts/tmx-shell-init.sh.template` — A41 per-process prompt guard.
- `scripts/tmux.conf.template` — A42 prefix `m` mouse-toggle + gesture docs.
- `scripts/tests/54_double_prompt_idempotent.sh` (NEW) — A41 regression.
- `scripts/tests/55_mouse_toggle_and_copy.sh` (NEW) — A42 regression.
- `scripts/tests/56_real_mouse_drag_copy.sh` (NEW) — A42 real-mouse proof.
- `scripts/tests/meta_test_false_positive_proof.sh` — M-DBLPROMPT + M-MOUSETOGGLE.
- `Issues.md` / `Fixed.md` — B3 migration + A41 / A42 closure records.
- `docs/guides/clipboard.md` — gesture docs + §11.4.99 re-verification.
- `CONTINUATION.md` §3.17, `VERSION`, `CHANGELOG.md`, `.gitignore`.

Sources verified 2026-05-29

- tmux upstream man page — <https://man.openbsd.org/tmux.1> (WebFetch, 2026-05-29): S-/M-/C- key-modifier prefixes incl. mouse events; -M mouse passthrough ("only valid if bound to a mouse key binding"); flag/choice options "can be omitted ... to toggle its value" (validates `set -g mouse toggle`); `{? condition,true,false}` FORMATS conditional for the `display-message` hint.