Project Development Phase

Functional and Performance Testing

Date	02 October 2026
Team ID	SWTID-2026-5170
Project Name	Script-Controlled ACL – Restrict Record Access Based on Custom Script
Maximum Marks	10 Marks

Test scenarios and results

Test ID	Scenario	Test steps	Expected result	Actual result	Pass / Fail
FT-01	Admin reads records	Impersonate the admin user; open the Confidential Record list.	All records, confidential and non-confidential, are visible.	*Update after testing*	[PASS / FAIL]
FT-02	Owner reads own confidential record	Impersonate the owner; open the list and a confidential record they own.	The owner's confidential record is visible and opens.	*Update after testing*	[PASS / FAIL]
FT-03	Other user reads confidential record	Impersonate a standard user who is not the owner; open the list.	Confidential records owned by others are hidden; non-confidential ones are visible.	*Update after testing*	[PASS / FAIL]
FT-04	No-role user access	Impersonate a user without project roles; open the list.	No records are visible and the New button is not available.	*Update after testing*	[PASS / FAIL]
FT-05	Create record	Impersonate a standard user; click New and save a record.	Record is created. A no-role user cannot create records.	*Update after testing*	[PASS / FAIL]
FT-06	Owner edits open record	Impersonate the owner; edit a record whose status is Draft/Active.	Changes are saved.	*Update after testing*	[PASS / FAIL]
FT-07	Owner edits closed record	Impersonate the owner; edit a record whose status is Closed.	Fields are read-only; save is blocked.	*Update after testing*	[PASS / FAIL]
FT-08	Non-owner edits record	Impersonate a non-owner standard user; try to edit a visible record.	Fields are read-only; save is blocked.	*Update after testing*	[PASS / FAIL]
FT-09	Delete as admin	Impersonate the admin; delete a test record.	Record is deleted.	*Update after testing*	[PASS / FAIL]
FT-10	Delete as owner / user	Impersonate the owner and then a standard user; try to delete.	Delete option is not available / action is denied.	*Update after testing*	[PASS / FAIL]
PT-01	ACL evaluation time	Open a list of 50+ records as a standard user and note the load time.	List loads without noticeable delay; ACL scripts add no visible latency.	*Update after testing*	[PASS / FAIL]
PT-02	Large record set	Load a list with 500+ test records as each role.	Correct filtering is applied; no timeouts or errors.	*Update after testing*	[PASS / FAIL]
PT-03	Repeated access	Repeatedly open, edit and refresh records as different users.	Decisions stay consistent for every attempt.	*Update after testing*	[PASS / FAIL]

Testing summary

Testing type	Test cases	Passed	Failed
Functional testing	10	[ ]	[ ]
Performance testing	3	[ ]	[ ]
Total	**13**	**[ ]**	**[ ]**