## Page text

Checking how page the text is arranged

Severity Priority Behavior Type

• Normal ↑ High Positive Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Page text should be in the middle-justified.

Step	Action	Input data	Expected result
1	Overview of the home page		

Normal

## Headline

Font size, style, and color for headline.

Severity **Priority Behavior** Type Usability

↑ High

**Automation Status** Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Headline should be the Label of Teodor fashion

## **Steps to reproduce**

Step	Action	Input data	Expected result
1	Overview of the headline		

Positive

# All pages should have a title.

Severity	Priority	Behavior	Type
→ Minor	• Medium	Positive	Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

At the redirected page is supposed to see a title "официални обувки"

Step	Action	Input data	Expected result
1	Choose a section from the header "Обувки"		
2	Choose from the drop down menu "Официални обувки"		

## **Numeric values**

All numeric values should be formatted properly.

Severity	Priority	Behavior	Туре
• Normal	<b>↑</b> High	Positive	Usability

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All numeric values should be formatted properly.

Step	Action	Input data	Expected result
1	View all prices and all things that include numbers		

## **Drop- Down list**

Drop-down list options are readable

Severity	Priority	Behavior	Туре
^ Major	<b>↑</b> High	Positive	Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All texts should be easy to read, one size and no abbreviations.

Step	Action	Input data	Expected result
1	Stop the cursor of the mouse on some of the drop lists		
2	Overview the text		

## **Drop- Down list**

Drop-down list options are readable

SeverityPriorityBehaviorType↑ Major↑ HighPositiveUsability

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All texts should be easy to read and one size

Step	Action	Input data	Expected result
1	Stop the cursor of the mouse on some of the drop lists		
2	Overview the text		

## **Drop- Down list**

User should not be able to type in Drop-down lists

Severity	Priority	Behavior	Type
^ Major	<b>↑</b> High	Negative	Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

In drop down lists should missing empty fields for typing.

Step	Action	Input data	Expected result
1	Stop the cursor of the mouse on some of the drop lists		
2	Overview the text		

## **Spell check**

Checking for spelling and grammatical errors

Severity	Priority	Behavior	Туре
• Normal	<b>↑</b> High	Positive	Usability

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The text of all pages must be clear without spelling and grammatical errors

Step	Action	Input data	Expected result
1	Overview all pages and check for mistakes		

### **Tab button**

Checking if the the tab button works properly

Severity Priority Behavior Type

• Normal • Medium Positive Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Cursor must be moved to the next bottom row

Step	Action	Input data	Expected result
1	Click Tab button		

## Tab+Shift button

Checking if the the tab+Shift button works properly

Severity Priority Behavior Type

• Normal • Medium Positive Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Cursor must be moved to the next top row

Step	Action	Input data	Expected result
1	Click Tab+Shift button		

## **Broken images**

Checking all pages for broken images

SeverityPriorityBehaviorType↑ Major↑ HighPositiveUsability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All images must be in a good quality.

Step	Action	Input data	Expected result
1	Click random pages and overview the image inside		

## **Broken Links**

Checking if the link work properly

SeverityPriorityBehaviorType• Normal↓ LowPositiveUsability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All links should work and redirect you to the appropriate page.

Step	Action	Input data	Expected result
1	Click on several random links		

## **Navigation bar**

Checking the available buttons / options

SeverityPriorityBehaviorType★ Critical↑ HighPositiveUsability

AutomationStatusNot automatedActual

#### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The navigation bar must be exactly as described in the  $\ensuremath{\mathsf{SRS}}$ 

Step	Action	Input data	Expected result
1	Sign In		
2	Go to the navigation Bar		

## Navigation bar search field

Checking the available buttons / options

SeverityPriorityBehaviorType☆ Critical↑ HighPositiveUsability

AutomationStatusNot automatedActual

#### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The navigation bar must contain a search field.

Step	Action	Input data	Expected result
1	Sign In		
2	Go to the navigation Bar		

# Navigation bar hipper link to the Home page

Checking the available buttons / options

SeverityPriorityBehaviorType◦ Normal↑ HighPositiveUsability

Automation Status

Not automated Actual

#### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The navigation bar must be exactly as described in the SRS

Step	Action	Input data	Expected result
1	Sign In		
2	Go to the navigation Bar		
3	Click on the Label TEODOR		

## **Navigation bar Products categories**

Checking the available buttons / options

Severity Priority Behavior Type

↑ High Positive Usability

Automation Status

Not automated Actual

#### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The navigation bar must be exactly as described in the SRS

Step	Action	Input data	Expected result
1	Sign In		
2	Go to the navigation Bar		
3	Overview the navigation Bar		

## **Navigation bar Store finder**

Checking the available buttons / options

Severity Priority Behavior Type

↑ High Negative Usability

AutomationStatusNot automatedActual

#### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The navigation bar must contain store finder.

Step	Action	Input data	Expected result
1	Sign In		
2	Go to the navigation Bar		

# **Navigation bar Login and Registration options**

Checking the available buttons / options

Severity Priority Behavior Type

↑ High Negative Usability

Automation Status

Not automated Actual

#### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

The navigation bar must contain fields for Sign up and Sing in

Step	Action	Input data	Expected result
1	Sign In		
2	Go to the navigation Bar		

# **Navigation Bar Languages**

Switch from BG to RO

SeverityPriorityBehaviorType↑ Major↑ HighPositiveUsability

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All text in the website must be switch on Romanian language and opposite.

Step	Action	Input data	Expected result
1	Go to the navigation bar		
2	Click on the option for changing the language		

# **Navigation Bar Currency**

Switch from BG to RO

Severity Priority Behavior Type

^ Major ↑ High Positive Usability

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All prices must be displayed In Euro

Step	Action	Input data	Expected result
1	Go to the navigation bar		
2	Click on the option for changing the currency from BGN to EUR		

## **Error messages**

Severity **Priority Behavior** Type o Normal o Medium

**Automation Status** Not automated Actual

Positive Usability

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

All Validation error messages should be displayed properly in the correct position.

Step	Action	Input data	Expected result
1	Sing in		
2	Enter a non-existent item in the search field		

# Footer Поръчка по телефон

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

tel Number <u>0700 69 001</u> ++ [0878 266 226++](tel:+359878266226)

Step	Action	Input data	Expected result
1	Go to the Footer		
2	Check the Phone Numbers		

# Footer Работно Време

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Info about the working hours :Понеделник - Петък: 08:00 - 17:00 часа

Step	Action	Input data	Expected result
1	Go to the Footer		
2	Check the working hours		

# Footer Email подръжка

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Hyper link to <a href="mailto:sales@teodor.bg">sales@teodor.bg</a> must be active

Step	Action	Input data	Expected result
1	Go to the Footer		
2	Click on sales@teodor.bg		

## Footer Нашият адрес

Severity Priority Behavior Type

 ✔ Minor
 ✔ Medium
 Positive
 Usability

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

address must be гр.Плевен ж.к Сторгозия, срещу бл. 15, Бизнес сграда TEODOR

Step	Action	Input data	Expected result
1	Go to the Footer		
2	Check the Address		

## **Footer Label**

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

### **Post-conditions**

Must be redirected to the home Page

Step	Action	Input data	Expected result
1	Go to the footer		
2	Click on the Label TEODOR		

## **Footer Facebook button**

Severity Priority Behavior Type

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

#### **Post-conditions**

Must be redirected to the Facebook home page

Step	Action	Input data	Expected result
1	Go to the footer		
2	Click on the Facebook button		

Major

# Footer Instagram button

↑ High

Severity Priority Behavior Type

Automation Status

Not automated Actual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

#### **Post-conditions**

Must be redirected to the Instagram home page

## Steps to reproduce

Step	Action	Input data	Expected result
1	Go to the footer		
2	Click on the Instagram button		

Not set

Usability

# Footer За Теодор

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

#### **Post-conditions**

User must be redirected to the relevant page

Step	Action	Input data	Expected result
1	Go to the footer		
2	Click on random link		

## Footer Последно

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

#### **Post-conditions**

User must be redirected to the relevant page

Step	Action	Input data	Expected result
1	Go to the footer		
2	Click on random Category		

## Footer Продукти

Severity Priority Behavior Type

AutomationStatusNot automatedActual

### **Pre-conditions**

1. Navigate to <a href="https://teodor.bg">https://teodor.bg</a>

#### **Post-conditions**

User must be redirected to the relevant page

Step	Action	Input data	Expected result
1	Go to the footer		
2	Click on random link		