



METAL

HELLSINGER[®]

MODDING GUIDE

METAL: HELLSINGER – MODDING GUIDE

Welcome to the **Metal: Hellsinger** modding guide! This guide will cover everything you need to know about getting started with creating custom music for **Metal: Hellsinger**.

CONTENTS

<u>Intro</u>	2
<u>About FMOD</u>	3
<u>Metal: Hellsinger – Modding Caveats</u>	4
<u>Template Walkthrough</u>	5
• <u>Markers and Loops</u>	6
• <u>Exporting the Sound Bank</u>	9
<u>Importing your track into Metal: Hellsinger</u>	11
<u>Metal: Hellsinger – Music Terminology</u>	13
• <u>Tiers</u>	13
• <u>Acts</u>	14
• <u>FMOD Variables</u>	15
<u>Template examples OVERVIEW</u>	18
<u>SFX Template walkthrough</u>	19
• <u>Event Structure</u>	19
• <u>Exporting</u>	19
<u>Importing your SFX into Metal: Hellsinger</u>	20
<u>Available SFX events</u>	22

INTRO

MODDING PREREQUISITES

Let's make some music mods! Here is what you need:

- A copy of **Metal: Hellsinger** on PC
- FMOD Studio **2.00.08** (available by creating an account at FMOD.com)
- The modding package
- Some music

MODDING PACKAGE CONTENTS

MetalFmodProject

- The FMOD Studio Project files for editing and exporting modded music.

MetalFmodProject_SFX

- The FMOD Studio Project files for editing and exporting modded SFX.

ExportedBanks

- A folder with pre-exported sound banks for the example files along with the **.json** file that needs to be copied into the **StreamingAssets** directory in the game folder.

INSTALLING FMOD STUDIO

- Go to FMOD.com
- Click "Sign in" then "Register" and follow the registration flow
- Log in to FMOD.com
- Press Download
- Choose "FMOD Studio"
- Choose "Older" and Select **2.00.08**.
- Download and install

Note that later versions of FMOD Studio may be compatible with **Metal: Hellsinger** as long as they include studio bugfixes and not new features not supported by the runtime.

FMOD STUDIO TEMPLATE

The template, provided by The Outsiders, is the basis for all music modifications. Any exported music needs to use the provided template in order to work. Starting from a clean FMOD Studio project will not be compatible with **Metal: Hellsinger**.

ABOUT FMOD

FMOD is a complex tool for audio production and sound design. This tutorial will not cover the basics of how FMOD works – for this we refer to the FMOD Documentation. **Metal: Hellsinger** runs on FMOD version **2.00.08** but uses only a subset of the features that FMOD provides. It may be possible to use complex effects and features to achieve new and unexpected results in **Metal: Hellsinger** – feel free to experiment!

FMOD EVENTS

Each event in the provided template under the “Music” folder corresponds to one song. Each song is associated with a single sound bank (see below) in the shipped game for memory reasons.

It may be possible to assign several music events (songs) to a single bank when modding (i.e., each bank containing several songs) but for this guide we will assume that music events and sound banks map 1 to 1.

In the SFX bank each event corresponds to a sound effect. All moddable sound effects are set up with an event in the Fmod Project.

FMOD SOUND BANKS

The output of a FMOD Studio export is a set of one or more sound banks. These banks, containing music, is what we need to copy to the **Metal: Hellsinger** game folder.

METAL: HELLSINGER – MODDING CAVEATS

#1 You need to use the FMOD Studio Template provided by The Outsiders.

Using a blank FMOD studio project won't work. Sorry!

#2 FMOD Features are yours to explore but may have side effects.

Metal: Hellsinger uses effects and advanced FMOD features sparingly for performance reasons. Any FMOD features should theoretically work in Metal: Hellsinger, but there are no guarantees.

#3 Songs need to be a fixed BPM.

There is currently no runtime beat detection in Metal: Hellsinger. This means that the tempo of the song needs to be constant throughout and cannot change. Music with tempo shifts or variable BPM (such as live recordings) may not work properly.

#4 Not all sound effects can be modded

SFX sounds that can be modded are defined in the list found further down in this document.

#5 Error Handling

Sometimes the modding setup doesn't work on your first attempt. When there's a problem with your setup, you will get a generated text file on your desktop called **metal_hellsinger_modding_errors.txt** with a description of what went wrong.

MUSIC TEMPLATE WALKTHROUGH

NoTiersSimpleSong / NoTiersExampleSong

This template illustrates the simplest setup for adding a custom song to **Metal: Hellsinger**. The template NoTiersSimpleSong contains an example song which you can replace with your own. Or mash up, whichever you like.

What you will need:

- FMOD Studio **2.00.08** (available at [FMOD.com](https://www.fmod.com))
- A copy of **Metal: Hellsinger** or the **Metal: Hellsinger Demo** available on Steam.
- A song that you want to add, preferably in **.wav** format. If you have a song in mp3 or similar format, you can use VLC ([vldeolan.org](https://www.videolan.org)) to convert it.
 - Needs to be a fixed BPM, no tempo changes supported.

EVENT STRUCTURE

The event **NoTiersSimpleSong** contains two tracks:

- The music track
- The beat track

The music track is where the music happens. **The beat track** is a separate track which only contains kick drumbeats in the same tempo as the song. This is what the player will hear when they perform actions on beat.

Note that you don't have to use kick drum sounds in your beat tracks – you can do whatever you want! Hi hats, oohs, claps. You can also mix different sounds, it's up to you.


MUSIC TEMPLATE WALKTHROUGH

MARKERS & LOOPS

THE TEMPO MARKER

Every music event MUST contain a **tempo marker** at the very beginning. Without this tempo marker, things will not line up properly in the editor. In this example, the song is 130 BPM and hence we placed a 130BPM tempo marker on the far left. You should not need to add more tempo markers.

Please note that different BPM in the same song, or any tempo changes, is currently not supported and will cause erratic behavior.



MUSIC TEMPLATE WALKTHROUGH

LOOP MARKERS & ACT TRANSITIONS

In a bare bones setup, you don't really need to add loops for acts. You could have the song you add play from start to finish (and then loop) – this is completely up to you.

In this example however, we have added four loop markers which are spread out across the song. This means that sections of the song will loop until the player progresses until a certain point in the game, the music will then jump to the next loop region (act).


You can try this out for yourself by playing the song in FMOD Studio and changing the **[ActiveSongSegment]**. Note that it is only possible to progress between acts in a linear fashion.

Intro ⇒ Act1 ⇒ Act2 ⇒ Act3 ⇒ End

The only possible transitions are illustrated above. This means that it is not possible to jump from Intro directly to Act2, or to go backwards from e.g., Act3 to Act2.


MUSIC TEMPLATE WALKTHROUGH

LOOP MARKERS & ACT TRANSITIONS



In the image above, Intro, Act1 and Act2 are placed in **blue** (as loops). Act1Marker and Act2Marker define where in the timeline to jump when we go to Act1 or Act2.

In the image, these markers are placed right at the beginning of each act – note that they don't have to. Yours could have Act1 jump into the middle of Act2 then loop around as below. It all depends on what you are trying to achieve.




MUSIC TEMPLATE WALKTHROUGH


EXPORTING THE SOUNDBANK

Once you are happy with the music setup, it's time to export the sound bank – which becomes the file that **Metal: Hellsinger** will read.

CREATING A SOUNDBANK



Go to the **Banks** tab.




Select "**New Bank**" at the bottom. Enter a cool name for your sound bank.

MUSIC TEMPLATE WALKTHROUGH


ASSIGNING A SONG EVENT TO A SOUND BANK

Right click your song event and select “**Assign to bank**” and select the bank you created.



EXPORTING

Go back to the Banks tab, right click on your bank and select “Build”. A file called **Yourbank.bank** will now be created in the output folder (which can be defined in FMod Studio settings) .



IMPORTING YOUR TRACK INTO METAL: HELLSINGER

Once you have a song exported from FMOD Studio you should have a **.bank** file in your **FMod Studio output folder**.

Step1

Copy your **.bank** file into the **[Metal Hellsinger Install folder] /Metal_Data/StreamingAssets** folder.

Step2

Copy the **customsongs.json** file from the template package into the same folder.

Step3

Open the **customsongs.json** file in a text editor. This is where we tell the game which level to replace the music in.

```
1  {
2      "customLevelMusic" : [
3          [
4              "LevelName" : "Voke",
5              "MainMusic" : {
6                  "Bank" : "NoTiersSimpleSongBank",
7                  "Event" : "{29a23a22-99dd-4cdd-9a3b-3021709e585a}",
8                  "LowHealthBeatEvent": "{be47ce9a-fb74-4309-8001-93bf1d590572}",
9                  "BeatInputOffset": 0.06,
10                 "BPM": 120
11             },
12             "BossMusic" : {
13                 "Bank" : "NoTiersSimpleSongBank",
14                 "Event" : "{29a23a22-99dd-4cdd-9a3b-3021709e585a}",
15                 "LowHealthBeatEvent": "{be47ce9a-fb74-4309-8001-93bf1d590572}",
16                 "BeatInputOffset": 0.06,
17                 "BPM": 120
18             }
19         ]
20     ]
21 }
22
```


Each level contains two possible overridable songs, the **Main music** and the **Boss music** (end of every level).

JSON PARAMETERS DESCRIPTIONS

Variable	Description
LevelName	Name of the level to override music for. Options are Voke , Stygia , Incaustis , Yhelm , Gehenna , Nihil , Acheron , Sheol .
Bank	The name of the -bank file (exclude the .bank file extension, e.g., if the file is called MyBank.bank , just enter MyBank).
Event	GUID of the Song event (see below how to obtain).
LowHealthBeatEvent	GUID of the event when player has low health (see below how to obtain).
BeatInputOffset	Offset in MS (advanced topic).
BPM	Tempo of the song .

OBTAINING GUIDs

There are a few non-obvious things we need to provide in order for custom content to work properly. One of them is **GUIDs** which the FMod runtime uses to find the music events located in our sound banks. To obtain the GUID of a certain event, simply right click the event in FMOD and select “**copy GUID**”. You can then CTRL + paste the GUID into the **.json** file using the text editor of choice.



METAL: HELLSINGER – MUSIC TERMINOLOGY

TIERS

Tiers in **Metal: Hellsinger** can be thought of as increasing music intensity where Tier 1 is low intensity and Tier 5 is high intensity. In FMOD Studio, each Tier corresponds to a [FMOD track](#). In the game, a tier maps to the multiplier – when the Fury multiplier increases from e.g., 4x to 8x, this also means that the game will blend from one tier (track), to another.

The base game mostly uses 4 or 5 tiers, but it is up to you how many tiers, if any, you want. In FMOD, the player variable **PlayerTier** is used to blend between Tiers. PlayerTier spans from 0 to 100.



The Fury multiplier travels through five tiers: 1x - 2x - 4x - 8x - 16x

METAL: HELLSINGER – MUSIC TERMINOLOGY

ACTS

In **Metal: Hellsinger**, we want the player to experience a song from start to finish when playing through a level. The issue however is that we as developers have no control over how much time a playthrough of a level will take – hence, we cannot write a song of perfect length. **Acts** solve this problem by splitting up songs into segments, for example:



By splitting a song into acts, we can loop the same act until the player has progressed to a certain point in a level. An act is usually long, sometimes over a minute, so looping an act will not feel repetitive.

Once the player progresses to a certain point in a level, the game will tell FMOD to transition to the next act. **The following flow occurs:**


1. Game tells FMOD to transition/jump to the next act.
2. We wait until the next even bar of music is played.
3. We play a short transition piece.
4. We begin laying the next act.

Transition pieces are optional – their purpose is to, wait for it, create a transition between two acts to make the music sound more seamless. It's up to you how/if you use transitions – get creative! The **TiersExampleSong** example does not use transitions while the **FullExampleSong** does.

METAL: HELLSINGER – MUSIC TERMINOLOGY

FMOD VARIABLES

There are a few values exposed in FMod Studio which the game changes when you play. These values, or variables, are visible in each FMOD Event and can be changed when playing your music in FMod Studio to simulate changes that can occur in game.



ActiveSongSegment

This variable controls when the song should move on from one Act to another. Why is the variable not called ActiveAct or ActiveActSegment? Don't ask - this is gamedev.

Note that changing this variable will only have an effect when you are transferring from one earlier act to another in a linear fashion, e.g. Act2 to Act3, Act3 to Act4. In the default setup it is not possible to jump from Act1 to e.g. Act3 (however you are free to experiment with the Act setup as you become more familiar with modding).

METAL: HELLSINGER – MUSIC TERMINOLOGY


PlayerTier

PlayerTier is a number between **0** and **100**. The game will increase this number when the player increases their multiplier. Conversely when the player multiplier drops, the number decreases.

The variable is used to control the **blending between tiers**. Clicking the PlayerTier tab when you have a music event (e.g. TiersExampleSong) open will reveal the volume settings controller by PlayerTier.

In the screenshot below we can (hopefully) see that when the PlayerTier variable is between 0 and 14, **Tier 1** is at maximum volume. As the value increases to 20, the volume follows a curve to decrease to minus infinity.

At the same time, we can see that **Tier 2** will increase in volume from roughly 14 to 20. Through this mechanic you are able to control the transition between tiers as you wish. You can omit curves completely and do hard transitions or map the variable to other things such as reverb effects. Go crazy!



METAL: HELLSINGER – MUSIC TERMINOLOGY

BeatMatchSuccess

BeatMatchSuccess is a **Boolean** variable that is either **0** or **1**. It controls whether the beat track (traditionally the kick drum) should play or not. This variable is connected directly to the volume of the track called **Audio 1** in **TiersExampleSong**.

When the player fails to perform an action on beat, this variable will be set to 0. If the player performs successful consecutive actions on beat, this variable will stay set to 1.

FireRate

FireRate decides the kick drum should play every beat or every other beat. Some weapons can't fire on every beat.

EveryOtherBeat


Ok this one is tricky to explain. **EveryOtherBeat** is used in conjunction with **FireRate**. If the **FireRate** is **EveryOtherBeat**, we want to play 2 kicks per bar. A regular bar of music would play 4 kicks in one bar... 1, 2, 3, 4 – repeat.

With some weapons we only want to play a kick drum on 1 and 3 or 2 and 4. Depending on when the weapon is fired, the game will tell FMod to start playing kicks on even or odd beats. Confused? This is the best I can do.

TEMPLATE EXAMPLES – OVERVIEW

NoTiersSimpleSong / NoTiersExampleSong

The simplest example. Here we are essentially not using tiers, this is perfect if you want to try how the game feels with a new song. The song in this example is set to loop at certain points for each act (into, chorus, verse etc.).




TiersExampleSong

This example is set up in the same way as all songs shipped with **Metal: Hellsinger** including tiers, acts and transitions.

Beat Tracks


Each music event in **Metal: Hellsinger** has an associated beat event or “**beat track**”. This is essentially a small 1-bar loop containing a kick drum playing at different speeds. If your music does not match any of the BPMs provided you will have to make your own beat track with an equivalent tempo marker.

The reason these events are created separately is for reuse purposes – no need to create a new beat track for every song with the same BPM.



Low Health Beat Events

Similar to the beat events, the **LowHealth** events are located in the root of the Fmod Studio structure. The LowHealth events replace the beat track events when the game is playing when the player, wait for it, reaches low health. You could have completely different sounds playing when the player has low health, it’s completely up to you.



SFX TEMPLATE WALKTHROUGH

EVENT STRUCTURE


All moddable events are set up in the separate FMOD SFX modding project called **MetalFMODProject_SFX**, located in the root folder of the modding package. After adding your preferred SFX sound to the empty event, you can right click the event and add it to the **IngameSFX_modded**-bank. You only need to add the events you actually want to override. Events not added to the bank will simply use the original sounds.

We recommend you avoid changing the name of the SFX event as this may result in the modding of the event not working as expected.

EXPORTING

For SFX modding, use the provided bank called **IngameSFX_modded**.

Add the events you want to override to the bank by right clicking each event, "**Assign to Bank**" and choose "**IngameSFX_modded**".



When all events you would like to override are added, go back to the banks tab and right click **InGameSFX_modded** and select "**Build**". A file called "**IngameSFX_modded.bank**" will now be created in the output folder (which can be defined in Fmod studio settings).

IMPORTING YOUR SFX INTO METAL: HELLSINGER

Once you have the exported **IngameSFX_modded** bank from you can start the process of importing it into the game.

Step1

Copy your **IngameSFX_modded.bank** file into the **[Metal Hellsinger Install folder]** /**Metal_Data/StreamingAssets** folder.

Step2

Copy the **customsfx.json** file from the template package into the same folder.

Step3

Open the **customsfx.json** file in a text editor. This is where we tell the game what SFX sounds to replace with what event.


```
{
  "SFXInfo": [
    {
      "EventIdentifier": "PlayerSoundSystem+PlayerAudio.DodgeMovement",
      "ModdedEventGuid": "{c7e085a6-f8d5-4704-9782-f154158cd4f7}"
    },
    {
      "EventIdentifier": "PlayerSoundSystem+WeaponAudio.BoomerangFire",
      "ModdedEventGuid": "{a426ab17-ac54-4651-a120-180dc09225f0}"
    },
    {
      "EventIdentifier": "EnemySoundSystem+EnemyAudio.EnemySpawned",
      "ModdedEventGuid": "{c0da7d24-cb12-461a-ac2f-9eb74cd09028}"
    },
    {
      "EventIdentifier": "WorldSound.LavaPlatformSubmerge",
      "ModdedEventGuid": "{6c814e9b-0820-4e9f-8883-1cef6bdfa2e2}"
    }
  ]
}
```

JSON PARAMETERS DESCRIPTIONS

Variable	Description
EventIdentifier	Name of the SFX you want to override. These cannot be renamed as they map to the events in game. You can find a list of all of these below.
ModdedEventGuid	GUID of the Fmod SFX event (see below how to obtain, or use the provided ones from the list below).

OBTAINING GUIDs

There are a few non-obvious things we need to provide in order for custom content to work properly. One of them is **GUIDs** which the FMod runtime uses to find the music events located in our sound banks. To obtain the GUID of a certain event, simply right click the event in FMOD and select “**copy GUID**”. You can then CTRL + paste the GUID into the **.json** file using the text editor of choice.



IMPORTING YOUR SFX INTO METAL: HELLSINGER

AVAILABLE SFX EVENTS

EventIdentifier	Fmod Event Name	GUID
PlayerSoundSystem+PlayerAudio.ActiveBeatReloadSuccess	PlayerWeapons/ActiveBeatReloadSuccess	{c1e75232-e3c1-43df-a0c4-2800a8c8c8fa}
PlayerSoundSystem+PlayerAudio.AmmoPickup	Objects/AmmoPickedUp	{569f0643-188a-4e41-8b18-0e446f9b516f}
PlayerSoundSystem+WeaponAudio.AssaultRifleDeploy	PlayerWeapons/AssaultRifle/Deploy	{43fe9f98-1965-4939-8945-7400d9a65eec}
PlayerSoundSystem+WeaponAudio.AssaultRifleFire	PlayerWeapons/AssaultRifle/Fire	{bef75d7f-ce73-46e0-be6e-a118845b0471}
PlayerSoundSystem+WeaponAudio.BoomerangDeploy	PlayerWeapons/Boomerang/Deploy	{b0f53234-e332-4c61-82d0-902e52223f85}
PlayerSoundSystem+WeaponAudio.BoomerangFire	PlayerWeapons/Boomerang/Fire	{fe3a6548-7558-4435-b7c3-b3faa8a506ed}
PlayerSoundSystem+WeaponAudio.BoomerangHitOffBeat	PlayerWeapons/Boomerang/HitOffBeat	{b04610bc-e009-48f9-b875-0489ceb155f5}
PlayerSoundSystem+WeaponAudio.BoomerangHitOnBeat	PlayerWeapons/Boomerang/HitOnBeat	{2b134286-00fa-407f-9dd7-96c42efd2a7b}
EnemySoundSystem+EnemyAudio.BossInvincibleStart	Enemy/Global/BossInvincibleStarted	{86d55578-52e8-4930-8398-660a58a0c85c}
EnemySoundSystem+EnemyAudio.BossInvincibleStop	Enemy/Global/BossInvincibleStopped	{479d1ec2-1d4f-4172-a5aa-e839b312c748}
EnemySoundSystem+EnemyAudio.BossTeleportStart	Enemy/Global/BossTeleportStarted	{eb8546e1-5506-4e8a-a912-acd77c76b1c0}
EnemySoundSystem+EnemyAudio.BossTeleportStop	Enemy/Global/BossTeleportStopped	{7d213744-b576-4af5-931f-29a440b02d8c}
PlayerSoundSystem+PlayerAudio.CoatOfArmsPickup	Objects/CoatOfArmsPickedUp	{5d17a770-a660-4054-9916-87daa4b4c29e}
PlayerSoundSystem+PlayerAudio.CrossbowDeploy	PlayerWeapons/Crossbow/Deploy	{ca98a274-e9bf-4d3b-98bc-30c95f775917}
PlayerSoundSystem+PlayerAudio.CrossbowFire	PlayerWeapons/Crossbow/Fire	{55f76781-6312-46e1-a3b7-8a9246ca99df}
EnemySoundSystem+EnemyAudio.EyelessDeath	Enemy/VO/Eyeless/EyelessDeath	{78c266b5-334d-4615-8ee9-68259f80eba6}
EnemySoundSystem+EnemyAudio.StalkerDeath	Enemy/VO/Stalker/StalkerDeath	{78c266b5-334d-4615-8ee9-68259f80eba6}
PlayerSoundSystem+PlayerAudio.JumpLandMovement	PlayerMovement/JumpLandMovement	{f57af30f-fbe8-453a-9662-d6d29dc0cd39}
PlayerSoundSystem+PlayerAudio.BeatShieldBlock	PlayerActions/Damaged/BeatShieldBlock	{a96aa138-3f31-47fd-bf3c-c634f9ffe3c2}

IMPORTING YOUR SFX INTO METAL: HELLSINGER

AVAILABLE SFX EVENTS

EventIdentifier	Fmod Event Name	GUID
EnemySoundSystem+EnemyAudio.EnemyDamageOnBeat	Enemy/EnemyHits/OnBeat/OnBeatEnemyDamaged	{12f6f837-ef0c-413a-9175-27e7a0a0f67c}
EnemySoundSystem+EnemyAudio.EnemyHitPlayerWithProjectile	Enemy/EnemyHits/Projectile/HitPlayerWithProjectile	{39df6df1-6727-4558-a594-499e949b9cab}
EnemySoundSystem+EnemyAudio.EnemySkeletonHurt	Enemy/EnemyHits/MeleeHits/EnemySkeletonHurt	{b42be8ca-3b94-4983-9509-cf8117cb4f96}
EnemySoundSystem+EnemyAudio.EnemySpawned	Enemy/Global/EnemySpawned	{c0da7d24-cb12-461a-ac2f-9eb74cd09028}
PlayerSoundSystem+PlayerAudio.PlayerRespawnAbbyss	PlayerActions/Respawn/RespawnAbbyss	{17be5d44-0b1b-43ea-a3a8-a15344f2d6e9}
PlayerSoundSystem+WeaponAudio.FalxDeploy	PlayerWeapons/Falx/Deploy	{b00779bb-e573-4d8b-bd7e-580429a208ed}
PlayerSoundSystem+PlayerAudio.MeleeWeaponAttack	PlayerWeapons/Falx/Fire	{a426ab17-ac54-4651-a120-180dc09225f0}
PlayerSoundSystem+PlayerAudio.WeaponHitSomething	PlayerWeapons/WeaponHitSomething	{acf36dc8-93fc-4ca4-b160-2b4bdf18cac0}
EnemySoundSystem+EnemyAudio.SoulBoltFired	Enemy/Attacks/Boss/SoulBoltFired	{e7440f82-633d-44b7-b146-125627a86c85}
EnemySoundSystem+EnemyAudio.GunnerDeath	Enemy/VO/Gunner/Death	{c70d54a9-9b55-4dde-8432-10a2eb8af71d}
PlayerSoundSystem+PlayerAudio.HealthGained	Objects/HealthGained	{7c5c29fe-a985-477e-a00e-bc919f7c09a2}
PlayerSoundSystem+PlayerAudio.ChallengePickup	Objects/ChallengePickup	{d388dd40-927d-457c-80eb-5a69eac506fc}
EnemySoundSystem+EnemyAudio.HierophantDeath	Enemy/VO/Hierophant/Death	{8a721aa8-8931-46a5-8b75-c7ca92510c1f}
EnemySoundSystem+EnemyAudio.KickHitFlesh	Enemy/EnemyHits/MeleeHits/KickHit	{c2b08f0f-ff9f-4f4d-ad10-4b28a14a6d4e}
EnemySoundSystem+EnemyAudio.ReaverFootstep	Enemy/Movement/Footsteps/ReaverFootstep	{3d474aa2-f563-40c1-b09f-744623747de1}
PlayerSoundSystem+PlayerAudio.LowHealthStart	UI/LowHealthStarted	{3d474aa2-f563-40c1-b09f-744623747de1}
PlayerSoundSystem+PlayerAudio.LowHealthStop	UI/LowHealthStopped	{3cddac19-cb04-4738-955c-79b3f4c7ee22}
PlayerSoundSystem+PlayerAudio.SoulBoltImpact	Enemy/Attacks/Boss/SoulBoltImpact	{92f6ae17-7563-4326-a70a-e6b86947936b}
EnemySoundSystem+EnemyAudio.ReaverDeath	Enemy/VO/Reaver/Death	{11d56b56-7904-4806-8478-6068f95be017}
PlayerSoundSystem+PlayerAudio.RhythmWeaponChargeFireBegin	PlayerWeapons/RhythmWeapon/ChargeFireBegin	{27090027-644d-47e0-856d-518a5af4d849}

IMPORTING YOUR SFX INTO METAL: HELLSINGER

AVAILABLE SFX EVENTS

EventIdentifier	Fmod Event Name	GUID
PlayerSoundSystem+PlayerAudio.MultiplierPickup	Objects/MultiplierPickup	{9d0a12cc-2826-44ba-a1a9-38a743ef8a4f}
EnemySoundSystem+EnemyAudio.EnemyKilledOnBeat	Enemy/EnemyHits/OnBeat/EnemyKilledOnBeat	{8a7f6225-5258-45d0-9374-7a206f88243d}
PlayerSoundSystem+PlayerAudio.OverkillBegin	PlayerActions/Overkill/Begin	{5fb99cc6-2741-4b48-a60f-3fab28216bae}
PlayerSoundSystem+PlayerAudio.WeaponPickedUp	PlayerWeapons/Global/WeaponPickedUp	{8282d66a-9048-4a35-a3e1-feb1058887d3}
PlayerSoundSystem+WeaponAudio.PistolsDeploy	PlayerWeapons/Pistols/Deploy	{8ebf5e68-6792-4d70-a733-21ccb659faea}
PlayerSoundSystem+WeaponAudio.PistolsFire	PlayerWeapons/Pistols/Fire	{8b88c3ff-f2a8-4240-be63-c540616dec5c}
PlayerSoundSystem+WeaponAudio.PistolsFireOffBeat	PlayerWeapons/Pistols/FireOffBeat	{3313d785-4c99-4866-aa46-5f1648ef3e6d}
PlayerSoundSystem+WeaponAudio.PistolsFireOnBeat	PlayerWeapons/Pistols/FireOnBeat	{58284335-61fa-46be-ac41-fb1e27451ae6}
PlayerSoundSystem+WeaponAudio.PistolsSpawnUltimateObject	PlayerWeapons/Pistols/SpawnUltimateObject	{9a535984-73ab-4f69-966a-ad7fa68e3bf0}
WorldSound.LavaPlatformSubmerge	Environment/LavaPlatformSubmerge	{6c814e9b-0820-4e9f-8883-1cef6bdfa2e2}
PlayerSoundSystem+PlayerAudio.PlayerDamaged	PlayerActions/Damaged/Damaged	{4ae86ba8-4e0d-408e-ac60-cb600dbdd787}
PlayerSoundSystem+PlayerAudio.PlayerDamagedElectric	PlayerActions/Damaged/DamagedElectric	{3247bfe3-cba7-4634-82cf-31ca9c3eb2a3}
PlayerSoundSystem+PlayerAudio.DashTackle	PlayerActions/DashTackle/DashTackle	{5a46dba9-c00f-4aa0-a8bc-74419dc7bf54}
PlayerSoundSystem+PlayerAudio.PlayerDeath	PlayerActions/Death/Death	{31ca2d63-49ee-4cc6-afbc-a412f173b7fb}
PlayerSoundSystem+PlayerAudio.DodgeMovement	PlayerMovement/DodgeMovement	{c7e085a6-f8d5-4704-9782-f154158cd4f7}
PlayerSoundSystem+PlayerAudio.FootStep	PlayerMovement/Footstep	{283dbd95-8741-46f8-b594-fe430e92c824}
PlayerSoundSystem+PlayerAudio.JumpMovement	PlayerMovement/JumpMovement	{2e8dd8cc-61c1-460f-9911-a30cbd2f6b14}
PlayerSoundSystem+WeaponAudio.RhythmWeaponDeploy	PlayerWeapons/RhythmWeapon/Deploy	{8bb795fa-7238-4618-8b18-c98aeabc2251}
PlayerSoundSystem+PlayerAudio.RhythmWeaponFiredOffBeat	PlayerWeapons/RhythmWeapon/WeaponFiredOffBeat	{0d8ef90f-5856-4170-a56b-d82ee2ac5df5}
PlayerSoundSystem+PlayerAudio.ChallengeCriticalTime	Global/ChallengeCriticalTime	{dc876bf9-aa9b-45d5-bbf4-aafe0ceee873}

IMPORTING YOUR SFX INTO METAL: HELLSINGER

AVAILABLE SFX EVENTS

EventIdentifier	Fmod Event Name	GUID
PlayerSoundSystem+PlayerAudio.RhythmWeaponFiredOnBeat	PlayerWeapons/RhythmWeapon/WeaponFiredOnBeat	{5d723f38-6e82-488a-997f-da71cd612583}
EnemySoundSystem+EnemyAudio.SeraphDeath	Enemy/VO/Seraph/Death	{2cc59f30-748d-473d-8d9d-a7208ed0e0f5}
EnemySoundSystem+EnemyAudio.ShockwaveAttack	EnemySoundSystem+EnemyAudio.ShockwaveAttack	{b1126952-cbb4-48bf-8eb8-3fbcdaba72a2}
PlayerSoundSystem+WeaponAudio.ShotgunDeploy	PlayerWeapons/Shotgun/Deploy	{94be497c-fd8a-4006-aeea-aaae912515cd}
PlayerSoundSystem+WeaponAudio.ShotgunFire	PlayerWeapons/Shotgun/Fire	{abbe1cf8-4162-44ba-bfc3-c5dace2f1f8d}
PlayerSoundSystem+WeaponAudio.ShotgunFireOffBeat	PlayerWeapons/Shotgun/FireOffBeat	{0c05899c-c23f-4df1-9ebb-f8ade67b07ec}
PlayerSoundSystem+WeaponAudio.ShotgunFireOnBeat	PlayerWeapons/Shotgun/FireOnBeat	{0c05899c-c23f-4df1-9ebb-f8ade67b07ec}
PlayerSoundSystem+WeaponAudio.ShotgunFireUltimate	PlayerWeapons/Shotgun/FireUltimate	{a1b30981-46fa-4ace-bd7a-3b2fe69529a1}
EnemySoundSystem+EnemyAudio.StalkerFootstep	Enemy/Movement/Footsteps/StalkerFootstep	{c20e39ce-da52-4468-ab6b-a2822e83f802}
EnemySoundSystem+EnemyAudio.EyelessVomitFired	Enemy/Attacks/Eyeless/VomitFired	{168d0e9d-0dac-4fa1-a4cb-daa05fd915da}
EnemySoundSystem+EnemyAudio.EyelessVomitImpact	Enemy/Attacks/Eyeless/VomitImpact	{168d0e9d-0dac-4fa1-a4cb-daa05fd915da}
EnemySoundSystem+EnemyAudio.SwordHitFlesh	Enemy/EnemyHits/MeleeHits/SwordHit	{9568c420-a93b-4f00-a683-5a78848ca9ed}
EnemySoundSystem+EnemyAudio.StalkerTeleportAttack	Enemy/Attacks/Stalker/TeleportAttack	{f5f13d9e-498b-4f85-b32d-7033bf5eb4ba}
PlayerSoundSystem+WeaponAudio.VulcanDeploy	PlayerWeapons/Vulcan/Deploy	{336b65f0-4787-4993-b4d3-b56c34997a69}
PlayerSoundSystem+WeaponAudio.VulcanFire	PlayerWeapons/Vulcan/Fire	{d6e3d520-bbc0-4372-aa02-4b3db5c0b5a1}
PlayerSoundSystem+PlayerAudio.PlayerRespawnWater	PlayerActions/Respawn/RespawnWater	{5bd2c57d-abcf-4d7a-8d25-de5e973a7e22}
EnemySoundSystem+EnemyAudio.ZombieDeath	Enemy/VO/Zombie/Death	{817b8d78-d6e0-4cd3-a9d9-6d2037746f03}

METAL

HELLSINGER[®]

THE
OUTSIDERS



©2022 Funcom Oslo AS. All rights reserved. "METAL: HELLSINGER" and "Funcom" are trademarks or registered trademarks of Funcom Oslo, AS. in the U.S., Norway and/or other countries.