

DEFENSIBLE BY DESIGN

Independent judgement. Replayable evidence.

Two independent assessments examine the same bounded evidence. Explicit disagreement controls reconcile their scores, then fixed framework arithmetic reaches the number.

How it works

1. Check readiness and route risk
2. Run primary and blind reviews
3. Challenge and resolve differences
4. Replay arithmetic, then human review

Framework v2.0

From Jira

Manual entry

Upload Excel / CSV

History



Technology stack calibration

Adjusts the score before it maps to points

No penalty

Frontend

None

Backend

None

Database

optional

PostgreSQL

Scenario

Existing framework

Framework maturity

3 - Established

Team experience with this stack

3 / 5

2-5 years old, stable major version. Caps estimates at 13 points.

No experience penalty applies.



Introduces a new testing layer

+1



Introduces a new observability signal

+1



Changes the build or deployment pattern

+1

Additional stacks at a polygot boundary

0

ONE STORY

Describe the work

Title

What outcome are we delivering?

User story

As a..., I want..., so that...

Acceptance criteria

1

Observable condition of success

+ Add criterion

Technical breakdown

optional

Known services, components, migrations, or constraints

Build justified estimate

Cancel request

LIVE REASONING

[2/2] Devvy is running independent evidence assessments on CPU (150s)

This runs on the server. You can close the tab — the estimate keeps going and waits for you in Activity.

- ✓ Normalize evidence & create input hash
- ✓ Evaluate story readiness
- ✓ Bound the story evidence
- ✓ Load stack calibration
- ✓ Route specialist lenses
- ✓ Run primary evidence assessment
- ✓ Apply routed specialist lenses
- ✓ Run independent blind review
- ✓ Detect material disagreements
- ✓ Challenge conflicting claims
- ✓ Apply resolution policy
- ✓ Build final 16-factor scorecard
- ✓ Apply base adjustments
- ✓ Apply stack adjustments
- ✓ Map to Fibonacci
- ✓ Evaluate spike & split gates
- ✓ Reach framework recommendation
- ✓ Replay and audit consistency
- Hand off for human consensus

Batch results

5 DB-001: Biometric Login

5 points — Integration Surface (4), Technical Complexity (3) drive the estimate. Medium confidence.

Proceed

Estimation evidence

Run b25a7afa

LOCAL



[1/2] Story normalized into ...

Normalise: 0.0s



[1/2] Readiness: Estimate WI...

Readiness: 0.2s



[1/2] High Risk pipeline rout...

Specialist Routing: 0.2s



[1/2] Story evidence bounde...

Assemble Content: 0.2s



[1/2] Stack calibration

Declare Stack: 0.2s

PROCEED All gates pass. 5 points is a defensible commitment for this story.

STORY POINTS

5

MEDIUM CONFIDENCE

08-001: Biometric Login

5 points — Integration Surface (4), Technical Complexity (3) drive the estimate. Medium confidence.

All gates pass. 5 points is a defensible commitment for this story. Medium confidence: 1 factor(s) at 4, but no factor reaches 5. The score is driven by Integration Surface (4), Technical Complexity (3).

None / None Adjusted 27 - band 25-34 Established - team 3/5

3 5 8 13 21 34

JSON

HOW THIS ESTIMATE IS BEING MADE

Agent flow

15/16

STAGES COMPLETE

HIGH RISK PIPELINE

Two independent passes score the same evidence, their differences are reconciled by published policy, and only then does fixed arithmetic produce a number. No model chooses the points.

Intake Turn the story into stable, bounded evidence.

✓ Normalize16 evidence item(s)

✓ Readiness5 checks - 1 question(s)

✓ Route lenses6 lens(es)

✓ Bound context1925 chars

✓ Load calibration3 (Established)

Two independent assessments Two model passes score the same evidence separately. The reviewer is blind to the first.

PASS A

✓ Primary estimator15/16 model - cross-check 5

✓ Specialist lenses2 risk(s)

PASS B - BLIND

✓ Blind reviewer15/16 model - cross-check 5

Reconciliation Differences are surfaced, challenged, then resolved by published policy.

✓ Compare0 material of 6

✓ Critic0 challenge(s)

✓ Arbitrate16 decision(s)
Resolve by fixed policy, not persuasion

Deterministic calculation No model runs here. Fixed rules turn the scorecard into a number.

✓ Final scorecard15 scored - 1 inferred

✓ Arithmetic27 → 5 points

✓ Gates7 gates - Medium

✓ AuditPASS

Human authority The recommendation is decision support. The team decides.

Human decision
awaiting decision

THE ARITHMETIC

27
16 factor scores
base sum

+0
Base adjustments
\$8.1

+0
Stack adjustments
\$8.2

=

27
Adjusted score
band 25-34

→

5
Story points
cap 13

Show what the two passes disagreed on (0 material)

CONTROLLED AGENTIC PIPELINE

Every judgement has evidence. Every number has arithmetic.

HIGH RISK
agentic-local-1.0

Final report Readiness Evidence Specialists Primary Blind review Critic & resolution Calculation References AI scenario Human consensus Audit

RECOMMENDED

5

story points

Why this value

All gates pass. 5 points is a defensible commitment for this story. Medium confidence: 1 factor(s) at 4, but no factor reaches 5. The score is driven by Integration Surface (4), Technical Complexity (3).

Why not lower

The story would need at least 3 fewer adjusted-score unit(s) to enter the 3-point band (score <= 24). That requires real scope or risk reduction, not relabelling the estimate.

Why not higher

The next Fibonacci value requires additional scored evidence or a framework gate; unsupported risk is not added to the estimate.



Decision support, not an automatic commitment

This is a decision-support recommendation. The delivery team owns the final estimate and may accept, override, spike, or decompose it.

100%

dimension stability

5 / 5

independent point cross-checks

0

material disagreements

Medium

final confidence



Recommended next actions

Prioritized from the scorecard and failed gates—not generated point arithmetic

3

MEDIUM RISK

Pin integration contracts

Confirm owners, schemas, timeouts, retries, test doubles, and failure semantics.

WHY NOW Integration Surface scored 4/5: Story evidence mentions api, integrat.

EXPECTED OUTCOME Stable contracts reduce coordination and integration surprises.

► Evidence used

MEDIUM CLARITY

Confirm the inferred factor scores

Review the inferred rows with engineering, QA, security, and product owners.

WHY NOW 1 factor(s) were filled from story keywords rather than model scoring.

EXPECTED OUTCOME Improves confidence and records accountable human agreement.

► Evidence used

MEDIUM SCOPE

Narrow scope before targeting 3 points

Remove or resolve real scope and risk, then re-score; do not simply lower factor values to meet a desired number.

WHY NOW The story would need at least 3 fewer adjusted-score unit(s) to enter the 3-point band (score <= 24). That requires real scope or risk reduction, not relabelling the estimate.

EXPECTED OUTCOME A reduction of at least 3 adjusted-score unit(s) is required before the lower band is mathematically reachable.

► Evidence used

The calculation, step by step



16-factor scorecard

16



Spike and split gates

0



Risk flags

1



Calibration anchors



Effort envelope



Hidden sub-tasks

2



Risks and assumptions



Split recommendation



Provenance

