

# **Aphasia Reading List: Categorised By Subject**

Ruth Nieuwenhuis  
RCSLT Adviser in Aphasia

Lecturer/Practitioner

Centre for Speech & Language Therapy,  
University of Wales Institute, Cardiff,  
and Cardiff and Vale NHS Trust

*Contact Address:* School of Health and Social Sciences  
Centre for Speech & Language Therapy, UWIC, Western  
Avenue, Cardiff, Wales CF5 2YB

*Tel:* 029 2041 6879

*Email:* [rnieuwenhuis@uwic.ac.uk](mailto:rnieuwenhuis@uwic.ac.uk)

## Contents

Contents	page	2
Introduction		3
Major textbooks on aphasia		4
The history of aphasia therapy		7
Assessment of aphasia		8
National Service Frameworks/Policy Documents		9
Impairment approaches to aphasia therapy		
• Cognitive neuropsychological: general		10
• Auditory comprehension		11
• Word retrieval and production		12
• Reading		16
• Writing		17
• Sentence processing		19
Psychosocial approaches to aphasia therapy		
• Psychosocial issues		20
• Aphasia friendly literature		26
• Insights of people with aphasia, their carers and colleagues		26
• Quality of life issues		28
• Supported conversation, conversational coaching, and conversational partners		30
Treatment approaches/packages		32
Functional communication		35
Conversational analysis/interaction		38
Group therapy		42
Aphasia and bilingualism		44
Aphasia and computers		45
Primary progressive aphasia		47
Outcome measures/efficacy		48
What is therapy?		50
Useful groups/websites		51

## Introduction

Welcome to the January 2005 edition of the 'Aphasia Reading List'. The project developed after my initial, informal attempt to create a useful database for students and colleagues. This updated version contains several new components. There are now sections on different types of impairment-based therapy, further useful websites, National Service Frameworks and Policy Documents, and even references on the elusive concept, 'What is Therapy?'

The Reading List deliberately contains academic and lay material. It also has references to texts aimed at the person with aphasia and their carer(s). This wider range offers aphasia therapists an overview of material which might be useful in clinic. However, none of the content has been critically appraised. For a more rigorous analysis, readers should consult the Royal College of Speech and Language Therapists (RCSLT) Clinical Guideline on Aphasia (Taylor-Goh, 2004).

Moreover, other features of the original list still apply. The classification is purely personal, reflecting my own interpretation. The material is not exhaustive (I had to stop somewhere!) and there may be inadvertent errors or omissions for which I apologise. Some sections are longer than others. Individuals will still need to contact experts in different fields for specialist information about specific topics. Due to time constraints, I have not produced an alphabetical list this time.

As before, some of the categories may overlap. Issues relevant to the 'psychosocial approach' to aphasia therapy, for example, may also surface within the section on 'functional communication'. Therefore, if you are interested in a particular topic (for example, 'assessment'), it may be worthwhile skimming through the various sections in which you think it might arise

Finally, scores of people contacted me after production of the original 2004 version. They gave comments and suggestions for further editions. I would like to thank all of these individuals for their help. I have tried to include their ideas in the updated 2005 version wherever possible. The challenge ahead is to produce this material in an aphasia-friendly form – so that those with aphasia may access it as well. In the meantime, happy reading!

## Reference

- Taylor-Goh, S. *Royal College of Speech and Language Therapists Clinical Guidelines*. Bicester: Speechmark Publishing Ltd

Ruth Nieuwenhuis

Lecturer/Practitioner

Centre for Speech and Language Therapy, University of Wales Institute, Cardiff, and Cardiff and Vale NHS Trust

*Contact Address:* School of Health and Social Sciences, Centre for Speech and Language Therapy, UWIC, Western Avenue, Cardiff, Wales CF5 2YB

*Tel:* 029 2041 6879

*Email:* [rnieuwenhuis@uwic.ac.uk](mailto:rnieuwenhuis@uwic.ac.uk)

## Major Textbooks

- Basso, A. (2003). *Aphasia and its Therapy*. Oxford: Oxford University Press.
- Basso, A., Cappa, S., and Gainotti, G. (Eds.). (2000). *Cognitive Neuropsychology and Language Rehabilitation*. Hove: Psychology Press.
- Benson, D. F. and Ardila, A. (1996). *Aphasia: A Clinical Perspective*. Oxford: Oxford University Press.
- Beukelman, D. R., Yorkston, K. M. and Reichle, J. (2000). *Augmentative and Alternative Communication for Adults with Acquired Neurologic Disorders*. Baltimore: Paul H Brookes Publishing.
- Black, M. and Chiat, S. (eds.). (2003). *Linguistics for Clinicians*. London: Hodder Arnold.
- Byng, S., Swinburn, K. and Pound, C. (1999). *The Aphasia Therapy File*. Hove, UK: Psychology Press.
- Byng, S., Pound, C. and Lindsay, J. (Eds.). (2004). *The Aphasia Therapy File. Volume 2*: Hove, UK: Psychology Press.
- Chapey, R. (Ed.). (2001). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins.
- Code, C. (Ed.). (2004). *PALPA: Ten Years After: Aphasiology* 18 (2) (Special Issue). £29.95.
- Code, C. and Müller D. (1995). (Eds.). *Treatment of Aphasia: From Theory to Practice*. London: Whurr Publishers.
- Code, C. and Müller D. (1996). (Eds. ). *Forums in Clinical Aphasiology*. London: Whurr Publishers Ltd.
- Davis, G. A. and Wilcox, M. J. (1985). *Adult Aphasia Rehabilitation: Applied Pragmatics*. San Diego, CA: College-Hill Press.
- Duchan, J. F. and Byng, S. (Eds.). (2004). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press.
- Helm-Estabrooks, N. and Holland, N. (1998). (Eds.). *Approaches to the Treatment of Aphasia*. London: Singular Publishing Ltd.
- Hillis, A. (Ed.) (2002). *The Handbook of Adult Language Disorders*. Psychology Press.

- Ellis, A. W. and Young, A. W. (1996). *Human Cognitive Neuropsychology*. Second Edition. Hove: Psychology Press.
- Holland, A. L. and Forbes, M. M. (1993). *Aphasia Treatment: World Perspectives*. London: Chapman and Hall.
- Howard, D. and Hatfield, F. M. (1987). *Aphasia Therapy: Historical and Contemporary Issues*. Hove, UK: Lawrence Erlbaum Associates Ltd.
- Jordan, L. and Kaiser, W. (1996). *Aphasia – A Social Approach*. London: Chapman and Hall.
- Lesser, R. and Milroy, L. (1993). *Linguistics and Aphasia: Psycholinguistics and Pragmatic Aspects of Intervention*. London: Longman Group UK Limited.
- Lesser, R. and Perkins, L. (1999). *Cognitive Neuropsychology and Conversation Analysis in Aphasia: An Introductory Casebook*. London: Whurr Publishers.
- Lyon, J. (1998). *Coping with Aphasia*. San Diego, CA: Singular.
- MacDonald, S., Togher, L. and Code, C. (Eds.). (1999). *Communication Disorders Following Traumatic Brain Injury*. Brain Damage, Behaviour and Cognition Series. Hove, UK: Psychology Press/Taylor & Francis (UK).
- Murdoch, B. E. (1990). *Acquired Speech and Language Disorders: A Neuroanatomical and Functional Approach*. London: Chapman and Hall.
- Nadeau, S. E., Gonzalez Rothi, L. J. and Crosson, B. (Eds.). (2000). *Aphasia and Language: Theory to Practice*. London: The Guildford Press.
- Papathanasiou, I. (2000). (ed.). *Acquired Neurogenic Communication Disorders: A Clinical Perspective*. London: Whurr Publishers.
- Parr, S., Byng, S. and Gilpin, S. with Ireland, C. (1997). *Talking About Aphasia: Living with Loss of Language after Stroke*. Milton Keynes: Oxford University Press.
- Pound, C., Parr, S., Lindsay, J. and Woolf, C. (2000). *Beyond Aphasia: Therapies for Living with Communication Disability*. Bicester: Speechmark
- Sarno, M. T. (1998). (ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press.
- Wallace, G. (Ed.). (1996). *Adult Aphasia Rehabilitation*. Boston: Butterworth Heinemann.

- Whitworth, A., Howard, D. and Webster, J. (2004). *A Cognitive Neuropsychological Approach to Assessment and Intervention in Aphasia: A Clinician's Guide*. Psychology Press
- Worrall, L. E. and Frattali, C. M. (2000). (Eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc.

## **The History of Aphasia Therapy**

- Benton, A. and Anderson, S. W. (1998). Aphasia: historical perspectives. In Sarno, M. T. (Ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press. Pp. 1-24.
- Chapey, R. and Hallowell, B. (2001). Introduction to language intervention strategies in adult aphasia. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 3-17.
- Howard, D. and Hatfield, F. M. (1987). *Aphasia Therapy: Historical and Contemporary Issues*. Hove, UK: Lawrence Erlbaum Associates Ltd.
- LeBrun, Y. (2000). Tactile aphasia: A hundred-year-old controversy. *Advances in Speech Language Pathology*, 2 (1), 1-8.

## Assessment of Aphasia

- Damasio, A. R. (1998). Signs of aphasia. In Sarno, M. T. (Ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press. Pp. 25-41.
- Department of Health (2001). *National Service Framework (NSF) for Older People*. Department of Health. (See Standard 2 for the Single Assessment Process).
- Harding, D. and Pound, C. (1999) Needs, Function and measurement: juggling with multiple language impairment. In Byng, S., Swinburn, K. and Pound, C. (Eds.). *The Aphasia Therapy File*. Psychology Press: Hove. Ch. 3. pp. 13-39.
- Hula, W. D., McNeil, M. R., Doyle, P. J., Rubinsky, H. J. and Fosset, T. R. D. (2003). The inter-rater reliability of the story retell procedure. *Aphasiology*, 17 (5), 523-528.
- Kalne, E., Reinhold, N., Brand, M. and Kessler, J. (2003). The aphasia check list (ACL); A new instrument for aphasia diagnostics. *Forum Logopadie*, 17 (3), 18-23.
- Kay, J., Lesser, R. and Coltheart, M. (1992). *Psycholinguistic Assessments of Language Processing in Aphasia*. Hove, UK: Lawrence Erlbaum Associates Ltd.
- Murray, L. L. and Chapey, R. (2001). Assessment of Language Disorders in Adults. In Chapey, R. (Ed.). (2001). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Ch 4. Pp. 55-126.
- O'Halloran, R., Worrall, L., Toffolo, D., Code, C. and Hickson, L. (2004). *IFCI: Inpatient Functional Communication Interview*. Speechmark
- Pedersen, P. M., Olsen, T. S., Thommessen, B. and Laake, K. (2003). Trade-offs in the assessment of aphasia in acute stroke (2) (Multiple Letters). *Cerebrovascular Diseases*, 16 (2), 180.
- Spreen, O. and Risser, A. H. (1998). Assessment of aphasia. In Sarno, M. T. (ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press. Pp. 71-156.
- Spreen, O. and Risser, A. H. (2003). *Assessment of Aphasia*. Oxford: Oxford University Press.
- Swinburn, K., Porter, G. and Howard D. (2004). *Comprehensive Aphasia Test*. Psychology Press.



### **National Service Frameworks/Policy Documents**

(see the section on 'Useful Groups/Websites', page 51, for contact details)

- Department of Health. (1997). *The New NHS: Modern, Dependable*. London: HMSO.
- Department of Health. (2001). *The Expert Patient: A New Approach to Chronic Disease Management for the 21<sup>st</sup> Century*. London: Department of Health.
- Department of Health. (2001). *The Expert Patient: A New Approach to Chronic Disease Management for the 21<sup>st</sup> Century*. London: Department of Health.
- Department of Health (2001). *Involving Patients and the Public in Healthcare: A Discussion Document*. London: Department of Health.
- Department of Health (2001). *National Service Framework for Older People*. London: Department of Health.
- Royal College of Physicians. (2004). *National Clinical Guidelines for Stroke*. London: Royal College of Physicians.
- World Health Organization, (2000). *International Classification of Functioning, Disability and Health*. Geneva: World Health Organization.

## Impairment Approaches to Aphasia Therapy

### Cognitive Neuropsychological: General

- Basso, A. and Marangolo, P. (2000). Cognitive neuropsychological rehabilitation: The emperor's new clothes? *Neuropsychological Rehabilitation*, 10, 219-229.
- Byng, S. (2001). Integrating therapies: A response to 'Impairment and social views of speech language pathology: Clinical practices in the United States' by Duchan J. *Australian Journal of Speech Language Pathology*.
- Code, C. (Ed.). (2004). *PALPA: Ten Years After: Aphasiology*, 18 (2), (Special Issue).
- Edmundson, A. and McIntosh, J. (1995). Cognitive neuropsychology and aphasia therapy: Putting the theory into practice. In Code, C. and Muller, D. *Treatment of Aphasia: From Theory To Practice*. Pp. 137-163.
- Ellis, A. W. and Young, A. W. (1996). *Human Cognitive Neuropsychology*. Second Edition. Hove: Psychology Press.
- Franklin, S. E. (1997). Designing single case treatment studies for aphasic patients. *Neuropsychological Rehabilitation*, 7, 401-418.
- Hillis, A. E. (2001). Cognitive neuropsychological approaches to rehabilitation of language disorders: Introduction. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 513-523.
- Howard, D. (2003). Single case, group studies and case series in aphasia therapy. In Papathanasiou, I. and De Bleser, R. (Eds.). *The Sciences of Aphasia: From Therapy to Theory*. Oxford: Pergamon Press. Pp. 245-258.
- Mitchum, C. C. and Sloan Berndt, R. (2001). Cognitive neuropsychological approaches to diagnosing and treating language disorders: Production and comprehension of sentences. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 551-571.
- Raymer, A. M. and Gonzalez Rothi, L. J. (2001). Cognitive approaches to impairments of word comprehension and production. In Chapey, R. (ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 524-550.

- Swinburn, K., Porter, G. and Howard D. (2004). *Comprehensive Aphasia Test*. Psychology Press
- Whitworth, A., Howard, D. and Webster, J. (Winter 2004). *A Cognitive Neuropsychological Approach to Assessment and Intervention in Aphasia: A Clinician's Guide*. Psychology Press.

### **Auditory Comprehension**

- Bastiaanse, R., Nijboer, S. and Taconis, M. (1993). The auditory language comprehension programme: A description and case study. *European Journal of Disorders of Communication*, 12, 415-433.
- Cole-Virtue, J., Nickels, L. and Coltheart, M. (2000). Evaluating spoken word-picture matching: What affects performance? *Asia Pacific Journal of Speech Language and Hearing*, 5, 149-155.
- Francis, D. R., Riddoch, M. J. and Humphreys, G. W. (2001). Cognitive rehabilitation of word meaning deafness. *Aphasiology*, 15, 749-766.
- Franklin, S., Turner, J., Lambon-Ralph, M. A., Morris, J. and Bailey, P. J. (1996). A distinctive case of word meaning deafness? *Cognitive Neuropsychology*, 13, 1139-1162.
- Grayson, E., Hilton, R. and Franklin, S. E. (1997). Early intervention in a case of jargon therapy: Efficacy of language comprehension therapy. *European Journal of Disorders of Communication*, 32, 257-276.
- Hillis, A. E., Rapp, B., Romani, C. and Carramazza, A. (1990). Selective impairment of semantics in lexical processing. *Cognitive Neuropsychology*, 7, 191-243.
- Hoen, M., Golembiowski, M., Guyot, E., Deprez, V., Caplan, D. and Dominey, P. F. (2003). Training with cognitive sequences improves syntactic comprehension in agrammatic aphasics. *NeuroReport*, 14 (3), 495-499.
- Le Dorze, G., Brassard, C., Larfeuil, C. and Allaire, J. (1996). Auditory comprehension problems in aphasia from the perspective of aphasic persons and their families and friends. *Disability and Rehabilitation*, 18 (11), 550-558.
- Mclenahan, R., Johnston, M. and Densham, Y. (1992). Factors influencing accuracy of estimation of comprehension problems in patients following cerebrovascular accident, by doctors, nurses and relatives. *European Journal of Disorders of Communication*, 27, 209-219.
- Maneta, A., Marshall, J. and Lindsay, J. (2001). Direct and indirect therapy for word sound deafness. *International Journal of Language and Communication Disorders*, 36 (1), 91-106.

- Morris, J. and Franklin, S. (1995). Assessment and remediation of a speech discrimination deficit in a dysphasic patient. In Perkins, M. and Howard, S. (Eds.). *Case Studies in Clinical Linguistics*, London: Whurr.
- Morris, J., Franklin, S., Ellis, A. W., Turner, J. E. and Bailey, P. (1996). Remediating a speech perception deficit in an aphasic patient. *Aphasiology*, 10, (2): 137-158.
- Luce, P. A. and Large, N. R. (2001). Phonotactics, density and entropy in spoken word recognition. *Language and Cognitive Processes*, 16, 565-581.
- Luce, P. A., Pisoni, D. B. and Goldinger, S. D. (1990). Similarity neighbourhoods of spoken words. In Altmann, G. T. M. (Ed.). *Cognitive Models of Speech Processing: Psycholinguistic and Computational Perspectives*. Cambridge, MA: MIT Press. Pp.122-147.
- Shindo, M., Kaga, K. and Tanaka, Y. (1991). Speech discrimination and lip reading in patients with word deafness or auditory agnosia. *Brain and Language*, 40, 153-161.

### **Word Retrieval and Production**

- Bastiaanse, R. Bosje, M. and Franssen, M. (1996). Deficit-oriented treatment of word finding problems: Another replication. *Aphasiology*, 10, 363-383.
- Bastiaanse, R., Jonkers, R., Ruigendijk, E. and Van Zonneveld, R. (2003). Gender and case in agrammatic production. *Cortex*, 39 (3), 405-417.
- Berndt, R. S., Haendiges, A. N., Burton, M. W. and Mitchum, C. C. (2002). Grammatical class and imageability in aphasic word production: their effects are independent. *Journal of Linguistics*, 15, 353-371.
- Best, W. (1995). A reverse length effect in dysphasic naming: when elephant is easier than ant. *Cortex*, 31, 637-652.
- Best, W., Herbert, R., Hickin, J., Osborne, F. and Howard, D. (2002). Phonological and orthographic facilitation of word retrieval in aphasia: Immediate and delayed effects. *Aphasiology*, 16, 151-168.
- Bevan, A., Robinson, G. Butterworth, B. and Cipolotti, L. (2003). To Play 'B' but not to say 'B': Selective loss of letter names. *Neurocase*, 9 (2), 118-28.
- Bird, H., Franklin, S. and Howard, D. (2002). 'Little words' – not really: Function and content words in normal and aphasic speech. *Journal of Neurolinguistics*, 15, 209-237.

- Boyle, M. and Coelho, C. A. (1995). Application of a semantic feature analysis as a treatment for aphasic dysnomia. *American Journal of Speech and Language Pathology*, 4, 94-98.
- Coelho, C. A., McHugh, R. E. and Boyle, M. (2000). Semantic feature analysis as a treatment for aphasic dysnomia. *Aphasiology*, 14, 133-142.
- Conley, A. and Coelho, C. A. (2003). Treatment of word retrieval impairment in chronic Broca's aphasia. *Aphasiology*, 17 (3), 203-211.
- DeDe, G., Parris, D. and Waters, G. (2003). Teaching self-cues; A treatment approach for verbal naming. *Aphasiology*, 17 (5), 465-80.
- De-Roo, E., Kolk, H. and Hofstede, B. (2003). Structural properties of syntactically reduced speech: A comparison of normal speakers and Broca's aphasics. *Brain and Language*, 86 (1), 99-115.
- Fawcus, M., Kerr, J., and Whitehead, S. (1993). *Aphasia Therapy in Practice: Expression*. Bicester: Speechmark Publishing Ltd.
- Foygel, D. and Dell, G. S. (2000). Models of impaired lexical access in speech production. *Journal of Memory and Language*, 43, 182-216.
- Francis, D. R., Clark, N. and Humphreys, G. W. (2002). Circumlocution-induced naming (CIN): A treatment for effecting generalisation in anomia? *Aphasiology*, 16, 243-259.
- Franklin, S., Buerk, F. and Howard, D. (2002). Generalised improvement in speech production for a subject with reproduction conduction aphasia. *Aphasiology*, 16, 1087-1114.
- Greenwald, M. L. and Rothi, L. J. G. (1998). Lexical access via letter naming in a profoundly alexic and anomic patient: A treatment study. *Journal of the Neuropsychological Society*, 4, 595-607.
- Greenwald, M. L., Raymer, A. M., Richardson, M. E. and Rothi, L. J. G. (1995). Contrasting treatments for severe impairments of picture naming. *Neuropsychological Rehabilitation*, 5 17-49.
- Herbert, R., Best, W., Hickin, J., Howard, D., and Osborne, F. (2003). Combining lexical and interactional approaches to therapy for word finding deficits in aphasia. *Aphasiology*, 17(12), 1163-1186.
- Hickin, J., Best, W., Herbert, R., Howard, D. and Osborne, F. (2002). Phonological therapy for word finding difficulties: A re-evaluation. *Aphasiology*, 16 (10-11,) 981-999.

- Hillis, A. E. (1998). Treatment of naming disorders: New issues regarding old therapies. *Journal of the International Neuropsychological Society*, 4 (6), 648-60.
- Hillis, A. E. and Carramazza, A. (1994). Theories of lexical processing and rehabilitation of lexical deficits. In Riddoch, M. J. and Humphreys, G. W. (Eds.). *Cognitive Neuropsychology and Cognitive Rehabilitation*. London: LEA.
- Howard, (1995). Lexical anomia: Or the case of missing lexical entries. *The Quarterly Journal of Experimental Psychology*, 48, 999-1023.
- Howard D. (2000). Cognitive Neuropsychology and Aphasia Therapy: the Case of Word Retrieval. In Papathanasiou, I. (ed.). *Acquired Neurogenic Communication Disorders*. London: Whurr Publishers Ltd. Pp. 76-99.
- Howard, D. and Harding, D. (1998). Self-cueing of word retrieval by a woman with aphasia: Why a letter board works. *Aphasiology*, 12, 399-420.
- Ihara, H. and Fujita, I. (2003). On the production of irrelevant arguments in agrammatism. *Brain and Language*, 84 (2), 273-285.
- Le Dorze, G., Boulay, N., Gaudrea, J. and Brassard, C. (1994). The contrasting effects of a semantic versus a formal semantic technique for the facilitation of naming in the case of anomia. *Aphasiology*, 8, 127-141.
- Levelt, W. J. M., Roelofs, A. and Meyer, A. S. (1999). A theory of lexical access in speech production. *Behavioural and Brain Sciences*, 22, 1-45.
- Lowell, S., Beeson, P. and Holland, A. (1995). The efficacy of semantic cueing procedures on naming performance on adults with aphasia. *American Journal of Speech-Language Pathology*, 4, 99-104.
- Marshall, J., Pound, C., White-Thomson, M. and Pring, T. (1990). The use of picture/word matching tasks to assist word retrieval in aphasic patients. *Aphasiology*, 4, 167-184.
- Marshall, J., Chiat, S., Robson, J. and Pring, T. (1996). Calling a salad a federation: An investigation of semantic jargon 2 Verbs. *Journal of Neurolinguistics*, 9, 251-260.
- Martin, N., Fink, R., & Laine, M. (2004). Treatment of word retrieval deficits with contextual priming. *Aphasiology*, 18(5-7), 457-471.
- Martin, R. C., Miller, M., & Vu, H. (2004). Lexical-semantic retention and speech production: Further evidence from normal and brain-damaged participants for a phrasal scope of planning. *Cognitive Neuropsychology*, 21(6), 625-644.

- Micelli, G., Amitrano, A., Capasso, R. and Caramazza, A. (1996). The treatment of anomia resulting from output lexical damage: Analysis of two cases. *Brain and Language*, 52, 150-174.
- Nettleton, J. and Lesser, R. (1991). Therapy for naming difficulties in aphasia: Application of a cognitive neuropsychological model. *Journal of Neurolinguistics*, 6, 139-157.
- Nickels, L. (2001). Spoken word production. In Rapp, B. (Ed.). *The Handbook of Cognitive Neuropsychology: What Deficits Reveal About the Human Mind*. Philadelphia, PA: Psychology Press. Pp 291-320.
- Nickels, L. (Ed.). (2002). *Rehabilitation of Spoken Word Production in Aphasia*. Psychology Press.
- Nickels, L. A. (2002). Improving word finding: Practice makes (closer to) perfect? *Aphasiology*, 16, 1047-1060.
- Nickels, L. A. (2002). Therapy for naming disorders: Revisiting, revising and reviewing. *Aphasiology*, 16, 935-980.
- Nickels, L. A. and Howard, D. (1994). A frequent occurrence? Factors affecting the production of semantic errors in aphasic naming. *Cognitive Neuropsychology*, 11, 289-320.
- Nickels, L. A. and Howard, D. (2004). Dissociating effects of number of phonemes, number of syllables, and syllabic complexity on word production in aphasia: It's the number of phonemes that counts. *Cognitive Neuropsychology*, 21, 57-78.
- Nickels, L. A. and Howard, D. (2000). When the words won't come: relating impairments and models of spoken word production. In Wheeldon, L. R. (Ed.). *Aspects of Language Production*. Hove: Psychology Press. Pp. 115-142.
- Pring, T., Hamilton, A., Harwood, A. and McBride, L. (1993). Generalisation of naming after picture/word matching tasks: only items appearing in therapy benefit. *Aphasiology*, 7, 383-394.
- Raymer, A. M. and Ellsworth, T. A. (2002). Response to contrasting verb retrieval treatments: A case study. *Aphasiology*, 16, 1031-1045.
- Robson, J., Pring, T., Marshall, J. and Chiat, S. (2003). Phoneme frequency effects in jargon aphasia: A phonological investigation of nonword errors, *Brain and Language*, 85 (1), 109-124.
- Saito, A., Yoshimura, T., Itakura, T. and Ralph, M. A. L. (2003). Demonstrating a wordlikeness effect on nonword repetition performance in a conduction aphasic patient. *Brain and Language*, 85 (2), 222-30.

- Schneider, S. L., and Thompson, C. K. (2003). Verb production in agrammatic aphasia: The influence of semantic class and argument structure properties on generalisation. *Aphasiology*, 17 (3), 213-241
- Spencer, K. A., Doyle, P. J., McNeil, M. R., Wambaugh, J. L., Park, G. and Carroll, B. (2000). Examining the facilitative effects of rhyme in a patient with output lexical damage. *Aphasiology*, 14, 567-584.

## Reading

- Berndt, R. S. and Mitchum, C. C. (1994). Approaches to the rehabilitation of “phonological assembly”: elaborating the model of non-lexical reading. In Humphreys, G. and Riddoch, M. J. (Eds.). *Cognitive Neuropsychology and Cognitive Rehabilitation*. London: Lawrence Erlbaum Associates.
- Buchanan, L., McEwen, S., Westbury, C. and Libben, G. (2003). Semantics and semantic errors: Implicit access to semantic information from words and nonwords in deep dyslexia. *Brain and Language*, 84 (1), 65-83.
- Coltheart, M., Landon, R. and Haller, M. (1996). Computational cognitive neuropsychology and reading. In Dodd, B., Worrall, L. and Campbell, R. (Eds.). *Models of Language: Illuminations from Impairment*. London: Whurr. Pp: 9-37.
- Coltheart, M., Curtis, B., Atkins, P. and Haller, M. (1993). Models of reading aloud – dual route and parallel-distributed approaches. *Psychological Review*, 100, 589-608.
- Coltheart, M., Rastle, K., Perry, C., Landon, R. and Ziegler, J. (2001). DRC: A dual route cascaded model of visual word recognition and reading aloud. *Psychological Review*, 108, 204-256.
- Conway, T. W., Heilman, P., Rothi, L. J. G., Alexander, A. W., Adair, J., Crosson, B. A. and Heilman, K. M. (1998). Treatment of a case of phonological alexia with agraphia using the Auditory Discrimination in Depth (ADD) programme. *Journal of the International Neuropsychological Society* 4, 608-620.
- Fawcus, M., Kerr, J., Whitehead, S. and Williams, R (1993). *Aphasia Therapy in Practice: Reading*. Bicester: Speechmark Publishing Ltd
- Francis, D. R., Riddoch, M. J. and Humphreys, G. W. (2001). Treating agnostic alexia complicated by additional impairments. *Neuropsychological Rehabilitation*, 11, 113-145.
- Friedman, R. B. and Lott, S. N. (2002). Successful blending in a phonological reading treatment for deep dyslexia. *Aphasiology*, 16, 355-372.



- Kendall, D. L., McNeil, M. R. and Small, S. L. (1998). Rule-based treatment for acquired phonological dyslexia. *Aphasiology*, 12, 587-600.
- Maher, L. M., Clayton, M. C., Barrett, A. M., Schober-Peterson, D., and Rothi, L. G. J. (1998). Rehabilitation of a case of pure alexia: Exploiting residual abilities. *Journal of the International Psychological Society*, 4, 595-607.
- Nickels, L. A. (1992). The Autocue? Self-Generated phonemic cues in the treatment of a disorder of reading and naming. *Cognitive Neuropsychology*, 9, 155-182.
- Peach, K. P. (1996). Treatment for aphasic phonological output planning deficits. *Clinical Aphasiology*, 24, 109-120.
- Plaut, D. C. (1999). A connectionist approach to word reading and acquired dyslexia: Extension to sequential processing. *Cognitive Science*, 23, 543-568.
- Plaut, D. C., McClelland, J. L., Seidenberg, M. S. and Patterson, K. (1996). Understanding normal and impaired word reading: Computational principles in quasi-regular domains. *Psychological Review*, 103, 56-115.
- Yampolsky, S. and Waters, G. (2002). Treatment of single word oral reading in an individual with deep dyslexia. *Aphasiology*, 16, 455-471.

## Writing

- Badecker, W. Hillis, A. E. and Carramazza, A. (1990). Lexical morphology and its role in the writing process: Evidence from a case acquired dysgraphia. *Cognition*, 35, 205-244.
- Beeson, P. M. (2002). Treating acquired writing impairment: strengthening graphemic representations. *Aphasiology*, 13, 767-785
- Beeson, P. M. and Hillis, A. E. (2001). Comprehension and Production of Written Words. In Chapey, R. (ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 572-604.
- Beeson, P.M., Rising, K. and Volk, J. (2003). Writing Treatment for Severe Aphasia; Who Benefits? *Journal of Speech, Language and Hearing Research*, 46 (5), 1038-1060.
- Beeson, P. M., Rewega, M. A., Vail, S. and Rapcsak, S. Z. (2000). Problem solving approach to agraphia treatment: Interactive use of lexical and sublexical spelling routes. *Aphasiology*, 14, 551-565.

- Behrmann, M. and Bub D. (1992). Surface dyslexia and dysgraphia – dual routes, single lexicon. *Cognitive Neuropsychology*, 9, 202-251.
- Clausen, N. S. and Beeson, P. M. (2003). Conversational use of writing in severe aphasia: A group treatment approach. *Aphasiology*, 17, (6/7), 625-644.
- Deloche, G., Dordon, M. and Kremins, H. (1993). Rehabilitation of confrontation naming in aphasia: relations between oral and written modalities. *Aphasiology*, 7, 201-216.
- De Partz, M. P., Seron, X. and Van der Linden, N. (1992). Re-education of a surface dysgraphia with a visual imagery strategy. *Cognitive Neuropsychology*, 9, 369-401.
- Destrieri, N. D., Ferina, E., Albaroni, M., Pomati, S., Nichelli, P. and Mariani, C. (2000). Selective uppercase dysgraphia with loss of visual memory of letter forms: a window on the organization of graphomotor patterns. *Brain and Language*, 71, 353-372.
- Fawcus, M., Kerr, J., Williams, R. and Whitehead, S. (1993). *Aphasia Therapy in Practice: Writing*. Bicester: Speechmark Publishing Ltd.
- Luzzatti, C., Colombo, C., Frustaci, M. and Fritolo, F. (2000). Rehabilitation of spelling along the sub-word routine. *Neuropsychological Rehabilitation*, 10, 249-278.
- Mortley, J., Enderby, P. and Petheram, B. (2002). Using a computer to improve functional writing in a patient with severe dysgraphia. *Aphasiology*, 15 (5), 443-461.
- Murray, L. L. and Karcher, L. (2000). A treatment for written verb retrieval and sentence construction skills. *Aphasiology*, 14, 585-602.
- Pound, C. (1996). Writing remediation using preserved oral spelling: A case for separate output buffers. *Aphasiology*, 10, 283-296.
- Rapp, B. and Kane, A. (2002). Remediation of deficits affecting different components of the spelling process. *Aphasiology*, 16, 439-454.
- Raymer, A. M., Cudworth, C. and Haley, M. A. (2003). Spelling Treatment for an Individual with Dysgraphia: Analysis of Generalisation to Untrained Words. *Aphasiology*, 17 (6-7), 607-624.
- Robson, J., Pring, T., Marshall, J., Morrison, S. and Chiat, S. (1998). Written communication in undifferentiated jargon aphasia: A therapy study. *International Journal of Language and Communication Disorders*, 33, 305-328.

- Weekes, B., Davies, R., Parris, B. and Robinson, G. (2003). Age of acquisition effects on spelling in surface dysgraphia. *Aphasiology*, 17, 563-584.

## **Sentence Processing**

- Bastiaanse, R. and Thompson, C. K. (2003). Verb and Auxiliary Movement in Agrammatic Broca's Aphasia. *Brain and Language*, 84 (2). 286-305.
- Berndt, R. S., Wayland, S., Rochon, E., Saffron, E. and Schwartz, M. (2000). *Quantitative Production Analysis: A Training Manual for the Analysis of Aphasic Sentence Production*. Hove: Psychology Press.
- Francis, D. R., Clark, N. and Humphreys, G. W. (2003). The Treatment of an auditory working memory deficit and the implications for sentence comprehension abilities in mild "Receptive" Aphasia. *Aphasiology*, 17 (8), 723-750.
- Friedman, N. and Gvion, A. (2003). Sentence comprehension and working memory limitation in aphasia: A dissociation between semantic-syntactic and phonological reactivation. *Brain and Language*, 86 (1), 23-29.
- Inglis, A. L. (2003). Taking expectations to task in aphasic sentence comprehension: Investigations off-line performance. *Aphasiology*, 17 (3), 265-289.
- Marshall, J., Black, M. and Byng, S. (1999). Working with sentences: a handbook for aphasia therapists. In Marshall, J., Black, M., Byng, S., Chiat, S. and Pring, T. *The Sentence Processing Resource Pack*. Bicester: Winslow Press.
- Murray, L. L. and Karcher, L. (2000). A treatment for written verb retrieval and sentence construction skills. *Aphasiology*, 14, 585-602.
- Raymer, A. M. and Ellsworth, T. A. (2002). Response to contrasting verb retrieval treatments: A case study. *Aphasiology*, 16, 1031-1045.
- Thompson, C. K., Lange, K. L., Schneider, S. L. and Shapiro, L. P. (1997). Agrammatic and non-brain-damaged subjects' verb and verb argument structure production. *Aphasiology*, 11 (4/5), 473-490

## Psychosocial Approaches to Aphasia Therapy

### Psychosocial Issues

- Bakheit, A. M. O., Barrett, L., & Wood, J. (2004). The relationship between the severity of post-stroke aphasia and state self-esteem. *Aphasiology*, 18(8), 759-764.
- Barrow, R. (2000) Hearing the story. *Bulletin* (April): 8-10
- Barry, S. S. and Douglas, J. (2000). The social integration of individuals with aphasia. *Advances in Speech Language Pathology*, 2 (2), 77-91.
- Boulter, J. (2005). Enabling communication. *RCSLT Bulletin Supplement*, January, p. 3.
- Brumfitt, S. (1993). Losing your sense of self: What aphasia can do. *Aphasiology*, 7, 569-575.
- Brumfitt, S. and Sheeran, P. (1999). *VASES: The Visual Analogue Self Esteem Scale*. Bicester: Speechmark Publishing Ltd.
- Byng, S. (2001). Integrating therapies: A response to 'Impairment and social views of speech language pathology: Clinical practices in the United States' by Duchan J. *Australian Journal of Speech Language Pathology*.
- Byng, S., Pound, C. and Lindsay, J. (Eds.). (2004 ). *The Aphasia Therapy File. Volume 2*: Hove, UK: Psychology Press.
- Byng, S., Pound, C. and Parr, S. (2000). Living with aphasia: A framework for interventions. In Papathanasiou, I. (ed.). *Acquired Neurogenic Communication Disorders*. London: Whurr Publishers Ltd. Pp. 49-75.
- Byng, S. and Duchan, J. F. (2004). Challenging aphasia therapies. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 1. Pp. 8-18.
- Cameron, A. (2001). Speaking Out. *RCSLT Bulletin*, 586, 10-11.
- Chapey, R., Duchan, J. F., Elman, R. J., Garcia, L. J., Kagan, A., Lyon, J. G. and Simmons-Mackie, N. (2001). Life participation approach to aphasia: A statement of values for the future. In Chapey, R. (ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 235-245.
- Code, C. (1999). Notes and Discussion: Perceptions of psychosocial adjustment to acquired communication disorders: Application of the Code-

Müller Protocols. *International Journal of Language and Communication Disorders*, 34 (2), 193-207.

- Code, C. and Hermann, M. (2003). The relevance of emotional and psychological factors in aphasia to rehabilitation. *Neuropsychol-Rehabil.*, 13 (1-2), 109-32.
- Code, C. and Müller D. (1992). (eds. ). *Code-Müller Protocols: Assessing Perceptions of Psychosocial Adjustment in Aphasia and Related Disorders*. London: Whurr Publishers Ltd
- Code,C., Muller,D.J., Hogan,A., and Herrmann,M. (1999) Perceptions of psychosocial adjustment to acquired communication disorders: Applications of the Code-Muller Protocols. *International Journal of Language and Communication Disorders* 34 (2): 193-207)
- Cunningham,R. (2003) Acute communication: redressing the balance *Bulletin* (February): 13-14
- Cunningham,R. (1998) Counselling someone with severe aphasia: an explorative case study. *Disability and Rehabilitation* 20 (9): 346-354.
- Doyle, P. J., McNeil, M. R., Hula, W. D. and Mikolic, J. M. (2003). The Burden of Stroke Scale (BOSS): Validating patient-reported communication difficulty and associated psychological distress in stroke survivors. *Aphasiology*, 17 (3), 291-304.
- Duchan, J. F. and Byng, S. (Eds.). (2004). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press
- Eames, S., McKenna, K. Worrall., and Read, S. (2003). The suitability of written education materials for stroke survivors and their carers. *Topics Stroke Rehabil.* 10 (3), 70-83.
- Elman,R.J., Olgar,J. and Elman,S.H. (2000) Aphasia: Awareness, advocacy, and activism. *Aphasiology*. 14 (5/6): 455-459.
- Forster, A., Smith, J., Young, J., Knapp, P., House, A. and Wright, J. (2002). Information provision for stroke patients and their caregivers. *Cochrane Database of Systematic Reviews*, Issue 4.
- Gainotti, G. (1997). Emotional, psychological and psychosocial problems of aphasic patients: An introduction. *Aphasiology*, 11 (7), 635-650.
- Garcia, L. J., Barrette, J. and La Roche, C. (2000). Perceptions of the obstacles to work reintegration for persons with aphasia. *Aphasiology*, 14 (3), 269-290.

- Hemsley, G. and Code, C. (1996) The interactions between recovery in aphasia, emotional and psychosocial factors in subjects with aphasia, their significant others and speech pathologists. *Disability and Rehabilitation*. 18 (11): 567-584.
- Herrmann, M. (1997). Studying psychosocial problems in aphasia: Some conceptual and methodological considerations. *Aphasiology*, 11 (7), 717-725.
- Hewitt, A. and Byng, S. (2003). From doing to being: From participation to engagement. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: Reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 6. Pp.51-64.
- Hoen, B., Thelander, M. and Worsley, J. (1997). Improvement in psychological well-being of people with aphasia and their families; Evaluation of a community based programme, *Aphasiology*, 11 (7), 681-691.
- Holland, A. and Ramage, A. E. (2004). Learning from Roger Ross: A clinical journey. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch.7. pp. 118-129.
- Ireland, C.M. (1996) 100 years on from Freud's *On Aphasia* : From patient to counsellor. In Code, C. and Muller, D. (Eds.). *Treatment and Aphasia from Theory to Practice*. Whurr :London. Pp. 29-43.
- Ireland, C.M. and Wooten, G. (1996) Time to talk: Counselling for people with dysphasia. *Disability and Rehabilitation* 18 (11): 585-591.
- Jordan, L. (1998) Partners in care. *Bulletin* (August): 7-8
- Jordan, L. and Kaiser, W. (1996). *Aphasia – A Social Approach*. London: Chapman and Hall.
- Kagan, A. (1995) Revealing competence of aphasic adults through conversation: A challenge to health professionals. *Topics in Stroke Rehabilitation*, 2 (1): 15-28.
- Kagan, A. (2003). Aphasia centres and community: More than just the sum of parts. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 5. Pp.41-50.
- Karrow, C. M. and Connors, E. C. (2003). Affective communication in normal and brain-damaged adults: An overview. *Seminars in Speech and Language*, 24 (2), 69-91.

- Le Dorze, G., Croteau, C., Brassard, C. Michallet, B. (1999). Research considerations guiding interventions for families affected by aphasia. *Clinical Forum. Aphasiology*, 13 (12), 922-927.
- Lindsay, J. and Pound, C. (2001). Promoting inclusiveness. *RCSLT Bulletin*, March, 11-13.
- Lord, S. (2002) Recipe for a conversation. *Bulletin* (June): 10-11 {communication passports}
- Lyon, J. (2004). Evolving treatment methods for coping with aphasia: Approaches that make a difference in everyday life. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 4. Pp. 54-82.
- Mackenzie, C. and Paton, G. (2003). Resumption of driving with aphasia following stroke. *Aphasiology*, 17 (2), 107-122.
- Marshall, R. C. (2001). Management of Wernicke's aphasia: A context-Based approach. In Chapey, R. (ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 435-456.
- Marshall, J., Atkinson, J., Thacker, A. and Woll, B. (2003). Is Speech and Language Therapy meeting the needs of language minorities? The case of deaf people with neurological impairments. *International Journal of Language and Communication Disorders*, 38 (1), 85-94.
- Michallet, B. Téreault, S. and Le Dorze, G. (2003). The consequences of severe aphasia on the spouses of aphasic people: A description of the adaptation process. *Aphasiology*, 17 (9), 835-859.
- Nichols, F., Varchevker, A., and Pring, T. (1996) Working with people with aphasia and their families: An exploration of the use of family therapy techniques. *Aphasiology* 10: 767-781.
- Nieuwenhuis, R. and Dwyer, R. (1999). Home Alone. *RCSLT Bulletin*, 569, 13-15.
- Nieuwenhuis, R. (2001). Identity Crisis. *RCSLT Bulletin*, June, 590, 8-10.
- Nieuwenhuis, R. (2004). 'Back to the Future' with Huw. *British Aphasiology Society Newsletter*, Autumn, p. 4
- Oddy, M. (1999). Carers and Aphasia. *Aphasiology*, 13 (12), 907-911.

- Oliver, M. (1998) Disability and dependency: A creation of industrial societies? In Swain, J., Finklestein, V., French, S. and Oliver, M. (Eds.). *Disabling barriers - Enabling environments*. Sage: London. 49-60.
- Parr, S. P. and Byng, S. C. (2000). Perspectives and priorities: Accessing user views in functional communication assessment. In Worrall, L. E. and Frattali, C. M. (Eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 55-66.
- Parr, S., Duchan, J. and Pound, P. (2003). *Aphasia Inside Out: Reflections on Communication and Disability*. Maidenhead, UK: Open University Press.
- Parr, S., Paterson, K. and Pound, C. (2003). Time please! Temporal barriers in aphasia. In Parr, S., Duchan, J. and Pound, P. (2003). *Aphasia Inside Out: Reflections on Communication and Disability*. Maidenhead, UK: Open University Press. Ch. 12. Pp. 127-144
- Penman, T. (1998) Breaking down the barriers. *Bulletin*. 556 : 14-15
- Penman, T. (1998). Selfadvocacy and aphasia. *Bulletin of the Royal College of Speech and Language Therapists*. August.
- Penn, C. (2004). Context, culture, and conversation. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 5. Pp. 83-100.
- Pound, C. (1998). Therapy for life: Finding new paths across the plateau. *Aphasiology*, 12 (3), 222-227.
- Pound, C. (1999). Learning to listen and helping to tell. *Speech and Language Therapy in Practice*, Autumn.
- Pound, C. (2004). Dare to be different: The person and the practice. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 2. Pp. 32-53.
- Pound, C., Parr, S., Lindsay, J. and Woolf, C. (2000). *Beyond Aphasia: Therapies for Living with Communication Disability*. Oxon, UK: Winslow Press Ltd.
- Rogers, M. A., Alarcon, B. and Olswang, L. B. (1999). Aphasia management considered in the context of the World Health Organization model of disablements. *Physical Medicine and Rehabilitation Clinics of North America*, 10 (4), 907-923.
- Sarno, M. T. (1993). Aphasia rehabilitation: Psychosocial and ethical considerations. *Aphasiology*, 7 321-334.



- Sarno, M. T. (2004). Aphasia therapies: historical perspectives and moral imperatives. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 2. Pp. 19-31.
- Sarno, J. E. and Gainotti, G. (1998). The psychological and social sequelae of aphasia. In Sarno, M. T. (Ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press. Pp. 569-594.
- Servaes, P., Draper, B., Conroy, P. and Bowring G. (1999). Informal carers of stroke patients: Stresses and interventions. *Aphasiology*, 13 (12), 889-928.
- Simmons-Mackie, N. N. (2000). Social approaches to the management of aphasia. In Worrall, L. E. and Frattali, C. M. *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 162-187.
- Simmons-Mackie, N. (2001). Social approaches to aphasia management. In Chapey, R. (ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 246-268.
- Simmons-Mackie, N. (2004). Just kidding! Humour and therapy for aphasia. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 6. Pp. 101-117.
- Simmons-Mackie, N. and Damico, J. S. (2001). Intervention outcomes: A clinical application of qualitative methods. *Topics Lang. Disord.* 21 (4), 21-36.
- Simmons-Mackie, N. and Schultz, M. (2003). The role of humour in therapy for aphasia. *Aphasiology*, 17 (8), 751-766.
- Sparkes, C. (1993) The impact of language loss on marriage. *Bulletin*. 494 : 9-11.
- Sundin, K. and Jansson, L. (2003). 'Understanding and Being Understood' as a creative caring phenomenon in care of patients with stroke and aphasia. *Journal of Clinical Nursing*, 12 (1), 107-16.
- Swinburn, K., Porter, G. and Howard D. (2004). *Comprehensive Aphasia Test*. Psychology Press
- Togher, T. (2003). Do I have green hair? 'Conversations' in aphasia therapy. In Hewitt, A. and Byng, S. (2003). From doing to being: From participation to engagement. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside*

*Out: Reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 7. Pp. 65-79.

- Togher, L., Hand, L. and Code, C. (1996). A new perspective on the relationship between communication impairment and disempowerment following head injury in information exchanges. *Disability and Rehabilitation*, 18 (11), 559-566.
- Torney, A. and Crozier, E. (2000). Aphasia in the high street. *RCSLT Bulletin*, June, 13-14.

### **Aphasia-Friendly Literature**

- Bindman, B., Cohen-Schneider, R., Kagan, K., and Podolsky, L. (1995) Bridging the gap for aphasic individuals and their families: Providing access to service. *Topics in Stroke Rehabilitation*. 2: 46-52.
- Brumfitt, S., Atkinson, J., and Greated, C. (1994) The carers response to written information about acquired communication problems. *Aphasiology*. 8 (6): 457-466.
- Eames, S., McKenna, K., Worrall, L. and Read, S. (2003). The suitability of written education materials for stroke survivors and their carers. *Topics Stroke Rehabil.*, 10 (3). 70-83.
- Parr, S., Pound, C., Byng, S. and Long, B. (1999). *The Aphasia Handbook*. London: Connect Press.
- Triandafilou, J. S. (2003). Reading for life: A book club for individuals with aphasia. *ASHA, Leader*, 8 (14), 21.

### **Insights of People with Aphasia, their Carers/Colleagues**

- Anderson, C. (1992). *The Aftermath of Stroke: The Experience of Patients and Their Families*. Cambridge, UK: Cambridge University Press.
- Bevan, H. and Edestfd, N. (2004). Dare to be different. *Health Service Journal* 24 June, pp. 18-19.
- Black, M. and Ireland, C. (2003). Talking to ourselves: Dialogues in and out of language. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 3. Pp. 21-31.
- Boazman, S. (2003). A time of transition: A matter of confidence and control. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: Reflections on*

*Communication Disability*. Maidenhead: Open University Press. Ch. 4. Pp. 32-40.

- Byng, S., Pound, C. and Hewitt, A. (2004). (Eds.). *Living with Severe Aphasia: The Experience of Communication Impairment after Stroke*. London: City University.
- Clarke, H. (2003). Doing less, being more. Togher, T. (2003). Do I have green hair? 'Conversations' in aphasia therapy. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: Reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 8. pp. 80-90.
- Clarke, M. and Clarke, J. (2003). Directions without words. In Parr, S., Duchan, J. and Pound, P. (2003). *Aphasia Inside Out: Reflections on Communication and Disability*. Maidenhead, UK: Open University Press. Ch. 11. Pp. 117-126.
- Denman, A. (1998) Determining the needs of spouses caring for aphasic partners. *Disability and Rehabilitation*. 20(11): 411-423.
- Department of Health. (2001). *The Expert Patient: A New Approach to Chronic Disease Management for the 21<sup>st</sup> Century*. London: Department of Health.
- Department of Health (2001). *Involving Patients and the Public in Healthcare: A Discussion Document*. London: Department of Health.
- Eames, S., McKenna, K. Worrall., and Read, S. (2003). The suitability of written education materials for stroke survivors and their carers. *Topics Stroke Rehabil*. 10 (3), 70-83.
- Edelman, G. and Greenwood, R. (1992). *Jumbly Words and Rights Where Wrongs Should Be: the Experience of Aphasia from the Inside*. Kibworth, UK: Far Communications Ltd.
- Hale, S. (2002). *The Man Who Lost His Language*. London: Allen Lane, The Penguin Books Ltd.
- Holland, A. and Ramage, A. E. (2004). Learning from Roger Ross: A clinical journey. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch.7. Pp. 118-129.
- Ireland, C. and Pound, C. (2003). Celebrating aphasia poetry power. In Parr, S., Duchan, J. and Pound, P. (2003). *Aphasia Inside Out: Reflections on Communication and Disability*. Maidenhead, UK: Open University Press. Ch. 13. Pp. 145-162.

- Kagan, A. and Duchan, J. F. (2004). Consumers' views of what makes therapy worthwhile. . In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 10. pp. 158-172.
- Khosa, J. (2003). Still life of a chameleon: Aphasia and it's impact on identity. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: Reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 2. Pp. 10-20.
- Michallet, B., le Dorze, G. and Tetreault, S. (2001) The needs of spouses caring for severely aphasic persons. *Aphasiology*. 15 (8): 731-747.
- Monaco, B. and Olson, D. A. (Editors). (2003). Consumer's perspective. Aphasia: Delivering the News. *Topics in Stroke Rehabilitation*, 10 (1), 93-4.
- Nieuwenhuis, R. (2004). 'Back to the Future' with Huw. *British Aphasiology Society Newsletter*, Autumn, p. 4
- Parr, S., Duchan, J. and Pound, P. (2003). *Aphasia Inside Out: Reflections on Communication and Disability*. Maidenhead, UK: Open University Press.
- Parr, S., Byng, S., Gilpin, S. and Ireland, C. (1997). *Talking About Aphasia: Living with Loss of Language After Stroke*. Buckingham: Open University Press.
- Penman, T. and de Mare, T. (2003). In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: Reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 9. Pp. 91-102.
- Penn, C. (2004). Context, culture, and conversation. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 5. Pp. 83-100.
- Sutton, M. (2003). *A Stroke of Genius: Letters and Stories*. iUniverse.com

### Quality of Life Issues

- Code, C. (2003). The Quantity of Life for People with Chronic Aphasia. *Neuropsychol-Rehabil.*, 13 (3), 379-90.
- Cruice, M., Worrall, L., Hickson, L. and Murison, R. (2003). TI finding a focus for quality of life with aphasia: Social and emotional health and psychological well-being. *Aphasiology*, 17 (4), 333-353.

- Engell, B., Hütter, B. O., Wilmer, K. and Huber, W. (2003). Quality of life in aphasia: Validation of a pictorial self-rating procedure. *Aphasiology*, 17 (4), 383-396.
- Hilari, K., Byng, S., Lamping, D. L. and Smith, S. C. (2003). The Stroke and Aphasia Quality of Life Scale-39: Evaluation of acceptability, reliability and validity. *Stroke*, 34 (8), 1944-1950.
- Hinckley, J. J. (2002). Vocational and social outcomes of adults with chronic aphasia. *Journal of Communication Disorders*, 35 (6), 543-560.
- Hilari, K., Wiggins, R. D., Roy, P., Byng, S. and Smith, S. C. (2003). Predictors of health-related quality of Life (HRQL) in people with chronic aphasia. *Aphasiology*, 17 (4), 365-381.
- Hirsch, F. M. and Holland, A. L. (2000). Beyond activity: Measuring participation in society and quality of life. In Worrall, L. E. and Frattali, C. M. (eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 35-54.
- Murphy, J. (2000). Enabling people with aphasia to discuss quality of life. *British Journal of Therapy and Rehabilitation*, 7 (11), 454-458.
- Ross, K. B. and Wertz R. T. (2003). Relationship between language based disability and quality of life in chronically aphasic adults. *Aphasiology*, 16 (8), 791-801.
- Ross, K. B. and Wertz R. T. (2003). Quality of life with and without aphasia. *Aphasiology*, 17 (4), 355-364.
- Royal College of Physicians (2004). *National Clinical Guidelines for Stroke*. Second Edition. Royal College of Physicians: London.
- Simmons-Mackie, N. and Damico, J. S. (2001). Intervention outcomes: A clinical application of qualitative methods. *Topics Lang. Disord.* 21 (4), 21-36.
- Sorin-Peter, R. (2003). Viewing couples Living with aphasia as adult learners: Implications for promoting quality of life. *Aphasiology*, 17 (4), 405-416.
- Worrall, L. E. and Holland, A. L. (2003). Editorial: Quality of life in aphasia. *Aphasiology*, 17 (4), 329-332.
- Worrall, L. and Holland, A. (Eds.). (2003). *Quality of Life in Aphasia: Aphasiology*. Special Issue. 17 (4).

### **‘Supported Conversation’, Conversational Coaching/Partners**

- Cunningham, R. and Ward, C. D. (2003). Evaluation of a training programme to facilitate conversation between people with aphasia and their partners. *Aphasiology*, 17 (8), 687-707.
- Hengst, J. A. (2003). Collaborative referencing between individuals with aphasia and routine communication partners. *Journal of Speech, Language and Hearing Research*, 46 (4), 831-848.
- Holland, A.L. (1998) Why can't clinicians talk to aphasic adults? Comments on supported conversation for adults with aphasia : methods and resources for training conversational partners. *Aphasiology*, 12 (9): 844-847.
- Hopper, T., Holland, A. and Rewega. M. (2002). Conversational coaching: treatment Outcomes and future directions. *Aphasiology*, 16, 745-761.
- Kagan,A. (1995) Revealing competence of aphasic adults through conversation: A challenge to health professionals. *Topics in Stroke Rehabilitation*, 2 (1): 15-28.
- Kagan, A. (1998). Supported conversation for adults with aphasia: Methods and resources for training conversation partners. *Aphasiology*, 12 (9), 816-30.
- Kagan, A. and Gailey, G (1993). Functional is not enough: Training conversation partners for aphasic adults. In Holland, A. L. and Forbes, M. M. *Aphasia Treatment: World Perspectives*. London: Chapman and Hall. P. Pp: 199-225.
- Kagan, A., Black, S. E., Duchan, J. F., Simmons-Mackie, N. and Square, P. (2001). Training volunteers as conversation partners using “Supported Conversation for Adults with Aphasia” (SCA): A controlled trial. *Journal of Speech, Language and Hearing Research*, 44, 624-638.
- Le Dorze,G., Julien, M., Genereux, S., Navenne C., Laporte, D., and Champagne, C. (2000) The development of a procedure for the evaluation of communication occurring between residents in long-term care and their caregivers. *Aphasiology*, 14 (1): 17-51.
- Lock, S., Wilkinson, R. and Bryan, K. (2001) *Supporting Partners of People with Aphasia in Relationships and Conversations (SPPARC)*. Bicester: Speechmark Publishing Ltd.
- Lock, S. et al., (2001) Supporting Partners of People with Aphasia in Relationships and Conversations (SPPARC). *Int., J. of Language and Communication Disorders*, 36, (supplement) 25-30.

- Lyon, J., Cariski, D., Keisler, L., Rosenbek, J., Levine, R., Kumpula, J., Ryff, C., Coyne, S. and Levine, J. (1997). Communication partners: Enhancing participation in life and communication for adults with aphasia in natural settings. *Aphasiology*, 11, 693-708.
- McLeod, H., Houston, M. and Seyfort, B. (1996) Communicative interactive skills training for caregivers of non-speaking adults with severe disabilities. *International Journal of Practical Approaches to Disability*. 19 : 5-11.
- Panton, L., Rayner, H., Marshall, J. and Code, C. (2003). Letters to the Editor. Re: Training volunteers as conversation partners for people with aphasia. Helen Rayner and Jane Marshall. *International Journal of Language and Communication Disorders*, 38 (3), 315-7.
- Parr, S. and Byng, S. (1998). Breaking new ground in familiar territory. A response to 'Supported Conversation for Adults with Aphasia by Aura Kagan'. *Aphasiology*, 12 (9), 839-844.
- Perkins, L. (1995) Applying conversation analysis to aphasia : clinical implications and analytic issues. *European Journal of Disorders of Communication*, 30 (3): 372-383.
- Perkins, L., Crisp, J. and Walshaw, D. (1999) Exploring conversation analysis as an assessment tool for aphasia : the issue of reliability. *Aphasiology*. 13 (4-5) : 259-281
- Purcell, M., McConkey, R., and Morris, I. (2000) Staff communication with people with intellectual disabilities: the impact of a work-based training programme. *International Journal of Language and Communication Disorders*. 35 (1): 147-158
- Rayner, H. and Marshall, J. (2003). Training volunteers as conversation partners for people with aphasia. *International Journal of Language and Communication Disorders*, 38 (2), 149-164.
- Simmons-Mackie, N. and Damico, J. (1997) Reformulating the definition of compensatory strategies in aphasia. *Aphasiology*, 11 (8): 761-781.
- Simmons-Mackie, N. and Kagan, A. (1999). Communication strategies used by 'Good' vs 'Poor' speaking partners of individuals with aphasia. *Aphasiology*, 13, 807-820.

## Treatment Approaches/Packages

- Addlestone, S. (2002). *The Sourcebook of Practical Communication: A Programme for Conversational Practice & Functional Communication Therapy*. Bicester: Speechmark Publishing Ltd.
- Andersen-Wood, L. and Smith, B. R. (1997). *Working with Pragmatics*. Bicester: Speechmark Publishing Ltd.
- Beveridge, K., Nelson, C. and Davidson, C. (2002). *Semantic Workbooks*. Bicester: Speechmark Publishing Ltd.
- Butt, P. A. and Bucks, R. S. (2004). *BNVR: The Butt Non-Verbal Reasoning Test*. Bicester: Speechmark Publishing Ltd.
- Byng, S., Swinburn, K. and Pound, C. (Eds.). (1999). *The Aphasia Therapy File*. Hove, UK: Psychology Press.
- Byng, S., Pound, C. and Lindsay, J. (Eds.). (2004 ). *The Aphasia Therapy File. Volume 2*: Hove, UK: Psychology Press.
- Carlomagno, S. (1994). *Pragmatic Approaches to Aphasia Therapy*. London: Whurr Publishers Ltd.
- Duffy, J. R. and Coelho, C. A. (2001). Schuell's stimulation approach to rehabilitation. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 341-382.
- Farooqi-Shah, Y., Thompson, C. K. (2003). Effect of lexical cues on the production of active and passive sentences in Broca's and Wernicke's Aphasia. *Brain and Language*, 85 (3), 409-26.
- Fawcus, M., Kerr, J., and Whitehead, S. (1993). *Aphasia Therapy in Practice: Expression*. Bicester: Speechmark Publishing Ltd.
- Fawcus, M., Kerr, J., Whitehead, S. and Williams, R. and (1993). *Aphasia Therapy in Practice: Writing*. Bicester: Speechmark Publishing Ltd.
- Fawcus, M., Kerr, J., Whitehead, S. and Williams, R (1993). *Aphasia Therapy in Practice: Comprehension*. Bicester: Speechmark Publishing Ltd.
- Fawcus, M., Kerr, J., Whitehead, S. and Williams, R (1993). *Aphasia Therapy in Practice: Reading*. Bicester: Speechmark Publishing Ltd.
- Fillingham, J. K., Hodgson, C., Sage, K. and Lambon-Ralph, M. A. (2003). The application of errorless learning to aphasic disorders: A review of theory and practice. *Neuropsychol-Rehabil.*, 13 (3), 337-63.



- Greener, J., Enderby, P. and Whurr, R. (2002). Pharmacological treatment for aphasia following stroke. *Cochrane Database of Systematic Reviews*, No 2.
- Hersch, D. (1998). Beyond the 'plateau': Discharge dilemmas in chronic aphasia. *Aphasiology*, 12, 207-243.
- Hersch, D. (2003). "Weaning" clients from aphasia therapy: Speech pathologists strategies for discharge. *Aphasiology*, 17 (11), 1007-1031.
- Hunt, J. (1999) Drawing on the semantic system: the use of drawing as a therapy medium. In Byng, S., Swinburn, K. and Pound, C. (Eds.). *The Aphasia Therapy File*. Psychology Press: Hove.
- Jackson-Waite, K., Robson, J. and Pring, T. (2003). Written communication using A lightwriter in undifferentiated jargon aphasia: A single case study. *Aphasiology*, 17 ((8), 767-780.
- Katz, R. C., Hallowell, B., Code, C., Armstrong, E., Roberts, P., Pound, C. and Katz L. (2000). A multinational comparison of aphasia management practices. *International Journal of Communication Disorders*, 35, 303-324.
- Lawson, R. and Fawcus, M. (1999) Increasing effective communication using a total communication approach. In Byng, S., Swinburn, K. and Pound, C. (Eds.). *The Aphasia Therapy File*. Psychology Press: Hove.
- Lewis, F. (2002). An interdisciplinary approach to naming ability. *Phys-Occup-Ther-Geriatr*, 20 (3-4), 69-76.
- Lyon, J.G. (1995) Drawing: Its value as a communication aid for adults with aphasia. *Asphasiology*, 9, 33-50.
- Morrison, S. (2001). *Phonology Resource Pack for Adult Aphasia*. Bicester: Speechmark Publishing Ltd.
- Pulvermuller, F., Neininger, B., Elbert, T., Mohr, B., Rockstroh, B., Koebbel, P. and Taub, E. (2001). Constraint-induced therapy of chronic aphasia after stroke. *Stroke*, 32 (7), 1621-6.
- Peach, R. K. (2001). Clinical intervention for global aphasia. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp.487-512.
- Powell, T. and Malia, K. (2003). *The Brain Injury Workbook: Exercises for Cognitive Rehabilitation*. Bicester: Speechmark Publishing Ltd.
- Rao, P. R. (2001). Use of Amer-Ind Code by persons with severe aphasia. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related*

*Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 688-702.

- Rose, M. and Douglas, J. (2003). Limb apraxia, pantomime, and lexical gesture in aphasic speakers: Preliminary findings. *Aphasiology*, 17 (5), 453-464.
- Sachett, C., Byng, S., Marshall, J., and Pound, C. (1999) Drawing together: evaluation of a therapy programme for severe aphasia. *International Journal of Language and Communication Disorders*, 34, 265-290.
- Sarno, M. T. (1998). Recovery and rehabilitation in aphasia. In Sarno, M. T. (ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press. Pp. 595-631.
- Sparks, R. W. (2001). Melodic Intonation Therapy. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 703-717.
- Wambaugh, J. L. (2003). A comparison of the relative effects of phonologic and semantic cueing treatments. *Aphasiology*, 17 (5), 433-441.
- Wertz, R. (2000). Aphasia therapy: A clinical framework. In Papathanasiou, I. (ed.). *Acquired Neurogenic Communication Disorders*. London: Whurr Publishers Ltd. Pp. 3-27.
- Worrall, L. (1999). *FCTP: Functional Communication Therapy Planner*. Bicester: Speechmark Publishing Ltd.

## Functional Communication

- Addlestone, S. (2002). *The Sourcebook of Practical Communication: A Programme for Conversational Practice & Functional Communication Therapy*. Bicester: speechmark Publishing Ltd.
- Baker, R. (2000). The assessment of functional communication in culturally and linguistically diverse populations. In Worrall, L. E. and Frattali, C. M. (2000). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 81-100.
- Crockford, C. and Lesser, R. (1994) Assessing functional communication in aphasia: clinical utility and time demands of three methods. *European Journal of Disorders of Communication*, **29**, 165-182.
- Davidson, B. J. and Worrall, L. E. (2000). The assessment of activity limitation in functional communication: Challenges and choices. In Worrall, L. E. and Frattali, C. M. (eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 19-34.
- Davis, G.A. and Wilcox M.J. (1981) Incorporating parameters of natural conversation in aphasia treatment. In R. Chapey (Ed.). *Language Intervention Strategies in Adult Aphasia* 2nd Edition Baltimore MD: Williams and Wilkins.
- Glindemann, R. and Springer, L. (1995) An assessment of PACE therapy In C. Code and D. Muller (Eds) *Treatment of Aphasia: From Theory to Practice*. Whurr: London. Ch 6., pp 90-107.
- Hartley, L. L. (1992). Assessment of functional communication. *Seminars in Speech and Language*, 13, 264-279.
- Lawson, R. and Fawcus, M. (1999) Increasing effective communication using a total communication approach In Byng, S., Swinburn, K. and Pound, C. (Eds) *The Aphasia Therapy File*. Psychology Press: Hove.
- Lyon, J.G. (1995) Drawing its value as a communication aid for adults with aphasia. *Asphasiology*, 9, 33-50.
- Lyon, J. (2000). Finding, defining and refining functionality in real life for people confronting aphasia. In Worrall, L. and Frattali, C. M. (Eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers Inc. Pp. 137-161.
- McCooey, R. T., Toffolo, D. and Code, C. (2000). A socioenvironmental approach to functional communication in hospital In-Patients. In Worrall, L. E. and Frattali, C. M. (eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 295-311.

- Martin, J. (1997). Analysing genre: Functional parameters. In Christie, F. and Martin, J. (Eds.). *Genre and Institution*. London: Cassell.
- Mayer, J. F. and Murray, L. L. (2003). Functional measures of naming in aphasia: Word retrieval in confrontation naming versus connected speech. *Aphasiology*, 17 (5), 481-497.
- O'Halloran, R., Worrall, L., Toffolo, D., Code, C. and Hickson, L. (2004). *IFCI: Inpatient Functional Communication Interview*. Bicester: Speechmark Publishing Ltd.
- Parr, S. (1996). Everyday literacy in aphasia: radical approaches to functional therapy. *Aphasiology*, 10 (5), 469-479.
- Penn, C. and Jones, D. (2000). Functional communication and the workplace: A neglected domain. In Worrall, L. E. and Frattali, C. M. (Eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 103-124.
- Pulvermuller, F. and Roth, V.M. (1991) Communicative aphasia treatment as a further development of PACE therapy. *Aphasiology*, 5, 39-50.
- Robson J, Pring T, Marshall J, Morrison S and Chiat S (1998) 'Written communication in undifferentiated jargon aphasia: A therapy study' *International Journal of Language and Communication Disorders*, 33, 305-328.
- Sachett, C., Byng, S., Marshall, J., and Pound, C. (1999) Drawing together: evaluation of a therapy programme for severe aphasia. *International Journal of Language and Communication Disorders*, 34, 265-290.
- Worrall, L. (1995). The functional communication perspective. In Code, C. and Muller, D. (Eds.). *Treatment of Aphasia: From Theory to Practice*. London: Whurr Publishers Ltd. Pp. 47-69.
- Worrall, L. E. (2000). A conceptual framework for a functional approach to acquired neurogenic disorders of communication and swallowing. In Worrall, L. E. and Frattali, C. M. (Eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 3-18.
- Worrall, L. E. (2000). The influence of professional values on the functional communication approach in aphasia. In Worrall, L. E. and Frattali, C. M. (eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 191-205.
- Worrall, L. E. (2000). Future directions and research issues in functional communication assessment and treatment. In Worrall, L. E. and Frattali, C. M. (eds.). *Neurogenic Communication Disorders: A Functional Approach*. New York: Thieme Medical Publishers, Inc. Pp. 331-343.

- Worrall, L. and Yiu, E. (2000). Effectiveness of functional communication therapy by volunteers for people with aphasia following stroke. *Aphasiology*, 14 (9), 911-924.
- Worrall, L., McCooley, R., Davidson, B., Larkins, B. and Hickson L. (2002). The validity of functional assessments of communication and the activity/participation components of the ICIDH-2: Do they reflect what Really happens in real life? *Journal of Communication Disorders*, 35 (2), 107-137.

## Conversational Analysis/Interaction

- Armstrong, E. M. (1995). A linguistic approach to the functional skills of aphasic speakers. In Code, C. and Muller, D. (Eds.). *Treatment of Aphasia: From Theory to Practice*. London: Whurr Publishers Ltd.
- Armstrong, E. M. (2000). Aphasic discourse analysis: The story So far. *Aphasiology*, 14 (9), 875-892
- Beeke, S. (2003). I 'Suppose' as a resource for the construction of turns at talk in agrammatic aphasia. *Clinical Linguistics and Phonetics*, 17 (4-5),
- Beeke, S., Wilkinson, R. and Maxim, J. (2003). Exploring aphasic grammar 2: Do language testing and conversation tell a similar story? *Clinical Linguistics and Phonetics*, 17 (2), 109-134.
- Bird, H. and Franklin, S., 1996, Cinderella revisited: a comparison of fluent and non-fluent aphasic speech. *J. Neurolinguistics*, 9, 187-206.
- Booth, S. and Perkins, L. (1999). The use of conversation analysis to guide individualized advice to carers and evaluate change in aphasia: A case study. *Aphasiology*, 13, 283-303.
- Booth, S. and Swabey, D. (1999). Group training in communication skills for carers of adults with aphasia. *International Journal of Language and Communication Disorders*, 34 (3). 291-309.
- Bouchard-Lamothe, D., Bourassa, S., Laflamme, B., Garcia, L.J., Gailey, G. and Stiell, K. (1999). Perceptions of three groups of interlocutors of the effects of aphasia on communication : an exploratory study. *Aphasiology*, 13 (9-11): 839-855.
- Bryan, K., McIntosh, J. and Brown, D. (1998) Extending conversation analysis to nonverbal communication. *Aphasiology*, 12 (2): 179-188.
- Clausen, N. S. and Beeson, P. M. (2003). Conversational use of writing in severe aphasia: A group treatment approach. *Aphasiology*, 17 (6-7), 625-644.
- Crockford, C. and Lesser, R. (1994) Assessing functional communication in aphasia: clinical utility and time demands of three methods. *European Journal of Disorders of Communication*, 29, 165-182.
- Damico, J. S., Oelschlaeger, M. and Simmons-Mackie, N. (1999). Qualitative methods in aphasia research: Conversation analysis. *Aphasiology*, 13 (9-11), 667-679.
- Davidson, B., Worrall, L. and Hickson, L. (2003). Identifying the communication activities of older people with aphasia: Evidence from naturalistic observation. *Aphasiology*, 17 (3), 243-264.

- Eggins, S. and Martin, J. R. (1997). Genres and registers of discourse. In Martin, J. R., Matthiesson, M. I. M. and Painter, C. (Eds.). *Working with Functional Grammar*. London: Edward Arnold.
- Eggins, S. and Slade, D. (1997). *Analyzing Causal Conversations*. London: Cassell.
- Friedland, D. and Penn, C. (2003). Conversation analysis as a technique for exploring the dynamics of a mediated interview. *International Journal of Language and Communication Disorders*, 38 (1), 95-111.
- Halliday, M. A. K. (1985). *An Introduction to Functional Grammar*. London: Edward Arnold.
- Halliday, M. A. K. and Hasan, R. (1985). *Language, Context, and Text: Aspects of Language in a Social-Semiotic Perspective*. Victoria: Deakin University Press.
- Hartley, L. L. (1992). Assessment of functional communication. *Seminars in Speech and Language*, 13, 264-279.
- Hasan, R. (1994). Situation and definition of genres. In Grimshaw, E. D. (Ed.). *What's Going on Here? Complementary Studies of Professional Talk*. (Vol. 2 of the Multiple Analysis Project). Ablex: Norwood N. J.
- Hasan, R. (1995). The conception of context in text. In Fries, P. and Gregory, M. (Eds.). *Discourse in Society: Systemic Functional Perspectives, Meaning and Choice in Language: Studies for Halliday*. Vol L. Ablex: Norwood N. J.
- Hickin, J., Best, W., Herbert, R., Howard, D. and Osborne, F. (2001) Treatment of word retrieval in aphasia: Generalisation to conversational speech. *International Journal of Language and Communication Disorders*, 36, (Supplement) 13-18.
- Kagan, A. (1995). Revealing the competence of aphasic adults through conversation: A challenge to health professionals. *Topics in Stroke Rehabilitation*, 2, 15-28.
- Laakso, M. and Klippi, A. (1999). A closer look at the "Hint-and-Guess" sequences in aphasic conversation. *Aphasiology: Special Issue on Conversational Analysis*, 4-5, 345-363.
- Lesser, R., & Algar, L., 1995, Towards combining the cognitive neuropsychological and the pragmatic in aphasia therapy. *Neuropsychological Rehabilitation*, 5, 67-92.

- Lock, S., Wilkinson, R. and Bryan, K. (2001) *Supporting Partners of People with Aphasia in Relationships and Conversations (SPPARC)*. Bicester: Speechmark.
- Lock, S., Wilkinson, R., Bryan, K., Maxim, J., Edmundson, A., Bruce, C. and Moir, D. (2001) Supporting Partners of People with Aphasia in Relationships and Conversations (SPPARC). *Int., J. of Language and Communication Disorders*, 36, (supplement) 25-30.
- Osborne, F., Hickin, J., Best, W. and Howard, D. (1998) Treating word-finding difficulties – beyond picture naming. *International Journal of Language and Communication Disorders*, 33, 208-213.
- Ramsberger, G. and Rende, B. (2002). Measuring transactional success in the conversation of people with aphasia. *Aphasiology*, 16 (3), 337-353.
- Smith, S. W. and Jucker, A. H. (1998). Interactive aspects of reference assignment in conversations. *Pragmatics and Cognition*, 6, 153-187.
- Togher, L. (2000). Giving information: The importance of context on communicative opportunity for people with traumatic brain injury. *Aphasiology*, 14 365-390.
- Togher, L. (2000). Discourse sampling with people with neurogenic communicative disorders: An evolving science. *Journal of Neurolinguistics*, 13, 260-264.
- Togher, L. and Hand, L. (1998). Use of politeness markers with different communication partners: An investigation of five subjects with traumatic brain injury. *Aphasiology*, 12 (7/8), 755-770.
- Togher, L. and Hand, L. (1999). The macrostructure of the interview: Are traumatic brain injury interactions structured differently to control interactions? *Aphasiology*, 13, 709-723.
- Togher, L., Hand, L. and Code, C. (1996). A new perspective on the relationship between communication impairment and disempowerment following head injury in information exchanges. *Disability and Rehabilitation*, 18 (11), 559-566.
- Togher, L., Hand, L. and Code, C. (1997). Analysing discourse in the traumatic brain injury population: Telephone interactions with different communication Ppartners. *Brain Injury*, 11 (3), 169-189.
- Togher, L., Hand, L. and Code, C. (1997). Measuring service encounters with the traumatic brain injury population. *Aphasiology*, 11 (4-5), 491-504.



- Togher, L. and Hand, L. (1998). Use of politeness markers with different communication partners: An investigation of five subjects with traumatic brain injury. *Aphasiology* 12 (7-8). 755-770.
- Togher, L. and Hand, L. (1999). The macrostructure of the interview: Are traumatic brain injury interactions structured differently to control interactions? *Aphasiology*, 13, 709-723.
- Togher, L., Hand, L. and Code, C. (1999). Exchanges of information in the talk of people with traumatic brain injury. In McDonald, S., Togher, L. and Code, C. (Eds.). *Communication Disorders Following Traumatic Brain Injury*. Brain Damage, Behaviour and Cognition Series. Hove: UK: Psychology Press/Taylor & Francis, (UK) pp. 113-145.
- Togher, L. (2000). Giving information: The importance of context on communicative opportunity for people with traumatic brain injury. *Aphasiology*, 14, 260-264.
- Togher, L. (2000). Discourse sampling with people with neurogenic communication disorders: An evolving science. *Journal of Neurolinguistics*, 13, 260-264.
- Togher, L. (2001). Discourse sampling in the 21<sup>st</sup> century. *Journal of Communication disorders*, 34 (1/2), 131-150.
- Togher, T. (2003). Do I have green hair? 'Conversations' in aphasia therapy. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 7. Pp. 65-79
- Whitworth, A., Perkins, L. and Lesser, R. (1997). *Conversation Analysis Profile for People with Aphasia*. London: Whurr Publishers Ltd.
- Wilkinson, R., Bryan, K., Lock, S., Maxim, J., Bruce, C., Edmunson, A., and Moir, D. (1998) Therapy using conversation analysis: Helping couples to adapt to aphasia in conversation. *International Journal of Language and Communication Disorders* 33 (supplement): 144-149
- Wilkinson, R. (1999). Sequentiality as a problem and resource for intersubjectivity in aphasic conversation: Analysis and implications for therapy. *Aphasiology*, 13 (4-5), 327-343.
- Wilkinson, R., Beeke, S. and Maxim J. (2003). Adapting to conversation: On the use of linguistic resources by speakers with fluent aphasia in the construction of turns at talk. In Goodwin, C. (ed.). *Conversation and Brain Damage*. New York: Oxford University Press.

## Group Therapy

- Avent, J. R. (1997). Group treatment in aphasia using cooperative learning methods. *Journal of Medical Speech-Language Pathology*, 5 (1), 9-26.
- Bollinger, R. L., Musson, N. D. and Holland, A. L. (1993). A study of group communication intervention with chronically aphasic persons. *Aphasiology*, 7 (3), 301-313.
- Booth, S. and Swabey, D. (1999). Group training in communication skills for carers of adults with aphasia. *International Journal of Language and Communication Disorders*, 34 (3). 291-309.
- Brumfitt, S. and Sheeran, P. (1997). An evaluation of short-term group therapy for people with aphasia. *Disability and Rehabilitation*, 19 (6), 221-230.
- Clausen, N. S. and Beeson, P. M. (2003). Conversational use of writing in severe aphasia: A group treatment approach. *Aphasiology*, 17 (6-7), 625-644.
- Eales, C. and Pring, T. (1998). Using individual and group therapy to remediate word finding difficulties. *Aphasiology*, 12 (10), 913-918.
- Elman, R. J. (1999). *Group Treatment of Neurogenic Communication Disorders: The Expert Clinician's Approach*. Boston: Butterworth-Heinemann.
- Elman, R. J. (2004). Group treatment and jazz: Some lessons learned. . In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 8. Pp.130-133.
- Elman, R. J. and Bernstein-Ellis, E. (1999). The efficacy of group communication treatment in adults with chronic aphasia. *Journal of Speech, Language and Hearing Research*, 42 (2), 411-9.
- Elman, R. J. and Bernstein-Ellis, E. (1999). Psychosocial aspects of group communication treatment: Preliminary findings. *Seminars in Speech and Language*, 20 (1), 65-71.
- Johannsen-Horbach, H., Crone, M. and Wallesch C. W. (1999). Group therapy for spouses of aphasic patients, *Seminars in Speech and Language*, 20 (1), 73-82.
- Kearns, K. P. and Elman, R. J. (2001). Group therapy for aphasia: Theoretical and practical considerations. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*.

Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 316-337.

- Klippi, A. (2003). Collaborating in aphasic group conversation: Striving for mutual understanding. In Goodwin, C. (Ed.). *The Pragmatic Life of Brain Damaged Patients*. Oxford University Press.
- Mackenzie, C. (1991). An aphasia group intensive efficacy study. *British Journal of Disorders of Communication*, 26, 275-291.
- Penman, T. and de Mare, T. (2003). In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: Reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 9. Pp. 91-102.

## **Aphasia and Bilingualism**

- Roberts, R. M. (1998). Clinical research needs and issues in bilingual aphasia. *Aphasiology*, 12 (2), 119-146.
- Roberts, P. M. (2001). Aphasia assessment and treatment for bilingual and culturally diverse patients. In Chapey, R. (Ed.). (2001). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Ch. 9. Pp. 208-232.
- Paradis, M. (1998). Acquired aphasia in bilingual speaker. In Sarno, M. T.(1998). (Ed.). *Acquired Aphasia*. Third Edition. San Diego: Academic Press. Ch 15. Pp. 531-549.

## Aphasia and Computers

- Petheram, B. (Ed.). (2004). *Computers and Aphasia: Aphasiology*. Special Issue. Psychology Press.
- Bruce, C., Edmundson, A. and Coleman, M. (2003). Writing with voice: An investigation of the use of a voice recognition system as a writing aid for a man with aphasia. *International Journal of Language and Communication Disorders*, 38 (2), 131-148.
- Cotton, S. and Petheram, B. (2003). Editorial: Using computers as an effective speech and language therapy tool. *International Journal of Therapy and Rehabilitation*, 10 (8), 348.
- Elman, R. J. (2001). The internet and aphasia: Crossing the digital divide. *Aphasiology*, 15 (10/11), 395-899.
- Elman, R. J., Parr, and Moss, B. (2003). The internet and aphasia: Crossing the digital divide. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 10. Pp. 103-116.
- Holmes, D. and Singh, S. (1996). A stylometric analysis of conversational speech of aphasic patients. *Literary and Linguistic Computing*, 11 (3), 133-140.
- Hux, K., Manasse, N., Weiss, A. and Beukelman, D. R. (2001). Augmentative and alternative communication for persons with aphasia. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 675-687.
- Katz, R. C. (2001). Computer applications in aphasia treatment. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 718-741.
- Laganaro, M. Di-Pietro, M. and Schnide, A. (2003). Computerised treatment of anomia in chronic and acute aphasia: An exploratory study. *Aphasiology*, 17 (8), 709-721.
- Mortley, J., Enderby, P. and Petheram, B. (2001). Using a computer to improve the functional writing in a patient with severe dysgraphia. *Aphasiology*, 15 (5), 443-461.
- Mortley, J., Wade, J. and Enderby, P. (2003). An investigation into the feasibility of remotely delivered computer therapy for people with aphasia. *Advances in Speech Language Pathology*, 5 (1), 27-36.

- Mortley, J., Wade, J. and Enderby, P. (2004). Superhighway to promoting a client-therapist partnership? Using the Internet to delivered word-retrieval computer therapy, monitored remotely with minimal speech and language therapy input. *Aphasiology*, 18 (3), 193-211.
- Petheram, B. (1996). The behaviour of stroke patients in unsupervised computer administered aphasia therapy. *Disability and Rehabilitation*, 16, 61-66.
- Petheram, B. (1996). Exploring the home-based use of microcomputers in aphasia therapy. *Aphasiology*, 10 (3), 267-282.
- Petheram, B. (2004). Editorial: Computers and aphasia: A means of delivery and a delivery of means. *Aphasiology*, 18 (3), 187-191.
- Singh, S. and Petheram, B. (1997). Aphasia assessment and therapy using hypertext-related tasks, *Aphasiology*, 11 (12), 1127-1138.
- Wade, J., Mortley, J. and Enderby, P. (2003). Talk about IT: Views of people with aphasia and their partners on receiving remotely monitored computer-based word finding therapy. *Aphasiology*, 17 (11), 1031-1056.
- Wade, J., Petheram, B. and Cain, R. (2001). Voice recognition and aphasia: Can computers understand aphasic speech? *Disability and Rehabilitation*, 23 (14), 604-613.
- Wren, Y. (2001). Software and speech – a review of software in phonology therapy. *International Journal of Language and Communication Disorders*, 36, Supplement, 487-492.

## Primary Progressive Aphasia

- Kertesz, A., Davidson, W., McCabe, P., Takagi, K. and Munoz, D. (2003). Primary Progressive Aphasia: Diagnosis, varieties and evolution. *Journal of the International Neuropsychological Society*, 9 (5), 710-19.
- McNeil, M. R. and Duffy, J. R. (2001). Primary Progressive Aphasia. In Chapey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 472-486.
- Mesulam, M. M. (2003). Current concepts primary progressive aphasia – A language based dementia. *New England Journal of Medicine*, 349 (16) 1535-1542.
- Warren, J. D., Warren, J. E., Fox, N. C. and Warrington, E. K. (2003). Nothing to say, something to sing: Primary Progressive Dynamic Aphasia. *Neurocase*, 9 (2), 140-155.

## Outcome Measures/Efficacy

- Aftonomos, L. B., Appelbaum, J. S. and Steele, R. D. (1999). Improving outcomes for persons with aphasia in advanced community-based treatment programmes. *Stroke*, 30 (7). 1370-9.
- Albert, M. L. (2003) Aphasia therapy works. *Stroke*, 34 (4), 992-993.
- Bhogal-Sanjit, K., Teasell, R. and Speechley, M. (2003). Intensity of aphasia therapy: Impact on recovery. *Stroke*, 34 (4), 987-93.
- Bhogal, S. K., Teasell, R. W., Foley, N. C. and Speechley, M. R. (2003). Rehabilitation of aphasia: More is better. *Topics in Stroke Rehabilitation*, 10 (2), 66-76.
- Caporali, A. and Basso, A. (2003). A survey of long-term outcome of aphasia and of chances of gainful employment. *Aphasiology*, 17 (9), 815-834.
- Douglas, J., Brown, and Barry, S. (2004). The evidence base for the treatment of aphasia after stroke. In Reilly, s., Douglas, J. and Oates, J. *Evidence Based Practice in Speech Pathology*. London: Whurr Publishers Ltd. Ch. 3. Pp. 37-58.
- Enderby, P. and Emerson, J. (1995). *Does Speech and Language Therapy Work*. Ch. 2. Pp. 11-33.
- Gordon, J. K.(1997). Measuring outcomes in aphasia: Bridging the gap between theory and practice ... or burning our bridges. *Aphasiology*, 11 (9), 845-854.
- Greener, J. and Enderby, P. (2001). Pharmacological treatment for aphasia following stroke. *Cochrane Library 4: October 2001*.
- Greener, J. and Grant, A. (1998). Beliefs about effectiveness of treatment for aphasia after stroke. *International Journal of Language and Communication Disorders*, 33 Supplement, 162-3.
- Greener, J., Enderby, P and Whurr, R. (2003). Speech and language therapy for aphasia following stroke. *The Cochrane Library (Oxford)*, No. 2.
- Hinckley, J. J. (2002). Vocational and social outcomes of adults with chronic aphasia. *Journal of Communication Disorders*, 35 (6), 543-60.
- Holland, A., Fromm, D., DeRuyter, F. and Stein, M. (1996). Treatment efficacy: Aphasia. *Journal of Speech, Language and Hearing Research*, 39, S26-S36.



- Orange, J. B. and Kertesz, A. (1998). Efficacy of language therapy for aphasia. *Physical Medicine and Rehabilitation: State of the Art Reviews*, 12 (3), 501-17.
- Paolucci, S., Antonucci, G., Pratesi, L., Traballese, M., Lubich, S. and Grasso M. G. (1998). Functional outcome in stroke inpatient rehabilitation: Predicting no, low and high response patients. *Cerebrovascular Diseases*, 8 (4), 228-234.
- Reilly, S., Oates, J. and Douglas, J. (2003). *Evidence Based Practice in Speech Pathology*. London: Whurr Publishers Ltd.
- Robey, R. R. (1998). A meta-analysis of clinical outcomes in treatment of aphasia. *Journal of Speech Language and Hearing Research*, 41, 172-187.
- Steele, R. D., Aftonomos, L. B. and Munk, M. W. (2003). Evaluation and treatment of aphasia among the elderly with stroke. *Top-Geriater-Rehabil.*, 19 (2), 98-108.
- Taylor-Goh, S. *Royal College of Speech and Language Therapists Clinical Guidelines*. Bicester: Speechmark Publishing Ltd
- Whurr, R., Lorch, M. and Nye, C. (1992). A meta-analysis carried out between 1946-1988 concerned with the efficacy of speech and language therapy treatment for aphasic patients. *European Journal for Disorders of Communication*, 27, 1-18.
- Zigmond, A. S. and Snaith, R. P. (1983). The Hospital Anxiety and Depression Scale. *Acta Psychiatr. Scand.*, 67, 361-370.

## What is Therapy?

- Byng, S. and Black, M. (1995). What makes a therapy? Some parameters of therapeutic intervention in aphasia. *European Journal of Disorders of Communication*, 30, 303-316.
- Chahey, R. and Hallowell, B. (2001). Introduction to Language Intervention Strategies in Adult Aphasia. In Chahey, R. (Ed.). *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*. Fourth Edition. Philadelphia, USA: Lippincott Williams & Wilkins. Pp. 3-17.
- Enderby, P. and Petheram, B. (2002). Has aphasia therapy been swallowed up? *Clinical Rehabilitation*, 16, 604-608.
- Ferguson, A. (1999). Learning in aphasia therapy: It's not so much what you do but how you do it! *Aphasiology*, 13, 125-132.
- Horton, S. and Byng, S. (2000). Examining interaction in language therapy. *International Journal of Language and Communication Disorders*, 35 (3), 355-375.
- Hewitt, A. and Byng, S. (2003). From doing to being: From participation to engagement. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 6. Pp.51-64.
- Horton, S and Byng, S (2000) Semantic therapy in day-to-day clinical practice: Benchmarking therapy intervention. *Journal of Neurolinguistics*, 1 (4), 325-327.
- Kagan, A. and Duchan, J. F. (2004). Consumers' views of what makes therapy worthwhile. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 10. Pp. 158-172.
- Morris, J., Howard, D. and Kennedy, S. (2004). The value of therapy: What counts. In Duchan, J. F. and Byng, S. (Eds.). *Challenging Aphasia Therapies: Broadening the Discourse and Extending the Boundaries*. Hove and New York: Psychology Press. Ch. 9. Pp. 134-157.
- Petheram, b. and Parr, S. (1998). Diversity on aphasiology: Crisis or increasing competence? *Aphasiology*, 12 (6), 481-487.
- Togher, T. (2003). Do I have green hair? 'Conversations' in aphasia therapy. In Hewitt, A. and Byng, S. (2003). From doing to being: From participation to engagement. In Parr, S., Duchan, J. and Pound, C. *Aphasia Inside Out: reflections on Communication Disability*. Maidenhead: Open University Press. Ch. 7. Pp. 65-79.

## Useful Groups/Websites

- **Ability Hub**  
[www.abilityhub.com](http://www.abilityhub.com): Ability Hub focuses on assistive technology for those who find using a computer difficult or even impossible. The website directs you to adaptive equipment and alternative methods available for accessing computers.
- **Aphasia Help**  
[www.aphasiahelp.org/](http://www.aphasiahelp.org/): This has useful information and a website for people with aphasia. Features include information about stroke and aphasia and a penpal section with the option of searching for other people with aphasia. The site is easily navigable and very straightforward to read. For those with vision difficulties, the text style can be changed.

Contact Address:

Becky Moss at:  
Connect  
16 - 18 Marshalsea Road  
London  
SE1 1HL

- **British Medical Association:** [www.bma.org.uk](http://www.bma.org.uk)
- **Cabinet Office Strategy Unit:** [www.cabinet-office.gov.uk/innovation](http://www.cabinet-office.gov.uk/innovation)
- **Centre for Evidence-Based Social Services:** [www.ex.ac.uk/cebss/](http://www.ex.ac.uk/cebss/)
- **Connect**  
[www.ukconnect.org](http://www.ukconnect.org): 'Connect' is a national charity whose vision is a world where communication disability is not a barrier to opportunity and fulfillment. It works with people with communication disability to find new ways of 'talking' and new ways of living. 'Connect' believes the best way to support people living with communication disability is through an integrated programme of therapy, education and research.

Contact details: Connect

16–18 Marshalsea Road  
Southwark  
London  
SE1 1HL  
Tel: 020 7367 0840.  
Fax: 020 7367 0841

- **Communication Matters**  
[www.communicationmatters.org.uk](http://www.communicationmatters.org.uk): Communication Matters is the UK Chapter of the International Society for Augmentative and Alternative Communication (ISAAC). It focuses on the needs of those with complex communication difficulties.

- **Department of Health:**

- Building on the best: Choice, responsiveness and equity in the NHS  
<http://www.doh.gov.uk/choiceconsultation/buildingonthebest.pdf>
- Clinical Governance  
[www.doh.gov.uk/clinicalgovernance](http://www.doh.gov.uk/clinicalgovernance)
- The expert patient  
[www.doh.gov.uk/healthinequalities/ep](http://www.doh.gov.uk/healthinequalities/ep)
- Involving patients and public in healthcare  
[www.doh.gov.uk/involvingpatients/](http://www.doh.gov.uk/involvingpatients/)
- Patient confidentiality  
[www.doh.gov.uk/confiden/index.htm](http://www.doh.gov.uk/confiden/index.htm)
- NHS plan  
[www.doh.gov.uk/nhsplan/](http://www.doh.gov.uk/nhsplan/)  
[www.doh.gov.uk/nhsind.htm](http://www.doh.gov.uk/nhsind.htm)
- National Service Framework (OlderPeople)  
[www.doh.gov.uk/nsf/olderpeople/index.htm](http://www.doh.gov.uk/nsf/olderpeople/index.htm)
- National Service Framework (long term medical conditions)  
[www.doh.gov.uk/nsf/longterm/index.htm](http://www.doh.gov.uk/nsf/longterm/index.htm)
- Shifting the balance of power  
[www.doh.gov.uk/shiftingthebalance/](http://www.doh.gov.uk/shiftingthebalance/)
- Single Assessment Process  
[www.doh.gov.uk/scq/sap](http://www.doh.gov.uk/scq/sap)
- Toolkit for producing patient information  
[www.doh.gov.uk/nhsidentity](http://www.doh.gov.uk/nhsidentity)

- **Different Strokes**

<http://www.differentstrokes.co.uk/>: Different Strokes is a registered charity providing a unique, free service to younger stroke survivors throughout the UK.

- **General Medical Council**

[www.gmc-uk.org](http://www.gmc-uk.org)

- **Interact Reading Service**

<http://www.interactreading.co.uk/>: The Interact Reading Service provides a professional, live, interactive reading service for stroke patients in hospitals and stroke clubs.

- **National Centre for Clinical Excellence**  
[www.nice.org.uk](http://www.nice.org.uk)
- **Personal experiences of health and illness**  
[www.dipex.org](http://www.dipex.org)
- **Pictures Speak**  
<http://www.picturesspeak.com/>: Pictures Speak works in partnership with local speech and language therapists to set up training courses for their staff to learn how to support communication.
- **Royal College of Physicians, National Clinical Guidelines for Stroke**  
[www.rcplondon.ac.uk/pubs/books/stroke/](http://www.rcplondon.ac.uk/pubs/books/stroke/)
- **Speakability**  
[www.speakability.org.uk](http://www.speakability.org.uk): 'Speakability' is a national charity that supports people living with aphasia and their carers. It influences individuals, organisations and statutory bodies to improve services for people living with aphasia, and raises funds to support these aims.

Contact details: 'Speakability'

1 Royal Street

London

SE1 7LL

Tel: 020 7261 9572

Fax: 020 7928 9542

Helpline: 080 8808 9572 (Monday to Friday 10am-4pm, 24 hour answerphone)

- **Speech Matters**  
<http://www.speechmatters.org/>: Speech Matters is a creative voluntary organization working to promote quality of life and opportunity for adults who have become aphasic. It works in partnership with people with aphasia, carers and staff members.
- **The Stroke Association**  
[www.stroke.org.uk](http://www.stroke.org.uk): The Stroke Association is a national charity which is solely concerned with stroke. It provides support for people who have had strokes, their families and carers. It campaigns, educates and informs to increase knowledge of stroke at all levels of society.

Contact Details : The Stroke Association

Stroke House,

240 City Road,

London.

EC1V 2PR.

Tel: the **Stroke Information Service**: 020 7566 0330, or local rate number (from UK) 0845 30 33 100

- **World Health Organization International Classification of Functioning, Disability and Health**  
<http://sustainable-design.ie/arch/ICIDH-2Final.pdf>