ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```
-- Identify the highest-priced pizza.

SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- Identify the most common pizza size ordered.

SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- List the top 5 most ordered pizza types along with their quantities.

SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- Join the necessary tables to find the
-- total quantity of each pizza category ordered.

SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- Determine the distribution of orders by hour of the day.

SELECT
    HOUR(order_time) AS hour, COUNT(order_id) AS order_count
FROM
    orders
GROUP BY HOUR(order_time);
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- Join relevant tables to find the category wise distribution of pizzas.

SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- Group the orders by date and calculate the average number of pizzas ordered per day.

SELECT
    ROUND(AVG(quantity), 0)
FROM
    (SELECT
        orders.order_date, SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY orders.order_date) AS order_quantity;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

L File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11*

Limit to 1000 rows

```
-- Determine the top 3 most ordered pizza types based on revenue.

SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 12*

Limit to 1000 rows

```
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id)*100,2) as revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC ;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US

ySQL80

ery Database Server Tools Scripting Help

File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11* SQL File 12* SQL File 13*

Limit to 1000 rows

```
-- Analyze the cumulative revenue generated over time.

select order_date,
sum(revenue) over(order by order_date) as cum_revenue
from
(select orders.order_date,
sum(order_details.quantity*pizzas.price) as revenue
from order_details join pizzas
on order_details.pizza_id=pizzas.pizza_id
join orders
on orders.order_id = order_details.order_id
group by orders.order_date)as sales;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```
-- Retrieve the total number of orders placed.

select count(order_id) as total_orders from orders;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

	total_orders
▶	21350

Result Grid | Form Editor

Result 1 | Read Only

SQLAdditions | Context Help

No Co

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned

Search

ENG US

ySQL80

ery Database Server Tools Scripting Help

Query 1 | SQL File 2* | SQL File 3* | SQL File 4* | SQL File 5* | SQL File 6* | SQL File 7* | SQL File 8* | SQL File 9* | SQL File 10*

Limit to 1000 rows

```sql
-- Calculate the total revenue generated from pizza sales

SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id;
```

SQLAdditions

No Co

Context Help

Output

Action Output

#	Time	Action	Message
1	01:01:19	select count(order_id) as total_orders from orders LIMIT 0, 1000	1 row(s) returned
2	01:02:13	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
3	01:02:53	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t
4	01:03:04	SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_sales FRO...	1 row(s) returned
5	01:03:29	se	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds t

Search

ENG
US