

MEDHAVA

What no amount of code closes

85 lines of the specification need something a repository cannot hold. Not because they are hard — because each one needs an account, a licence, a provider or a piece of rented infrastructure that somebody has to arrange.

This is the list to work through **before a live demonstration**, not after. Several of these take weeks of somebody else's verification and no amount of preparation here shortens them.

What to arrange, in rough order of how long it takes

What is needed	Lines it unblocks
A mail domain and a sending provider	21
Live audio and video infrastructure	15
A payment gateway, acquirer or card terminal	9
A telephony carrier and a number	4
Marketplace, courier and social platform credentials	6
A bank feed or card issuer relationship	3
A government portal registration	2
An outside identity provider	3
Storage somebody pays for	1
A domain, a host, and something deployed	6
App-store accounts or software on each device	3
An accredited e-signature provider	2
Somebody else's credentials, generally	10

Start with a domain and a host. Several of the others cannot even begin until something is running somewhere a person can reach, and a mail domain needs weeks of sending before it is trusted.

A mail domain and a sending provider

21 lines depend on this. Days to set up, weeks to earn a sending reputation. Nothing that sends or receives email works before this, and a new domain that sends in volume on day one goes to spam.

#	Section	Line	Why it cannot be coded around
2	Master application hub	Email	Business email means hosting mailboxes on a domain with deliverability and spam reputation — infrastructure, not a feature.
4	Marketing	Open tracking	Needs a sending domain with reputation and a provider that reports opens.
4	Marketing	Click tracking	Same: a tracked link is served by the sending provider.
4	Marketing	Bounce tracking	Bounces are reported by the sending provider.
5	Customer support / helpdesk	Email-to-ticket	Needs a mailbox the system can read, on a real domain.
14	Recruitment	Email	Needs a sending domain and provider.
19	Email	Custom domains	Needs a registrar, DNS and mail records.
19	Email	Mailboxes	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Aliases	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Groups	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Shared mailboxes	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Inbox	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Sent	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Drafts	Hosting mail is infrastructure with deliverability and spam reputation attached.
19	Email	Spam	Spam filtering is judged against a sending reputation nobody has built yet.
19	Email	Email security	SPF, DKIM and DMARC are DNS on a domain nobody has pointed yet.
23	Shared team inbox	Shared inboxes	Needs hosted mail on a real domain.
23	Shared team inbox	Team email	Hosting mail is infrastructure with deliverability and spam reputation attached.
25	Workflow automation	Send email	Needs a sending domain and provider.
28	Business analytics	Email reports	Needs a sending domain and provider.
30	AI agents	Send messages	Sending needs a mail or messaging provider.

Live audio and video infrastructure

15 lines depend on this. Rented, not built — media servers, bandwidth and relays. The scheduling and record half of meetings needs none of it and is in the backlog instead.

#	Section	Line	Why it cannot be coded around
2	Master application hub	Webinars	Needs live video infrastructure — media servers and bandwidth, not application code.
2	Master application hub	Meetings	Needs live audio/video infrastructure.
4	Marketing	Video	Live video needs media infrastructure.
4	Marketing	Screen sharing	Live video is media infrastructure — servers, bandwidth and relays, not application code.
4	Marketing	Recording	Needs the live video layer first.
21	Team chat	Audio calls	Needs live media infrastructure.
21	Team chat	Video calls	Live video is media infrastructure — servers, bandwidth and relays, not application code.
21	Team chat	Screen sharing	Live video is media infrastructure — servers, bandwidth and relays, not application code.
22	Video meetings	Meetings	Live video is media infrastructure — servers, bandwidth and turn relays, not application code.
22	Video meetings	Video	Live video is media infrastructure — servers, bandwidth and relays, not application code.
22	Video meetings	Audio	Live video is media infrastructure — servers, bandwidth and relays, not application code.
22	Video meetings	Screen sharing	Live video is media infrastructure — servers, bandwidth and relays, not application code.
22	Video meetings	Recording	Recording needs the live media layer that does not exist to record.
22	Video meetings	Webinar mode	Needs the live video layer first.
29	AI platform	Summarize meetings	There is no meeting layer to summarise.

A payment gateway, acquirer or card terminal

9 lines depend on this. Needs a registered business, bank details and their compliance review. Budget weeks, and nothing in checkout or POS card payment works until it clears.

#	Section	Line	Why it cannot be coded around
2	Master application hub	Payments	Taking a payment needs a licensed gateway and its credentials.
8	Billing and subscriptions	Payment retries	A retry is a second attempt against a payment gateway.
11	E-commerce	Checkout	Checkout ends at a payment gateway, which needs a licence and credentials.
11	E-commerce	Payment	Taking money needs a licensed payment gateway and its credentials.
11	E-commerce	Payments	Taking money needs a licensed payment gateway and its credentials.
12	POS	Payments	Needs a gateway or a card terminal.
12	POS	Card	Needs a terminal and an acquirer.
12	POS	UPI	Needs a registered VPA and a provider.
25	Workflow automation	Payment received	The event comes from a gateway.

A telephony carrier and a number

4 lines depend on this. A number and a provider. Quick to arrange, and the only thing that makes calls real rather than logged.

#	Section	Line	Why it cannot be coded around
2	Master application hub	Telephony	Needs a telephony carrier and a number. No software substitutes for one.
3	CRM	Calls	Logging a call is possible; placing one needs a carrier.
5	Customer support / helpdesk	Phone tickets	A ticket raised on a call needs a telephony carrier and a number.
11	E-commerce	Tracking	Tracking numbers come from the carrier's API.

Marketplace, courier and social platform credentials

6 lines depend on this. One account and one review per platform, and the reviews are the slow part — a social publishing app can wait weeks for approval. Start the ones that matter first.

#	Section	Line	Why it cannot be coded around
4	Marketing	Social accounts	Connecting an account needs each platform's API credentials and app review.
4	Marketing	Comments	Reading comments needs platform credentials.
4	Marketing	Mentions	Reading mentions needs each platform's credentials and its rate limits.
4	Marketing	Social listening	Needs paid listening APIs.
5	Customer support / helpdesk	Social tickets	Needs platform credentials.
14	Recruitment	Job boards	Posting to a board needs that board's account and API.

A bank feed or card issuer relationship

3 lines depend on this. The bank decides, not you. The matching half of reconciliation needs no feed at all and can be built against an imported statement first.

#	Section	Line	Why it cannot be coded around
6	Finance and accounting	Bank feeds	A feed is the bank's own credentialed connection, or an aggregator's.
7	Expense management	Corporate cards	Needs a card issuer relationship.
7	Expense management	Card transactions	The transaction feed is the card issuer's, released under their agreement.

A government portal registration

2 lines depend on this. GST e-invoicing and e-way bills come from the portal under registered credentials. Required by law above a turnover threshold, so this one has a deadline attached.

#	Section	Line	Why it cannot be coded around
6	Finance and accounting	E-invoicing	An IRN comes from the government portal and needs registered credentials.
6	Finance and accounting	E-way bills	Same portal, same credential requirement.

An outside identity provider

3 lines depend on this. Decide this BEFORE the mobile app. Changing the sign-on model afterwards means reissuing every credential that was ever handed out.

#	Section	Line	Why it cannot be coded around
1	Platform architecture	OAuth	OAuth is against somebody else's identity provider and needs a registered application and secret.
2	Master application hub	SSO	Single sign-on is against an outside identity provider and needs a registered application with it.
26	Integration platform	OAuth	Against somebody else's provider, needing a registered application.

Storage somebody pays for

1 line depend on this. Holding customers' files is a running cost with backups attached, not a feature that gets written once.

#	Section	Line	Why it cannot be coded around
18	Document management	Cloud storage	Storing customers' files needs storage somewhere deployed, with its cost and its backups.

A domain, a host, and something deployed

6 lines depend on this. The first thing on the list, because several others cannot even start until something is running somewhere a person can reach.

#	Section	Line	Why it cannot be coded around
1	Platform architecture	Backups	A backup needs a running system and somewhere to put it. Nothing is deployed.
2	Master application hub	Monitoring	Needs something deployed to monitor.
4	Marketing	Custom domains	Needs a domain and a host that serves it.
11	E-commerce	Domains	Needs a registrar and a host.
24	Low-code app builder	Custom domains	Needs a registrar and a host.
24	Low-code app builder	App deployment	Needs somewhere to deploy to.

App-store accounts or software on each device

3 lines depend on this. Apple and Google both charge and both verify identity, which takes days and blocks release. Start the verification long before the app is ready.

#	Section	Line	Why it cannot be coded around
2	Master application hub	Endpoint management	Needs an agent installed on every device — a fleet, not a repository.
18	Document management	Desktop synchronization	Needs a desktop client installed on each machine.
18	Document management	Mobile access	Needs a mobile app and the store accounts to release it.

An accredited e-signature provider

2 lines depend on this. Not a cryptographic problem — a legal one. The provider stands behind the audit trail, which is the part that makes a signature hold up.

#	Section	Line	Why it cannot be coded around
2	Master application hub	E-signatures	A signature with legal standing needs an accredited provider and an audit trail they stand behind.
31	Contract management	E-signature	A signature with legal standing needs an accredited provider that stands behind the audit trail.

Somebody else's credentials, generally

10 lines depend on this. The catch-all: every remaining line needs an account with a service this repository must never hold a secret for. Keys are entered at run time, never committed.

#	Section	Line	Why it cannot be coded around
1	Platform architecture	Integrations	Every live integration needs a third party's credentials, and this repository must never hold one.
1	Platform architecture	Third-party integrations	Needs live credentials per provider.
2	Master application hub	Integration platform	A connector is only real when it holds a live credential for the service it connects to.
4	Marketing	Publishing	Posting to a platform needs its credentials.
20	Calendar	Calendar synchronization	Syncing to an outside calendar needs that provider's credentials.
22	Video meetings	Calendar integration	Needs an outside calendar provider's credentials.
25	Workflow automation	Send SMS	Needs an SMS provider and a registered sender.
26	Integration platform	API keys	A key is issued by the service being integrated with.
27	Data preparation	API ingestion	Ingesting from a service needs its credentials.
28	Business analytics	External databases	Needs the other database's credentials.

What this list is not

It is not a list of excuses. Every line here is a real capability somebody would reasonably expect, and each is genuinely blocked on something outside this repository — the reason is printed beside it so the judgement can be disagreed with line by line.

It is not fixed. The moment a payment gateway is signed or a domain is pointed, the lines it unblocks stop being constraints and become ordinary work. That is why they are grouped by what they need: each group is one decision, not a list of separate defeats.

And it is not the gap. The gap is in `MASTER_SPEC_COVERAGE.xlsx` — these 85 are counted separately there precisely so they do not sit among the uncovered looking like work somebody forgot to schedule.

Every technical word above, in plain language

11 words. Every technical term this document uses, in plain language, with an everyday comparison. Nothing here assumes you already know any of them.

platform

One piece of software that many separate businesses use at the same time, each seeing only its own information.

Ek badi building jisme bahut saare offices hain. Building ek hai, par har office ki chaabi alag — koi kisi aur ke office mein nahin ghus sakta.

database

Where all the information is kept, arranged so any of it can be found instantly and nothing gets lost.

Ek badi almari jisme har cheez apne fix khaane mein rakhi hai — dhoondhne ke liye poori almari palatni nahin padti.

backup

A copy of everything, kept somewhere else, so a mistake or a failure does not lose your work.

Zaroori kaagzaat ki photocopy, doosri jagah rakhi hui. Asli jal jaaye toh bhi kaam nahin rukta.

audit trail

An automatic record of every change — what changed, who changed it, and when.

Har entry ke saath naam aur time apne aap likha jaata hai. Baad mein koi bole "maine nahin kiya", toh register bata deta hai.

API

The agreed way two pieces of software talk to each other, so one can ask the other for something and get a predictable answer.

Waiter. Aap kitchen mein nahin jaate — waiter ko order dete ho, wahi khaana le aata hai. Waiter badal jaaye toh bhi order dene ka tarika wahi rehta hai.

storage

Where files are kept — photographs, invoices, scanned documents. Different from the database, which keeps information rather than files.

Almari ke bagal wala godown. Register almari mein, par bade dabbe aur photo godown mein.

queue

A waiting line for work that does not have to finish this second — sending a hundred messages, building a big report.

Darzi ki dukaan ka parchi system. Kaam parchi pe likh ke lag gaya line mein; customer khada intezaar nahin karta.

job

One piece of work taken off the queue and done in the background.

Line mein se uthayi gayi ek parchi, ab uska kaam ho raha hai.

deployment

Putting a new version of the software in place so people start using it.

Nayi dukaan kholna ya purani ko naya roop dena — jab tak shutter nahin uthta, customer ko farq nahin padta.

model

The piece of artificial intelligence that reads or writes text, tags a photograph, or answers a question.

Ek bahut padha-likha assistant. Kaam accha karta hai, par har baat pe usse poochho toh kharcha aur waqt dono lagta hai.

provider

A company whose service the system uses — for messages, for payments, for artificial intelligence, for delivery.

Supplier. Ek supplier maal na de toh doosre se le lo — kaam nahin rukna chahiye.