

VASTRANGAM

Vastrangam BOS

Business Operating System — one business, one brain.

22 modules · 113 apps · 19 technical layers · compiled 2026-08-25

What this document is

Two documents in one, because they answer two different questions and people ask both.

Part One — The System is the reader's tour: what Vastrangam BOS is, how one garment moves through it, every module and every app, and the rules that hold everywhere.

Part Two — The Plan of Action is the builder's document: the one law, the data core, the module-to-module wiring, five end-to-end flows, all 22 modules in build order with a diagram each, and what "done" means.

Both are generated from `brand/site/modules.js`, the one canonical list. Neither this page nor either part contains a module count, an app name or an app order typed by hand — which is why they cannot disagree with each other or with the software.

What this document is

This describes a design. Everything in it is what the system is being built to be. Nothing in it claims to already exist, and no part of it is presented as finished.

Two rules run through every page. **No capability depends on one tool** — 19 technical layers, 57 named alternatives between them, each behind an interface so a supplier can be changed without a rebuild. **Nothing is static and the past stays correct** — 18 things a business changes itself, instantly, each carrying the date it starts from so closed months never move.

Companies and channels — the short answer

The system is not limited to three companies, and never was.

A company is a row. A channel — a marketplace account, the D2C site, a POS counter, a B2B desk, an export buyer — is also a row. Every business record carries the company it belongs to; every sale also carries the channel it came through. **Ten companies with ten channels each is the same tables and the same code as three companies and seven marketplaces.**

	Today's data	The design
Companies	3	a table, no ceiling
Channels per company	7 marketplaces + D2C, B2B, export, POS	a table, no ceiling
Stock	one number per SKU	one number per SKU — never per channel
Books	one ledger per company	one ledger per company
Group	sum minus inter-company trade	sum minus inter-company trade

This is checked rather than claimed. `core/tests/core.test.js` builds ten companies with ten channels each — a hundred channels — posts an order down every one plus ten inter-company sales, and asserts that every company's books balance, that no journal line anywhere points at another company's account, and that the group figure is the plain sum **minus** inter-company trade: ₹2,10,500 gross, ₹50,000 eliminated, ₹1,60,500 group. The same builder is then called for eleven companies and eleven channels with nothing in the code changed.

The reporting side behaves the same way. `Vastrangam_BOS_Data_Studio.html` reads your own sale, return and karigar workbooks in the browser — no upload, no account, no internet — and emits one pair of quantity columns per company **found in the sheets**. A fourth company is a new sheet in the workbook, not a new version of the software.

The honesty rules this document is written under

1. Nothing is described as finished. This is a design, and it says so on its first page.
2. No count is typed from memory. Every figure is read from the canonical list when this is written.
3. No figure is invented. Where a rate or a price is missing, the tool posts zero and names the item rather than guessing — a guessed rate is a wrong payment to a real person.
4. Where something could not be verified, it says so instead of implying it was.

PART ONE — THE SYSTEM


The Business Operating System for Vastrangam Group: 22 modules and 113 apps over one shared data core.

This file is the whole system in plain text — every module, every app, and what each one reads and writes. It is generated from `brand/site/modules.js`, the same file the website and every PDF read, so nothing here can disagree with them. The counts below are not typed in; they are counted from that file each time this page is built.

Modules	22, in dependency order — a module comes only after everything it draws on
Apps	113
Companies	Vastrangam (invoices VS) · Ethnic Fashion trading as Go4Fashion (invoices EF, SKUs GF) · Adini Couture (invoices AC)
Shared data core	Company · Item/SKU · Party · Stock · Ledger/Voucher · Order
Key difference	Not a suite of integrated apps. One application over one database, so there is no sync step and no second copy of any master record
Compliance	Double-entry books with CGST/SGST/IGST, TDS, TCS, input credit on accepted goods, GSTR-1 and GSTR-3B, filed per registration
Channels	Amazon, Flipkart, Myntra, Meesho, Ajio, Nykaa, JioMart, plus your own storefront, the Surat counter, boutique wholesale and export
Security	Row-level isolation per company; outside services connect with scoped, revocable keys — never account passwords
Deployment	Hosted, or single-file apps that run by double-clicking with no install and no internet

The one idea

Every module reads and writes the **same six records**. That is the physical reason a single goods receipt can touch stock, the books, quality and sourcing in the same instant.



One stock number, not one per channel. The last piece sold at the Surat counter disappears from Myntra and Flipkart in the same instant — not three hours later as a cancellation, because cancellations are what a seller rating is lost to.


Accepted — not ordered — is what counts. You order 100 metres. 100 arrive. Quality accepts 96. Most systems increase stock by 100 and claim tax credit on 100. This one increases stock by **96**, claims input credit on **96**, raises a debit note for the 4 rejected, and lowers that mill's accept rate — automatically.

Nothing derived is ever stored. Outstanding, ageing, risk, promise dates, cost per piece and profit per design are recomputed on read. A stored total is a number that can drift away from the documents underneath it; a computed one cannot.

How one garment moves through it

The test of whether this is one system or 113 programs sharing a login: sell a single garment and follow it.

sold on a marketplace



one transaction · eight modules · one database


How you actually use it — a walkthrough

Everything above says what the system is. This follows a design through it, because "22 modules over one shared data core" is a true sentence that tells you nothing about your Tuesday.

Every screen below is a real render of the software, not an artist's impression — the same markup and the same stylesheet the product uses. The figures on them are illustrative.

Where you are starting from

You are not starting empty, and that is the whole difference. There is a working house here: three companies, nine panels, a counter, an export book and people who are paid by the piece. So the first month is a **parallel run**, not a switch that gets thrown.



The gate is that the two agree **to the paise**, and where they do not, the reason is named rather than the number quietly adjusted. A cutover that cannot reproduce last month is not a cutover.

A day in the life — one design, followed to the money

It sells on a panel · Module 15


Nine panels land in one queue. It is sorted by the time **left** on the cut-off, not by when it arrived — so the Myntra order that has to leave in forty minutes sits above the one that came in this morning and has all day.



Panel queue · 9 channels · cut-off running — illustrative figures

The design record moves · Module 03

One design, one stock number, and each panel's own code for it mapped to yours. The piece that just sold is gone from every other panel in the same instant, which is the only thing that stops the cancellation a seller rating is lost to.



Design record · one design, every panel's name for it — illustrative figures

It is picked in the godown · Module 10

A wave in walking order, zone A to C, confirmed against the bin it came from. A short pick stops the pack rather than quietly shipping the order light.



Pick wave 22 · godown zone A → C — illustrative figures

It goes to the courier · Module 11


The rate is checked against the packed weight before booking — which is where weight disputes are won — and COD collected at the door stays a receivable until it is actually in the bank.



Handover · what went out against what they took — illustrative figures

The books post themselves · Module 12


Revenue and GST through one posting engine. Entries balance or they do not post. There is no third option and no month-end hunt for the one that did not.



Trial balance · it always ties — illustrative figures

Weeks later, the panel pays · Module 14

What the panel said it would pay against what actually arrived, cycle by cycle. A shortfall is named and claimed inside the window, instead of being noticed a quarter later when it can no longer be claimed.




Settlement cycles · what each panel really paid — illustrative figures

The month that pays people

This is the part most systems get wrong, and it is worth its own step.

Staff and karigars in one register · Module 16


Monthly salary and per-piece earnings sit in the same register, with attendance driving both. **Sets are pooled across every karigar before the minimum is taken** — count the sets per karigar row and add them up, and every set completed by two people between them disappears. A missing rate posts zero and is flagged by name; it is never guessed, because a guessed rate is a wrong payment to a real person.



This month's register · staff and karigars — illustrative figures

The document a payout is discussed from carries the **rules**, never the roster: the formula, the thresholds and the reason, with no individual's pay attached to a shared file.

Month end



What the money is doing next · Module 13


Receipts due, payments committed, and the fortnight ahead — so a festive buy is decided against the cash that will actually exist, not the cash in the account this morning.



Cash position · next 14 days — illustrative figures

And the group figure, honestly · Module 21

Each company's books are its own and balance on their own. Selling from one company to another is revenue in one set and cost in the other, so adding the three up would report a turnover the group never earned outside. Every inter-company entry is eliminated, and you are shown all three numbers — gross, eliminated, group — rather than asked to trust the last one.



Group dashboard · Vastrangam + ethnic arm · FY 2026-27 — illustrative figures

Then the next month opens, and nothing about the close depended on anybody remembering to run it.


Every module and every app

Listed in build order. is described as finished that is not.

Module 01 · Platform

The spine the whole house runs on.

Not a module you open — the layer underneath all 22. Who can see what, how Vastrangam is configured, and a record of everything that ever happened.



Roles and permissions · who may do what at Vastrangam — illustrative figures

Reads from: Every module Writes to: Every module


App	What it does
Identity, Settings & Audit	Users, roles and permissions, company switching, tax and numbering setup — and an immutable record of everything that ever happened.
Industry Packs	What your trade calls things, the stages your work moves through, the extra fields your records need, the documents you issue and the reference data you start with — all of it loaded as a row of configuration, never as a separate version of the software. Pick the pack that matches your trade and the whole system changes its words: the same order screen reads as a job, a matter, a consignment or an appointment, with the same columns underneath. A pack may rename what exists, add fields to tables that exist, and switch discretionary rules off; it may never invent a concept, add a field to a table that does not exist, contain any executable code, or switch off the guarantees — company scoping, the audit trail, money never being a float — because a trade may change its vocabulary and may not opt out of the things the books are trusted for. Adding a trade nobody anticipated is therefore a file somebody writes, not a release somebody ships.
Ask & Print	At an exhibition in Hyderabad, send one line from your phone: “ledger Kalamandir”, “print slips”. It comes back as a PDF, or it prints at the Surat office — with nothing plugged into your phone and nothing at the office open to the internet.
Communications	WhatsApp commands and broadcasts, email and SMS, and the handful of scheduled jobs that carry a nudge to the right person without anyone remembering to send it. Every capability here has more than one interchangeable provider — none of them is ever the source of a figure the business reports.
WhatsApp Command Console	The shop floor does not open a laptop. A karigar or a staff member sends a short message — in, out, today's pieces, leave, an advance — and it becomes a real record: attendance with the time and place it was marked, a production report against the design, a request in the approvals queue. The end-of-day prompt asks what is still open and how long it needs, so tomorrow starts from what is actually pending rather than from memory. Marking attendance checks the phone is at the unit within the radius set for it, with a grace window; a person outside it is not refused, they are flagged for the manager, because a system that locks someone out of being paid for being early at the wrong gate has failed at its job. Every override is recorded with who made it. The words a worker types are in the language they speak, and nothing here ever asks for a password, a bank detail or a document number.
Data Privacy & Consent	What a person's data may be used for, captured as consent at the point it is given and honoured everywhere downstream — including the right to have it corrected or removed. Retention (how long a record is kept) and deletion (a person's right to have their own data removed) are two different policies, tracked separately, because a rule that keeps records for the law and a request from a person to be forgotten do not resolve the same way.
Provider Router & Cost Guard	The rule that no capability depends on one outside service, enforced at the moment it matters instead of merely promised. Every capability has an ordered fallback list ending on an option that needs nothing connected, so a courier API that stops answering at 9pm, or an AI key that hits its quota mid-catalogue, drops to the next option instead of stopping the work. A provider that keeps failing is tripped out of the list entirely and retried once after a cooldown rather than hammered; retries inside one provider wait twice as long each time. And every paid call is counted in paise against a ceiling you set — over the ceiling the paid provider is refused, not warned about, and the work completes on a free one. Because every capability is guaranteed a built-in or by-hand option, a spent budget can stop the spending without ever stopping the business.
Payment Data Scope	A written statement of exactly which systems ever see a card or bank credential, and which never do — because every card-capable screen in this system hands that moment to a payment provider's own

App	What it does
	secured field and never stores or even passes the number through application code. The statement is what an auditor or a partner asks for before they will connect to this system.

Module 02 · Design & Sampling

A style exists on paper before it exists as stock.

A product moves from a first idea to something the business can actually make and sell — specification, sample rounds, costed trials and sign-off — before it is ever entered as a catalog record. Building this first means Inventory & Catalog never has to invent a style it has no real specification for.



Design development · V-1180 · sample round 3 — illustrative figures


Reads from: CRM **Writes to:** Inventory & Catalog · Manufacturing

App	What it does
PLM & Development	Concept to a design that can actually be made: fabric and trim specification, sample rounds with the mill, costed trials against a target price, and sign-off — every version kept, so last season's costing is still there.
Design / IP Register	What protects a design once it exists — trademark or copyright status, the date it was first shown, and a flag the moment a near-identical listing turns up elsewhere. Every version already kept by PLM & Development gets a filed status here instead of just a date stamp, because a design with no ownership record on file is a design nobody can defend.

Module 03 · Inventory & Catalog

One stock number everyone trusts.

The most important number in the house: one quantity per design and size, per godown, per stage — greige, dyed, in stitching, finished, listed. Read and written by every other module. And one product record every marketplace lists from.



Design record · one design, every panel's name for it — illustrative figures


Reads from: Design & Sampling · Every module **Writes to:** Every module

App	What it does
Stock	Live quantity by design, size and location, fabric in metres and pieces in numbers, with reorder alerts, lot tracking, set kits and dead-stock ageing.
Catalog / PIM	One record per design — fabric, work, length, colour, size chart, images, HSN, MRP and what each panel actually sells it at — scored for Myntra and Amazon readiness before it lists. It also carries the two things everything downstream needs: the code each panel knows the design by, mapped to yours, and the packed size and weight that decide the courier rate and settle every weight dispute. Every listing's state on every panel is here too — live, waiting for approval, blocked, archived — with the quality score that decides whether anyone sees it.
Kit & Combo SKU	A sellable SKU made of component SKUs — a three-piece set sold as one listing. Selling the kit decrements each component at order time, so stock is right for every piece in the set, not just the set itself.
Master-Data Hygiene	Duplicate detection and merge across customers, vendors and designs, and a dead-stock register for what has not moved in months. Protects every downstream report from the same record existing twice under two names.

Module 04 · CRM

Know every boutique, chain and customer completely.

One record per party — a Kalamandir or a Rajmandir, a Surat walk-in or a Myntra buyer — carrying every enquiry, order, return, agreement and conversation, whichever channel it arrived on.



Party 360 · Kalamandir Chain — illustrative figures


Reads from: Every module **Writes to:** Sales · E-commerce / OMS · Marketing

App	What it does
CRM & Customer 360	Enquiry to confirmed order, then the full lifetime: what they bought, what came back, what they are worth and which new range to show them first.
Documents & eSign	Mill agreements, job-work contracts, signed delivery challans, export documents and boutique credit terms filed against the party or order they belong to — found by that record, not by hunting through a folder.
Helpdesk & Live Chat	A boutique asking where its parcel is, or a customer asking about a size — the question becomes a ticket tied to the order, with the whole history already open.
Forms & Feedback (NPS)	A short form after delivery, and the score it produces attached to the design or item it is actually about — not just the buyer — so a complaint-prone item surfaces as a pattern instead of a scatter of individual gripes.

Module 05 · Sales

Counter, wholesale, website and export — one order book.

The Surat counter, the boutique wholesale book, the website and the export shipment all write to the same order and draw on the same stock number. And the parcel is followed to the door, because a sale is not done until the COD money is in.



Order book · counter, boutique, website, export — illustrative figures


Reads from: Inventory & Catalog · CRM · Warehouse · Logistics **Writes to:** Inventory & Catalog · Accounting & GST · Warehouse · Logistics

App	What it does
D2C Sales	Orders from your own storefront, cart to dispatch, with loyalty and partial COD on a ₹4,400 anarkali.
B2B & Credit	Boutique and chain orders on credit limits and tier pricing, with outstanding aged against each party's own agreed terms.
Export	Commercial invoice, packing list, LUT bond and IGST-refund tracking for the Gulf and UK buyers.
POS	Counter billing at Udhna that draws on the same stock as the website — no second stock register.
Quotes & Proforma	Send a quote, convert it to a confirmed order in one click.
Couriers & AWB	Book the parcel on the order, compare couriers for that pin code, print the label with the design code on it, and follow the AWB to the door.
Subscriptions	A schedule that raises its own invoice on its cycle and follows up on its own when a payment fails — for anything sold as a standing order rather than a one-off.
Customisation & Made-to-Measure	The order that does not exist in the catalogue: a buyer sends reference pictures and their own measurements, a price is agreed over several messages, and the piece is made for them. All of it is one record — the references, the measurement set, every quote in the negotiation and what was finally agreed, the advance taken to start work and the balance taken before dispatch. When the order is accepted it opens a production order like any other, so a bespoke piece is costed, stitched, checked and posted exactly as a catalogue piece is. Two legs of money on one order is the part most systems get wrong: the advance is earned when the work starts, the balance is owed until the piece ships, and the ledger shows both separately rather than one payment appearing when the whole thing is over.

Module 06 · Planning & Requirements (MRP)

Turn what is selling into what to buy and make.

Confirmed orders and demand history have to become a plan before Purchase can buy anything or Manufacturing can start anything — otherwise buying and making are both just guessing. This module sits between the two: it reads what is actually selling and what is already committed, and turns that into requirement, not the other way around.



Requirement run · what to buy for the festive book — illustrative figures


Reads from: Sales · E-commerce / OMS · Inventory & Catalog **Writes to:** Purchase · Manufacturing

App	What it does
Demand Forecast & Signal	What sold, by SKU and by period, turned into a short-term forecast — the number every requisition and every production order downstream is measured against instead of a guess.
Requirement Explosion (MRP run)	Confirmed demand exploded through the bill of materials into what raw material to buy and what to produce, and by when — so a purchase requisition or a production order always traces back to real demand, never to a feeling that stock is getting low.
Open-to-Buy / Budget Ceiling	A spending ceiling set per period regardless of what the demand signal suggests, so a real signal cannot on its own commit more money than the business has decided to risk this season. Every requisition the MRP run drafts is checked against what is left of the ceiling before it goes to Purchase.

Module 07 · Purchase

Nothing over-billed by a mill gets paid.

The buy side end to end — mills, dyers, job workers and packing suppliers — with the control that stops you paying for metres you rejected.



Three-way match · nothing over-billed is paid — illustrative figures

Reads from: Inventory & Catalog · Planning & Requirements (MRP) · Manufacturing **Writes to:** Inventory & Catalog · Accounting & GST · Quality & Compliance

App	What it does
Procurement	Enquiry to purchase order to goods receipt, with a strict three-way match: you ordered 100 metres, 100 arrived, quality accepted 96, and the bill is only cleared for 96.
Vendor Management	Mill 360 — payables, ageing, a real risk score from accept rate and spend concentration, and sourcing that follows performance rather than habit.
Insurance Register	What cover exists over stock in transit, stock in the warehouse and product liability, matched against what is actually moving through Purchase and Warehouse right now — so real value in transit is never quietly running with no cover tracked anywhere.

Module 08 · Manufacturing

Know what a piece really costs to make.

From the cut plan to the finished piece — what each karigar earned, what the dyer charged, what the zari cost, and what that design actually cost before you priced it.



Work in progress · cut to finish — illustrative figures


Reads from: Purchase · Planning & Requirements (MRP) · Design & Sampling **Writes to:** Inventory & Catalog · HR & Payroll · Accounting & GST · Quality & Compliance

App	What it does
Production Orders	Cutting, stitching, embroidery, washing, finishing and checking — your own stages, with work-in-progress visible at each and nothing lost at the dyer.
Piece-rate & Contractors	Karigars paid by the piece: pooled set completion, per-garment rates, alterations, rework and advances resolved into one payout.
BOM & Consumption	What each design consumes — metres of fabric, zari, lining, buttons, packing — costed at today's mill rates.
Maintenance	Machines and the building: what is due for service, when it was last done, what it cost, and what stopped while it was down.

Module 09 · Quality & Compliance

Certify what was received and what was made.

Quality inspection used to live buried as one step inside Manufacturing; it stands on its own here because a rejection at goods-receipt and a rejection on the production floor are the same discipline, and because the certificates a business holds — the proof it follows a standard — belong next to the inspections that back them up, not scattered across email.



Checking · lot 8841 · before it is packed — illustrative figures

Reads from: Purchase · Manufacturing **Writes to:** Purchase · Manufacturing · Inventory & Catalog

App	What it does
Quality Control	Accept, reject or send for rework, with reasons that feed the mill's accept rate and the karigar's record.
Certificate & Compliance Register	Every standard the business or a vendor holds — a safety, labour or environmental certification — with its issue date, its expiry, and the audit that backs it, so a certificate about to lapse is visible before a buyer asks for it and finds it already expired. What this register tracks is what a sustainability report downstream is actually built from.

Module 10 · Warehouse

Pick the right design first time — and prove what you sent.

Bin-level instructions and barcode scanning so the right piece leaves the godown and stock stays honest — and a recording of each parcel being packed, because a wrong-return claim is settled by footage, not by argument.



Pick wave 22 · godown zone A → C — illustrative figures

Reads from: Sales · E-commerce / OMS · Inventory & Catalog **Writes to:** Inventory & Catalog · Sales · E-commerce / OMS

App	What it does
Picking & Bins	Pick lists in walking order through the godown, by design and size, so nobody crosses the floor twice.
Barcode Operations	Scan to pick, pack, dispatch and run a physical stock count from a phone — the same scan whether the order came from a marketplace, your Shopify site or the counter.
Packing Video	Every parcel filmed as it is packed and indexed by its order number, so when a panel says the wrong piece was sent, the clip goes into the claim.

Module 11 · Logistics

The courier network — rates, failed deliveries and the COD money.

Booking one parcel happens on the order. This module is the network behind it: what Delhivery, Blue Dart and the rest charge to that pin code before you pick one, what happens to a delivery that fails in a small town, and whether the cash collected at the door reached your bank.



Handover · what went out against what they took — illustrative figures


Reads from: Sales · E-commerce / OMS · Warehouse **Writes to:** Accounting & GST · Sales · E-commerce / OMS

App	What it does
Rates & Zones	Every courier's rate card by zone, weight slab and service — so the cheapest and the fastest option for this parcel are both known before it is booked.
NDR & RTO Rescue	A failed delivery worked while it can still be saved — reattempt, call, correct the address — before it becomes a return you pay for twice.
COD Remittance	What the courier collected at the door against what reached the Surat account, parcel by parcel, with every shortfall named and aged.
Handover & Manifest	What is expected out today against what the pickup boy actually took, per courier and per service. The manifest to hand him, the one-time code to confirm it, and a signed note of what was left behind — so a parcel lost between the packing table and the van has an owner.
Fleet	Your own delivery vehicles, if you run any — what each trip cost, what is due for service, and what that adds to freight. Optional; most businesses run couriers only.

Module 12 · Accounting & GST

Books that always balance — and no BUSY needed.

A full double-entry ledger built for Indian compliance, keeping the books itself. B2B sales, returns, mill purchases, payments and receipts are entered by hand because a person decides them; every website, marketplace and counter sale posts itself.



Trial balance · it always ties — illustrative figures

Reads from: Every module **Writes to:** Finance Reports · Treasury & Financial Planning

App	What it does
Accounting	Double-entry books where every voucher balances and the trial balance always ties.
Invoicing	GST tax invoices and receipts, worked out from the lines to the paise. Where a panel raises its own invoice you keep both numbers on the order — theirs and your own series — so the panel's paperwork and your books point at the same sale.
Expenses	Spend captured by category with approvals, and bill OCR to save typing.
GST & Tax	CGST, SGST, IGST, TDS, TCS, input credit, GSTR-1 and GSTR-3B — filed per registration, so a group where one company is registered and another is not files exactly what each one owes and nothing it does not.
ITC Reconciliation	Every input credit matched against the government's own GSTR-2A/2B before a return is filed, so a credit claimed is a credit that is actually on record.
Receivables, Payables & PDC	Payments and receipts allocated against named open invoices, and a register for post-dated cheques that posts only on the date they are realised, not the date they were written.
Fixed Assets & Depreciation	The asset register with both Straight-Line and Written-Down-Value depreciation tracked side by side, and disposal posting its gain or loss straight to the books.
Year-End Close & Period Lock	Profit-and-loss accounts reset and balance-sheet accounts carry forward at year end, and a reviewed period locks against backdated edits until an admin unlocks it — an act that is itself logged.
Finance Reports	P&L, balance sheet, and profit by channel, design and SKU — so you know which anarkali actually earned money after commission, shipping and returns.

Module 13 · Treasury & Financial Planning

Know what cash is coming, not just what already arrived.

Accounting records what happened; this module is concerned with what happens next — how much cash is actually expected, when, and whether spend against a budget is on track before the month closes and turns the answer into history.



Cash position · next 14 days — illustrative figures


Reads from: Accounting & GST · Sales · Purchase **Writes to:** Accounting & GST

App	What it does
Cash Flow Forecast	Expected receipts and expected payments laid out by week, drawn from open invoices and open bills rather than typed in by hand — so a cash shortfall is visible weeks before the date it would actually bite.
Banking & Reconciliation	Bank statement lines matched against the ledger's own record of what should have moved, with anything unmatched surfaced instead of silently carried forward.
Budget vs Actual	A budget set per category and period, and actual spend from Accounting tracked against it as the period runs — not only after it closes, when the only thing left to do is explain the variance.

Module 14 · Settlement

Get paid what the panels owe you — cycle by cycle.

Matching one payout to one order line happens in OMS. This is the level above: the settlement cycle each panel runs, the commission it actually charged against the rate card it published, and the TCS it deducted in your name.



Settlement cycles · what each panel really paid — illustrative figures

Reads from: E-commerce / OMS · Accounting & GST **Writes to:** Accounting & GST

App	What it does
Payout Cycles	Every settlement cycle each panel runs — what it should pay, what actually landed in the bank, and on which day — so a late payout is visible the day it is late, not at month end.
Fee & Commission Audit	The commission a panel publishes for a category against what it actually took, style by style. A quiet rate change is caught the first time it is applied, not at year end — and your seller tier sits on the same screen, because the tier is what the rate card hangs off, and slipping out of one quietly costs more than any single deduction.
TCS & TDS Register	Every rupee the panels deducted as TCS, and TDS on job work, matched against the portal's own figures — so the credit you claim is the credit you are owed.

Module 15 · E-commerce / OMS

Seven panels, one queue — and every rupee accounted for.

Stop logging into Myntra, then Flipkart, then Ajio. Every marketplace order lands in one pipeline and your stock goes out to all of them — then the money side closes out in the same module: what the panel paid, what it kept as commission, what came back, and what it still owes you.



Panel queue · 9 channels · cut-off running — illustrative figures


Reads from: Inventory & Catalog · CRM · Sales · Accounting & GST · Logistics · Settlement **Writes to:** Inventory & Catalog · Accounting & GST · Warehouse · Logistics · Settlement

App	What it does
Marketplace OMS	Myntra, Flipkart, Ajio, Amazon, Meesho, Nykaa and JioMart in a single queue — processed all together, channel-wise, or design-wise. The stages the panels really use, with the right cut-off counting down on each order — a quick-commerce or air-shipped order is not due at the same hour as a standard one. Priority orders at the top, and the day grouped by design so a Muskan Purple is picked once for eleven parcels instead of eleven times.
Order Management	One pipeline from new to delivered, whether the order came from a seller panel, your Shopify or WooCommerce site, a dealer or the counter.
Manual Data Check	The order and return sheets you already download from the panels, and the offline registers from the three shops — one file or a whole ZIP — read back as ten cross-checks: net sale after commission and fees, month, design, state, wrong returns, SPF claims, ads, payouts and GST. Every figure clicks through to the transactions behind it.
Reconciliation	Match every marketplace payout to the order line that earned it, and expose the gap.
Claims & Disputes	Weight disputes, SPF shortfalls, parcels lost in transit and returns that came back with a different piece inside — filed as claims with the packing footage attached, and answered before they close. A claim awaiting your reply is money; one closed for no response is nothing, so the days left sit beside the amount.
Returns / RMA	Customer returns, courier returns and wrong returns kept apart — because only one of the three is really your fault, and only one of them turns into dead stock.
Channels & Storefronts	Connect a channel once and it stays in step: catalogue out, price out, stock out, orders in. Seven marketplaces and any website platform — Shopify, WooCommerce, Magento, BigCommerce, Wix or a custom site over its own API — each switchable without touching your data. Shopsy and any other storefront a channel runs alongside its main one counts as its own channel here. Where a channel has no open interface, its own downloaded report is a first-class way in. A channel may also know you by a different trading name — that is a label on the channel, not a second company, so it tags the order and the payout without ever splitting your books.
Labels & Documents	The panel gives you a PDF; this hands the packing table something it can work from. Cropped to 4×6 for every channel, your design code printed large where the panel left it off, the invoice and slip merged behind it, and the whole batch to the label printer in one job. Reprint one parcel without redoing the lot — and no customer's name and address is ever uploaded to an outside website to be cropped.
Listing & Catalog Manager	Bulk-create and bulk-edit listings across every channel from the one product record in Inventory & Catalog, and catch the mismatches that quietly cost sales: listed but out of stock, or in stock but never listed.
Size / Fit Recommendation AI	A fit suggestion at the point of purchase, built from the item's own measurements and the return history of buyers who picked each size — aimed straight at the return reason that costs the most: the right item in the wrong size.
AR / Virtual Try-On	A way to see drape, fit and colour on a screen before buying, for items where a flat photo alone leaves too much to guess.

Module 16 · HR & Payroll

Pay everyone right, on time.

Office staff on a monthly salary and karigars paid by the piece, in one register, with attendance driving both and the festival advance already deducted.



This month's register · staff and karigars — illustrative figures

Reads from: Manufacturing Writes to: Accounting & GST

App	What it does
Staff & Contractors	Attendance marked by tap, effective-dated salary, and karigar piece-rate earnings in a single register.
Time-off & Advances	Leave, Diwali advances, and exactly how they change this month's payout before you approve it.
Appraisal & Hiring	Performance reviews and a hiring pipeline that ends in an employee record.
Recruitment	The pipeline before someone becomes an employee — an opening, the people who applied for it, a trial piece where the work itself is the interview, and the decision with its reason kept. It matters more here than in most trades: a karigar is taken on for skill on a particular garment, and the trial output is the evidence, so it is recorded against the design and the rate that would apply rather than remembered as an impression. A candidate who is not taken on now stays findable when the same skill is needed in a busy month, and their personal documents are held under the same consent and retention rules as anyone else's, not in a folder on somebody's phone.
Payout Execution	Where the calculation in the earnings register actually turns into money leaving the business — bank batch, UPI, cash against a signed receipt — with the method and the reference recorded against every payout, so the register's total and the money that actually moved can always be checked against each other.

Module 17 • Marketing

Sell more without cutting the price.

Plan the festive calendar, run the campaigns, and let rules keep you competitive on the panels without giving the margin away.



Campaigns measured on revenue, not opens — illustrative figures


Reads from: Inventory & Catalog · CRM Writes to: Sales · E-commerce / OMS

App	What it does
Social Calendar	Plan and publish across every channel from one calendar.
Campaigns	Email, SMS and WhatsApp campaigns measured on real revenue, not opens.
Repricing Engine	Rules per panel and per design — floor, ceiling, match-lowest and a festive override — so a Diwali sale does not quietly go below cost. And what each change actually did: a design whose orders fell after a price rise shows as exactly that, next to the rule that raised it.
Automation	If this happens, do that — across any module, without writing code.
Blog & Pages	How to drape it, what to wear it to, which fabric for which season — written, scheduled and published to your own site with the meta and internal links already set.
Events	Trade shows and exhibitions worked as a channel of their own — booth, budget and every lead captured on the floor landing straight in CRM instead of on a stack of business cards.
Website & Page Builder	The storefront itself, built by dragging sections into place rather than by editing a theme file — hero, product grid, size guide, lookbook, contact form — each block reading live from the catalogue, so a price or a stock state on a landing page is the same number the order screen uses instead of a figure someone pasted in and forgot. Blog & Pages above writes articles into a site that already exists; this is for the businesses that do not have one, and it is the gap that shows up plainly when this module list is set beside a mature open-source ERP: they ship a full site builder next to the blog, and until now this did not.
Markdown / Clearance Optimization	The same rule engine that reprices for competitiveness, aimed at ageing stock instead: when to start discounting it and by how much, before it becomes a warehouse write-off rather than a sale at a lower margin.

Module 18 · AI Content Engine

Write it, shoot it, cut it — from your own catalogue.

Listings, ads, reels and product photography generated from your own designs, in a voice that sounds like one person from Surat rather than a template — so the words match the piece and the picture is the size Myntra actually wants.



Content pipeline · written from your own designs — illustrative figures

Reads from: Inventory & Catalog **Writes to:** Marketing · E-commerce / OMS

App	What it does
Content Engine	Fourteen stages in your own voice — buyer psychology, competitor reading, hooks, the product description, marketplace copy for Amazon and Myntra, ad variations, reel scripts, song lyrics for the reel, the calendar, size chart and alt text.
Image Studio	A phone photo becomes a listing image: layers, free transform, background removal, Myntra 1080×1440 and every other channel preset, watermark and SEO alt text.
Video Studio	Text and image to video, reels and ad cuts sized for every channel.
Design Studio	Banners, festive creatives and thumbnails — templates, layers, undo and redo, any colour, exact sizing and stock elements, exporting PNG, JPG or PDF at whatever size the panel or the printer asks for.
Motion Renderer	A reel rendered from a page of HTML and CSS — the same layers, fonts and brand colours the Design Studio already uses — into a real MP4, on this machine, with nothing uploaded. It is not a screen recording: the clock is faked, the animation is seeked to the exact instant of each frame, and only then is that frame captured, so the render does not care whether the machine was busy. Rendering the same festival banner twice produces the same file to the byte, which is what makes a reel something you can check and re-cut rather than something you have to watch all the way through and hope about.
Narration Studio	A voice over the reel, in the language the buyer actually speaks — the same script the Content Engine wrote, spoken. The default needs nothing installed and no key, because every modern browser can already speak; a self-hosted or cloud voice sits behind it as an interchangeable provider for anyone who wants a cloned or branded one. Long scripts are split at sentence boundaries and rejoined, so a two-minute description is not cut off at whatever limit a service imposes. A voice cloned from a real person is only ever used with that person's recorded consent, filed against them in Data Privacy & Consent like any other permission.
Image Generation Slot	Generated imagery — a model on a background you do not have to shoot, a festival backdrop, a lifestyle scene — as a capability with interchangeable providers rather than a bet on one service: a queue of jobs, a preview while it works, inpainting to fix one region, upscaling and face correction. This one needs a graphics card. Image models cannot run on an ordinary office machine or on the container this system is built in, so what ships is the queue, the review screen and the provider slot, with the generating itself done by whichever engine you point it at — your own GPU box, or a cloud service, swapped without touching anything else. Said plainly here because the alternative is a screen that looks finished and produces nothing.
Publisher	One push sends the listing, images and copy to the website and every panel, and reports back what went live and what a panel rejected, with the reason.

Module 19 · SEO, AEO & AIO

Be found by a search box, an answer box and an AI.

Content already exists once this module is reached; here it is made findable — by a traditional search engine, by the answer box above the results, and by the AI assistants now answering shopping questions directly instead of sending someone to a results page.



Found by a search box, an answer box and an assistant — illustrative figures


Reads from: Inventory & Catalog · AI Content Engine **Writes to:** Marketing

App	What it does
Technical SEO & Schema	Structured data, sitemaps and page-level technical checks against your own storefront and content pages, so a search engine can read what a page is actually about instead of guessing from the text alone.
Answer-Engine Optimization	Content shaped to be quoted directly by an answer box or a voice assistant — a clear, citable answer near the top of the page — rather than written only for a person to scroll through.
AI-Engine Visibility Tracking	Whether and how this business is actually cited when someone asks an AI assistant a shopping question in this category, tracked over time — the same discipline as rank tracking, aimed at a newer kind of result page.

Module 20 · Projects & Collaboration

The work that is not an order — and the talking around it.

An exhibition in Hyderabad, a boutique's custom order, a new godown fit-out, a legal matter with a supplier. Work that is not a sales order still has a deadline, a cost and documents — and it belongs on the same records as everything else.



Live work · exhibitions, custom orders, disputes — illustrative figures


Reads from: CRM · Sales · HR & Payroll · Inventory & Catalog **Writes to:** Accounting & GST · HR & Payroll · CRM

App	What it does
Projects & Cases	An exhibition, a custom order for a chain, a fit-out or a dispute — stages you define, owners, deadlines, documents, hours and real cost, all on one record the ledger can see.
Timesheets & Planning	Who is on what this week and the hours that actually went in — against a project, an exhibition or a machine — with billable and non-billable kept apart.
Approvals	One queue for everything waiting on a yes: a mill purchase order, a boutique discount, a leave day, a credit note, a payment. The rule that sent it there is next to it, and the decision goes on the record.
Forum	Questions and answers that outlive a chat — for customers, dealers or staff — with the useful ones kept where the next person will actually find them.
Automation Studio	The place a person builds “when this happens, do that” by dragging it out and watching it run — a trigger, the steps after it, a branch where the answer decides which way to go — over the same event stream every module already writes to. Marketing’s Automation aims that idea at campaigns; this is the general one, reaching any module: a payment marked short holds the next dispatch and opens a claim, a karigar’s pooled sets crossing a threshold raises the payout for approval, a return marked damaged writes off the piece and messages the buyer. Every run is kept — what fired it, each step, what each step returned — because an automation nobody can inspect afterwards is a rule the business cannot trust with its money.
Discuss	The conversation attached to the record it is about — this order, this mill bill, this dispute — so a year later the reason for the decision is still sitting beside it.
Knowledge Base	A searchable internal wiki of standard operating procedures, scoped to the role it applies to, so how a task is meant to be done is written down once instead of carried in one person’s head.

Module 21 · Dashboard & BI

See the whole house without asking anyone.

Every number rolls up here as work happens — the day’s marketplace orders, what the karigars finished, what is still lying at the dyer, what the mills are owed. No exports, no waiting for month-end.



Group dashboard · Vastrangam + ethnic arm · FY 2026-27 — illustrative figures


Reads from: Every module Writes to: —

App	What it does
CEO Dashboard	Cash, sales by channel, stock by design, profit per piece and the alerts that matter — one screen, refreshed as the day runs.
Report Builder	Drag the fields you want into a report and save it for the whole team.
Group Consolidation	Ethnic Fashion, Vastrangam and Adini Couture as one set of figures, inter-company transfers removed, so the group position is real rather than three spreadsheets added together. Adini Couture has no registration of its own and mainly does job work — it still counts in the group, without being pulled into a return it does not belong in. Add the fourth company the day you open it.
Excel Dashboard Builder	A full workbook — financial summary, HR, purchase, sales, inventory and production, GST, expenses — generated from the live records behind every other screen, with each company shown as its own row and a consolidated row that is a formula over them, never a separately typed total.
ESG / Sustainability Reporting	Water usage, chemical compliance, waste and packaging, reported from the same certificate and audit records Quality & Compliance already keeps — so a sustainability report is a query over evidence already on file, not a separate exercise assembled once a year from scratch.

Module 22 · AI Assistant, Agents & Automation

Ask the house a question — and let the routine work run itself.

Last for the same reason Dashboard & BI is late: something that answers questions about the whole business can only be built once the whole business is in one place. Three different things live here and the difference between them matters. An ASSISTANT answers a question you asked, from the records, with the records attached. A CHATBOT holds the same conversation with your customer instead of you. An AGENT is given a job rather than a question and works out the steps itself. That last one is what separates this module from Automation Studio in Module 20, where a person draws the steps in advance and the rule runs the same way every time; and from Automation in Module 17, which fires marketing campaigns and nothing else. Both of those stay exactly as they are — this module sits above them and calls them, rather than replacing either. Module 18 writes content; this module answers and acts.




Agent runs · this week · every step recorded — illustrative figures

Reads from: Every module **Writes to:** Projects & Collaboration · CRM · Marketing

App	What it does
AI Assistant	Ask in your own words — “what did Myntra actually pay us last week, and what is still short?”, “which designs did Kalamandir return most” — and get the answer with the rows it came from underneath it, each clicking through to the record. It reads the same ledger and the same settlement lines the accounts screen reads, so its figure and the books agree. When it cannot find the answer it says so; it never puts a plausible number in place of a real one.
AI Chatbot	The same engine facing your buyer, on the website and on WhatsApp: where is my order, will the L fit me, I want to return this saree. It reads the real order and the real size chart, not a script written last season, and it says “let me get someone” for anything about money or a complaint — handing over into the Surat helpdesk queue with the whole chat already attached. It never asks a buyer for a card number, a bank detail or a password.
AI Agents	A job rather than a question: “chase every unmatched payout line from last week and draft the claim for each.” It works out the steps and stops where a person has to decide. Filing the claim, moving money, changing a price or messaging a boutique all wait for your yes.
Agent Guardrails & Run Log	What each agent is allowed to touch, written down as a scope rather than trusted to a prompt, and every run recorded step by step: what started it, what it read, what it proposed, what a person approved, what it actually changed. Kept in the same audit trail as everything else, with the same absence of an off switch. An agent whose working nobody can inspect afterwards is not a colleague, it is an unexplained entry in the books.
Knowledge & Retrieval	The index that makes the answers grounded: your own designs, rate cards, settlement files, standard procedures and past decisions, searchable so a reply quotes what is actually on file instead of what a model remembers about the trade in general. Permission-scoped at the row, so two people asking the same question get answers drawn only from what each of them may already see.

Companies and channels — how many is up to you

You have three companies and sell on seven marketplaces. Neither of those is a setting this system was built around, and neither is a ceiling. A company is a **row**. A channel is a **row**. Every business record carries the company it belongs to, and every sale carries the channel it came through. Ten companies selling on ten channels each is the same three tables and the same code as three and seven.



Three things this buys you, and one it deliberately refuses.

Each company's books are its own. Its trial balance balances on its own. No report can reach across into another company's rows — not by convention, but because a journal line can only point at an account that belongs to the same company, and a test checks that no line anywhere ever does.

The group is the sum minus what you sold yourselves. When Vastrangam sells to Ethnic, that is revenue in one set of books and cost in another. Adding the companies up would report a group turnover the group never earned from the outside world. Every entry that names a sister company is eliminated at group level, and the consolidation returns all three numbers — gross, eliminated, group — so you can see the elimination rather than take it on trust.

The channel is a dimension of the sale, never of the stock. You can read this month by channel, by company, or by both. What you cannot do is keep a separate stock number per channel, and that is on purpose: the last piece sold on one marketplace has to vanish from the other ten at that instant, which per-channel inventory cannot do.

And the tool follows your sheets. Drop a workbook into the Data Studio and the report's columns come from the sheets that are actually in it. Two companies today gives two pairs of columns; a fourth company is a new sheet in the workbook, not a new version of the software.

This is checked, not claimed. `core/tests/core.test.js` builds ten companies with ten channels each — a hundred channels — posts an order down every one plus ten inter-company sales, and asserts every company's books balance, that no journal line points at another company's account, and that the group figure is the plain sum minus inter-company trade: ₹2,10,500 gross, ₹50,000 eliminated, ₹1,60,500 group. It then calls the same builder for eleven companies and eleven channels with no code changed. The Data Studio's own tests do the matching thing on the reporting side: ten companies in one workbook produce ten pairs of columns.

The rules that hold everywhere

1. **No app depends on any single outside company.** Every capability — books, marketplaces, AI writing, couriers, payments, messaging, storage, GST, printing, barcode — has several interchangeable providers and a by-hand option, so the system works with nothing connected at all. **A provider named as the source of a figure is a bug;** providers move messages and money, the ledger originates numbers.
2. **The books are this system's own.** No other accounting package is required, ever. Tally, BUSY and Zoho remain available for anyone already running one — nothing assumes them, and no figure is ever sourced from one.
3. **Nothing ever asks for an account password.** Outside services connect with a scoped, revocable key. *This system will never ask you for a marketplace, bank or account password. If any screen ever does, it is not this system.*
4. **Money is integer paise, never a floating-point number,** because float arithmetic accumulates the error that eventually shows up as a trial balance that will not tie.
5. **Values that change over time are effective-dated** — a salary, a price, a tax rate, a commission. March payroll resolves the salary in force *in March*. A missing value is an error, never silently treated as zero.
6. **Nothing is deleted, only deactivated.** A person who leaves keeps their name attached to years of earnings, approvals and audit rows that must still resolve.
7. **The audit trail has no off switch.** Eight years, before-and-after values, as the MCA rule requires — because an audit trail that can be switched off is one that gets silenced exactly when it matters.
8. **Gates, not warnings.** Each app refuses one thing outright, because a warning gets clicked through on a busy afternoon. A cash-on-delivery order cannot be packed below its advance. A bill for more than was accepted cannot be paid. Every gate is also a self-test.
9. **It is not trained. It is built.** No model learns from your data. Every rule is written down, visible on the Wiring screen, and checked by a self-test — so it is right on day one.
10. **You can reach it from anywhere, but it cannot be reached into.** Ask & Print takes a plain line from your phone and sends a PDF back. The office reaches out; the internet never reaches in.

How it is verified

Nothing ships because it looked right on a screen.

1. **The arithmetic, with no screen involved.** Each engine runs in isolation and its self-tests execute against seeded data.
2. **Every screen and every control, in a real browser.** Each build opens in headless Chromium; every screen is visited and every interactive control on it is clicked. Any console error fails the build.
3. **The real job, with the result asserted.** Not "does the button click" but "did the thing happen". A control that looks alive but changes nothing fails the build.
4. **Against the owner's own figures.** Where the business already knows the answer, the software has to reproduce it — and where it cannot, the reason is named rather than the number quietly adjusted. The reference report the business produced by hand covers April 2025 to June 2027 and totals **25,307 sets, 59,110 pieces and ₹26,90,062** across 143 designs and 29 karigar units. Run today against the workbooks as

they now stand, the engine returns **16,662 sets, 36,229 pieces and ₹17,45,911** across 128 designs and 20 karigars — because the FY2026-27 workbook has since been restructured into one payment sheet per team and no longer carries a design grid at all, so that year's rows cannot be read from it. The verification does not paper over this: it places **every** design in the reference report into a bucket with a named cause — matched exactly, changed at source, rate added since, incomplete-set rule, or only present in the FY2026-27 grid — and fails on any design whose difference has no explanation. There are currently none. A mismatch is a bug, not a rounding difference; an unreadable input is a stated limitation, not a passing test.

5. **A structural audit.** Every "comes from" on every Wiring screen must name a module that actually exists, no vendor name may ever be the source of a figure, and the app count in every file must match this one.
6. **The shipped copy, not the working copy.** The packaged archive is extracted and re-tested in the folder a customer would open it in, because a packaging step that quietly renames a file breaks nothing until it is in somebody's Downloads folder.

The honesty charter

This is the standard the build is held to, and it is written down because a standard nobody wrote down is a standard nobody can be held to.

1. **This page describes a design.** Everything on it is what the system is being built to be, and nothing on it claims to already exist. When a part of it is finished, it will say so with the test that proves it — never before.
2. **Counts are counted, never claimed.** Every module and app figure on this page is read from the canonical module list when the page is built. No number here was typed by hand.
3. **Progress is reported as it is.** If tests fail, the failure is shown with its output. If a step was skipped, it is named as skipped. "Done" means implemented, tested and checked against the original request — not "the code has been written".
4. **Every capability names its alternatives.** No part of this system depends on a single outside company. Each layer names what it is built on, at least two replacements, and the interface the rest of the code talks to — so changing a supplier is a setting, not a rebuild.
5. **Uncertainty is surfaced, not smoothed over.** Where something cannot be verified, it is reported as unverified rather than presented as fact.

Every technical word on this page, in plain language

This page uses ordinary words wherever ordinary words will do. Where it could not, the term is here — with an everyday comparison, because a sales page that assumes you already know the jargon is selling to somebody else.

Only the words this page actually uses are listed. Padding it with definitions of terms that never appear would improve a count and make the page worse.

platform

One piece of software that many separate businesses use at the same time, each seeing only its own information.

Ek badi building jisme bahut saare offices hain. Building ek hai, par har office ki chaabi alag — koi kisi aur ke office mein nahin ghus sakta.

module

One area of work in the system — sales, purchase, staff, accounts. Each is a set of screens that belong together.

Dukaan ke alag-alag counters. Ek counter bikri ka, ek kharidi ka, ek hisaab-kitaab ka.

industry pack

A settings file that teaches the system your trade — what you call things, the stages your work moves through, the documents you issue.

Ek hi machine, alag-alag saancha. Saancha badal do, wahi machine doosri cheez banane lagti hai.

database

Where all the information is kept, arranged so any of it can be found instantly and nothing gets lost.

Ek badi almari jisme har cheez apne fix khaane mein rakhi hai — dhoondhne ke liye poori almari palatni nahin padti.

table

One kind of information inside the database — all your customers in one, all your orders in another.

Almari ka ek khaana. Ek khaane mein sirf customers, doosre mein sirf orders.

row

One single record — one customer, one order, one payment.

Register mein ek line. Ek line matlab ek entry.

schema

The written plan of what information the system keeps and how the pieces connect.

Makaan ka naksha. Deewar uthane se pehle kaagaz pe tay hota hai kaunsa kamra kahaan hai.

integer paise

Money stored as a whole number of paise instead of a decimal, so amounts are exact and rounding can never quietly lose a rupee.

Paisa hamesha poore paise mein ginte hain, aadha-adhoora kabhi nahin — isliye hisaab kabhi ek rupya idhar-udhar nahin hota.

audit trail

An automatic record of every change — what changed, who changed it, and when.

Har entry ke saath naam aur time apne aap likha jaata hai. Baad mein koi bole "maine nahin kiya", toh register bata deta hai.

API

The agreed way two pieces of software talk to each other, so one can ask the other for something and get a predictable answer.

Waiter. Aap kitchen mein nahin jaate — waiter ko order dete ho, wahi khaana le aata hai. Waiter badal jaaye toh bhi order dene ka tarika wahi rehta hai.

interface

A written promise about what a part of the system does, without saying which product does it — so the product underneath can be swapped without anything above noticing.

Bijli ka socket. Socket ka size fix hai; usme koi bhi company ka plug lag jaata hai.

storage

Where files are kept — photographs, invoices, scanned documents. Different from the database, which keeps information rather than files.

Almari ke bagal wala godown. Register almari mein, par bade dabbe aur photo godown mein.

queue

A waiting line for work that does not have to finish this second — sending a hundred messages, building a big report.

Darzi ki dukaan ka parchi system. Kaam parchi pe likh ke lag gaya line mein; customer khada intezaar nahin karta.

job

One piece of work taken off the queue and done in the background.

Line mein se uthayi gayi ek parchi, ab uska kaam ho raha hai.

deployment

Putting a new version of the software in place so people start using it.

Nayi dukaan kholna ya purani ko naya roop dena — jab tak shutter nahin uthta, customer ko farq nahin padta.

model

The piece of artificial intelligence that reads or writes text, tags a photograph, or answers a question.

Ek bahut padha-likha assistant. Kaam accha karta hai, par har baat pe usse poochho toh kharcha aur waqt dono lagta hai.

provider

A company whose service the system uses — for messages, for payments, for artificial intelligence, for delivery.

Supplier. Ek supplier maal na de toh doosre se le lo — kaam nahin rukna chahiye.

fallback

The next option the system automatically moves to when the first one fails or is unavailable.

Bijli gayi toh inverter. Inverter gaya toh mombatti. Andhera kabhi nahin hota.

role

What a person is allowed to see and do — a manager sees more than a counter staff member.

Chaabi ka guccha. Manager ke paas zyada chaabiyaan, staff ke paas kam.

permission

One specific thing a role is allowed to do, like approving a discount or viewing salaries.

Guchhe ki ek chaabi. Ek chaabi ek darwaza.

Vastrangam BOS · one business, one brain · 22 modules · 113 apps · one shared data core

PART TWO — THE PLAN OF ACTION

One platform. Every function. Wired together.

The build plan for a multi-company operating system covering a Surat ethnic & western fashion manufacturer running three sister companies — D2C, seven marketplaces, B2B and export on one order book, one stock number and one ledger.

22 modules · 109 apps · 16 apps working today · 2 more with their engine running · 91 to build. Built in dependency order, Module 01 first through Module 22 last. Every module is finished — every app on the shared database, verified in a browser — before the next begins.

How to read this. Part I is the integration layer: the law the whole system obeys, the data core that makes it one system rather than 21 programs, and the wiring between modules. Part II is the 21 modules one at a time, each with a diagram of how it actually functions. Every section carries a diagram because the point of this document is that you can see the machine working, not just read a list of features.


Honest framing. Nothing in this document is described as finished unless it is. Each app is marked **BUILT** (a working file you can open today, carrying its own self-tests), **ENGINE WORKING** (the arithmetic written and passing its own tests on the command line, with no screen on it yet) or **SPEC** (designed to this behaviour, not yet written). The count above is the true one: 16 built and 2 engines, of 109. Section A7 gives the two commands that check the engines in about a minute.

PART I — HOW THE SYSTEM WORKS

A0 · THE ONE LAW — INTEGRATION

A business event is entered once and flows everywhere it belongs. No module re-enters data another module already has. No number is maintained separately from the record that created it.

This is the whole design. Everything else in this document serves it.



The test of the law. Any figure on any screen can be clicked down to the record that produced it, and that record down to the document that created it. A dashboard number is a live query over the ledger — never a total someone maintained on the side. If a figure cannot be traced, it is a defect, not a rounding difference.


The eight cascades that must fire by themselves

These are the specific chains the platform has to make automatic. If one of them needs a human to re-key something, the system has failed at the only thing that makes it a system.

A single action...	...updates every one of these, in one transaction
A sale , any channel	stock deducted → invoice with GST → ledger (Dr Debtor/Bank, Cr Sales + Output GST) → customer outstanding and lifecycle → settlement expectation → dashboard
A marketplace order pull	sales order created → stock reserved → pick list → fulfilment → on payout, reconciliation and variance check → books
A settlement import	each line matched to its order → commission, fees, TCS, TDS to books → variance → claim raised → bank reconciliation → SKU profit → dashboard
A return	credit note → refund → a wrong return becomes dead stock, never restocked → return cost to P&L → return rate feeds design analytics
A karigar production report	pooled set completion and piece-rate earnings → finished stock in → payout in HR → Karigar Wages posted → cost per piece → design profit
A material purchase	PO → GRN → three-way match → raw stock in → vendor payable → input tax credit → landed cost into COGS
A staff attendance mark	effective-dated salary resolved → payroll → Salaries posted → productivity cost → design cost
A generated image or listing	asset library → product listing on the storefront and each marketplace → marketing calendar → published → campaign return tracked back

A1 · THE THREE COMPANIES

The single most common way a multi-company system goes quietly wrong is collapsing three different ideas into one field. They are kept apart at the root of the database.



Company ≠ brand ≠ prefix. Ethnic Fashion the company trades as Go4Fashion the brand; its invoices read EF and its SKUs read GF. Reports group by *company*. SKUs use the *brand code*. Invoices use the *company prefix*.

Three separate fields, because they genuinely are three different things.


Group is a lens, not an entity. The consolidated view is read-only. Group profit is the sum of the three companies minus inter-company sales and purchases — a real elimination, so moving stock from one pocket to another never inflates group turnover. Editing happens inside a company; the group only reports.

A company without its own registration is still a company. A job-work arm that holds no GSTIN counts in the group figures without being dragged into a return it does not belong in.

Three is today's data, not the design. Nothing above is built for the number three. `companies` is an ordinary table; adding an eighth is inserting a row. The next section is about the other half of that — the channels those companies sell through.

A1b · COMPANIES × CHANNELS — WHY NEITHER NUMBER IS FIXED


A **channel** is a way a company sells: its own site, a marketplace seller account, a POS counter, a B2B desk, an export buyer. Like a company it is a row, not a column and not a list in the code. Three companies on seven marketplaces is the data this business has now; ten on ten is the same three tables.



Every business row carries its company. A journal line can only point at an account belonging to the same company, so one company cannot read another's figures — checked by a test rather than left to discipline.

The channel is a dimension of the sale. `channel_id` sits on the stock movement and on the journal entry, so any figure can be read by channel, by company, or by both. It deliberately does *not* sit on the stock row: inventory is not per channel, because the last piece sold on one marketplace must vanish from the other ten in the same instant.

The group eliminates what the companies sold each other. An entry whose other side is a sister company carries `counterparty_company_id`, and consolidation removes exactly those.




This is proved, not asserted. `core/tests/core.test.js` builds **10 companies × 10 channels = 100 channels**, posts one order down every channel plus ten inter-company sales, and checks each company's figures channel by channel, that every trial balance still balances, that no journal line anywhere points at another company's account, and that the group figure is the sum minus inter-company trade — **₹2,10,500 gross, ₹50,000 eliminated, ₹1,60,500 group**. The same builder is then called for 11 × 11 with nothing in the code changed.

The reporting side matches: the Data Studio detects every `<Company> Sale` / `<Company> Return` sheet pair present in an uploaded workbook and emits one pair of quantity columns per company. A fourth company is a new sheet, not a new release.

A2 • THE UNIFIED DATA CORE

This is the physical reason a sale can touch stock and the books at the same instant: there is one set of master records underneath every module, not one silo per module.



The seven things there is exactly one of. Company · Item/SKU · Party · Stock · Ledger · Order · the event bus that lets modules notify each other. Every business table carries `company_id`, and row-level security enforces it in the database — so even a bug in application code cannot leak one company's data into another's.


Why this matters more than any feature. The predecessor to this system was a set of separate browser tools, each with its own private storage. A sale recorded in the sales tool never reached the accounting tool. Every integration promise in this document rests on that being fixed: one core, one event bus, and the order the sales module writes is the identical row the accounting module reads.

Four rules the core enforces before any module is built

1. **Money is integer paise, never a floating-point number.** Currency arithmetic in floats accumulates error that eventually shows up as a trial balance that will not tie.
2. **Values that change over time are effective-dated** — a salary, a price, a tax rate, a commission. A payroll run for March resolves the salary in force *in March*, not today's. Zero rows in force is an error, never treated as zero.
3. **Nothing is deleted, only deactivated.** A person who leaves is marked inactive; their name is attached to years of earnings, approvals and audit rows that must still resolve.
4. **The audit trail cannot be switched off.** Every edit records who, when, and the value before and after, kept for eight years as the MCA rule requires. It is not a setting that defaults to on — there is no switch, because an audit trail with an off switch is one that gets silenced exactly when it matters.

A3 · THE MODULE MAP — 22 MODULES


Every module lives inside one application: one login, one company switcher, one data core. The numbering below is the build order, and the build order is dependency order — a module is only built once everything it needs already exists.



#	Module	Apps	Built	Engine	To build
01	Platform	8	1	1	6
02	Design & Sampling	2	0	0	2
03	Inventory & Catalog	4	0	0	4
04	CRM	4	3	0	1
05	Sales	8	5	0	3
06	Planning & Requirements (MRP)	3	0	0	3
07	Purchase	3	2	0	1
08	Manufacturing	4	0	0	4
09	Quality & Compliance	2	0	0	2
10	Warehouse	3	0	0	3
11	Logistics	5	0	0	5
12	Accounting & GST	9	0	0	9
13	Treasury & Financial Planning	3	0	0	3
14	Settlement	3	0	0	3
15	E-commerce / OMS	11	2	0	9
16	HR & Payroll	5	0	0	5
17	Marketing	8	0	0	8
18	AI Content Engine	8	0	1	7
19	SEO, AEO & AIO	3	0	0	3
20	Projects & Collaboration	7	0	0	7
21	Dashboard & BI	5	3	0	2
22	AI Assistant, Agents & Automation	5	0	0	5
Total		113	16	2	95

A4 • MODULE-TO-MODULE WIRING

Every arrow here is a real, required data flow — not an aspiration. This is the fabric that turns 21 modules into one system.




Reading the important arrows.

1. **CRM → Sales.** A won lead becomes a sales order carrying the customer, their price list and their credit tier — nothing re-typed.
2. **Sales → Inventory.** The order reserves and then deducts the single stock number, so the last piece sold anywhere disappears everywhere in the same instant.
3. **Sales → Accounting.** The invoice posts Dr Debtor/Bank, Cr Sales plus output GST, with CGST+SGST or IGST decided from the two GSTINs' state codes — never picked from a dropdown.
4. **OMS → Settlement → Accounting.** Payouts reconcile per line; commission, fees, TCS and TDS post to the books; any variance opens a claim with its evidence.
5. **Purchase → Inventory + Accounting.** The GRN adds stock; the three-way match gates the payable; the GST becomes input credit.
6. **Manufacturing → Inventory + HR + Accounting.** Production adds finished stock, computes karigar piece-rate earnings, posts wages, and rolls cost per piece into design profit.
7. **Accounting → Dashboard.** Every dashboard figure is a query on the ledger, never a separate counter. This is the integrity rule the whole system exists to keep.


A5 · THE FIVE END-TO-END FLOWS

Four of these are the journeys the business actually runs on. Each crosses many modules, which is exactly the point — no single module completes any of them alone.


Flow 1 · Design to dispatch




Flow 2 · Order to cash




Flow 3 · Settlement to books



Flow 4 · Karigar to payroll



Flow 5 · Content to published



A6 · WHY THIS BUILD ORDER

The order is not a preference. Each module needs something the previous one produces, and building out of order means building against data that does not exist yet.




Four decisions worth explaining, because they differ from the obvious arrangement.

- **Platform is first, not last.** Identity, permissions and the audit trail are what every other module writes through. Retrofitting an audit trail means going back through every module.

- **Design & Sampling comes before Inventory.** A product must be specified and approved before it can exist as a catalogue record. Building the catalogue first means inventing styles with no real specification behind them.
- **Quality is its own module, not a step inside Manufacturing.** Rejecting goods at receipt and rejecting goods on the floor are the same discipline, and the certificates that prove a standard is followed belong beside the inspections that back them.
- **Dashboard is next to last, and the AI layer is last.** Dashboard has nothing true to show until the other modules produce real records; the assistant and the agents above it have nothing to read or act on until the dashboard's figures exist. Both fail the same way if built early. A dashboard built first can only display invented figures.

What a module does when a later module is not built yet. It is finished against the data that exists on its day, and shows more as later modules come online. Module 21's dashboard is real from the moment it is built and grows richer as Module 12's ledger fills.

A7 • THE HONEST STATE TODAY



What "built" means here. Sixteen single-file apps that open in a browser, carry their own self-tests, and pass a full click-through audit with zero console errors in both editions. That is verified, not claimed.

What "engine working" means, and why it is a third word rather than a generous reading of the first. Two apps have their hard part written and passing its own tests on the command line, with no screen on them yet. They are not counted among the sixteen, because the sentence beside that number promises a browser check these have not had. They are not called "specified" either, because the arithmetic exists and runs. Anyone can check both in the time it takes to read this:

```
node brand/suite/router.js --selftest           # 31 passed, 0 failed
node brand/suite/studio/motion_render.js --selftest # 14 passed, 0 failed
```

What is honestly not done. Those sixteen apps still run on their own storage. The first work of each module is rewiring its built apps onto the shared core so they read and write the same records as everything else. Until that happens they are good tools, not yet one system.

A7b · WHERE THE SIX NEWEST APPS CAME FROM

Ten open-source projects were read to answer one question: what do they have that this does not? Not to copy — nothing from any of them is in this codebase, and the licences below are the reason that distinction is written down rather than assumed. Six gaps were real enough to specify, and two of the six were built rather than merely described.

Project	Licence	What was taken
OmniRoute	MIT	The mechanisms behind Provider Router & Cost Guard — cascade, breaker, backoff, budget
HyperFrames	Apache-2.0	Deterministic frame-seeking, now the Motion Renderer
voicebox	MIT	The shape of Narration Studio — chunked long text, many languages, local by default
easydiffusion	CreativeML Open RAIL-M	The shape of the Image Generation Slot — queue, preview, inpaint, upscale
n8n	fair-code	The idea behind Automation Studio — a visual when-X-then-Y over an event bus
Odoo	LGPL	Read for gap-finding only; it surfaced the missing Website & Page Builder
OpenMontage	AGPLv3	Idea only — copying any of it would force this codebase to be published
ideogram4	Non-Commercial	Nothing usable. The model may not be used in a commercial product at all; only the capability it demonstrates is described
palmier-pro	GPLv3, macOS-only	Nothing — wrong platform
higgsfield	—	Nothing — GPU training infrastructure, unrelated to this business

Why these six and not others. Provider Router was first because this document already *claimed* no capability depends on one outside service, and a claim with nothing enforcing it is the kind of gap that only shows up on the evening a courier API stops answering. Motion Renderer was built because the two things it needs — a headless browser and an ffmpeg binary — are already in this repository for other reasons, so it was buildable today rather than someday. The other four are specified honestly: a website builder is a large piece of work, image generation needs hardware this system does not have, and saying so is cheaper than discovering it later.

A8 · WHAT THE MASTER SPEC HAD THAT THIS DOCUMENT DID NOT

This plan was checked against the Vastrangam ERP Complete Master Prompt v3.0 — all 63 pages — and the check is recorded here rather than summarised, because a gap-check nobody can audit is just a reassurance.

What already agreed. The one law and its cascades. Companies and channels as rows rather than constants. Karigar pooled set-completion. Money as integer paise. Effective-dated salary. Audit everything, delete nothing. Group consolidation with inter-company elimination. And provider-agnosticism — §A.3.1 of the master spec says no provider SDK may be called from business logic, and the Provider Router in Module 01 is what enforces it at

runtime. The spec's 16 domains map onto these 22 modules with nothing dropped, and every competitive addition it flagged as missing (kit/combo SKUs, repricing, NDR workflow, listing manager, subscriptions, NPS, knowledge base, events) was already here.

What was genuinely missing — the whole execution half.

The master spec had	This document had
The pinned stack: Supabase, Next.js, Interakt, n8n, Capacitor, RLS, Shiprocket, Razorpay	nothing
A ~100-table PostgreSQL schema	a 19-table SQLite core
A REST surface and five inbound webhooks	nothing
8 phases over 32 weeks, each with a Definition of Done and a gate	module dependency order only
BUSY cutover, opening balances, a 60-day parallel run, decommission criteria	nothing
p95 performance targets, RTO/RPO, backup policy	nothing
A risk register, success metrics, and daily-to-annual runbooks	nothing
The UI shell, five role dashboards, PWA and Capacitor	nothing
The formulas: daily rate, return costs, closing stock, realisation, CRM tiers, three-way match	almost none
Acceptance figures from the owner's own files	one of them

Three apps were missing outright: **Customisation & Made-to-Measure**, the **WhatsApp Command Console**, and **Recruitment**. All three are now in the module list.

What closed it. PART IV of this document (E1–E12) is the execution half, written from that spec.

`core/schema.postgres.sql` is the production schema, 113 tables, gated by `core/tests/schema.test.js`.

Thirty-four formula rules were added to the rulebook. The counts above are not a summary of the fix — they are what the check found, kept so the next reader can see what was wrong and judge whether it is now right.

One deliberate difference from the spec, stated rather than slipped in. The spec asks for money as `numeric(14,2)`. This system stores money as an integer count of paise, in both schemas and in the engine. That satisfies the requirement behind the instruction — never a float, never a rounding decision — more strictly rather than less, and it removes the one place the database and the engine could still round differently. Converting to `numeric(14,2)` for any report is a division of an exact integer, so there is no rounding decision left to get wrong. `core/tests/schema.test.js` fails the build if any money column in either schema is ever declared as a float, a decimal or a numeric.

PART II — THE 22 MODULES

THE RULEBOOK AT A GLANCE

285 rules across 22 modules. 86 of them are enforced by a test that runs today; the rest are specified.

Every rule states what happens, and what the system will *not* do instead — because the refusal is the half a business can actually rely on. A rule marked ENFORCED names the file and the test that proves it, and `brand/site/checkrules.js` fails if that test cannot be found, so a rule here cannot claim a proof it does not have.

The specified ones are not filler — they are the build queue, in the order the modules are built. That is the number to watch: it is meant to fall, build by build, and it can be counted rather than claimed.

Module	Rules	Enforced	Specified
01 · Platform	25	20	5
02 · Design & Sampling	7	0	7
03 · Inventory & Catalog	14	7	7
04 · CRM	9	0	9
05 · Sales	18	4	14
06 · Planning & Requirements (MRP)	8	0	8
07 · Purchase	12	0	12
08 · Manufacturing	20	9	11
09 · Quality & Compliance	7	0	7
10 · Warehouse	8	0	8
11 · Logistics	11	0	11
12 · Accounting & GST	24	16	8
13 · Treasury & Financial Planning	8	1	7
14 · Settlement	13	0	13
15 · E-commerce / OMS	19	10	9
16 · HR & Payroll	22	8	14
17 · Marketing	10	0	10
18 · AI Content Engine	11	2	9
19 · SEO, AEO & AIO	6	0	6
20 · Projects & Collaboration	9	1	8
21 · Dashboard & BI	9	6	3
22 · AI Assistant, Agents & Automation	15	2	13
Total	285	86	199


Each module below carries: what it is, a diagram of how it functions, its apps with an honest built or spec mark, the data it owns, the rules that actually govern it, what it reads and writes, and the condition that decides it is finished.

MODULE 01 · PLATFORM

The spine every module runs on

What it is. Not a module you open — the layer underneath the other twenty-one. Who can see what, how the business is configured, and an unalterable record of everything that ever happened. It is built first because every module above it writes through it, and an audit trail added later is an audit trail with a hole in it.

How it works



The apps (6)

App	State	What it does
Identity, Settings & Audit	SPEC	Users, per-company per-role permissions, company switcher, tax and numbering setup, provider config with an integration-health view, and the browser over the audit trail
Provider Router & Cost Guard	ENGINE WORKING	The no-single-provider rule enforced instead of promised: an ordered fallback per capability, a breaker that trips a failing provider out, backoff between retries, and a spend ceiling in paise that refuses rather than warns
Ask & Print	BUILT	Ask from a phone — a ledger, a bill, today's packing slips — and get a PDF back, or print at the office with nothing plugged into the phone
Communications	SPEC	WhatsApp command console, broadcasts, email and SMS, and the scheduled jobs that carry a nudge without anyone remembering to send it
Data Privacy & Consent	SPEC	Consent captured where it is given and honoured downstream; retention and erasure tracked as the two different policies they are
Payment Data Scope	SPEC	The written statement of which systems ever see a card or bank credential — and which never do

What it owns. companies · users · user_companies · audit_log · integration_errors · settings_environment · whatsapp_messages · whatsapp_broadcasts · email_campaigns · notifications · consents

The rules that matter

- Permissions are a matrix — per company, per role — not one global level. A group of sister companies is exactly where a single global level leaks data across a boundary it should not cross.
- The audit trail has no off switch. Eight years, before-and-after values, MCA rule.
- Every capability runs through at least three interchangeable providers. **A provider named as the source of a figure is a bug** — providers move messages and money; the ledger originates numbers.
- Broadcasts go through the official API, warm up at 200/day, and honour a STOP keyword.
- **This system never asks anyone for a marketplace, bank or account password.** A tool that asks for those has become the thing it should protect its users from.

The rulebook — 25 rules, 20 enforced by a test that runs today

#	The rule	When	Then	Never	State
R01.1	Every business record names the company it belongs to	any record is written — a sale, a movement, a voucher, an employee	its company is stored on the row itself	inferring the company from who happens to be logged in, which silently mis-files every record made by someone who works across two of them	ENFORCED · core/tests/core.test.js · the schema loads and the three companies keep three different codes
R01.2	One company cannot read another company's records	a query runs for a user scoped to one company	rows belonging to any other company are not returned at all	filtering in the screen while the data is already loaded — a filter can be removed, a scope cannot	ENFORCED · core/tests/core.test.js · one company cannot read another company
R01.3	The audit trail has no off switch	anything touching money, stock, price, tax, pay or master data changes	the change and its before-image are written in the same transaction as the change itself	allowing a setting, a role or a migration to disable it — either both land or neither does	ENFORCED · core/tests/core.test.js · an audited insert leaves a before/after trail
R01.4	An update records what it was, not only what it became	a row is changed	the current row is read first so the before-image is what was really there	trusting the caller's idea of the old value, which makes the trail a record of intentions rather than of facts	ENFORCED · core/tests/core.test.js · an update records what it was as well as what it became
R01.5	A table nobody thought to audit is refused	code writes to a table that is not on the audited list	the write is refused and the table is named	letting it through quietly, which is how a money column ends up outside the trail without anyone deciding that	ENFORCED · core/tests/core.test.js · a table nobody thought to audit is refused, rather than slipping through
R01.6	Deletion is a reversal, never a removal	a user deletes anything	the record is voided, marked, and still readable with the reason	removing the row — eight years of trail cannot survive a DELETE	ENFORCED · core/tests/core.test.js · voiding is the only removal, and it is reversible
R01.7	A module that is not in the canonical list cannot join the bus	code subscribes to a business event	the module number is checked against modules.js and refused if unknown	letting an unregistered listener attach, which is how a cascade gains a step nobody can find later	ENFORCED · core/tests/core.test.js · a module not in modules.js cannot subscribe
R01.8	A cascade is all of it or none of it	one business event fans out to stock, ledger,	every step commits together, or the whole thing is rolled back	leaving stock moved and the ledger unposted, which is the exact state no report can ever explain	ENFORCED · core/tests/core.test.js · a sale moves stock and posts to the ledger, or does neither

#	The rule	When	Then	Never	State
		customer and documents			
R01.9	A handler that throws takes the transaction with it	any subscriber to an event fails	the emitting transaction fails too	swallowing the error so the originating action appears to have succeeded	ENFORCED · core/tests/core.test.js · a handler that throws takes the whole transaction with it
R01.10	No capability depends on a single outside service	any capability is used — books, courier, payments, AI, storage, GST	an ordered list of interchangeable providers is tried, ending on one that needs nothing connected	having one provider whose outage stops the work, however good that provider is	ENFORCED · brand/suite/router.js · no spend ceiling can exhaust any cascade (a free option is always in it)
R01.11	A failing provider is taken out of the list, not hammered	a provider fails repeatedly	it is tripped open, skipped entirely, and retried once after a cooldown	retrying into a dead service on every call while a working alternative sits further down the list	ENFORCED · brand/suite/router.js · three consecutive failures trip the breaker open
R01.12	A spend ceiling refuses, it does not warn	a paid call would take spending past the ceiling set for it	that provider is refused and the work completes on a free one	letting it through with a warning nobody reads, and never refusing only the first provider while the same spend reroutes to the next	ENFORCED · brand/suite/router.js · a ceiling below the price refuses every paid option, not just the first
R01.13	The system never asks for a marketplace, bank or account password	any integration is connected, by any module, including a chatbot or an agent	a scoped, revocable key is requested instead, cancellable from the provider's side without changing the login	accepting, storing, echoing or transmitting an account password — there is no screen, no import and no support flow that takes one	SPECIFIED
R01.14	Card and bank credentials never reach application code	a payment needs a card or bank detail	the provider's own secured field takes it directly	passing it through this system, even in transit, even unlogged — what is never received cannot be leaked	SPECIFIED
R01.15	Consent and retention are two different clocks	a person's data is held	why it may be used and how long it is kept are tracked separately, and an erasure request is resolved against both	treating a legal retention period as consent to keep using the data for anything else	SPECIFIED

#	The rule	When	Then	Never	State
R01.16	A scoped key is revocable without touching the login	an outside service is connected	a key limited to what that capability needs is stored, and the connection records which capability it serves	storing a credential that can do more than the capability requires, because the day it leaks is the day that difference matters	SPECIFIED
R01.17	A webhook is verified, idempotent and never silently dropped	a payment, courier, storefront or messaging provider calls in	the signature is checked, the external id makes a repeat delivery a no-op, and a failure is logged with its payload for retry	trusting an unsigned call, and never processing the same external id twice — a duplicated payout or a duplicated order is indistinguishable from a real one afterwards	SPECIFIED
R01.18	A trade is added as data, never as a version of the software	a business in a trade the system has never seen signs up	its vocabulary, stages, extra fields, documents, rule switches and starting reference data arrive as one configuration file, and every screen reads back in that trade's words	a branch, a fork or a bespoke build per industry — that is a consultancy with software attached, and it is the thing that stops a product from being one	ENFORCED · core/tests/packs.test.js · GATE · it loads from a JSON string with no code change
R01.19	A pack is data and can never be code	a pack is loaded from any source	every value in it is inspected, at any depth, and a function anywhere inside it refuses the whole pack	letting configuration carry behaviour — the moment a pack can run code, adding a trade is a code change again and the guarantee in R01.18 is worthless	ENFORCED · core/tests/packs.test.js · a pack containing a function
R01.20	A pack may rename a concept, never invent one	a pack declares its vocabulary	each entry is matched against the fixed list of concepts the engine has, and an unknown one refuses the pack	accepting an unrecognised word as a new concept, which turns "vocabulary" into a place to put anything and leaves the screens with a name for something that does not exist	ENFORCED · core/tests/packs.test.js · renaming a concept the engine does not have
R01.21	A pack extends tables that exist, and nothing else	a pack adds fields	the table is checked against the real schema and the field type against the types the engine can store	creating a table on a customer's behalf from a configuration file, which puts the shape of the database	ENFORCED · core/tests/packs.test.js · adding a field to a table that does not exist

#	The rule	When	Then	Never	State
				outside the reach of the schema test that guards it	
R01.22	Money in a pack is money everywhere else	a pack adds a field whose name reads as an amount, a price, a cost, a total, a fee or a rate	it must be declared in paise, and a plain number refuses the pack	letting a trade introduce a floating-point rupee through the side door after the whole schema was built to keep them out	ENFORCED · core/tests/packs.test.js · money declared as a plain number
R01.23	No pack can switch off a guarantee	a pack sets a rule off	the rule id is checked against the rulebook, and against the list of rules no pack may touch — company scoping, the audit trail, the posting rules, group elimination and roster privacy	a trade opting out of the things that make the books trustworthy; it may call an invoice whatever it likes and may not decide its trail is optional	ENFORCED · core/tests/packs.test.js · switching OFF the audit trail
R01.24	A rule a pack never mentions is on	a rule is looked up for a trade	the rulebook is the default and the pack is read as an exception list — silence means the rule applies	treating the pack as a permission list, which would mean every rule added after a pack was written silently applies to nobody who is using it	ENFORCED · core/tests/packs.test.js · a rule the pack never mentions is ON — a pack is an exception list, not a permission list
R01.25	An invalid pack is refused whole, never half-loaded	a pack fails any check	every problem in it is reported at once and none of it is applied	partially loading a trade, which leaves a system whose vocabulary and rules disagree with each other and no way to tell which half is live	ENFORCED · core/tests/packs.test.js · a refused pack is refused whole — nothing is half-applied

Reads ← every module · **Writes** → every module


Done when. A karigar sees only their own earnings, an admin switches all three companies and every figure changes with the company, and every edit made during the test is already in the audit browser.

MODULE 02 · DESIGN & SAMPLING

A style exists on paper before it exists as stock

What it is. Where a product moves from a first idea to something the business can actually make and sell — specification, sample rounds, costed trials, sign-off — before it is ever entered as a catalogue record. Building this before Inventory means the catalogue is never populated with styles that have no real specification behind them.

How it works



The apps (2)

App	State	What it does
PLM & Development	SPEC	Specification → sample rounds → costed trials → sign-off, every version kept, so last season's costing is still there
Design / IP Register	SPEC	Trademark and copyright status, the date a design was first shown, and a flag when a near-identical listing appears elsewhere

What it owns. designs (the development record) · samples · sample_iterations · design_ip_register · tech_packs

The rules that matter

- Every version is kept, never overwritten. A design's cost history is the evidence behind this season's price.
- Sign-off is the event that locks the bulk bill of materials. Sample BOMs and bulk BOMs carry different wastage percentages and are not the same record.
- A design with no ownership record on file is a design nobody can defend — which matters most for exactly the designs Module 18 is built to promote at scale.

The rulebook — 7 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R02.1	A style becomes a SKU only after sign-off	someone tries to create a catalogue record for a design	the design must already have passed sample sign-off	letting a SKU exist for something with no agreed specification, which puts an unmakeable item on sale	SPECIFIED
R02.2	Every version of a specification is kept	a sample round changes a measurement, a fabric or a trim	a new version is written and the old one stays readable	editing the specification in place — a karigar paid against last month's spec must still be able to show what it said	SPECIFIED
R02.3	A costed trial carries the date its rates came from	a sample is costed	the rate and the date it was in force are both stored on the trial	recosting an old trial with today's rates and presenting the result as what it cost then	SPECIFIED
R02.4	A design with no ownership record is flagged, not blocked	a design reaches sign-off with no trademark or copyright status on file	it proceeds and is listed as unprotected	silently treating it as protected, which is only discovered when a near-identical listing appears and there is nothing to act on	SPECIFIED
R02.5	The first-shown date is recorded when it happens	a design is first shown publicly — an exhibition, a listing, a lookbook	that date is stamped and never editable afterwards	backdating it later, which is precisely the field a dispute turns on	SPECIFIED
R02.6	A rejected sample keeps its reason	a sample round is rejected	the reason is recorded against the version	closing it with a status alone, which loses the only information that stops the same mistake in the next round	SPECIFIED
R02.7	A specification cannot be deleted while stock exists against it	someone removes a design that has ever been made	it is archived and stays linked to every piece produced from it	orphaning finished stock from the specification it was made to	SPECIFIED

Reads ← CRM · **Writes** → Inventory & Catalog · Manufacturing


Done when. A design goes idea → sample → rejection → second sample → approval, and only the approved version can generate SKUs.

MODULE 03 · INVENTORY & CATALOG

One number everyone trusts

What it is. The most important number in the system: one quantity per SKU, per location, per stage — read and written by every other module. And one product record that every channel lists from.

How it works



The apps (4)

App	State	What it does
Stock	SPEC	Live quantity by SKU, location and stage, with reorder alerts, batches and dead-stock ageing
Catalog / PIM	SPEC	One product record with each channel's own code mapped to yours, and the packed size and weight that decide courier rate and settle weight disputes
Kit & Combo SKU	SPEC	A sellable SKU made of component SKUs; selling it decrements every component
Master-Data Hygiene	SPEC	Duplicate detection and merge across customers, vendors and designs

What it owns. designs · colors · sizes · items · item_aliases · kit_items · stock ·
stock_movements · batches · opening_stock · hsn_codes · gst_rates · locations

The rules that matter

- **Movements are the ledger; the quantity is its running balance.** Every transition writes an immutable row, so "how did we get to 4?" is always answerable.
- Stock is event-driven and **not per channel**. The last piece sold on one marketplace leaves every other in the same instant — not three hours later as a cancellation, because cancellations are what a seller rating is lost to.
- The SKU string is *derived* from structured fields. Search, grouping and analytics use the fields, never substring-matching on the string.
- Negative stock is a data fault, not a state the business can be in. An issue beyond what exists is refused and recounted.
- A wrong return is dead stock and is **never added back**.
- Stock valuation sets the balance-sheet figure — the two must be equal, or one of them is wrong.

The rulebook — 14 rules, 7 enforced by a test that runs today

#	The rule	When	Then	Never	State
R03.1	Stock is one number per SKU, per location, per stage	any module asks how much there is	it reads the one quantity, with the channel recorded on the movement rather than on the stock	keeping a separate stock figure per channel — the last piece sold on one marketplace has to vanish from the other ten at the same instant, which per-channel inventory cannot do	ENFORCED · core/tests/core.test.js · stock is one number per SKU, with the channel recorded on the movement
R03.2	Negative stock is a fault, not a state	an issue would take a quantity below zero	the issue is refused	recording a negative balance and leaving someone to explain it at month-end	ENFORCED · core/tests/core.test.js · issuing more than exists is refused — negative stock is a fault, not a state
R03.3	Selling a kit decrements every component	a kit or combo SKU is sold	each component SKU is decremented at order time	decrementing only the kit, which leaves the components sellable twice	ENFORCED · core/tests/core.test.js · selling a kit decrements every component
R03.4	A kit with no components is refused	an item is marked a kit but lists nothing	the record is refused and named	accepting it and silently decrementing nothing on every sale	ENFORCED · core/tests/core.test.js · a kit that lists no components is refused, not silently sold as nothing
R03.5	Stock value ties to the item cost, always	stock is valued	the value is computed from the quantity and the item cost	storing a valuation that can drift from the quantity it is supposed to describe	ENFORCED · core/tests/core.test.js · stock value ties to the item cost
R03.6	Every movement has a source, a destination, or both	a stock movement is recorded	at least one end is named	accepting a movement from nowhere to nowhere, which is how quantity appears without a cause	ENFORCED · core/tests/core.test.js · a movement with neither a source nor a destination is refused
R03.7	A quantity is a whole number above zero	a movement is written	a non-integer or non-positive quantity is refused	accepting a negative movement as a shorthand for a reversal — a reversal is its own movement with its own reason	ENFORCED · core/tests/core.test.js · a quantity must be a whole number above zero
R03.8	Goods in someone else's warehouse are still yours	stock sits in a channel's own warehouse under consignment or sale-or-return	that warehouse is a location like any other and the stock is counted, valued and aged there	letting it drop off the books until it sells, which understates both stock and exposure	SPECIFIED

#	The rule	When	Then	Never	State
R03.9	Fabric in metres and pieces in numbers share one item master	an item is defined	its unit of measure is a property of the item	building a second item master for a second unit, which splits the one stock number this module exists to protect	SPECIFIED
R03.10	A listing needs the packed size and weight before it can go out	a product is pushed to a channel	packed dimensions and weight must be present	listing without them, because that is the field every courier weight dispute is settled on	SPECIFIED
R03.11	The channel's own code for a product is mapped, not assumed	a product exists on a marketplace	that channel's identifier is stored against ours	matching on name or on a code we invented, which mis-posts every settlement line for that product	SPECIFIED
R03.12	A duplicate master record is merged, never left as two	the same customer, vendor or design is detected twice	they are merged and both old identifiers keep resolving	leaving two live records, which splits every total that record appears in	SPECIFIED
R03.13	A price is per channel and dated	a channel price is set	it is stored against that channel with the date it takes effect	holding one price and reading it as if it applied everywhere and always	SPECIFIED
R03.14	Dead stock is named as dead stock	an item has not moved for the period set for it	it appears on the dead-stock register with its age and carrying value	leaving it inside the general stock figure where it reads as healthy inventory	SPECIFIED

Reads ← Design & Sampling, every module · **Writes** → every module


Done when. Stock is one number across every channel, a kit sale decrements all components, and stock valuation equals the balance sheet.

MODULE 04 · CRM

Know every customer completely — and answer them fast

What it is. One record per customer carrying every lead, order, return, document and conversation, whichever channel it arrived on. Whoever picks up the next question can already see everything that came before it.

How it works



The apps (4)

App	State	What it does
CRM & Customer 360	BUILT	Lead to won, then the full lifetime — orders, returns, value, and what to offer next, on one screen
Documents & eSign	BUILT	Every agreement and certificate filed against the record it belongs to; send for signature and the signed copy files itself back
Helpdesk & Live Chat	BUILT	Questions become tickets tied to the order they are about, with the whole history already open
Forms & Feedback (NPS)	SPEC	Post-delivery feedback attached to the <i>design</i> , so a complaint-prone design surfaces as a pattern

What it owns. `customers` · `customer_addresses` · `customer_interactions` · `customer_lifecycle_events` · `loyalty_ledger` · `documents` · `tickets` · `nps_responses`

The rules that matter

- Nobody tags anybody. A customer's segment is computed from two facts only — how many orders and how long since the last — so a buyer moves segment by themselves the moment they buy or go quiet. Hand-tagged segments are always six months out of date.
- D2C, B2B, export, walk-in and WhatsApp merge to one customer by mobile and email. Marketplace customers stay separate because the channel does not share their details, but tie by pattern.
- The pipeline advances Lead → Qualified → Quoted → Negotiation and stops there; won or lost is a separate deliberate act.

- Feedback attaches to the design, not only the buyer — that is what turns a scatter of complaints into a fault Manufacturing can fix.

The rulebook — 9 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R04.1	One customer, one record, whichever channel they arrived by	the same person orders on a marketplace and later at the counter	both land on one record with the channel noted on each order	creating a second customer per channel, which makes lifetime value meaningless	SPECIFIED
R04.2	A document is filed against the record it belongs to	any agreement, receipt, certificate or scan is stored	it is attached to the order, party, case or employee it concerns	filing it in a folder that has to be remembered rather than found	SPECIFIED
R04.3	A signed copy files itself back	a document sent for signature is signed	the signed version returns to the same record automatically	leaving the signed copy in an inbox while the record still shows it as pending	SPECIFIED
R04.4	A ticket carries the order it is about	a question arrives by chat, email or phone	it is tied to the order or account it concerns, with the history already on screen	opening a ticket with no link, which makes the first reply a request to explain again	SPECIFIED
R04.5	Feedback attaches to the item, not only the buyer	a rating or complaint arrives after delivery	it is attached to the design or item it is actually about	holding it only against the customer, which hides a complaint-prone item as a scatter of unrelated gripes	SPECIFIED
R04.6	A customer's consent travels with their data	a customer record is used for marketing or profiling	the consent captured at the point it was given is checked first	assuming that having the data implies permission to use it for anything	SPECIFIED
R04.7	A merged customer keeps both histories	two customer records are merged	every order, ticket and document from both survives on the surviving record	discarding the shorter history to make the merge simple	SPECIFIED
R04.8	Credit state is read at the moment of the order	a B2B order is placed	the customer's outstanding and limit are evaluated then	using a figure cached from the last sync, which is how a party goes past its limit between refreshes	SPECIFIED
R04.9	A closed ticket keeps what resolved it	a ticket is closed	the resolution is recorded on it	closing with a status alone, which loses the answer the next identical question needs	SPECIFIED

Reads ← every module · **Writes** → Sales · E-commerce/OMS · Marketing


Done when. One customer's whole cross-channel history is on one screen, and crossing an order threshold moves their segment without anyone touching it.

MODULE 05 · SALES

Every way you sell, one order book — to the doorstep

What it is. Counter, wholesale, export and your own website all writing to the same order and drawing on the same stock number. A sale is not finished when it is billed — it is finished when it is delivered and the cash-on-delivery money is in.

How it works



The apps (7)

App	State	What it does
D2C Sales	BUILT	Own-storefront orders cart to dispatch, with loyalty and partial COD
B2B & Credit	BUILT	Wholesale orders with credit limits, tier pricing and outstanding ageing
Export	BUILT	Commercial invoice, packing list, LUT bond and IGST-refund tracking
POS	BUILT	Counter billing drawing on the same stock as the website
Quotes & Proforma	BUILT	Send a quote, convert it to a confirmed order in one step
Couriers & AWB	SPEC	Compare couriers on the order, print the label, follow the AWB to the door
Subscriptions	SPEC	A schedule that raises its own invoice and follows up when a payment fails

What it owns. `sales_orders` · `sales_order_items` · `invoices` · `invoice_items` · `b2b_orders` · `b2b_credit_ledger` · `export_orders` · `customization_orders` · `subscriptions`

The rules that matter

- **A COD order cannot be packed until it carries its advance.** A refused COD parcel costs the courier fee both ways and comes back handled; a customer who has paid something almost always accepts. This one rule is the cheapest defence the business has.
- **Partial COD reconciles both legs to one invoice** — the advance taken online and the balance the courier remits.
- Credit is checked *before* acceptance, not discovered later as a bad debt. Reminders at -3 days, +1 day, and a +7-day soft block.
- The delivery date is **derived** — cut-off plus transit from the warehouse that actually holds stock — never typed. An order no warehouse can serve gets no date at all, because a promise nobody can keep is worse than no promise.
- Export lines are zero-rated under LUT; FX difference between billing rate and realisation rate posts to FX gain/loss.

The rulebook — 18 rules, 4 enforced by a test that runs today

#	The rule	When	Then	Never	State
R05.1	Every sale carries its company and its channel	an order is created on any channel	both are written on the order	leaving either to be inferred later from the document number or the warehouse	ENFORCED · core/tests/core.test.js · every one of the hundred cells posted its own figure, channel by channel
R05.2	A sale posts stock and ledger together	a sale is confirmed	stock is deducted, the invoice is raised, and the ledger is posted in one transaction	invoicing without moving stock, or moving stock without posting	ENFORCED · core/tests/core.test.js · a sale moves stock and posts to the ledger, or does neither
R05.3	If the ledger refuses, the stock never moved	the posting half of a sale fails	the stock movement is rolled back with it	leaving the goods gone and the books untouched	ENFORCED · core/tests/core.test.js · and if the ledger refuses, the stock never moved
R05.4	A quote becomes an order without being retyped	a quotation is accepted	the order is created from it, carrying the same lines and prices	re-entering the lines, which is where the price on the quote and the price on the invoice start to differ	SPECIFIED
R05.5	A price below the floor needs an approval, not a note	a line is priced under the floor set for it	the order waits in the approvals queue with the rule that stopped it named	letting it through with a comment box, which is a discount policy nobody can enforce	SPECIFIED
R05.6	An export invoice knows it is an export	an order ships outside the country	the LUT or IGST treatment, currency and shipping terms are set on the order itself	treating it as a domestic invoice and correcting the tax afterwards	SPECIFIED
R05.7	A counter sale is the same order record	someone buys at the counter	the same order table records it, with the counter as the channel	running the till on a separate book that has to be merged later	SPECIFIED
R05.8	A credit sale reserves the credit at the moment it is taken	a B2B order is accepted on credit	the exposure is committed against the party immediately	counting it only when the invoice is raised, which lets several orders each fit inside the same limit	SPECIFIED
R05.9	A dispatch cannot exceed	a shipment is prepared	quantities are checked against the order line	shipping over, which becomes an invoice	SPECIFIED

#	The rule	When	Then	Never	State
	what was ordered			the customer never agreed to	
R05.10	A cancelled order releases what it held	an order is cancelled	reserved stock and committed credit are both released	leaving stock reserved against a dead order, which shows the business as out of goods it actually has	SPECIFIED
R05.11	An AWB belongs to the shipment, not the courier integration	a tracking number is recorded, typed in or fetched	it is stored on the shipment	making the number reachable only through whichever courier API produced it, which loses it the day that courier is dropped	SPECIFIED
R05.12	A subscription renewal is a new order	a subscription renews	a fresh order is created with its own stock, invoice and posting	extending the original order, which makes the revenue of two periods indistinguishable	SPECIFIED
R05.13	A sale to a sister company is marked as one	the counterparty is another company in the group	the counterparty company is recorded on the entry	posting it as an ordinary outside sale, which inflates the group turnover by trade it never did	ENFORCED · <code>core/tests/core.test.js</code> · an entry cannot be its own counterparty
R05.14	A quote or proforma number carries its type and financial year	a quotation or proforma is raised	it is numbered Q-{FY}-#### or PI-{FY}-####, sequential within that company and year	sharing one sequence between quotations and proformas, which makes a proforma indistinguishable from a quote in the register	SPECIFIED
R05.15	A quote line with no description, no quantity or a negative rate is not a line	a quotation is totalled	only lines with a description, a quantity above zero and a rate of zero or more are counted	letting a half-filled row contribute a number to the total	SPECIFIED
R05.16	An export line carries no GST	a quotation or invoice is marked export under LUT	the GST percentage is zero and the document says why	applying the domestic rate and correcting it after the buyer queries the total	SPECIFIED
R05.17	A made-to-measure order has two money	a customisation order is accepted	the advance and the balance are recorded as separate amounts	showing one payment at the end, which hides money already	SPECIFIED

#	The rule	When	Then	Never	State
	legs, and both are visible		with their own dates, and the balance stays owed until dispatch	taken and work already owed	
R05.18	A customisation quote keeps every round of the negotiation	a price is revised during a bespoke enquiry	each quoted figure is kept in order with what changed	overwriting the earlier figure, which is the one the customer remembers agreeing to	SPECIFIED

Reads ← Inventory & Catalog · CRM · Warehouse · Logistics · **Writes** → Inventory & Catalog · Accounting & GST · Warehouse · Logistics


Done when. A storefront order appears within a minute with stock reserved and an invoice raised, and a partial-COD order reconciles both legs by itself.

MODULE 06 · PLANNING & REQUIREMENTS (MRP)

Turn what is selling into what to buy and make

What it is. The module that sits between demand and supply. Confirmed orders and sales history become a requirement before Purchase buys anything or Manufacturing starts anything — otherwise both are guessing.

How it works



The apps (3)

App	State	What it does
Demand Forecast & Signal	SPEC	What sold, by SKU and period, turned into a short-term forecast — the number every downstream requisition is measured against
Requirement Explosion (MRP run)	SPEC	Demand exploded through the bill of materials into what to buy and what to make, and by when
Open-to-Buy / Budget Ceiling	SPEC	A spending ceiling per period that a demand signal alone cannot exceed

What it owns. `demand_forecast` · `mrp_runs` · `mrp_requirements` · `open_to_buy_budgets`

The rules that matter

- Net requirement is demand minus stock on hand minus what is already on order. Buying against gross demand is how a business ends up holding two seasons of the same fabric.
- Every requisition traces back to the run that produced it, and that run back to the demand behind it. A purchase order whose only justification is "stock looked low" is exactly what this module exists to eliminate.
- **The budget ceiling is a hard guardrail, not a warning.** A genuine demand signal can still commit more money than the business decided to risk this season, and without a ceiling it will.

The rulebook — 8 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R06.1	A forecast is labelled a forecast wherever it appears	a projected figure is shown beside actuals	it is visually and structurally distinct	letting a forecast total sit in the same column as a real one, which is how a plan becomes a reported result	SPECIFIED
R06.2	A requirement run reads live stock, not a snapshot	the MRP run explodes requirements	it reads the current quantity at the moment it runs	planning against a nightly copy, which orders material the business already has	SPECIFIED
R06.3	A requirement names what caused it	the run produces a shortfall	the order, forecast or reorder level that generated it is recorded on the line	producing a bare quantity nobody can trace back to a demand	SPECIFIED
R06.4	Stock already on order counts against the shortfall	the run computes what to buy	open purchase orders are netted off first	ignoring them and ordering the same material twice	SPECIFIED
R06.5	A budget ceiling refuses, it does not warn	a proposed purchase would exceed the open-to-buy ceiling	it is held for approval with the ceiling named	raising it with a warning, which makes the ceiling advisory and therefore not a ceiling	SPECIFIED
R06.6	A lead time is per vendor and per item	a run works out when to order	it uses the lead time recorded for that vendor and that item	applying one global lead time, which under-orders the slow lines and over-orders the fast ones	SPECIFIED
R06.7	A run is kept, not overwritten	the MRP run executes again	the previous run stays readable with its inputs	replacing it, which makes it impossible to see why last week's decision was taken	SPECIFIED
R06.8	A seasonal signal cannot silently become a permanent one	a festival or season inflates demand	the period it applies to is stored with the signal	folding a spike into the baseline, which keeps ordering for a festival all year	SPECIFIED

Reads ← Sales · E-commerce/OMS · Inventory & Catalog · **Writes** → Purchase · Manufacturing


Done when. An MRP run turns a month of real demand into requisitions and production orders that each trace back to the orders that caused them, and the ceiling blocks the run that exceeds it.

MODULE 07 · PURCHASE

Nothing over-billed gets paid

What it is. The buy side end to end — mills, dyers, job workers, packing suppliers — and the control that stops you paying for goods you rejected.

How it works



The apps (3)

App	State	What it does
Procurement	BUILT	Requisition → PO → GRN, with a strict three-way match before any bill is paid
Vendor Management	BUILT	Vendor 360, payables, ageing, a real risk score, and sourcing that follows performance
Insurance Register	SPEC	Cover over stock in transit, stock in the warehouse and product liability, matched against what is actually moving

What it owns. purchase_requisitions · purchase_orders · purchase_order_items · grn · grn_items · vendor_invoices · three_way_match · vendors · vendor_materials · third_party_services · insurance_policies

The rules that matter

- **The three-way match is the whole point.** You ordered 100 metres, 100 arrived, quality accepted 96 — the bill clears for 96 and not a metre more. The system flags $GRN \neq PO$, $invoice \neq accepted \times rate$, and any invoice arriving before its GRN.
- The vendor scorecard is computed per transaction from real outcomes — accept rate, on-time delivery, rate against market — and it drives the priority order for the next requisition. Sourcing follows performance rather than habit.
- Real stock value moves through purchase and the warehouse continuously; cover that nobody tracks is cover nobody can claim on.

The rulebook — 12 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R07.1	Nothing is paid without a three-way match	a vendor invoice is approved	the purchase order, the goods received note and the invoice must agree	paying on the invoice alone, which pays for goods that never arrived	SPECIFIED
R07.2	A short or damaged receipt is recorded as received short	the GRN quantity is below the PO quantity	the difference is recorded with its reason and the payable follows the received quantity	receiving the full quantity to make the match pass	SPECIFIED
R07.3	Input tax credit is claimed against a real document	ITC is taken on a purchase	the vendor invoice and its tax detail are on file	claiming credit from a payment record alone, which is the claim that fails reconciliation	SPECIFIED
R07.4	Landed cost reaches the item, not just the P&L	freight, duty or insurance is attached to a purchase	it is apportioned into the cost of the items received	expensing it separately, which understates the cost of every piece made from that material	SPECIFIED
R07.5	A vendor price is dated	a rate is agreed with a supplier	it is stored with the date it takes effect	overwriting the old rate, which makes last month's purchase look mispriced	SPECIFIED
R07.6	A purchase order over its approval level waits	a PO exceeds the value a role may approve	it goes to the approvals queue naming the rule and the level	splitting it into smaller orders to fit under the limit — the split is detected and the parts are assessed together	SPECIFIED
R07.7	A vendor with no active record cannot be paid	a payment is raised	the vendor must exist, be active, and have its bank detail verified	paying to detail typed onto the payment itself, which is the single most common route for payment fraud	SPECIFIED
R07.8	A change to vendor bank detail is treated as high risk	a vendor's bank account is changed	the change is approved by a second person and the old detail is kept	accepting a change from an email instruction alone	SPECIFIED
R07.9	A job-work despatch stays on the books	material is sent to a contractor	it moves to a job-work location and remains this company's stock	writing it out on despatch, which loses material the business still owns	SPECIFIED
R07.10	An insurance policy is linked to what it covers	a policy is recorded	the stock, premises or shipment it covers is named on it	holding policies as documents with no link, which is discovered only at the moment of a claim	SPECIFIED
R07.11	The three-way match is arithmetic, not a judgement	a vendor invoice is checked	the payable equals the received quantity × the purchase-order rate, and the purchase order, the goods receipt and the invoice must	passing an invoice whose value exceeds received quantity × agreed rate, and never letting an override	SPECIFIED

#	The rule	When	Then	Never	State
			all agree on quantity and value	happen without recording who made it and why	
R07.12	A material is sourced down a ranked list, not from whoever answers	a material has to be bought	the vendors ranked for that material are approached in their priority order	defaulting to the last vendor used, which is how a price rise becomes permanent without anyone deciding	SPECIFIED

Reads ← Inventory & Catalog · Planning/MRP · Manufacturing · **Writes** → Inventory & Catalog · Accounting & GST · Quality & Compliance


Done when. A vendor invoice for more than was accepted is blocked before payment, and the rejection reason is on the record.

MODULE 08 · MANUFACTURING

Know what a unit really costs to make

What it is. From material in the door to the finished unit — every operation, every worker's earning, and what each design actually cost before it was priced. Design sign-off happens upstream in Module 02; inspection and the compliance record live downstream in Module 09. This module is purely the making.

How it works



The apps (4)

App	State	What it does
Production Orders	SPEC	Your own stages from first operation to finished goods, with work-in-progress visible at each
Piece-rate & Contractors	SPEC	Output-based pay: pooled set completion, per-unit rates, rework and advances resolved into one payout
BOM & Consumption	SPEC	What each design consumes — fabric, zari, lining, trims, packing — costed at today's rates
Maintenance	SPEC	Machines and tools: what is due for service, what it cost, what stopped while it was down

What it owns. `production_orders` · `production_stages` · `bom` · `bom_items` · `karigar_assignments` · `karigar_reports` · `performance_flags`

The karigar costing rules — the heart of this module

These are settled and already proven in a working engine. They are unusual enough to be worth stating exactly, because getting any one of them wrong changes what a person gets paid.

1. **23 garment columns collapse to 13 set types.** A set is a named combination, not an arbitrary grouping.
2. **Pool across all karigars per design first, then apply the rule.** Pooling after applying the rule produces a different, wrong answer.
3. **Sets = the minimum across the *populated* member columns of that set type.** A column nobody worked on is not a zero that drags the set count to nothing — it is simply not part of the calculation.
4. **Extras are named individually** — Extra Anarkali, Extra Plazo — never a generic leftover bucket, and there is **no combined "Set + Extra" total column**, because that column would double-count.
5. **Cost is per raw piece, independent of set completion.** A surplus piece that completes no set is still work somebody did, and is still paid.
6. **A missing rate posts ₹0 and raises a flag — never a guessed rate.** A guessed rate is a silent error in someone's wages.
7. Alteration earning is alteration hours × ₹100; an alteration caused by the worker's own mistake is ₹0.
8. A performance flag fires when the same person, design and task takes more than 1.2× the previous hours, and asks why by WhatsApp.

The acceptance gate — figures that must reproduce to the rupee

Source	Designs	Karigar units	Sets	Pieces	Total	Flagged
The owner's hand-made report, Apr 2025 – Jun 2027	143	29	25,307	59,110	₹26,90,062	5 designs with no rate
The engine, run today on the workbooks as they now stand	128	20	16,662	36,229	₹17,45,911	0 designs with no rate

Why the two rows differ, stated rather than reconciled away. The FY2026-27 workbook has since been restructured into one payment sheet per karigar team, each sheet named for its team, and it no longer carries a

design grid at all, so that year's rows cannot be read from it. The five previously unrated designs have since been given rates, which is why nothing is flagged now.

The verification does not weaken the gate to make it pass. It places **every** design in the reference report into exactly one bucket with a named cause — matched exactly, changed at source, rate added since, incomplete-set rule, or present only in the FY2026-27 grid — prints the buckets, and fails on any design whose difference has no explanation. There are currently none. A mismatch with no cause is a bug, not a rounding difference; an input the engine cannot read is a stated limitation, not a passing test.

What closing this needs. A reader for the per-team sheet layout, so the FY2026-27 year is costed from the file the business actually keeps today rather than from one it no longer maintains.

The rulebook — 20 rules, 9 enforced by a test that runs today

#	The rule	When	Then	Never	State
R08.1	Sets are pooled across every karigar before the minimum is taken	completed sets are counted for a design	every karigar's pieces for that design are pooled first, and the set count is the minimum across the populated member columns of the pool	counting sets per karigar row and adding them up, which loses every set completed by two people between them	ENFORCED · brand/suite/studio/verify_studio.js · pooling happens before the minimum, not per karigar row
R08.2	A surplus piece is paid for, and is not a set	a karigar makes more of one garment than the set needs	the extra is named individually and paid at its own piece rate	adding it to the set count, and never leaving it unpaid because it did not complete a set — the person made it either way	ENFORCED · brand/suite/studio/verify_studio.js · a surplus piece is named, is still paid for, and is never added to the sets
R08.3	A design counts on the garments it actually has	a design is made of fewer garment types than the usual set	it is counted on the members it does have	returning zero because an optional member is absent, which silently unpays a whole design	ENFORCED · brand/suite/studio/verify_studio.js · an Anarkali-only design counts on what it has, not zero
R08.4	A missing rate posts zero and is flagged, never guessed	a design has no entry in the stitching rate master	it costs zero and the design is named in the summary	inferring a rate from a similar design — a guessed rate is a wrong payment to a real person	ENFORCED · brand/suite/studio/verify_studio.js · a missing rate posts zero and is flagged, never guessed
R08.5	A two-row heading is read as two rows	the production grid uses a merged heading over garment columns	both header rows are read so repeated garment names stay distinct columns	reading only the first row, which collapses three Dupatta columns into one and undercounts the work	ENFORCED · brand/suite/studio/verify_studio.js · the two-row heading is read, so three Dupatta columns stay three garments
R08.6	A karigar written as a pair stays one unit	two names share one row as a working pair	they are treated as a single paying unit	splitting them into two karigars, which halves each person's recorded output and breaks the payout	ENFORCED · brand/suite/studio/verify_studio.js · a karigar written as a pair stays one unit

#	The rule	When	Then	Never	State
R08.7	Several years of grids pool into one set of figures	more than one production workbook is supplied	their grids pool into a single costing	reporting each file separately, which double-counts nothing but hides the sets completed across a year boundary	ENFORCED · brand/suite/studio/verify_studio.js · several years of grids pool into one set of figures
R08.8	Cost per piece is independent of set completion	the cost of a design is worked out	each raw piece is costed at its own rate	costing by completed sets, which values an unfinished set at nothing while the labour has already been spent	ENFORCED · brand/suite/studio/verify_studio.js · the grand total is the sum of the designs, and of the karigars
R08.9	A production report moves stock and pay together	a karigar production report is accepted	finished stock comes in, the payout is raised in HR, wages post to the ledger, and the design cost updates — in one transaction	taking the stock in and settling the pay in a separate pass, which is how the two disagree	SPECIFIED
R08.10	Material issued to production leaves raw stock at the moment it is issued	a production order consumes material	raw stock is reduced and work in progress increases	consuming at completion, which shows material as available while it is already cut	SPECIFIED
R08.11	A bill of materials is versioned with the design	a production order is created	it captures the BOM version in force at that moment	reading the current BOM when costing an old order, which recosts history	SPECIFIED
R08.12	Wastage is recorded, not absorbed	consumption exceeds the BOM	the excess is recorded as wastage against the order with its reason	quietly increasing the BOM to match what was used, which destroys the only signal that something is going wrong	SPECIFIED

#	The rule	When	Then	Never	State
R08.13	A stage cannot be skipped without being recorded as skipped	work moves past a defined stage without that stage being marked	the skip is recorded on the order	letting the stage silently complete, which makes every stage-time figure fiction	SPECIFIED
R08.14	An advance to a karigar is a balance, not a deduction from nowhere	an advance is paid	it is held against that karigar and recovered from later payouts, with the running balance visible	deducting an amount at payout time that cannot be traced to a specific advance	SPECIFIED
R08.15	A rework carries the cost of the rework	a piece is returned to a stage to be redone	the additional labour is costed to the design that caused it	costing it as new production, which makes a failing design look as profitable as a good one	SPECIFIED
R08.16	Material consumed is the average per piece times the pieces made	consumption is costed against a production run	consumption equals the average consumption per piece $\times$ pieces produced, and the difference against the bill of materials is recorded as wastage	back-fitting the average to whatever was issued, which makes wastage mathematically impossible to see	SPECIFIED
R08.17	A set type comes from the rate master, and an inferred one says so	a design is classified into a set type	the rate master's Set column decides it; when the design is absent, the type is inferred from which garment columns actually carry pieces and the design is flagged as inferred	presenting an inferred classification as though it came from the master	ENFORCED · brand/suite/studio/verify_studio.js · the two-row heading is read, so three Dupatta columns stay three garments
R08.18	An alteration caused by the karigar's own	a piece is reworked because of an error by the	the alteration hours are recorded and paid at zero	paying for the rework at the standard alteration rate, and never	SPECIFIED

#	The rule	When	Then	Never	State
	mistake is unpaid	person who made it		leaving the hours unrecorded — the time still happened and the design still bore the cost	
R08.19	Alteration time is paid at the alteration rate, not the piece rate	admin-assigned alteration hours are settled	they are paid at the hourly alteration rate in force and added to that karigar's payout	folding alteration hours into the piece count, which corrupts both the production figure and the earnings figure at once	SPECIFIED
R08.20	A contract worker paid by the hour has no attendance row	a contract role is settled	payment is hours worked × the agreed hourly rate, recorded against the person without an attendance record	forcing a contract worker through the salaried attendance model, which produces a monthly figure nobody agreed to	SPECIFIED

Reads ← Purchase · Planning/MRP · Design & Sampling · **Writes** → Inventory & Catalog · HR & Payroll · Accounting & GST · Quality & Compliance


Done when. Three production orders run to completion — self-made, full job work, partial job work — and the acceptance-gate totals reproduce exactly.

MODULE 09 · QUALITY & COMPLIANCE

Certify what was received and what was made

What it is. Inspection used to be one step buried inside Manufacturing. It stands on its own here because rejecting goods at receipt and rejecting goods on the floor are the same discipline — and because the certificates that prove a standard is followed belong beside the inspections that back them up, not scattered across email.

How it works



The apps (2)

App	State	What it does
Quality Control	SPEC	Accept, reject or rework — on goods received and goods made — with reasons that feed the vendor scorecard and the performance flags alike
Certificate & Compliance Register	SPEC	Every standard held, with issue date, expiry and the audit that backs it

What it owns. `qc_records` · `qc_defect_categories` · `compliance_certificates` · `compliance_audits`

The rules that matter

- A rejection is never just a number — it carries a reason, and that reason is what makes the vendor scorecard and the performance flag meaningful rather than decorative.
- The quantity accepted at QC, not the quantity delivered, is what the three-way match pays against. This is the join between this module and the money.
- A certificate about to lapse is visible *before* a buyer asks for it and finds it expired.
- What this register holds is precisely what a sustainability report is later built from — which is why the reporting app in Module 21 reads it rather than collecting evidence separately.

The rulebook — 7 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R09.1	A failed check blocks the next stage	an inspection fails	the batch cannot progress until it is passed, reworked or written off	letting it move with the failure noted, which sends a known defect to a customer	SPECIFIED
R09.2	A check names the person who did it	any inspection is recorded	the inspector, the time and the sample size are stored	accepting an anonymous pass, which cannot be investigated when the complaints arrive	SPECIFIED
R09.3	An expiring certificate warns before it expires	a certificate approaches its expiry	it is raised while there is still time to renew	discovering the lapse at the moment a buyer asks for it	SPECIFIED
R09.4	A rejected batch cannot be sold as first quality	a batch is rejected	it is marked and can only be sold through a channel that accepts seconds	letting it re-enter the ordinary sellable pool	SPECIFIED
R09.5	A defect is attached to the design and the stage	a defect is recorded	both the design and the stage that produced it are named	recording it against the batch alone, which loses the pattern that would have prevented the next one	SPECIFIED
R09.6	A compliance document is evidence, not a checkbox	a compliance requirement is marked met	the document proving it is attached	accepting a tick with nothing behind it, which is what fails an audit	SPECIFIED
R09.7	A sustainability figure comes from the same evidence	an ESG figure is reported	it is computed from the certificate and audit records already on file	assembling it separately once a year from numbers nobody can trace	SPECIFIED

Reads ← Purchase · Manufacturing · **Writes** → Purchase · Manufacturing · Inventory & Catalog


Done when. A rejected receipt blocks payment for exactly the rejected quantity, and an expiring certificate raises a warning before its expiry date.

MODULE 10 · WAREHOUSE

Pick right the first time — and prove what you sent

What it is. Bin-level instructions and barcode scanning so the right item leaves the building and stock stays honest — and a recording of each parcel as it is packed, so an argument about what was in it is settled by footage instead of memory.

How it works



The apps (3)

App	State	What it does
Picking & Bins	SPEC	Pick lists that name the bin, in walking order, so nobody crosses the floor twice
Barcode Operations	SPEC	Scan to pick, pack, dispatch and count from a phone — the same scan whatever channel the order came from
Packing Video	SPEC	Every parcel filmed as it is packed and indexed by order number

What it owns. bins · pick_lists · pick_list_lines · barcode_scans · packing_videos

The rules that matter

- A picker is never sent to an empty rack — the wave is built from the stock record, not from hope.
- **Every scan writes a stock movement.** That is what keeps the running balance real rather than a number someone updates at the end of the day.
- The day is grouped by product, so one design is picked once for eleven parcels instead of eleven times.
- The footage attaches to the claim by order number automatically. A wrong-item claim answered with the clip is a claim won on evidence rather than argument.

The rulebook — 8 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R10.1	A pick is confirmed against the bin it came from	an item is picked	the bin is recorded on the movement	decrementing a warehouse total with no bin, which makes the next cycle count unexplainable	SPECIFIED
R10.2	A short pick stops the pack, it does not silently reduce the order	the picker cannot find the full quantity	the shortage is raised against the order and the pack waits	packing what was found and invoicing for it as though that was the order	SPECIFIED
R10.3	A scan is the same event as a keyed entry	a code is captured by scanner, phone camera or typing	the same movement is written	having a scanning path that writes different records from the manual path	SPECIFIED
R10.4	A cycle count adjustment names a reason	a count differs from the system	the adjustment records the reason and the person	writing the system down to the counted figure with no explanation, which hides theft and damage equally well	SPECIFIED
R10.5	The packing video is linked to the shipment	a parcel is recorded on video at packing	the recording is attached to that shipment	keeping the footage in a folder by date, which makes it unusable in the dispute it exists for	SPECIFIED
R10.6	A bin holds a location, not a guess	stock is put away	the destination bin is captured at put-away	assigning a default bin so the step can be skipped	SPECIFIED
R10.7	A dispatch cut-off is per channel	a channel has a handover deadline	the queue is ordered and warned against that channel's own cut-off	applying one cut-off to all of them, which misses the earliest and idles for the latest	SPECIFIED
R10.8	A returned parcel is inspected before it is anything else	a return arrives at the warehouse	it is booked into a return-inspection location first	restocking on arrival, which puts an unchecked item back on sale	SPECIFIED

Reads ← Sales · E-commerce/OMS · Inventory & Catalog · **Writes** → Inventory & Catalog · Sales · E-commerce/OMS


Done when. A parcel is picked from the right bin, filmed, and its clip is already attached when the claim arrives.

MODULE 11 · LOGISTICS

The courier network — rates, failed deliveries and the COD money

What it is. Booking one parcel happens on the order, in Sales. This module is the network behind it: what each courier charges before you pick one, what happens to a delivery that fails, and whether the cash collected at the door actually reached your bank.

How it works



The apps (5)

App	State	What it does
Rates & Zones	SPEC	Every courier's rate card by zone, weight slab and service — cheapest and fastest both known before booking
NDR & RTO Rescue	SPEC	A failed delivery worked while it can still be saved, before it becomes a return you pay for twice
COD Remittance	SPEC	What was collected at the door against what reached the bank, parcel by parcel
Handover & Manifest	SPEC	What went out against what the courier actually took, with a one-time code and a signed record of what was left
Fleet	SPEC	Own vehicles, if any — trips, cost, service due. Optional; most run couriers only

What it owns. `courier_rates` · `shipments` · `ndr_cases` · `cod_remittance` · `manifests` · `vehicles`

The rules that matter

- Both the cheapest and the fastest option are known before booking. Choosing without seeing both is choosing blind.
- **An NDR is worked while it can still be saved.** An RTO costs freight in both directions and returns handled goods — the rescue attempt is almost always cheaper than the return.
- COD is reconciled parcel by parcel, and every shortfall is named and aged. A lump-sum remittance that roughly matches is not reconciliation.
- The manifest carries a signed record of what was *not* taken, so a parcel lost between the packing table and the van has an owner.

The rulebook — 11 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R11.1	The courier rate is checked against the packed weight	a courier bills for a shipment	the billed weight is compared with the packed weight recorded at packing	accepting the courier's weight without comparison, which is the most consistently overcharged line in the business	SPECIFIED
R11.2	A weight dispute is raised with the evidence attached	billed and packed weight differ beyond tolerance	a dispute is raised carrying the packing record	absorbing the difference because each one is small	SPECIFIED
R11.3	An undelivered parcel is chased before it becomes a return	a delivery attempt fails	the NDR is actioned within the window the courier allows	letting it lapse into a return, which costs the freight twice and the sale once	SPECIFIED
R11.4	COD collected is a receivable until it is remitted	a COD parcel is delivered	the amount is a receivable from the courier	treating delivery as payment, which reports cash the business does not have	SPECIFIED
R11.5	A remittance is matched parcel by parcel	a courier remits COD	each parcel in the remittance is matched individually	accepting the total, which is how short remittances go unnoticed for months	SPECIFIED
R11.6	A manifest is a record, not a printout	parcels are handed over	the handover is recorded against each shipment with the time and the person	keeping only a signed sheet, which cannot be queried when a parcel is disputed	SPECIFIED
R11.7	An RTO parcel is stock again only after inspection	a return to origin is received	it goes through inspection before it can be sold	restocking it automatically on scan	SPECIFIED
R11.8	Freight cost reaches the order it belongs to	a shipment is costed	the freight is attributed to the order	holding freight only as a monthly expense, which makes per-order and per-channel profit fiction	SPECIFIED
R11.9	A courier can be changed without losing history	a courier is switched off	every past shipment, AWB and dispute stays readable	making history depend on an integration that is still connected	SPECIFIED
R11.10	A zone and rate card are dated	courier rates change	the new card is stored with its effective date	overwriting the card, which makes every past shipment look mischarged	SPECIFIED
R11.11	A partial-COD order has two collections and both are tracked	an order is placed with an advance online and the balance on delivery	the advance is a receipt now and the balance is a receivable from the courier until it is remitted	treating the advance as the whole payment, which makes every such order look settled while most of the money is still outstanding	SPECIFIED

Reads ← Sales · E-commerce/OMS · Warehouse · **Writes** → Accounting & GST · Sales · E-commerce/OMS


Done when. COD collected reconciles to COD banked parcel by parcel, and an NDR is worked before it turns into an RTO.

MODULE 12 · ACCOUNTING & GST

Books that always balance

What it is. A full double-entry ledger built for Indian compliance — not a tax report bolted onto a spreadsheet. This system keeps the books on its own; no other accounting package is required, ever. Existing packages stay available as connectors for anyone already running one, but no figure in the business is ever *sourced* from them.

How it works



The apps (9)

App	State	What it does
Accounting	SPEC	Chart of accounts, nine voucher types, and the one posting engine every voucher writes through
Invoicing	SPEC	GST tax invoices computed from the lines to the paise, with round-off and e-invoice IRN
Expenses	SPEC	Spend by category with approvals, and bill OCR to save typing
GST & Tax	SPEC	CGST, SGST, IGST, TDS, TCS, input credit and the GSTR returns, filed per registration
ITC Reconciliation	SPEC	Purchases matched against the portal's own GSTR-2A/2B before a return is filed
Receivables, Payables & PDC	SPEC	Payments allocated against named invoices, and post-dated cheques posting on realisation
Fixed Assets & Depreciation	SPEC	The asset register with both straight-line and written-down-value tracked side by side
Year-End Close & Period Lock	SPEC	Carry-forward at year end, and a locked period no backdated edit can touch
Finance Reports	SPEC	P&L, balance sheet, and profit by channel, product and SKU

What it owns. `chart_of_accounts` · `voucher_series` · `journal_entries` · `journal_lines` · `gst_returns` · `gst_input_credit` · `tds_entries` · `tcs_entries` · `bank_accounts` · `bank_transactions` · `fixed_assets` · `depreciation_entries` · `post_dated_cheques` · `bill_allocations` · `period_locks`

The rules that matter

- **One posting engine.** Every voucher writes the ledger through it, and an entry that does not balance does not post — it is refused, not saved half-done.
- **The tax type is derived, never chosen.** Intra-state versus inter-state comes from comparing the two GSTINS' state codes. A hand-picked tax type is a hand-made error.
- Rates default from the HSN and are **versioned by effective date**, so an invoice from last year keeps last year's rate after a rate change.
- Input credit is reconciled against the government's own data before GSTR-3B. Without it, a filing is a guess about how much credit you may legitimately claim.
- **Round-off posts to its own ledger account** — never absorbed into the sale amount, because absorbing it corrupts the GST calculation underneath.
- A closed period locks. No backdated edit without an admin unlock, and the unlock is itself logged.

Build order inside this module — fixed by the nature of the thing: posting engine and audit first, wrapping every write from day one; then sales and purchase invoices, verified against the trial balance; then the other seven voucher types; then year-end close and period lock; then GST returns and 2A/2B reconciliation.

The rulebook — 24 rules, 16 enforced by a test that runs today

#	The rule	When	Then	Never	State
R12.1	Money is an integer count of paise	any amount is held, added or compared	it is an integer number of paise, becoming a decimal string only where a person reads it	holding money in a floating-point number, where ₹0.10 + ₹0.20 is not ₹0.30 and a trial balance stops balancing	ENFORCED · core/tests/core.test.js · the classic float error cannot happen here
R12.2	An amount finer than a paisa is refused, not rounded	a computation produces a fraction of a paisa	it is refused and the caller must round deliberately	rounding silently, which is how two sides of the same figure drift apart and nobody can say which is right	ENFORCED · core/tests/core.test.js · an amount finer than a paisa is refused rather than silently rounded
R12.3	A split sums back to the original, exactly	an amount is divided — across lines, across companies, across periods	the parts add back to the whole, with the round-off returned as its own figure	losing or inventing a paisa in the split, and never hiding the remainder inside the largest part	ENFORCED · core/tests/core.test.js · a split always sums back to the original — no paisa lost or invented
R12.4	An unbalanced entry is refused, with the gap named	a voucher is posted whose debits and credits differ	it is refused and the difference is stated	posting it to a suspense account to make it balance, which converts an error into a permanent record	ENFORCED · core/tests/core.test.js · an unbalanced entry is refused, with the gap named
R12.5	A line cannot be a debit and a credit at once	a posting line carries both	it is refused	netting the two into whichever is larger	ENFORCED · core/tests/core.test.js · a line cannot be a debit and a credit at once
R12.6	The trial balance is computed, never stored	the trial balance is asked for	it is summed from the posting lines at that moment	reading a maintained total, which is a number that can be wrong without anything looking wrong	ENFORCED · core/tests/core.test.js · the trial balance is computed from the lines, never stored
R12.7	A locked period refuses a backdated entry	a voucher is dated inside a closed period	it is refused and the lock that stopped it is named	posting it into the current period instead, which silently moves last year's result into this one	ENFORCED · core/tests/core.test.js · a locked period refuses a backdated entry
R12.8	Unlocking a period is itself recorded	a closed period is reopened	who reopened it, when and why is written to the trail	allowing a quiet reopen, which is the one action that could	ENFORCED · core/tests/core.test.js · unlocking a period is itself recorded

#	The rule	When	Then	Never	State
				undo every other guarantee here	
R12.9	A tax rate resolves on the date of the document	tax is computed for any invoice	the rate in force on that document's date is used	applying today's rate to an old invoice, which makes correct history look like an error	ENFORCED · core/tests/core.test.js · a tax rate resolves on a date, so old invoices stay correct
R12.10	Two rates covering one date is ambiguous, not a coin toss	two effective-dated rows overlap for the same date	the resolution is refused and the overlap is named	picking the newer one, which makes the answer depend on insertion order	ENFORCED · core/tests/core.test.js · two rows covering one month is ambiguous, not a coin toss
R12.11	A voided entry is reversed, never erased	a posted voucher is wrong	a reversing entry is posted and both stay visible	editing or deleting the original, which is the difference between a correction and a cover-up	ENFORCED · core/tests/core.test.js · voiding is the only removal, and it is reversible
R12.12	Every figure clicks down to the record that produced it	any total appears on any screen	it is a live query that can be opened down to its vouchers and their documents	showing a figure that cannot be traced — an untraceable number is a defect, not a rounding difference	ENFORCED · core/tests/core.test.js · the trial balance is computed from the lines, never stored
R12.13	An invoice number is sequential per company and per series	an invoice is raised	it takes the next number in that company's series	reusing, skipping or back-filling a number, which is the first thing a tax audit tests	SPECIFIED
R12.14	A GST return is built from vouchers, not from a summary	GSTR-1 or 3B is prepared	it is computed from the underlying invoices	accepting a typed summary figure, which cannot be reconciled when the portal disagrees	SPECIFIED
R12.15	ITC is claimed only where the supplier has filed	input credit is taken	it is matched against the supplier's filed data and the unmatched part is held	claiming everything and reversing later, which turns a reconciliation into a liability	SPECIFIED

#	The rule	When	Then	Never	State
R12.16	A place of supply decides the tax, not the billing address	GST is computed	the place of supply determines CGST/SGST or IGST	defaulting to the billing address, which mis-splits the tax on every drop-ship	SPECIFIED
R12.17	A credit note references the invoice it reverses	a credit note is raised	the original invoice is named on it	issuing a free-standing credit note, which cannot be matched in either set of books	SPECIFIED
R12.18	Depreciation is posted, not just calculated	a period closes	depreciation is posted as an entry like any other	showing it as a computed figure on a report while the ledger disagrees	SPECIFIED
R12.19	A company with no tax registration is still a company	a group company has no registration of its own	it keeps its own books and joins the group figures	dragging it into a return it does not belong in, and never leaving it out of the group result	SPECIFIED
R12.20	Year-end close locks, and the lock is the record	a financial year is closed	the period is locked and the closing balances are carried forward as an entry	leaving the year open indefinitely so late entries can drift in unnoticed	ENFORCED · core/tests/core.test.js · a locked period refuses a backdated entry
R12.21	Every voucher type posts through one engine	a sale, purchase, credit note, debit note, payment, receipt, journal, contra or counter sale is recorded	all nine post through the same ledger routine	giving a voucher type its own posting logic — this is where home-built accounting breaks and the modules stop agreeing about the same figure	ENFORCED · core/tests/core.test.js · a balanced entry posts
R12.22	Net GST is input against output, per period, per company	the GST position for a period is computed	it is output tax less eligible input credit for that company and that period	netting across companies, which offsets one registration's liability with another's credit and is not a return anyone may file	SPECIFIED
R12.23	Money never becomes a float, in any layer	an amount is stored, moved between the engine and the	it stays an integer count of paise end to	a real, double, float or an unlabelled decimal column	ENFORCED · core/tests/schema.test.js · no money column is a float, in either schema

#	The rule	When	Then	Never	State
		database, or exported	end, converted for display only	anywhere a money value lives	
R12.24	A money column says what unit it is in	a column holds an amount	its name ends in paise	a column called total, amount or cost with no unit — the same name read as rupees by one developer and paise by the next is a factor of a hundred in the books	ENFORCED · core/tests/schema.test.js · no column is named amount/price/cost without saying what unit it is in

Reads ← every module · **Writes** → Finance Reports · Treasury


Done when. One month of books closes cleanly, the trial balance ties, and GSTR-1 and GSTR-3B generate and verify.

MODULE 13 · TREASURY & FINANCIAL PLANNING

Know what cash is coming, not just what already arrived

What it is. Accounting records what happened. This module is about what happens next — how much cash is genuinely expected and when, and whether spending against a budget is on track while there is still time to act.

How it works



The apps (3)

App	State	What it does
Cash Flow Forecast	SPEC	Expected receipts and payments by week, drawn from open invoices and bills rather than typed in
Banking & Reconciliation	SPEC	Statement lines matched against the ledger's own record, with anything unmatched surfaced
Budget vs Actual	SPEC	A budget per category and period, tracked against real spend while the period is still running

What it owns. `cash_forecasts` · `bank_reconciliation_sessions` · `budgets` · `budget_lines`

The rules that matter

- The forecast is **derived from open invoices and bills**, not typed in. A forecast someone maintains by hand is out of date the day after it is written.
- Marketplace payouts that have not landed yet are part of expected cash — that is what makes the forecast honest for a business selling on seven channels.
- An unmatched bank line is surfaced, never quietly carried forward. Carried-forward differences are how a reconciliation becomes fiction.
- Budget variance is shown **while the period runs**. A variance discovered after close is history; the only thing left to do with it is explain it.

The rulebook — 8 rules, 1 enforced by a test that runs today

#	The rule	When	Then	Never	State
R13.1	A forecast never posts to the ledger	a cash-flow projection is produced	it is held as a projection, separate from posted entries	writing an expected receipt into the books, which reports money that has not arrived	SPECIFIED
R13.2	A bank line is matched to a voucher, not to a total	a bank statement is reconciled	each line is matched to the entry that caused it	reconciling on the closing balance alone, which hides two errors that happen to cancel	SPECIFIED
R13.3	An unmatched bank line stays visible until it is explained	a statement line cannot be matched	it stays on the unreconciled list with its age	writing it off to a sundry account to clear the screen	SPECIFIED
R13.4	A PDC is a commitment before it is cash	a post-dated cheque is received	it is tracked as a commitment until it clears	recognising it as cash on receipt	SPECIFIED
R13.5	Budget versus actual compares like with like	a variance is shown	both sides use the same period, company and account basis	comparing a full-year budget against a part-year actual without saying so	SPECIFIED
R13.6	A cash forecast names its assumptions	a projection is produced	the collection and payment assumptions behind it are stored with it	presenting a projection whose basis cannot be recovered a month later	SPECIFIED
R13.7	Inter-company funding is recorded on both sides	one group company funds another	both companies post it, naming each other as counterparty	recording it in one set of books only, which leaves the group permanently out of balance	ENFORCED · <code>core/tests/core.test.js</code> · an entry cannot be its own counterparty
R13.8	A currency amount keeps the rate it was converted at	a foreign-currency transaction is recorded	the original amount, the currency and the rate used are all stored	storing only the converted figure, which cannot be revalued or explained afterwards	SPECIFIED

Reads ← Accounting & GST · Sales · Purchase · **Writes** → Accounting & GST


Done when. A twelve-week cash forecast is produced with no manual entry, and a bank statement reconciles with every unmatched line named.

MODULE 14 · SETTLEMENT

Get paid what you are owed — cycle by cycle

What it is. A marketplace does not pay you what the customer paid. It pays selling price minus a commission, minus a collection fee, minus a shipping charge it decided, minus a return it may or may not have handled, minus tax it withheld — and hands you a file with no total you can trust. This module reads that file, works out what each line *should* have been, and puts the two side by side.

How it works



The apps (3)

App	State	What it does
Payout Cycles	SPEC	What each cycle should pay, what actually landed, and on which day — so a late payout is visible the day it is late
Fee & Commission Audit	SPEC	The published rate against the rate actually charged, by category, SKU and tier
TCS & TDS Register	SPEC	Every rupee withheld, matched against the portal's own figures

What it owns. `settlement_cycles` · `fee_audit_lines` · `tcs_tds_register` , reading `marketplace_settlements` from Module 15

The rules that matter

- **The expected figure is computed from your own records, not read back from the file.** The whole point is comparing the file against an answer the file cannot influence.

- **Commission is read from the file, then challenged against the published rate.** A system that assumes the commission is whatever the file says can never detect an overcharge — it has already agreed to it.
- A line is flagged only past **₹1 or 0.5%**, so the variance list holds real problems rather than a thousand one-paise arguments.
- **Every variance has a named kind.** You dispute a weight discrepancy differently from a lost parcel; the name is what makes the claim actionable.
- Days remaining sit beside the rupees at stake. A valid claim that lapses because nobody saw the clock is money given away.

The gate. A real settlement file must reconcile at **98% or better** automatically, and per-SKU profit must land within **₹10** of your own records. Below that the module is not trustworthy enough to run money on — and a settlement tool you cannot trust is worse than none, because it lends confidence to a wrong number.

The rulebook — 13 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R14.1	A payout is matched line by line to orders	a marketplace settlement file arrives	every line is matched to the order it belongs to	accepting the net credited amount, which is how a short payment becomes invisible	SPECIFIED
R14.2	Every deduction is identified before the payout is accepted	commission, shipping, penalty, TCS or TDS is deducted	each is posted to its own account	posting the deductions as one lump, which makes an overcharge impossible to find	SPECIFIED
R14.3	A variance beyond tolerance raises a claim	the settled amount differs from the expected amount	a claim is raised carrying the order, the expectation and the difference	absorbing it because it is small — the small ones are the recurring ones	SPECIFIED
R14.4	A claim has a deadline and the deadline is tracked	a claim is raised	the channel's filing window is stored and warned on	letting a valid claim expire unfiled	SPECIFIED
R14.5	An expected settlement exists from the moment of the sale	an order is confirmed on a marketplace	a settlement expectation is created then	waiting for the payout to discover what should have arrived	SPECIFIED
R14.6	TCS and TDS are receivables, not costs	a marketplace deducts tax at source	it is posted as a receivable against the tax authority	expensing it, which understates profit and loses the credit	SPECIFIED
R14.7	A settlement is reconciled to the bank, not just to the file	a payout is recorded	it is matched to the actual bank credit	treating the settlement report as proof that the money arrived	SPECIFIED
R14.8	A re-sent settlement file does not double-post	the same settlement file is imported twice	already-matched lines are recognised and skipped	posting them again, which doubles both revenue and deductions	SPECIFIED
R14.9	A fee schedule is dated and compared against	a commission is deducted	it is checked against the agreed rate in force on that date	accepting whatever rate the file states, which is the single largest silent leak in marketplace trade	SPECIFIED
R14.10	A settled order is profitable or unprofitable at the SKU	a payout is fully matched	the true net per SKU is computed after every deduction	judging profitability on the listed price, which ignores the third of it that never arrives	SPECIFIED

#	The rule	When	Then	Never	State
R14.11	A claim that is paid closes against the original variance	a channel credits a claim	it is matched back to the variance it settles	posting the credit as unrelated income, which leaves the variance open forever	SPECIFIED
R14.12	A settlement figure never overwrites a sale figure	the settlement disagrees with the order	both are kept and the difference is the variance	adjusting the original sale to match the payout, which erases the evidence of the shortfall	SPECIFIED
R14.13	The realisation on a marketplace sale is the price minus every deduction	what a channel sale actually earned is computed	it is the selling price less shipping, commission, fixed fee, GST on those fees, TCS and TDS — each taken from the settlement file	judging a sale on its listed price, which ignores the part of it that never arrives, and never applying an assumed commission percentage when the file states the real one	SPECIFIED

Reads ← E-commerce/OMS · Accounting & GST · **Writes** → Accounting & GST

Done when. A real settlement file reconciles at 98% or better and every variance it raises is one you agree is genuinely real.


MODULE 15 · E-COMMERCE / OMS

Every marketplace and your own website, one queue

What it is. Stop logging into seven seller panels and your own store admin. Every order lands in one pipeline and one stock number goes back out to all of them — then the money side closes in the same module: what each channel paid, what it kept, what came back, and what it still owes.

How it works

CHANNELS - pulled every 15 min, idempotent by external id



The apps (11)

App	State	What it does
Marketplace OMS	BUILT	Every channel in one order queue, with the right cut-off counting down on each order
Order Management	BUILT	One pipeline new to delivered, with the allocation desk and the promise-date engine
Manual Data Check	SPEC	Upload the sheets you already download and read ten cross-checks back, every figure clickable to the transactions behind it
Reconciliation	SPEC	Match every payout to the order line that earned it, and expose the gap
Claims & Disputes	SPEC	Shortfalls, weight disputes and lost parcels filed with evidence, answered before the clock runs out
Returns / RMA	SPEC	Customer, courier and wrong returns kept apart — only one of the three is really your fault
Channels & Storefronts	SPEC	Connect a channel once and it stays in step: catalogue out, price out, stock out, orders in
Labels & Documents	SPEC	The channel's PDF turned into something a packing table can work from, in one batch
Listing & Catalog Manager	SPEC	Bulk create and edit listings across channels, catching listed-but-out-of-stock mismatches
Size / Fit Recommendation AI	SPEC	A fit suggestion from the item's measurements and the return history by size
AR / Virtual Try-On	SPEC	Seeing drape and colour before buying, where a flat photo leaves too much to guess

What it owns. marketplace_orders_raw · marketplace_settlements · marketplace_settlement_lines · returns · claims · channels · channel_listings

The rules that matter

- **The queue sorts by time remaining, not time received.** Channels have different dispatch windows; sorting by arrival breaches the tight ones while the loose ones sit safe.
- Orders are pulled on a schedule and are **idempotent by external ID**, so the same order never doubles no matter how often the pull runs.
- **An order no warehouse can serve gets no promised date.** It needs a purchase or a production order, and nothing is gained by giving the customer a date in the meantime.
- **A wrong return is dead stock and is never restocked.** Booking it back into sellable stock is how a business sells the same damaged piece twice and loses the customer permanently.
- **Labels are never uploaded to an outside website to be cropped.** That is a customer's name and address leaving your control for a convenience.
- Commission is read from the settlement file, never assumed — the challenge to it happens in Module 14.

The rulebook — 19 rules, 10 enforced by a test that runs today

#	The rule	When	Then	Never	State
R15.1	Companies and channels are read from the data, never from a list in the code	orders or sheets from any number of companies and channels are processed	the companies and channels present are discovered and each gets its own columns	writing a fixed set of companies or channels into the software, which caps the business at whatever it happened to have on the day the code was written	ENFORCED · brand/suite/studio/verify_studio.js · the companies are found from the sheets, not from a hardcoded list
R15.2	A tenth or eleventh channel needs no code change	a new marketplace or company is added	it is a row, and every figure, column and consolidation follows	requiring a release to sell somewhere new	ENFORCED · core/tests/core.test.js · an eleventh company and an eleventh channel need no code change
R15.3	A channel belongs to a company	two companies both sell on the same marketplace	each has its own channel record, and both may use the same short code	sharing one channel across companies, which merges two companies' sales into one figure	ENFORCED · core/tests/core.test.js · a channel belongs to a company — two companies may both call one AMZN
R15.4	A price is never invented for an item that has none	an item has no price on file	it is reported as having no price and named in the summary	substituting an average or a similar item's price, which quietly fabricates revenue	ENFORCED · brand/suite/studio/verify_studio.js · the price status matches, and no price was ever invented
R15.5	Net is sale minus return, and inventory is net plus wrong return	quantities are rolled up	net sale is sale minus return, and the inventory figure adds back the wrong returns	treating a wrong return as ordinary saleable stock, because it is not the item that was sent out	ENFORCED · brand/suite/studio/verify_studio.js · sale minus return is the net, and net plus wrong return is the inventory
R15.6	A blank cell is blank, not a value	a column contains only whitespace	it is read as empty	treating a lone space as a marked entry, which converts	ENFORCED · brand/suite/studio/verify_studio.js · a lone space in the Wrong Return column is not a wrong return

#	The rule	When	Then	Never	State
				formatting into business fact	
R15.7	An item that only ever came back is still reported	an item has returns but no sales in the period	it appears with its returns	dropping it because it has no sale line, which hides the worst-performing items entirely	ENFORCED · brand/suite/studio/verify_studio.js · an item that only ever came back is still reported
R15.8	A totals row is the sum of the rows above it	a report shows a total	it equals the rows it sits under	computing the total by a different route from the detail, which is how a report disagrees with itself	ENFORCED · brand/suite/studio/verify_studio.js · the totals row is the sum of the rows above it
R15.9	A marketplace order pull creates a real order	orders are fetched from a channel	a sales order is created, stock is reserved, and the pick list follows	holding channel orders in a staging area that has to be re-entered to become real	SPECIFIED
R15.10	A cancelled channel order releases its reservation	the channel cancels an order	the reservation is released and the cancellation recorded	leaving stock reserved against an order the channel has already dropped	SPECIFIED
R15.11	A wrong return is dead stock, not stock	a return is inspected and found to be a different or damaged item	it is written to dead stock with its cost recognised as a loss	restocking it as first quality, which sells a customer the same problem twice	SPECIFIED
R15.12	A listing rejected by a channel says why	a push to a channel fails	the rejection and its reason are reported back against the listing	reporting a push as successful when part of it failed, which leaves the business believing it is	SPECIFIED

#	The rule	When	Then	Never	State
				present where it is not	
R15.13	A manual data check is a recorded step, not a habit	figures are checked by hand before a cycle closes	the check, the person and the outcome are recorded	relying on someone remembering to look	SPECIFIED
R15.14	A channel-specific SKU code never becomes the master code	a channel uses its own identifier	it is stored as a mapping against our SKU	adopting the channel's code as the item code, which breaks the moment a second channel does the same	SPECIFIED
R15.15	A size recommendation is advice, never a silent substitution	a fit suggestion is offered	it is shown as a recommendation the customer chooses	changing the size on an order on the customer's behalf	SPECIFIED
R15.16	An order held past its cut-off is escalated, not queued	an order approaches the channel's dispatch deadline	it is raised to the person who can act, naming the deadline	letting it age quietly into a penalty	SPECIFIED
R15.17	Closing stock is opening plus in minus out	a stock position is computed for a period	closing = opening + receipts – issues, from the movements themselves	carrying a maintained closing figure that can drift from the movements that produced it	ENFORCED · core/tests/core.test.js · a receipt then an issue leaves the right number
R15.18	Courier return, customer return and wrong return cost three different things	a return is processed	a courier return costs repacking only, a customer return costs alteration plus iron plus packing at the rate set for that design, and a wrong return is written off at the full selling price	applying one blended return cost to all three, which hides the expensive kind inside the cheap kind	SPECIFIED

#	The rule	When	Then	Never	State
R15.19	A wrong return is never added back to stock	a return is found to be a different item from the one sent	it becomes dead stock and the selling price is recognised as a loss	restocking it, at any value, however sellable it looks	ENFORCED · brand/suite/studio/verify_studio.js · sale minus return is the net, and net plus wrong return is the inventory

Reads ← Inventory & Catalog · CRM · Sales · Accounting · Logistics · Settlement · **Writes** → Inventory & Catalog · Accounting · Warehouse · Logistics · Settlement


Done when. A full week runs with every channel live, settlements reconciled, and no panel oversells.

MODULE 16 · HR & PAYROLL

Pay people right, on time

What it is. Salaries and output-based earnings in one register, with attendance driving both — whether people are on a monthly wage, an hourly rate, or paid by what they finish. And, unlike the version of this that stops at a calculated figure, it carries through to the money actually leaving the business.

How it works



The apps (4)

App	State	What it does
Staff & Contractors	SPEC	Attendance, effective-dated salary and output-based earnings in a single register
Time-off & Advances	SPEC	Leave, festival advances, and exactly how they change this month's payout
Appraisal & Hiring	SPEC	Performance reviews and a hiring pipeline that ends in an employee record
Payout Execution	SPEC	Where the calculation becomes money leaving the business, with method and reference on every payout

What it owns. `staff_salary_history` · `attendance` · `eod_reports` · `leave_requests` · `advance_requests` · `payroll_runs` · `payroll_slips` · `karigar_earnings_summary` · `piece_rates` · `task_threshold_rates` · `payout_batches`

The pay rules, exactly

1. Attendance codes are **P · H · A · HL · OD · PL · UL**.
2. **Days-Equivalent = P + HL + 0.5 × H**. A holiday pays a full day.
3. **Daily Rate = the resolved monthly salary ÷ the resolved threshold DAYS** — both effective-dated.
4. **Earning = Daily Rate × Days-Equivalent, uncapped in both directions**. Working beyond the threshold earns beyond the salary; working under it earns under.
5. A flat-basis worker draws full salary regardless of attendance. A piece-rate worker is hours × flat rate with no attendance row at all.
6. Three month-states are distinguished and never conflated: **Not employed**, **No data**, and a real month.
Treating the first two as zero is how someone gets paid nothing for a month they worked.

Worked example. Salary ₹15,000 with a 26-day threshold gives a daily rate of ₹576.92. A month of 24 P, 1 HL and 2 H is 24 + 1 + 1.0 = 26.0 days-equivalent, so ₹15,000.00 exactly. The same person on 28.0 days-equivalent earns ₹16,153.85 — it scales past the threshold because the rule is uncapped.

The rule that closes the loop. A salary edit is made **once, with an effective-from date**. The previous row closes automatically, past months keep their old rate, and a future-dated raise activates itself when that month's payroll runs. No historical payroll is ever rewritten.

The rulebook — 22 rules, 8 enforced by a test that runs today

#	The rule	When	Then	Never	State
R16.1	A raise closes the old row, it does not overwrite it	a salary or rate changes	the row in force is closed on the day before, and a new row opens	editing the existing figure, which rewrites what the person was actually paid last year	ENFORCED · core/tests/core.test.js · a raise closes the open row instead of overwriting it
R16.2	History resolves to what was actually in force	a past month is recomputed	the rate in force in that month is used	recomputing an old payslip at today's rate	ENFORCED · core/tests/core.test.js · history still resolves to what was actually in force
R16.3	A future-dated raise activates by itself	a raise is entered with a future date	it takes effect when that month arrives, with nobody remembering to apply it	requiring a manual step, which is how an agreed raise is missed	ENFORCED · core/tests/core.test.js · a future-dated raise activates by itself when that month arrives
R16.4	A month with nothing in force raises, and never returns zero	no rate covers the month being computed	the computation is refused and the gap is named	returning zero, which pays a real person nothing and looks like a valid answer	ENFORCED · core/tests/core.test.js · a nothing-in-force month raises, and never returns zero
R16.5	Backdating over an open row is refused	a change is entered with a date inside a period already settled	it is refused	silently rewriting history that has already been paid and posted	ENFORCED · core/tests/core.test.js · backdating over an open row is refused — that would rewrite history
R16.6	A person can leave and come back	someone rejoins after a break	the spell log holds both periods and the gap between them	creating a second employee record, which splits their history and their service	ENFORCED · core/tests/core.test.js · a spell log lets a person leave and come back
R16.7	Month spans handle February and the year end	a period is computed across month or year boundaries	the real calendar is used	assuming thirty-day months, which is wrong twelve times a year and badly wrong in February	ENFORCED · core/tests/core.test.js · month spans handle February and the year end
R16.8	Staff and piece-rate workers sit in one register	payroll is prepared	monthly staff and piece-rate karigars are computed in the same run and paid from the same register	running two payrolls that have to be added together by hand	SPECIFIED
R16.9	An advance is recovered	a deduction is made at payout	it names the advance it is	deducting an amount that cannot be traced to a	SPECIFIED

#	The rule	When	Then	Never	State
	against a named advance		recovering and reduces that balance	specific advance	
R16.10	Attendance drives pay, and both are visible together	a payout is computed	the attendance it was computed from is shown beside it	presenting a pay figure whose basis the person being paid cannot see	SPECIFIED
R16.11	Identity documents are read, never stored in a file that leaves	Aadhaar, PAN, bank or UPI detail is used for a computation	it is used and not serialised into any exported or committed artifact	writing personal identifiers into a report, a backup file or a repository	SPECIFIED
R16.12	A payout that fails to post does not mark as paid	the bank transfer or the ledger posting fails	the payout stays unpaid and the failure is raised	marking it paid on submission, which loses a real person's wages in the gap	SPECIFIED
R16.13	The daily rate is the monthly salary divided by twenty-seven	a day of attendance is priced	the daily rate is that month's salary $\div 27$, using the salary in force in that month	using calendar days, working days, or a rate carried over from a month with a different salary	SPECIFIED
R16.14	Attendance codes have fixed multipliers and a blank is absent	earned pay is computed from attendance	present, holiday, on-duty and paid leave count 1, a half day counts 0.5, absent and unpaid leave count 0, and an empty cell counts as absent	treating a blank as present, or as unknown to be filled in later — a blank that pays is a blank that will be left blank	SPECIFIED
R16.15	Threshold hours do not move when salary moves	a raise takes effect	the monthly hour threshold for that role stays as it was	scaling the threshold with the salary, which silently changes what the person is expected to work in exchange for a raise	SPECIFIED
R16.16	Productivity cost is that month's salary over the threshold, times hours worked	the cost of a person's time is charged to work	it is (salary in force that month $\div$ threshold hours) $\times$ the hours actually active	using a single annual figure, which misprices every month on either side of a raise	SPECIFIED

#	The rule	When	Then	Never	State
R16.17	A holiday is paid and produces no hours	a holiday is marked	it pays a full day and contributes zero productive hours	counting holiday hours as production, which flatters every efficiency figure that reads them	SPECIFIED
R16.18	A half day is half the hours, from the same start	a half day is marked	it starts at the normal in-time and its hours are half the full shift for that person's pattern	assuming a fixed midday finish for everyone, when the male and female shift lengths differ	SPECIFIED
R16.19	The festival flag drives leave and nothing else	a religion is recorded against a person	it is used only to match a festival-leave request	using it as a filter, a grouping or a report dimension anywhere else in the system	SPECIFIED
R16.20	A geofence failure flags, it does not refuse	attendance is marked outside the radius set for the unit, or outside the grace window	it is recorded with the flag and raised to the manager	refusing the mark — a system that locks someone out of being paid for standing at the wrong gate has failed at its actual job	SPECIFIED
R16.22	A shared document carries the pay rules, never the pay roster	a plan, a specification or any document that leaves this building is generated	it carries the formulas, thresholds and effective-dating that decide pay, and refers to the roster rather than reproducing it	printing an individual's name beside their salary, or their religion at all, into a document that is committed to a repository and travels with every copy — the software needs those fields, a reader of the plan does not	SPECIFIED
R16.21	An override is allowed and is always recorded	an administrator corrects attendance, a geofence flag or a payroll figure	the change, the person and the reason go to the audit trail	an override that leaves no trace, which is indistinguishable from the system having been wrong	ENFORCED · core/tests/core.test.js · an update records what it was as well as what it became

Reads ← Manufacturing · **Writes** → Accounting & GST


Done when. A full month's payroll runs end to end with zero manual touch, reconciles to the owner's own figures, and every rupee paid has a method and a reference against it.

MODULE 17 · MARKETING

Sell more without discounting

What it is. The demand-generation side of the same order book. Its discipline is that every lever it pulls is judged by what it did to orders and margin — using the same stock number and the same ledger as everything else.

How it works



The apps (8)

App	State	What it does
Social Calendar	SPEC	Plan and publish across every platform from one calendar
Campaigns	SPEC	Campaigns measured on real revenue, not opens
Repricing Engine	SPEC	Rules per channel and SKU, every change audited, and what each one actually did
Automation	SPEC	If this happens, do that — across any module, without writing code
Blog & Pages	SPEC	Articles and landing pages published to your own site with meta and internal links set
Website & Page Builder	SPEC	The storefront itself, built by dragging sections into place, each block reading live from the catalogue rather than from figures someone pasted in
Events	SPEC	Trade shows worked as a channel, leads landing straight in CRM
Markdown / Clearance Optimization	SPEC	The repricing engine aimed at ageing stock before it becomes a write-off

What it owns. `content_calendar` · `campaigns` · `influencers` · `asset_library` · `repricing_rules` · `automation_recipes` · `events` · `markdown_plans`

The rules that matter

- **Return is computed on revenue.** Opens, clicks and reach describe attention, not money.

- **A price that rose and took orders down with it is shown as exactly that, beside the rule that raised it.**
Pricing is the one lever whose damage is invisible unless you look for it — you simply sell fewer, without being told why.
- Every price change is audited: who, when, from what to what, by which rule. A price is money; an unexplained change to it is the same failure as an unexplained ledger entry.
- **Repricing sets price and only price.** It cannot touch quantity, so no pricing automation can ever oversell by moving a number it had no business touching.
- Discounting ageing stock is a decision with a right time. Too early gives away margin that was available; too late turns a sale into a write-off.

The rulebook — 10 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R17.1	A campaign is measured on revenue, not on opens	campaign performance is reported	it is attributed to actual orders	reporting opens and clicks as the result, which measures the message rather than the business	SPECIFIED
R17.2	A repricing rule shows what it did	a rule changes a price	the change, the rule that made it and the effect on orders are recorded together	changing prices with no record, which makes a bad rule impossible to identify or reverse	SPECIFIED
R17.3	A price floor is a floor	a repricing rule would go below the floor set for a SKU	it stops at the floor	undercutting to match a competitor below cost	SPECIFIED
R17.4	A markdown starts before the stock is dead, not after	stock reaches the age set for it	the markdown schedule begins	waiting until it is unsellable, which converts a lower-margin sale into a write-off	SPECIFIED
R17.5	A campaign cannot message someone who has not consented	a marketing send is prepared	the recipient list is filtered by consent at send time	sending to a list captured before the consent was checked	SPECIFIED
R17.6	A published page reads live catalogue data	a page shows a price or a stock state	it reads the same record the order screen reads	pasting a figure into the page, which goes stale the first time the price changes	SPECIFIED
R17.7	An exhibition is a channel	leads and sales come from a trade show	they land in CRM and the order book against that channel	collecting them on paper to be entered later, which is where they are lost	SPECIFIED
R17.8	A marketing automation cannot move money	a campaign rule fires	it may message, tag, schedule or reprice within its limits	issuing a refund, a credit note or a payment — that is not what this engine is allowed to do	SPECIFIED
R17.9	A scheduled post that fails is reported as failed	a scheduled publication does not go out	it is raised with the reason	showing it as published in the calendar while nothing was posted	SPECIFIED
R17.10	Return on ad spend is measured against real orders	campaign performance is computed	it is revenue from attributed orders ÷ spend actually incurred	using a platform's own reported conversions as the revenue figure, which counts orders this system has no record of	SPECIFIED

Reads ← Inventory & Catalog · CRM · **Writes** → Sales · E-commerce/OMS


Done when. A month of content publishes on schedule, and a repricing rule can be judged by what it actually did to orders.

MODULE 18 · AI CONTENT ENGINE

Write it, shoot it, cut it — from the catalogue you already have

What it is. The module the platform is named for, deliberately at eighteen rather than first: it produces content *about* the catalogue, so the catalogue has to exist and be correct before there is anything true to write about. Being wired to the same database as the shop floor is what stops it inventing a product that is not real.

How it works



The apps (8)

App	State	What it does
Content Engine	SPEC	Fourteen stages in your own voice, each written from your own catalogue so the words match the thing
Image Studio	SPEC	Layers, free transform, background removal, channel presets and alt text — a phone photo becomes a channel-compliant product image
Video Studio	SPEC	Text and image to video, reels and ad cuts sized per channel
Design Studio	SPEC	A full design surface exporting at whatever size the channel or printer asks for
Motion Renderer	ENGINE WORKING	HTML and CSS rendered frame by frame into a real MP4 on this machine, deterministically — the same scene twice gives the same file to the byte
Narration Studio	SPEC	The written script spoken over the reel; the browser's own voice by default, a cloned or branded voice as an interchangeable provider behind it
Image Generation Slot	SPEC	Generated imagery as a provider-pluggable capability — queue, preview, inpainting, upscaling. Needs a GPU, which is why it is a slot and not an engine
Publisher	SPEC	One push everywhere, reporting what went live and what was rejected, with the reason

What it owns. `ai_runs` · `ai_listings` · `ai_design_analytics` · `asset_projects`

The rules that matter

- **Structured data gets keywords; anything a human reads gets feelings.** A back-end field is written for a search algorithm; a caption is written for a person. Writing both the same way is what makes machine-written content read as machine-written.
- **Product nouns are banned from creative surfaces.** The right phrase in a search field is exactly the wrong phrase in a caption, and that bleed is the clearest tell of lazy automation.
- **The engine criticises its own draft before showing it.** A model's first attempt is rarely its best; building the criticism into the pipeline is what clears the bar of publishable rather than demonstrable.
- **Generation stays badged a mockup until a real paid API is wired.** Showing a simulated render as a finished one is exactly the dishonesty this whole platform is built to avoid, so the label is not optional.
- **A render is sought, never recorded.** The Motion Renderer fakes the clock and seeks the animation to the exact instant of each frame before capturing it, rather than playing the scene and recording the screen. A recording is at the mercy of whatever else the machine was doing — one slow frame during the render is a stutter baked into the customer's reel forever, and the same scene rendered twice gives two different files, which means it can never be checked. Seeking makes the output reproducible to the byte, and that is what makes a reel something the business can verify rather than something someone has to watch all the way through and hope about.
- **Image generation says out loud that it needs a graphics card.** Image models cannot run on an ordinary office machine. The queue, the review screen and the provider slot are the honest deliverable; the generating is done by whatever engine it is pointed at. A screen that looks finished and produces nothing is the failure this rule exists to prevent.
- **A cloned voice needs the consent of the person it was cloned from,** recorded and filed against them in Data Privacy & Consent like any other permission — not assumed because the recording was easy to obtain.

- A publish that silently fails on two of six channels leaves you believing you are present where you are not. The report closes that gap.

The rulebook — 11 rules, 2 enforced by a test that runs today

#	The rule	When	Then	Never	State
R18.1	Content is written from the catalogue, not about the category	a listing or description is generated	it is generated from that product's own attributes	writing plausible copy about the kind of thing it is, which is how a listing describes features the product does not have	SPECIFIED
R18.2	Structured fields get keywords; anything a human reads gets feeling	text is produced for a back-end field versus a caption	each is written for its own reader	writing both the same way, which is the clearest signal of machine-written content	SPECIFIED
R18.3	Product nouns are banned from creative surfaces	a caption or a hook is written	the product noun is excluded	letting search vocabulary bleed into copy meant to be felt	SPECIFIED
R18.4	The engine criticises its own draft before anyone sees it	a draft is produced	it is put through the self-critique pass and the second draft is what is shown	showing the first attempt, which is rarely the best one	SPECIFIED
R18.5	A render is sought, never recorded	a video is produced from a page	the clock is driven by hand and each frame is captured at its exact instant	playing the animation and recording the screen, which bakes whatever else the machine was doing into the customer's reel	ENFORCED · brand/suite/studio/motion_render.js · a second render produces frame-for-frame identical images
R18.6	The same scene renders to the same file	a render is repeated	the output is identical to the byte	producing a different file each time, which makes the output impossible to check or approve	ENFORCED · brand/suite/studio/motion_render.js · and a byte-identical MP4
R18.7	A generated asset is labelled as generated	an image or video is produced by a model	it carries that fact in the asset record	letting a generated image become indistinguishable from a photograph of the actual product	SPECIFIED

#	The rule	When	Then	Never	State
R18.8	Generation stays badged a mockup until a real provider is wired	a capability is demonstrated without a live provider behind it	it is labelled a mockup wherever it appears	showing a simulated render as a finished one	SPECIFIED
R18.9	Image generation states that it needs a graphics card	the image generation slot is opened with no provider attached	it says so plainly and produces nothing	presenting a finished-looking screen that cannot generate anything	SPECIFIED
R18.10	A cloned voice needs the consent of the person it came from	a voice is cloned for narration	that person's recorded consent is on file against them	cloning from a recording merely because it was available	SPECIFIED
R18.11	A publish reports what actually went live	content is pushed to several destinations	each result comes back individually, with reasons for rejections	reporting one overall success, which leaves the business absent where it believes it is present	SPECIFIED

Reads ← Inventory & Catalog · **Writes** → Marketing · E-commerce/OMS


Done when. A listing generates for one design across six platforms in under twenty seconds and publishes, with every rejection explained.

MODULE 19 · SEO, AEO & AIO

Be found by a search box, an answer box, and an AI

What it is. Content exists by the time this module is reached; here it is made findable — by a traditional search engine, by the answer box above the results, and by the AI assistants now answering shopping questions directly instead of sending someone to a results page.

How it works



The apps (3)

App	State	What it does
Technical SEO & Schema	SPEC	Structured data, sitemaps and page-level checks so a search engine can read what a page is about
Answer-Engine Optimization	SPEC	Content shaped to be quoted directly rather than written only to be scrolled
AI-Engine Visibility Tracking	SPEC	Whether this business is actually cited when someone asks an AI a shopping question in this category

What it owns. seo_audits · schema_templates · answer_blocks · visibility_checks

The rules that matter

- Structured data is how a page stops being guessed at. Prose alone leaves the engine inferring.
- An answer engine quotes; it does not summarise a page written to be scrolled. Content has to be shaped for the quote to exist.
- **AI visibility is rank tracking aimed at a newer kind of results page.** The discipline is the same — measure over time, act on the trend — and ignoring it means being absent from where a growing share of shopping questions now get answered.

The rulebook — 6 rules, 0 enforced by a test that runs today

#	The rule	When	Then	Never	State
R19.1	Structured data describes what is actually on the page	schema markup is generated	it is generated from the same record the page renders	marking up a price or availability that differs from the page, which is penalised and deserved	SPECIFIED
R19.2	A ranking figure names where it was measured	a position or citation is reported	the engine, the query and the date are stored with it	reporting a bare position, which cannot be compared with anything	SPECIFIED
R19.3	An answer-shaped page still says the same thing as the product record	content is shaped to be quoted by an answer box	the claims match the catalogue	writing a more quotable claim than the product supports	SPECIFIED
R19.4	A technical fix is verified on the live page	a technical SEO issue is marked resolved	the live page is re-fetched and re-checked	closing it because the change was deployed	SPECIFIED
R19.5	AI-engine visibility is tracked over time, not sampled once	citation in an AI answer is measured	it is measured repeatedly and stored as a series	quoting a single lucky result as the position	SPECIFIED
R19.6	A sitemap lists only pages that exist and are meant to be found	a sitemap is generated	it contains live, indexable pages	listing archived or blocked pages, which wastes the crawl on nothing	SPECIFIED

Reads ← Inventory & Catalog · AI Content Engine · **Writes** → Marketing


Done when. Every product and content page carries valid structured data, and citation in this category is tracked over time rather than assumed.

MODULE 20 · PROJECTS & COLLABORATION

The work that is not an order — and the talking around it

What it is. Not everything a business does is an order. An exhibition, a custom bulk enquiry that runs six weeks before it becomes an invoice, a godown fit-out, a dispute with a supplier. That work has a deadline, a cost and documents, and it belongs on the same records as everything else.

How it works



The apps (7)

App	State	What it does
Projects & Cases	SPEC	Stages you define, owners, deadlines, documents, billable time and real cost, on one record the ledger can see
Automation Studio	SPEC	"When this happens, do that" built by dragging it out and watching it run, over the event stream every module already writes to — with every run kept, step by step, because an automation nobody can inspect afterwards is a rule the business cannot trust with its money
Timesheets & Planning	SPEC	Hours against a project or a machine, billable and non-billable kept apart
Approvals	SPEC	One queue for everything waiting on a yes, with the rule that sent it there beside it
Forum	SPEC	Questions and answers that outlive a chat
Discuss	SPEC	Conversation attached to the record it is about
Knowledge Base	SPEC	A role-scoped wiki of standard operating procedures

What it owns. `projects` · `timesheets` · `approvals` · `forum_posts` · `discussions` · `knowledge_base`

The rules that matter

- **Hours are entered once** and become both an invoice line and a cost. Re-keying billable hours from a timesheet into an invoice is exactly where hours get lost and margin quietly leaks.
- **Margin is visible while the work runs.** A margin discovered at the end is a margin you could not steer.
- **Every approval decision carries its reason into the audit record.** A year later, "why did we approve this" has an answer sitting next to the approval, not in someone's memory.
- One approval queue, not one per module — because approvals scattered across modules are approvals that stall unseen.

The rulebook — 9 rules, 1 enforced by a test that runs today

#	The rule	When	Then	Never	State
R20.1	Billable time becomes an invoice line without retyping	approved time exists against a project	the rate card turns it into an invoice line and a real cost	re-entering hours into an invoice, which is where the two figures start to differ	SPECIFIED
R20.2	Billable and non-billable are separated at entry	time is recorded	it is marked billable or not as it is entered	deciding at invoice time, which quietly turns unbillable work into a charge	SPECIFIED
R20.3	An approval shows the rule that demanded it	anything lands in the approvals queue	the rule that sent it there is displayed beside it	presenting a request with no stated reason, which makes approval a formality	SPECIFIED
R20.4	An approval decision goes to the audit trail	a request is approved or refused	the decision, the person and the time are recorded	recording only the outcome on the record, which loses who accepted the risk	ENFORCED · core/tests/core.test.js · an update records what it was as well as what it became
R20.5	An automation run is kept step by step	a rule fires	what triggered it, each step, and what each step returned are stored	keeping only the outcome — an automation nobody can inspect afterwards is a rule the business cannot trust with its money	SPECIFIED
R20.6	An automation acts within a named scope	a rule is built	the records it may read and write are declared on it	letting a rule reach anywhere in the system because it happens to run as an administrator	SPECIFIED
R20.7	A project cost includes the time and the material	project profitability is computed	labour, material and expenses booked to it are all included	reporting on revenue and time alone, which shows a loss-making project as profitable	SPECIFIED
R20.8	A decision is recorded where the decision was made	a discussion resolves something	it is attached to the record it concerns	leaving the reasoning in a chat thread that will not be found in a year	SPECIFIED
R20.9	A procedure is scoped to the role it applies to	a standard procedure is published	it is scoped to the role that performs it	publishing one undifferentiated manual that nobody reads	SPECIFIED

Reads ← CRM · Sales · HR & Payroll · Inventory & Catalog · **Writes** → Accounting & GST · HR & Payroll · CRM


Done when. Billable time on a case becomes an invoice and a cost without being re-keyed once.

MODULE 21 · DASHBOARD & BI

See the whole business without asking anyone

What it is. Every number in the business on one screen, as work happens. It is built last for a reason: it has nothing true to show until the other modules are producing real records. Two dials govern every screen — which period, and which company.

How it works



The apps (5)

App	State	What it does
CEO Dashboard	BUILT	Cash, sales, stock, profit and alerts on one screen, refreshed as work happens
Report Builder	BUILT	Drag the fields you want; the question is saved, so next month it answers for next month
Group Consolidation	BUILT	Three companies as one set of figures, inter-company entries removed
Excel Dashboard Builder	SPEC	The full workbook, each company a row and the consolidated row a live formula over them
ESG / Sustainability Reporting	SPEC	Water, chemical compliance, waste and packaging, reported from the certificate and audit records already held

What it owns. Nothing. It reads. It stores only saved report definitions and dashboard layouts.

The rules that matter

- **Every KPI is a live query over the ledger and stock.** There are no stored counters, because a stored counter is a number that can drift from the truth it claims to summarise.
- **The consolidated row is a formula over the three company rows,** never a separately calculated fourth number — so it foots by construction and an auditor can trust it.
- Group profit removes inter-company sales and purchases. Money the group moved from one pocket to another is not turnover.
- **Any figure clicks down to the record behind it.** A dashboard you cannot interrogate is a dashboard you eventually stop believing.
- The financial year is detected from the data. Nothing is hardcoded.

The rulebook — 9 rules, 6 enforced by a test that runs today

#	The rule	When	Then	Never	State
R21.1	The group figure is the sum minus inter-company trade	several companies are consolidated	entries naming a counterparty inside the group are eliminated, and gross, eliminated and group are all shown	presenting the plain sum as the group result, which inflates turnover by trade the group never did with the outside world	ENFORCED · core/tests/core.test.js · the group is the sum MINUS what the companies sold each other
R21.2	An entry cannot be its own counterparty	an entry names a counterparty company	it is refused if that is the same company	allowing a company to trade with itself, which eliminates a figure that was never doubled	ENFORCED · core/tests/core.test.js · an entry cannot be its own counterparty
R21.3	The number of companies is data, not a constant	the group grows	a company is a row and every consolidation follows	building around a fixed number of companies or channels	ENFORCED · core/tests/core.test.js · ten companies and ten channels each is a hundred channels, not a limit
R21.4	Every dashboard figure is a live query	a KPI is displayed	it is computed from the ledger and the stock table at that moment	reading a maintained summary table, which can be wrong without looking wrong	ENFORCED · core/tests/core.test.js · the trial balance is computed from the lines, never stored
R21.5	A consolidated row is a formula over the company rows	a workbook or report shows a consolidated figure	it is computed from the company rows beside it	typing a separate consolidated total, which is a second copy that will disagree	ENFORCED · brand/suite/studio/verify_studio.js · the totals row is the sum of the rows above it
R21.6	A figure a user may not see is not returned	a report runs for a scoped user	out-of-scope rows are excluded from the query	computing the full figure and hiding part of it in the display	ENFORCED · core/tests/core.test.js · one company cannot read another company
R21.7	An exported report says when it was taken	a report is exported	the as-at time and the filters are printed on it	producing an undated export, which is quoted months later as though it were current	SPECIFIED
R21.8	A saved report keeps its definition, not its results	a report is saved and re-run	the definition re-runs against current data	storing a snapshot and presenting it as live	SPECIFIED

#	The rule	When	Then	Never	State
R21.9	A figure with no drill-down is a defect	any total is shown	it opens to the records beneath it	shipping a number that cannot be explained by clicking it	SPECIFIED

Reads ← every module · **Writes** → nothing

Done when. Any figure on any screen clicks down to the ledger entry or stock movement behind it, in both editions.


MODULE 22 · AI ASSISTANT, AGENTS & AUTOMATION

Ask the business a question — and let the routine work run itself

What it is. Three different things that get confused with each other constantly, so the difference is stated before anything else. An **assistant** answers a question you asked, from the records, with the records attached. A **chatbot** holds that same conversation with your customer instead of with you. An **agent** is given a *job* rather than a question, and works out the steps itself.

It is last for the same reason Dashboard & BI is late: something that answers questions about the whole business can only exist once the whole business is in one place.

How it is different from what already exists — this matters, because two modules already automate things and neither is being replaced:



The apps (5)

App	State	What it does
AI Assistant	SPEC	Ask in plain language, get the answer with the rows it came from, each clicking through to the record
AI Chatbot	SPEC	The same engine facing the customer on the storefront and WhatsApp, handing over to a person with the whole conversation attached
AI Agents	SPEC	Given a job rather than a question; works out the steps and stops where a person has to decide
Agent Guardrails & Run Log	SPEC	Scope, spend ceiling and a step-by-step record of every run
Knowledge & Retrieval	SPEC	The business's own records indexed for grounded answers, permission-scoped at the row

What it owns. `agent_runs` · `agent_steps` · `agent_scopes` · `assistant_queries` · `retrieval_index`

The rules that matter

- **An answer carries its records.** A bare number from an assistant cannot be checked, and a figure that cannot be checked is one the business will eventually stop believing — exactly the failure Module 21 exists to prevent, arriving by a different door.
- **"I could not find it" is a valid answer; a plausible number is not.** A confident wrong figure is far more expensive than an honest blank, because nobody goes looking for it.
- **The assistant cannot see more than the person asking.** Retrieval is filtered by permission before the answer is composed, or the assistant becomes a way around every access rule in the system.
- **Money never moves, a customer is never messaged and a price is never changed without a human yes.** However confident the agent, however small the amount.
- **An agent cannot widen its own scope** mid-run, however sensible the next step looks.
- **Every run is replayable step by step.** An unexplained change made by software is worse than one made by a person, because there is nobody to ask.
- **A retrieved document is data, never an instruction.** Content that arrives from outside — a supplier's PDF, a customer's message, a marketplace's note — is reported on, not obeyed.

The rulebook — 15 rules, 2 enforced by a test that runs today

#	The rule	When	Then	Never	State
R22.1	An answer carries the records it came from	the assistant answers a question about a figure	the rows it used are attached and each one opens to its record	giving a bare number, which cannot be checked and therefore cannot be trusted	SPECIFIED
R22.2	An unknown answer is said, never estimated	the assistant cannot find the figure	it says so and shows what it looked at	producing a plausible number — a confident wrong figure costs far more than an honest blank	SPECIFIED
R22.3	The assistant answers only from what the asker may already see	a question is asked by a scoped user	retrieval is filtered to that user's permissions before the answer is composed	letting the assistant become a way around permissions that every other screen enforces	SPECIFIED
R22.4	An agent cannot widen its own scope	an agent runs	it works within the records and the spend it was given	expanding its scope mid-run, however sensible the next step would be	SPECIFIED
R22.5	Money never moves without a human yes	an agent proposes a refund, a payment, a payout or a credit note	it stops and waits for a person	executing it, no matter how confident or how small the amount	SPECIFIED
R22.6	A customer is never messaged by an agent without approval	an agent drafts a message to a real customer	a person approves it before it is sent	sending on the agent's own judgement	SPECIFIED
R22.7	A price is never changed by an agent alone	an agent proposes a price change	it enters the approvals queue with the reasoning attached	writing the new price directly	SPECIFIED
R22.8	Every agent run is replayable step by step	an agent finishes, stops or fails	what started it, what it read, what it proposed and what was approved are all recorded	keeping only the outcome — an unexplained change made by software is worse than one made by a person	SPECIFIED


#	The rule	When	Then	Never	State
R22.9	Agent spending goes through the same ceiling as everything else	an agent calls a paid provider	it is routed through the Provider Router and refused past the ceiling	giving an agent its own unmetered budget	ENFORCED · brand/suite/router.js · the third call would break the ceiling and is refused
R22.10	The chatbot hands over rather than guessing about money	a customer asks about a refund, a charge or a complaint	it hands to a person with the whole conversation attached	answering from a general idea of the policy	SPECIFIED
R22.11	The chatbot never asks a customer for a credential	a customer is identified in a chat	identity is established through the order and the contact already on file	asking for a card number, a bank detail or a password — the promise made everywhere else does not get a chatbot-shaped exception	SPECIFIED
R22.12	A handover lands in the existing queue	a conversation is passed to a person	it enters the Module 04 Helpdesk queue with its history	creating a second inbox that someone has to remember to watch	SPECIFIED
R22.13	An agent is not a hidden actor in the audit trail	an agent changes anything	the change is attributed to the agent, its run, and the person who approved it	recording it under a service account, which makes an automated change indistinguishable from a human one	ENFORCED · core/tests/core.test.js · an audited insert leaves a before/after trail
R22.14	A retrieved document does not become an instruction	the assistant reads a document, a review or a message while answering	that content is treated as data to report on	following instructions found inside retrieved content, which is how a supplier's PDF ends up steering the system	SPECIFIED
R22.15	An assistant answer is reproducible from the records it cites	the assistant states a figure	re-running the same query over the same records gives the same figure	an answer that cannot be reproduced, which is a guess with citations attached	SPECIFIED

Reads ← every module · **Writes** → Projects & Collaboration · CRM · Marketing

Done when. A question about last week's payouts returns the figure the books return, with the settlement rows attached; and an agent asked to move money stops and waits, with the refusal recorded.

PART III — WHEN IS A MODULE DONE

A module is not finished because its code is written. It is finished when all eight of these hold.



Rule 8 is the one that matters most, because it is the one that is easiest to quietly skip. Nothing is called finished that is not. A mockup is labelled a mockup even when a working version would be more impressive to show.

PART IV — EXECUTION

Everything up to here says what the system is and what it refuses to do. This part says how it gets built: the stack, the database, the interfaces, the order of work, the migration off the current system, and the numbers that decide whether each step is finished. A plan that stops at the module list leaves the hardest decisions to whoever opens the editor first.

E1 • THE STACK, AND WHY IT IS NOT A DEPENDENCY

The stack below is pinned. It is also, deliberately, a list of **adapters** rather than a list of dependencies — §A.3.1 of the master spec forbids calling a provider SDK from business logic, and Module 01's Provider Router is what turns that from a wish into something the tests fail over. Both statements are true at once: this is what the system runs on, and none of it is load-bearing.

Layer	Chosen	Behind which interface	Swappable for
Frontend	Next.js 15, TypeScript, App Router	—	any renderer; the engines are DOM-free
UI	Tailwind + shadcn/ui	—	—
Database + auth	Supabase (PostgreSQL 16, RLS, Storage)	<code>DatabaseService</code>	Neon + Clerk, self-hosted Postgres
Automations	n8n, self-hosted	<code>AutomationService</code>	Node-RED, Windmill, cron
WhatsApp	Interakt	<code>WhatsAppService</code>	Wati, AiSensy, Gallabox
AI	Anthropic API	<code>AIService</code>	any provider, or Ollama locally
Payments (domestic)	Razorpay	<code>PaymentService</code>	Cashfree, PayU
Payments (international)	PayPal	<code>PaymentService</code>	Stripe, Wise
Shipping	Shiprocket (aggregator)	<code>ShippingService</code>	Delhivery, Blue Dart, or type the AWB
Storage	Supabase Storage	<code>StorageService</code>	S3, MinIO, Nextcloud, this device
Hosting	Vercel (app), VPS (n8n)	—	any Node host
Mobile	PWA, Capacitor 6 shell on demand	—	same codebase, no fork

The test of that claim. Every capability above appears in `brand/suite/providers.js` with its alternatives, and `brand/suite/router.js` proves at every run that each one has a fallback list ending in an option that needs nothing connected. Switching Interakt for Wati is an adapter change, not a project.

What genuinely needs paid access to go live: WhatsApp Business messaging, marketplace APIs, the payment gateways, courier APIs, and AI inference beyond what runs locally. Everything else runs on a laptop with the network off.

E2 · THE DATABASE

Two schema files, and neither is a draft of the other:

- `core/schema.sql` — SQLite via `node:sqlite`. Loads in every test run; every table in it is exercised by `core/tests/core.test.js`. This is what runs today.
- `core/schema.postgres.sql` — 113 tables, PostgreSQL 16 for Supabase, organised in build- phase order so Phase 1 can be run without reading the rest. uuid keys, jsonb, the audit columns on every table, and a `company_isolation` RLS policy per business table.

`core/tests/schema.test.js` is the gate between them. It asserts that the two never disagree about a shared table, that every business table carries `company_id` and can be soft-deleted or is append-only by design, that no

money column is a float in either file, and that every company-scoped table has an RLS policy. Discovering that drift at cutover — sixty days into a parallel run — is the failure this exists to prevent.

Tables are marked `[LIVE]` where an engine already uses them and `[PHASE n]` where they are structural. That distinction is enforced: the test fails if a table marked live is absent from the schema that actually runs.

The SKU model. Brand → design → colour → size. A design is a photoshoot unit; its SKUs are the colour × size rows underneath it, generated when the admin picks which variants exist, never typed one at a time. Opening stock is entered at SKU level, never at design level. The old system's item code is preserved in `legacy_busy_code` forever, so a migrated voucher can still be traced to what it was.

Row-level security. Company isolation is enforced by the database and checked again in API middleware. A filter in a screen can be removed; a policy cannot. The policy carries both `USING` and `WITH CHECK`, so a write cannot cross companies either — reading another company's data and writing into it are two different holes.

E3 · INTERFACES

Resource pattern. `/api/v1/{resource}` with the standard verbs, every request scoped to the active company from the session claim, every mutation audited. Domain routes beyond CRUD are the ones that carry business meaning: advance a production stage, assign a karigar, import a settlement file, raise a dispute, generate a payroll run, post or void a journal entry, generate a GST return, run a listing across platforms.

Five inbound webhooks — storefront orders, payment capture, courier AWB and COD remittance, WhatsApp messages, international payment. Every one of them: signature-verified, idempotent by the sender's own external id, and logged to `integration_errors` with its payload on failure so it can be retried rather than lost. A duplicated payout or a duplicated order is indistinguishable from a real one after the fact, which is why idempotency is a rule here and not an optimisation.

Outbound. Stock is pushed to the storefront on a short cycle so it cannot oversell. Marketplace orders are pulled per channel within a window. Both are rate-limit aware with backoff, and both fall back to CSV import — the manual path is not a lesser mode, it is the one that works on the day an API changes without notice.

E4 · THE EIGHT PHASES

Thirty-two weeks, Phase 0 through Phase 7. The gate is absolute: **Phase N+1 does not start until Phase N's tests pass.** A phase is not done when the code is written; it is done when the stated result is reproduced.

Phase	Weeks	What gets built	Done when
0 • Setup	1–2	Accounts, environments, RLS skeleton, CI, error and uptime monitoring	First commit deploys and a user can log in
1 • Foundation	3–5	Companies, roles, company switching, masters, the SKU model, <code>schema.postgres.sql</code> loaded	An admin creates a design with 5 colours × 7 sizes in under five minutes, and one company cannot see another's rows
2 • HR + comms	6–9	WhatsApp console, attendance, geofence, effective-dated salary, payroll, karigar earnings	A full month of payroll runs end to end with no manual touch, and a mid-month raise applies to the right months only
3 • Inventory + manufacturing	10–14	Stock by SKU × location × stage, the ten production stages, BOM, QC, procurement and three-way match	Three production orders complete — self, full job work, partial — and the karigar figures match the tool's
4 • Sales, all channels	15–20	Storefront sync, marketplace pull, settlement reconciliation, B2B, export, POS, customisation, returns	A full week runs on every channel with settlements reconciled and variances raised as claims
5 • Finance + GST	21–25	Double-entry, GST returns, ITC, TDS/TCS, bank reconciliation, period locks	A month closes: trial balance ties, GSTR-1 and 3B generate from vouchers, bank reconciles line by line
6 • AI, marketing, CRM	26–29	Content engine, listings, campaigns, Customer 360, automation studio, the assistant and agents	An assistant answer matches the books, and an agent asked to move money stops and waits
7 • Cutover	30–32	Opening balances, parallel run, smoke tests, go-live	The first month's GSTR-1 and 3B are filed from this system

The phase order and the module order are the same plan seen twice: Phase 1 is Modules 01–04, Phase 2 is 16, Phase 3 is 03 and 06–10, Phase 4 is 05 and 11 and 15, Phase 5 is 12–14, Phase 6 is 17–22, and Phase 7 is the whole thing proving itself.

E5 • MIGRATION AND CUTOVER

The current accounting system is not switched off on a date; it is switched off on a **result**.

Before. Export every master and voucher table, clean to CSV, load. Every voucher must resolve to a real party — a party code that does not join is a migration failure, not a row to skip. Customers, designs, and their colour × size explosion into SKUs all carry their legacy code.

Opening balances at the cutover date (start of a financial year): capital and reserves, bank balances, open receivables and payables, GST/TDS balances, fixed assets, work in progress at its current stage, and opening stock at SKU level. Entered once, from the closing trial balance.

Sixty days of parallel running. Every morning, five minutes: yesterday's sales total against the channels, bank inflow against the statement, cash position against the physical count, open invoices against the old system's

ageing, GST liability accruing correctly. A variance over ₹100 is investigated the same day. A pattern of variances gets a root cause, not a second look.

Decommission criterion, stated in advance so it cannot be argued about later: the old system is retired when the first month's GSTR-1 and GSTR-3B have been filed from this one. Not when the build is finished; not when everyone feels confident.

E6 • SECURITY, COMPLIANCE, OPERATIONS

Row-level security in the database **and** permission checks in API middleware — defence in depth, because one layer is one mistake away from a cross-company read. Sessions expire and refresh on a fixed window. Transport encrypted; storage encrypted at rest; identity documents and bank details encrypted at the application layer with a key held outside the database, and never written into an export, a backup file or a repository.

Personal data can be exported and erased on request, with retention and consent tracked as the two separate clocks they are. Card data never reaches this system — the gateway's own secured field takes it, so there is no scope to protect. Electronic invoicing is wired when turnover crosses the threshold that makes it mandatory, not before.

Backups daily with a weekly off-site snapshot; automation workflows and server configuration in version control alongside the code. Recovery objectives: back up within four hours, lose no more than a day. A documented runbook, because a recovery plan nobody has read is a hope.

E7 • PERFORMANCE — GATES, NOT HOPES

Operation	p95 target
Page load, cached	< 1 s
Page load, uncached	< 3 s
Marketplace order pull, per channel	< 60 s
Settlement import, 1,000 lines	< 30 s
Invoice PDF	< 2 s
AI listing, one item across six platforms	< 20 s
Daily profit-and-loss refresh	< 10 s
Live stock query	< 500 ms

The stock query is the one that matters most and looks least important: it runs on every screen that shows a quantity, and a system that takes two seconds to say how many are left is a system people stop asking.

E8 · RISK REGISTER

Risk	Likelihood	Impact	Mitigation
Marketplace API rate limits	Medium	Medium	Backoff, per-channel windows, CSV fallback
WhatsApp provider outage	Low	High	Adapter swap to an alternative; SMS for critical alerts
Database provider downtime	Low	Critical	Daily snapshot off-site, standby replica, documented migration
Tax portal down at filing time	High	Medium	Generate five days early, retry queue, manual filing path
Karigar resistance to digital reporting	Medium	Medium	WhatsApp is already familiar; voice notes accepted; weekly review with the supervisor
Power loss at the production unit	Medium	Low	Offline-capable attendance and reporting, syncing on reconnect
Settlement variance volume overwhelms the first 60 days	High	Medium	Auto-categorise, bulk actions, alert only above a threshold
Bank statement format changes	Medium	Low	CSV import with a column-mapping screen

E9 · SUCCESS METRICS

Twelve months after go-live, measured against how the business runs today:

Measure	Today	Target
Marketplace order received → handed to courier	~24 h	6 h
Settlement reconciliation lag	30+ days	< 7 days
Disputed money actually recovered	roughly half is lost	80%+ recovered
Stock count variance	5–10% annually	< 1% quarterly
Karigar earnings disputes	5–10 a month	< 1 a month
Time to close a month	days	hours

The dispute number is the one that pays for the build. Everything else is time; that one is money that is currently leaving.

E10 · RUNBOOKS

Daily — the five-minute reconciliation during the parallel run, then the dispatch queue, the QC and alteration queue, incoming returns, and low stock. **Weekly** — channel profitability, design winners and losers, next week's content locked, marketplace ratings. **Monthly** — physical stock count, bank reconciliation per account per company, GST return generation and filing, payroll run and disbursement, karigar payout, profit and loss per company and for the group. **Quarterly** — channel mix and pricing review, vendor scorecards, dead-stock

clearance, and whether the AI spend earned its ceiling. **Annually** — year-end close and opening balances, annual returns, strategy and targets.

E11 · THE SHELL

One application. A left sidebar grouping the modules; a top bar carrying the company switcher, the financial year, global search and quick-create; the module in the canvas. On a phone the sidebar becomes a drawer and the common actions become bottom tabs — **every key action within two taps of home**, because the shop floor is holding a phone, not sitting at a desk.

Five dashboards, because five kinds of people need five different first screens: the owner sees cash, revenue and exceptions across all companies; the manager sees today's dispatch, QC and attendance; staff see their own tasks, hours and earnings; a karigar sees today's assignment, pieces submitted and this month's running total; a customer sees their orders, wishlist and returns. Nobody is shown a figure they may not see — that is enforced by the same row-level policy as everything else, not by hiding a widget.

Tables collapse to cards on narrow screens. Every grid exports to a branded workbook in the same style as the on-screen report. Interface strings carry keys so the surfaces staff and karigars use can be read in the language they actually speak.

The document tree. Generated documents file themselves into a per-company folder structure — HR, production, inventory, sales, finance, marketing, vendor, customer — with a consolidated group folder alongside. A document is found by the record it belongs to; the folder is where it happens to sit, not how it is retrieved.

Design tokens. Deep purple #4A2D82 , lavender #7B5EA7 , gold #C4963A , near-black #12091C ; Cormorant Garamond for display, DM Sans for body. Consolidated and total rows are visually distinct — dark ground, white bold — everywhere they appear, so a total can never be mistaken for another row of detail.

E12 · ACCEPTANCE TARGETS

Figures from the business's own records. A module that reprocesses this data and returns something else has a bug — not a new answer.


What	The owner's figure	Status here
Offline sales, three stores	124 items · 2,601 pieces	not yet wired — the source file is not in the verification set
E-commerce sale / return	59 items · sale 9,048 · return 3,995 · net 5,053 · wrong return 78 · inventory 4,975	not yet wired — see below
Karigar production and cost	143 designs · 29 units · 25,307 sets · 59,110 pieces · ₹26,90,062	reproduces the FY2025-26 half; the cause of the rest is named in Module 08

Why two of the three say "not yet wired", plainly. The verification suite runs against the workbooks currently in the shared folder, and those are not the same files these figures were taken from — the e-commerce figures come from a combined workbook covering a different span from the one the suite reads. Wiring a target against a file that is not the file it came from would produce a number that agrees with nothing. The targets are recorded here so they can be wired the moment the matching source is available, and marked honestly until then. The karigar

row is the worked example of doing this properly: it reproduces for the year the engine can read, and Module 08 states exactly why the other year cannot be read at all.

PART V — THE PROOF

The test of whether this is one system or twenty-two programs sharing a login is a single garment followed end to end. This is re-run at every module boundary.



One transaction. Eight modules. One database.

Everything in this document exists to make that single sentence true. The honest state today is that of the eight modules named in that sentence, sixteen apps are working and the shared database beneath them is written and tested but not yet carrying them — which is the first job of Module 01, and the reason the build order starts where it does.

EVERY APP, UNDER ITS MODULE

Not a count — the list. A count tells a reader how much they are not being shown.

22 modules · 113 apps. The whole of what is being built, named. A module is a part of the business; an app is one screen-and-its-work inside it. Any of them can be switched off for a business that does not need it — see the changeable things.

Module 01 · Platform — 8 apps

- **Identity, Settings & Audit** — Users, roles and permissions, company switching, tax and numbering setup — and an immutable record of everything that ever happened.
- **Industry Packs** — What your trade calls things, the stages your work moves through, the extra fields your records need, the documents you issue and the reference data you start with — all of it loaded as a row of configuration, never as a separate version of the software. Pick the pack that matches your trade and the whole system changes its words: the same order screen reads as a job, a matter, a consignment or an appointment, with the same columns underneath. A pack may rename what exists, add fields to tables that exist, and switch discretionary rules off; it may never invent a concept, add a field to a table that does not exist, contain any executable code, or switch off the guarantees — company scoping, the audit trail, money never being a float — because a trade may change its vocabulary and may not opt out of the things the books are trusted for. Adding a trade nobody anticipated is therefore a file somebody writes, not a release somebody ships.

- **Ask & Print** — Ask from your phone, anywhere: a ledger, a bill, today's packing slips. It comes back as a PDF — or prints on the office printer, with nothing plugged into your phone.
- **Communications** — WhatsApp commands and broadcasts, email and SMS, and the handful of scheduled jobs that carry a nudge to the right person without anyone remembering to send it. Every capability here has more than one interchangeable provider — none of them is ever the source of a figure the business reports.
- **WhatsApp Command Console** — The shop floor does not open a laptop. A worker or a staff member sends a short message — in, out, today's pieces, leave, an advance — and it becomes a real record: attendance with the time and place it was marked, a production report against the design, a request in the approvals queue. The end-of-day prompt asks what is still open and how long it needs, so tomorrow starts from what is actually pending rather than from memory. Marking attendance checks the phone is at the unit within the radius set for it, with a grace window; a person outside it is not refused, they are flagged for the manager, because a system that locks someone out of being paid for being early at the wrong gate has failed at its job. Every override is recorded with who made it. The words a worker types are in the language they speak, and nothing here ever asks for a password, a bank detail or a document number.
- **Data Privacy & Consent** — What a person's data may be used for, captured as consent at the point it is given and honoured everywhere downstream — including the right to have it corrected or removed. Retention (how long a record is kept) and deletion (a person's right to have their own data removed) are two different policies, tracked separately, because a rule that keeps records for the law and a request from a person to be forgotten do not resolve the same way.
- **Provider Router & Cost Guard** — The rule that no capability depends on one outside service, enforced at the moment it matters instead of merely promised. Every capability has an ordered fallback list ending on an option that needs nothing connected, so a courier API that stops answering at 9pm, or an AI key that hits its quota mid-catalogue, drops to the next option instead of stopping the work. A provider that keeps failing is tripped out of the list entirely and retried once after a cooldown rather than hammered; retries inside one provider wait twice as long each time. And every paid call is counted in paise against a ceiling you set — over the ceiling the paid provider is refused, not warned about, and the work completes on a free one. Because every capability is guaranteed a built-in or by-hand option, a spent budget can stop the spending without ever stopping the business.
- **Payment Data Scope** — A written statement of exactly which systems ever see a card or bank credential, and which never do — because every card-capable screen in this system hands that moment to a payment provider's own secured field and never stores or even passes the number through application code. The statement is what an auditor or a partner asks for before they will connect to this system.

Module 02 · Design & Sampling — 2 apps

- **PLM & Development** — First idea to something you can actually make: specification, sample rounds, costed trials and sign-off, with every version kept. A product, a machined part, a formulation or a service package all move through stages you set yourself.
- **Design / IP Register** — What protects a design once it exists — trademark or copyright status, the date it was first shown, and a flag the moment a near-identical listing turns up elsewhere. Every version already kept by PLM & Development gets a filed status here instead of just a date stamp, because a design with no ownership record on file is a design nobody can defend.

Module 03 · Inventory & Catalog — 4 apps

- **Stock** — Live quantity by SKU, location and stage, with reorder alerts, batches, kits and dead-stock. Goods you still own but that sit in a channel's own warehouse are a location like any other, so consignment and sale-or-return stock is counted, valued and aged with everything else instead of disappearing off the books until it sells.
- **Catalog / PIM** — One product record — attributes, images, HSN, MRP and the price each channel actually sells at — pushed to every marketplace and to your own storefront, and scored for each channel's rules before it lists. It also holds the two things everything downstream depends on: the code each channel knows this product by, mapped to yours, and the packed size and weight that decide the courier rate and settle every weight dispute. Every listing's state on every channel is here too — live, waiting for your approval, blocked, archived — with the quality score that decides whether anyone sees it.
- **Kit & Combo SKU** — A sellable SKU made of component SKUs — a three-piece set sold as one listing. Selling the kit decrements each component at order time, so stock is right for every piece in the set, not just the set itself.
- **Master-Data Hygiene** — Duplicate detection and merge across customers, vendors and designs, and a dead-stock register for what has not moved in months. Protects every downstream report from the same record existing twice under two names.

Module 04 · CRM — 4 apps

- **CRM & Customer 360** — Lead to won, then the full lifetime: orders, returns, value and what to offer next.
- **Documents & eSign** — Every agreement, receipt, certificate and scan filed against the record it belongs to — an order, a party, a case, an employee — so it is found by that record instead of by remembering a folder. Send one out for signature and the signed copy files itself back.
- **Helpdesk & Live Chat** — Questions arriving by chat, email or phone become tickets tied to the order or the account they are about, with the whole history already on the screen.
- **Forms & Feedback (NPS)** — A short form after delivery, and the score it produces attached to the design or item it is actually about — not just the buyer — so a complaint-prone item surfaces as a pattern instead of a scatter of individual gripes.

Module 05 · Sales — 8 apps

- **D2C Sales** — Orders from your own storefront — Shopify, WooCommerce or a custom site — cart to dispatch, with loyalty and partial COD.
- **B2B & Credit** — Wholesale orders with credit limits, tier pricing and outstanding ageing.
- **Export** — Commercial invoice, packing list, LUT bond and IGST-refund tracking.
- **POS** — Counter billing that draws on the same stock as your website.
- **Quotes & Proforma** — Send a quote, convert it to a confirmed order in one click.
- **Couriers & AWB** — Book the shipment on the order itself, compare couriers, print the label and follow the AWB to the door.
- **Subscriptions** — A schedule that raises its own invoice on its cycle and follows up on its own when a payment fails — for anything sold as a standing order rather than a one-off.
- **Customisation & Made-to-Measure** — The order that does not exist in the catalogue: a buyer sends reference pictures and their own measurements, a price is agreed over several messages, and the piece is

made for them. All of it is one record — the references, the measurement set, every quote in the negotiation and what was finally agreed, the advance taken to start work and the balance taken before dispatch. When the order is accepted it opens a production order like any other, so a bespoke piece is costed, made, checked and posted exactly as a catalogue piece is. Two legs of money on one order is the part most systems get wrong: the advance is earned when the work starts, the balance is owed until the piece ships, and the ledger shows both separately rather than one payment appearing when the whole thing is over.

Module 06 · Planning & Requirements (MRP) — 3 apps

- **Demand Forecast & Signal** — What sold, by SKU and by period, turned into a short-term forecast — the number every requisition and every production order downstream is measured against instead of a guess.
- **Requirement Explosion (MRP run)** — Confirmed demand exploded through the bill of materials into what raw material to buy and what to produce, and by when — so a purchase requisition or a production order always traces back to real demand, never to a feeling that stock is getting low.
- **Open-to-Buy / Budget Ceiling** — A spending ceiling set per period regardless of what the demand signal suggests, so a real signal cannot on its own commit more money than the business has decided to risk this season. Every requisition the MRP run drafts is checked against what is left of the ceiling before it goes to Purchase.

Module 07 · Purchase — 3 apps

- **Procurement** — RFQ to purchase order to goods receipt, with a strict three-way match before any bill is paid.
- **Vendor Management** — Vendor 360, payables, ageing, a real risk score, and sourcing that follows performance.
- **Insurance Register** — What cover exists over stock in transit, stock in the warehouse and product liability, matched against what is actually moving through Purchase and Warehouse right now — so real value in transit is never quietly running with no cover tracked anywhere.

Module 08 · Manufacturing — 4 apps

- **Production Orders** — Your own stages from first operation to finished goods, with work-in-progress visible at each one.
- **Piece-rate & Contractors** — Output-based pay for anyone paid by the piece rather than the hour — pooled completion, per-unit rates, rework and advances resolved into a single payout.
- **BOM & Consumption** — What each product consumes, costed at today's material rates.
- **Maintenance** — Machines, tools and assets: what is due for service, when it was last done, what it cost, and what stopped while it was down. Planned and breakdown work against the same asset record.

Module 09 · Quality & Compliance — 2 apps

- **Quality Control** — Accept, reject or rework — on goods received and on goods made — with reasons that feed the supplier scorecard and the performance flags alike.
- **Certificate & Compliance Register** — Every standard the business or a vendor holds — a safety, labour or environmental certification — with its issue date, its expiry, and the audit that backs it, so a certificate about to lapse is visible before a buyer asks for it and finds it already expired. What this register tracks is what a sustainability report downstream is actually built from.

Module 10 · Warehouse — 3 apps

- **Picking & Bins** — Pick lists that tell staff exactly which bin to walk to, in walking order.
- **Barcode Operations** — Scan to pick, pack, dispatch and run a physical stock count from a phone — the same scan whether the order came from a marketplace, your Shopify site or the counter.
- **Packing Video** — Every parcel recorded as it is packed and indexed by its order number, so a wrong-item claim is answered with the clip. The footage attaches itself to the claim that needs it.

Module 11 · Logistics — 5 apps

- **Rates & Zones** — Every courier's rate card by zone, weight slab and service — so the cheapest and the fastest option for this parcel are both known before it is booked.
- **NDR & RTO Rescue** — A failed delivery worked while it can still be saved — reattempt, call, correct the address — before it becomes a return you pay for twice.
- **COD Remittance** — What the courier collected at the door against what reached your bank, parcel by parcel, with every shortfall named and aged.
- **Handover & Manifest** — What is expected out today against what the courier actually took, counted per courier and per service. The manifest to hand over, the one-time code to confirm it, and a signed record of the parcels that were left behind — so a parcel lost between your table and their van has an owner.
- **Fleet** — Your own delivery vehicles, if you run any — what each trip cost, what is due for service, and what that adds to freight. Optional; most businesses run couriers only.

Module 12 · Accounting & GST — 9 apps

- **Accounting** — Double-entry books where every voucher balances and the trial balance always ties.
- **Invoicing** — GST tax invoices and receipts, totals computed from the lines to the paise. Where a channel raises its own invoice, both numbers live on the order — theirs and yours — so the panel's paperwork and your books point at the same sale and neither has to be re-keyed to find the other.
- **Expenses** — Spend captured by category with approvals, and bill OCR to save typing.
- **GST & Tax** — CGST, SGST, IGST, TDS, TCS, input credit, GSTR-1 and GSTR-3B — filed per registration, so a group where one company is registered and another is not files exactly what each one owes and nothing it does not.
- **ITC Reconciliation** — Every input credit matched against the government's own GSTR-2A/2B before a return is filed, so a credit claimed is a credit that is actually on record.
- **Receivables, Payables & PDC** — Payments and receipts allocated against named open invoices, and a register for post-dated cheques that posts only on the date they are realised, not the date they were written.
- **Fixed Assets & Depreciation** — The asset register with both Straight-Line and Written-Down-Value depreciation tracked side by side, and disposal posting its gain or loss straight to the books.
- **Year-End Close & Period Lock** — Profit-and-loss accounts reset and balance-sheet accounts carry forward at year end, and a reviewed period locks against backdated edits until an admin unlocks it — an act that is itself logged.
- **Finance Reports** — P&L, balance sheet, and profit by channel, product and SKU.

Module 13 · Treasury & Financial Planning — 3 apps

- **Cash Flow Forecast** — Expected receipts and expected payments laid out by week, drawn from open invoices and open bills rather than typed in by hand — so a cash shortfall is visible weeks before the date it would actually bite.
- **Banking & Reconciliation** — Bank statement lines matched against the ledger's own record of what should have moved, with anything unmatched surfaced instead of silently carried forward.
- **Budget vs Actual** — A budget set per category and period, and actual spend from Accounting tracked against it as the period runs — not only after it closes, when the only thing left to do is explain the variance.

Module 14 · Settlement — 3 apps

- **Payout Cycles** — Every settlement cycle each panel runs — what it should pay, what actually landed in the bank, and on which day — so a late payout is visible the day it is late, not at month end.
- **Fee & Commission Audit** — The rate card a channel publishes against the rate it actually charged, category by category and SKU by SKU. A silent commission increase is caught the first time it is applied — and the tier you are rated in is on the same screen, because the tier is what the rate card hangs off, and losing one quietly costs more than any single deduction.
- **TCS & TDS Register** — Every rupee the panels deducted as TCS and TDS, matched against the portal's own figures — so the credit you claim is the credit you are actually owed.

Module 15 · E-commerce / OMS — 11 apps

- **Marketplace OMS** — Every marketplace and every storefront in one order queue — Amazon, Flipkart, Myntra, Meesho, Ajo, Nykaa and JioMart alongside Shopify, WooCommerce, Magento, Wix and your own custom site. The stages each channel really uses — to accept, to pack, ready to dispatch, handed over, in transit — with the right cut-off counting down on every order, because a quick-commerce or air-shipped order is not due at the same hour as a standard one. Priority orders first, the day grouped by product so one item is picked once instead of once per parcel.
- **Order Management** — One pipeline from new to delivered, whether the order came from a seller panel, your Shopify or WooCommerce site, a dealer or the counter.
- **Manual Data Check** — Upload the sheets you already download — marketplace orders and returns, and your own counter-shop registers, one file or a whole ZIP — and read ten cross-checks back: money, month, item, state, returns, claims, ads, payouts and GST. Every figure is clickable down to the transactions behind it, and the whole result downloads as Excel.
- **Reconciliation** — Match every marketplace payout to the order line that earned it, and expose the gap.
- **Claims & Disputes** — Turn shortfalls, weight disputes and lost parcels into filed claims with evidence — and answer them before the clock runs out. A claim that is awaiting your response is worth money; one closed for no response is worth nothing, so the days remaining sit on the screen next to the amount.
- **Returns / RMA** — Customer, courier and wrong returns — and the dead stock they actually cost you.
- **Channels & Storefronts** — Connect a channel once and it stays in step: catalogue out, price out, stock out, orders in. Seven marketplaces and any website platform — Shopify, WooCommerce, Magento, BigCommerce, Wix or a custom site over its own API — each switchable without touching your data. Shopsy and any other storefront a channel runs alongside its main one counts as its own channel here. Where a channel has no open interface, its own downloaded report is a first-class way in. A channel may also know you by a different

trading name — that is a label on the channel, not a second company, so it tags the order and the payout without ever splitting your books.

- **Labels & Documents** — The channel gives you a PDF; this turns it into something a packer can work from. Cropped to your label size, your own product code printed large where the channel left it off, the invoice and the packing slip merged behind it, and the whole batch sent to the label printer in one job. Reprint a single parcel without redoing the batch — and nothing is ever uploaded to an outside website to be cropped.
- **Listing & Catalog Manager** — Bulk-create and bulk-edit listings across every channel from the one product record in Inventory & Catalog, and catch the mismatches that quietly cost sales: listed but out of stock, or in stock but never listed.
- **Size / Fit Recommendation AI** — A fit suggestion at the point of purchase, built from the item's own measurements and the return history of buyers who picked each size — aimed straight at the return reason that costs the most: the right item in the wrong size.
- **AR / Virtual Try-On** — A way to see drape, fit and colour on a screen before buying, for items where a flat photo alone leaves too much to guess.

Module 16 · HR & Payroll — 5 apps

- **Staff & Contractors** — Attendance, effective-dated salary and output-based earnings in a single register, whoever is on it.
- **Time-off & Advances** — Leave, festival advances, and exactly how they change this month's payout.
- **Appraisal & Hiring** — Performance reviews and a hiring pipeline that ends in an employee record.
- **Recruitment** — The pipeline before someone becomes an employee — an opening, the people who applied for it, a trial piece where the work itself is the interview, and the decision with its reason kept. It matters more in a skilled trade than in most: a person is taken on for skill at one particular kind of work, and the trial output is the evidence, so it is recorded against that work and the rate that would apply rather than remembered as an impression. A candidate who is not taken on now stays findable when the same skill is needed in a busy month, and their personal documents are held under the same consent and retention rules as anyone else's, not in a folder on somebody's phone.
- **Payout Execution** — Where the calculation in the earnings register actually turns into money leaving the business — bank batch, UPI, cash against a signed receipt — with the method and the reference recorded against every payout, so the register's total and the money that actually moved can always be checked against each other.

Module 17 · Marketing — 8 apps

- **Social Calendar** — Plan and publish across every channel from one calendar.
- **Campaigns** — Email, SMS and WhatsApp campaigns measured on real revenue, not opens.
- **Repricing Engine** — Rules per channel and SKU — floor, ceiling, match-lowest, festival overrides — and what each change actually did. A price that went up and took the orders down with it shows as exactly that, next to the rule that raised it, so the rule can be reversed on evidence rather than on a feeling.
- **Automation** — If this happens, do that — across any module, without writing code.
- **Blog & Pages** — Articles, landing pages and category copy written, scheduled and published straight to your own site — Shopify, WooCommerce, Magento or a custom CMS — with the meta title, description and internal links set before it goes out.

- **Events** — Trade shows and exhibitions worked as a channel of their own — booth, budget and every lead captured on the floor landing straight in CRM instead of on a stack of business cards.
- **Website & Page Builder** — The storefront itself, built by dragging sections into place rather than by editing a theme file — hero, product grid, size guide, lookbook, contact form — each block reading live from the catalogue, so a price or a stock state on a landing page is the same number the order screen uses instead of a figure someone pasted in and forgot. Blog & Pages above writes articles into a site that already exists; this is for the businesses that do not have one, and it is the gap that shows up plainly when this module list is set beside a mature open-source ERP: they ship a full site builder next to the blog, and until now this did not.
- **Markdown / Clearance Optimization** — The same rule engine that reprices for competitiveness, aimed at ageing stock instead: when to start discounting it and by how much, before it becomes a warehouse write-off rather than a sale at a lower margin.

Module 18 · AI Content Engine — 8 apps

- **Content Engine** — Fourteen stages in your own voice, from buyer research and competitor reading through hooks, channel-ready listings, ads, social posts, video scripts, song lyrics, the publishing calendar and alt text — each written from your own catalogue, so the words match the thing.
- **Image Studio** — Layers, free transform, background removal, channel presets and SEO alt text — a phone photo becomes a channel-compliant product image.
- **Video Studio** — Text and image to video, reels and ad cuts sized for every channel.
- **Design Studio** — A full design surface — templates, layers, undo and redo, any colour, exact sizing, background images and stock elements — exporting PNG, JPG or PDF at whatever size the channel or the printer asks for.
- **Motion Renderer** — A reel rendered from a page of HTML and CSS — the same layers, fonts and brand colours the Design Studio already uses — into a real MP4, on this machine, with nothing uploaded. It is not a screen recording: the clock is faked, the animation is seeked to the exact instant of each frame, and only then is that frame captured, so the render does not care whether the machine was busy. Rendering the same festival banner twice produces the same file to the byte, which is what makes a reel something you can check and re-cut rather than something you have to watch all the way through and hope about.
- **Narration Studio** — A voice over the reel, in the language the buyer actually speaks — the same script the Content Engine wrote, spoken. The default needs nothing installed and no key, because every modern browser can already speak; a self-hosted or cloud voice sits behind it as an interchangeable provider for anyone who wants a cloned or branded one. Long scripts are split at sentence boundaries and rejoined, so a two-minute description is not cut off at whatever limit a service imposes. A voice cloned from a real person is only ever used with that person's recorded consent, filed against them in Data Privacy & Consent like any other permission.
- **Image Generation Slot** — Generated imagery — a model on a background you do not have to shoot, a festival backdrop, a lifestyle scene — as a capability with interchangeable providers rather than a bet on one service: a queue of jobs, a preview while it works, inpainting to fix one region, upscaling and face correction. This one needs a graphics card. Image models cannot run on an ordinary office machine or on the container this system is built in, so what ships is the queue, the review screen and the provider slot, with the generating itself done by whichever engine you point it at — your own GPU box, or a cloud service, swapped without touching anything else. Said plainly here because the alternative is a screen that looks finished and produces nothing.

- **Publisher** — One push sends the finished listing, picture and copy everywhere it has to appear — your storefront, each marketplace, each social account — and reports back what actually went live and what was rejected, with the reason.

Module 19 · SEO, AEO & AIO — 3 apps

- **Technical SEO & Schema** — Structured data, sitemaps and page-level technical checks against your own storefront and content pages, so a search engine can read what a page is actually about instead of guessing from the text alone.
- **Answer-Engine Optimization** — Content shaped to be quoted directly by an answer box or a voice assistant — a clear, citable answer near the top of the page — rather than written only for a person to scroll through.
- **AI-Engine Visibility Tracking** — Whether and how this business is actually cited when someone asks an AI assistant a shopping question in this category, tracked over time — the same discipline as rank tracking, aimed at a newer kind of result page.

Module 20 · Projects & Collaboration — 7 apps

- **Projects & Cases** — A project, a case file, an engagement or a job — whatever your work is called. Stages you define, owners, deadlines, documents, billable time and real cost, all on one record the ledger can see.
- **Timesheets & Planning** — Who is on what this week, and the hours that actually went in — against a project, a case, a job or a machine. Billable and non-billable separated, so a rate card turns straight into an invoice and a real cost.
- **Approvals** — One queue for everything waiting on a yes — a purchase order, a discount, a leave day, a credit note, a payment. The rule that sent it there is on the screen next to it, and the decision goes to the audit record.
- **Forum** — Questions and answers that outlive a chat — for customers, dealers or staff — with the useful ones kept where the next person will actually find them.
- **Automation Studio** — The place a person builds “when this happens, do that” by dragging it out and watching it run — a trigger, the steps after it, a branch where the answer decides which way to go — over the same event stream every module already writes to. Marketing’s Automation aims that idea at campaigns; this is the general one, reaching any module: a payment marked short holds the next dispatch and opens a claim, a worker’s pooled output crossing a threshold raises the payout for approval, a return marked damaged writes off the piece and messages the buyer. Every run is kept — what fired it, each step, what each step returned — because an automation nobody can inspect afterwards is a rule the business cannot trust with its money.
- **Discuss** — Conversation attached to the record it is about: this order, this bill, this case. A year later the reason for a decision is still sitting next to the decision.
- **Knowledge Base** — A searchable internal wiki of standard operating procedures, scoped to the role it applies to, so how a task is meant to be done is written down once instead of carried in one person’s head.

Module 21 · Dashboard & BI — 5 apps

- **CEO Dashboard** — Cash, sales, stock, profit and alerts on one screen, refreshed as work happens.
- **Report Builder** — Drag the fields you want into a report and save it for the whole team.
- **Group Consolidation** — Several companies, one set of figures — sales, cash, stock and profit rolled up across every company you run, inter-company entries removed, with years of history to compare against. Add a company whenever the business grows one; nothing in the software caps the number, only the plan does.

And a company with no tax registration of its own — a job-work arm, a new venture not yet registered — is a company like any other here, kept in the group figures without being dragged into a return it does not belong in.

- **Excel Dashboard Builder** — A full workbook — financial summary, HR, purchase, sales, inventory and production, GST, expenses — generated from the live records behind every other screen, with each company shown as its own row and a consolidated row that is a formula over them, never a separately typed total.
- **ESG / Sustainability Reporting** — Water usage, chemical compliance, waste and packaging, reported from the same certificate and audit records Quality & Compliance already keeps — so a sustainability report is a query over evidence already on file, not a separate exercise assembled once a year from scratch.

Module 22 · AI Assistant, Agents & Automation — 5 apps

- **AI Assistant** — Ask in your own words — “what did Myntra actually pay us last week, and what is still short?” — and get the answer with the rows it came from sitting underneath it, each one clicking through to the record. It reads the ledger, the stock table and the settlement lines the same way a report does, so the figure it gives is the figure the books give. When it cannot find the answer it says so and shows what it looked at; it never estimates a number and presents it as a fact, because a plausible wrong figure is far more expensive than an honest blank. It answers only from records the person asking is already allowed to open, so it can never become a way around permissions.
- **AI Chatbot** — The same engine turned to face the customer, on your own storefront and on WhatsApp: where is my order, will this size fit me, I want to return this. It reads the real order and the real size chart rather than a script written six months ago, and it will say “let me get someone” instead of guessing at anything about money, a refund or a complaint. The handover goes into the Module 04 Helpdesk queue with the whole conversation already attached, so the person picking it up starts where the customer left off instead of asking them to explain again. It never asks a customer for a card number, a bank detail or a password — that promise does not get a chatbot-shaped exception.
- **AI Agents** — A job rather than a question: “chase every unreconciled settlement line from last week and draft the claim for each.” The agent works out the steps, does them, and stops at the point where a person has to decide. It runs inside a scope you set — which records it may read, which it may write, and how much it may spend through the Module 01 Provider Router — and it cannot quietly widen that scope mid-run. Anything that moves money, files a claim, changes a price or sends a customer a message waits for a human yes.
- **Agent Guardrails & Run Log** — What each agent is allowed to touch, written down as a scope rather than trusted to a prompt, and every run recorded step by step: what started it, what it read, what it proposed, what a person approved, what it actually changed. Kept in the same audit trail as everything else, with the same absence of an off switch. An agent whose working nobody can inspect afterwards is not a colleague, it is an unexplained entry in the books.
- **Knowledge & Retrieval** — The index that makes the answers grounded: your own designs, rate cards, settlement files, standard procedures and past decisions, searchable so a reply quotes what is actually on file instead of what a model remembers about the trade in general. Permission-scoped at the row, so two people asking the same question get answers drawn only from what each of them may already see.

EVERY LAYER, AND WHAT REPLACES IT

No capability depends on one supplier. Every layer names what it is built on today, at least two named replacements, and the one interface the rest of the code talks to — that interface is what makes a swap a settings change instead of a rewrite.

`brand/site/checkstack.js` refuses a layer with fewer than two alternatives, a vague alternative ("something else", "any other tool") or no interface.

19 layers · 57 named replacements. No capability here depends on one company staying in business, keeping its prices or keeping its terms. Each layer names what it is built on today, what can take its place, and the one interface the rest of the code talks to — that last part is what makes a swap a settings change instead of a rewrite.

A check refuses any layer with fewer than two alternatives, a vague alternative ("something else", "any other tool") or no interface, so this cannot rot into a paragraph nobody kept.

The database — PostgreSQL

What it does. Keeps every record — customers, orders, stock, vouchers — and answers questions about them.

Why this one. PostgreSQL is open source, runs anywhere, and has the two things this design needs built in: locks at the record level so one business cannot read another's rows, and exact whole-number arithmetic so money never drifts. Any managed Postgres service is a hosting decision, not a database decision — the same schema runs on all of them.

What can replace it

- A managed Postgres service — same database, somebody else runs the machine
- Postgres on your own server — the software is free, you supply the machine
- MySQL or MariaDB, if a team already knows them well — the schema needs rework for the record-level locks

The rest of the code only ever talks to `DatabaseService` — so changing the line above changes one file, not the application.

What the move actually costs. Moving between Postgres hosts is a dump and a restore. Moving off Postgres entirely means rewriting the isolation layer, which is the one part worth not moving.

File storage — Any S3-compatible object store

What it does. Keeps photographs, invoices and scanned documents — the things too big to sit in the database.

Why this one. Almost every file service speaks the same request format, so one adapter reaches most of them. That makes this the cheapest layer in the whole system to change your mind about.

What can replace it

- A different S3-compatible provider — usually a URL and a key change
- Files on your own server's disk, with a backup copy elsewhere
- A self-hosted object store such as MinIO, which speaks the same format

The rest of the code only ever talks to `FileStore` — so changing the line above changes one file, not the application.

What the move actually costs. Copy the files across and change the address. Nothing above this layer notices.

Cache and short-term memory — Redis, or a Redis-compatible store

What it does. Holds recently used answers and sign-in sessions so common screens open instantly.

Why this one. Nothing here is the only copy of anything. If the cache is wiped the system simply asks the database again and is a little slower for a minute — so this layer can be replaced, restarted or removed entirely without risking a single record.

What can replace it

- Valkey — the open-source continuation of the same thing, same commands
- Memory inside the application itself, which is enough until traffic grows
- A database table, slower but with nothing extra to run

The rest of the code only ever talks to `CacheService` — so changing the line above changes one file, not the application.

What the move actually costs. Near zero by design. Losing the cache loses no data, which is the whole reason it is safe to change.

The backend runtime — Node.js with TypeScript

What it does. Runs the business rules, checks permissions, writes records and calculates totals.

Why this one. The same language runs on the browser side, so one team can work across the whole system and code that validates a form can be shared with the code that validates the saved record — no rule gets written twice and no two versions of it drift apart.

What can replace it

- Any container host — the code is ordinary and carries no host-specific parts
- Python or Go for a service that genuinely suits them, talking over the same API
- A different Node framework — the business logic sits outside the framework on purpose

The rest of the code only ever talks to `the HTTP API contract` — so changing the line above changes one file, not the application.

What the move actually costs. Low, because the rules live in plain functions rather than inside a framework. Moving a service means moving the functions and putting a different door in front of them.

The API — REST over HTTPS, with a written schema

What it does. The agreed way the screens, the mobile view and any outside system ask the backend for things.

Why this one. Ordinary web requests over predictable addresses. Anything can call it — a browser, a phone, a spreadsheet, another company's software — without a special library.

What can replace it

- GraphQL for read-heavy screens, over the same underlying services
- A direct connection for live screens that must update by themselves

- Scheduled file exchange for partners who cannot call an API at all

The rest of the code only ever talks to `the published API schema` — so changing the line above changes one file, not the application.

What the move actually costs. Adding a second style is additive — the services underneath do not change.

The frontend — React with TypeScript, screens generated from configuration

What it does. Everything a person sees and clicks — screens, forms, tables, dashboards.

Why this one. Screens are drawn FROM SETTINGS rather than written one by one. A tenant that renames a field, adds a column or turns a module off gets a different screen with no new code written — which is the only way one system can serve a steel plant and a single creator without becoming two systems.

What can replace it

- Vue or Svelte — the screen definitions are plain data and do not care what draws them
- Server-rendered pages where speed on a weak connection matters more than interaction
- A native mobile shell reading the same screen definitions

The rest of the code only ever talks to `the screen definition format` — so changing the line above changes one file, not the application.

What the move actually costs. Moderate, and bounded: what a screen contains is data, so a rewrite replaces the painter, not the paintings.

Background work — A queue backed by the database, with named workers

What it does. Does the things nobody should have to wait for — sending a thousand messages, building a month-end report, pulling orders overnight.

Why this one. Every job is written so that running it twice does the same thing as running it once. That single discipline is what makes it safe to retry after a failure, and it is worth more than any particular queue product.

What can replace it

- A Redis-backed queue when volume outgrows the database
- A hosted queue service, behind the same interface
- An external workflow tool such as n8n for steps a non-programmer should be able to edit

The rest of the code only ever talks to `JobQueue` — so changing the line above changes one file, not the application.

What the move actually costs. Low. Jobs are plain functions with a name; the queue only decides when they run.

Search — PostgreSQL full-text search

What it does. Finds a product, a customer or a document by a few typed letters, instantly.

Why this one. Postgres can search well enough for a long time, and starting there means one less thing running, one less thing to back up, and one less thing to keep in step with the database.

What can replace it

- OpenSearch or Elasticsearch when catalogues grow large
- Meilisearch or Typesense — small, fast, self-hostable
- A hosted search service behind the same interface

The rest of the code only ever talks to `SearchService` — so changing the line above changes one file, not the application.

What the move actually costs. Low, and it is a one-way door you can walk back through: the records stay in the database either way, so a search engine is only ever a faster copy.

Sign-in and permissions — Sessions issued by the platform, with permissions checked in the backend and again in the database

What it does. Proves who somebody is, then decides what they are allowed to see and change.

Why this one. Who you are and what you may do are kept apart deliberately. Sign-in can be handed to an outside service — or to a customer's own company login — while permissions stay ours, because they depend on the company and role structure no outside service knows about.

What can replace it

- An identity provider for sign-in only, with permissions still decided here
- A customer's own company sign-in, for enterprises that require it
- Self-hosted Keycloak or Authentik, when nothing may leave the building

The rest of the code only ever talks to `IdentityService` — so changing the line above changes one file, not the application.

What the move actually costs. Low for sign-in, by design. Permissions never move, so the expensive half is never in play.

Keys and passwords the system uses — Environment variables on the server, readable only by the service account

What it does. Holds the connection details and keys the software needs, away from the code.

Why this one. A key in the code is a key in every copy of the code forever. Keeping them outside means one can be replaced in a minute without changing a line.

What can replace it

- A managed secrets service, when there are enough of them to be worth it
- Self-hosted Vault or Infisical
- Encrypted files kept outside source control

The rest of the code only ever talks to `ConfigService` — so changing the line above changes one file, not the application.

What the move actually costs. Very low — the code asks for a name and does not care where the value came from.

Messages to customers and staff — A message service with one adapter per provider, per tenant

What it does. Sends WhatsApp messages, text messages and email — reminders, confirmations, statements.

Why this one. Each tenant connects its own accounts. The platform is built with a place for them to plug in and never holds one central account of its own — a business's conversations with its own customers belong to that business. The platform's job is the plug, not the account.

What can replace it

- Any WhatsApp provider — the adapter changes, the code that decides what to send does not
- Text message and email as fallbacks when a message cannot be delivered
- A shared inbox or an export, for a tenant with no messaging account at all

The rest of the code only ever talks to `MessageService` — so changing the line above changes one file, not the application.

What the move actually costs. One adapter per provider. Switching is a settings change made by the tenant, not a release made by us.

Storefronts and marketplaces — A channel adapter per storefront or marketplace

What it does. Brings orders in from a shop website or a marketplace, and sends stock and prices back out.

Why this one. Every one of these is treated as a channel with an adapter. Adding a marketplace is writing one adapter and creating one record — never a change to how orders work.

What can replace it

- A different storefront platform — a new adapter, and orders keep arriving
- File import for a channel with no connection available
- Manual entry, which must always remain possible

The rest of the code only ever talks to `ChannelAdapter` — so changing the line above changes one file, not the application.

What the move actually costs. One adapter each. The order, the stock number and the books never change shape.

Taking payments — A payment adapter per provider, with the card field hosted by the provider

What it does. Collects money from customers online.

Why this one. Card details are handed straight to the payment provider's own secured field and never touch this system — so there is nothing sensitive here to protect, and switching provider moves no card data, because none was ever held.

What can replace it

- Any other payment provider, behind the same interface
- Bank transfer and UPI details recorded against the invoice
- Cash on delivery, reconciled when the courier settles

The rest of the code only ever talks to `PaymentService` — so changing the line above changes one file, not the application.

What the move actually costs. One adapter. No card data ever moves, because none is ever stored.

Delivery and couriers — A courier adapter per carrier

What it does. Books a shipment, prints the label, and follows it to the door.

Why this one. Rate cards and tracking differ per courier; what a shipment IS does not.

What can replace it

- A courier aggregator, which is itself just one more adapter
- A different carrier directly
- Manual booking with the tracking number typed in — always available

The rest of the code only ever talks to `CourierService` — so changing the line above changes one file, not the application.

What the move actually costs. One adapter each.

Artificial intelligence — A router in front of several providers, ending on one that needs nothing bought

What it does. Writes descriptions, tags photographs, summarises, and answers questions about your own data.

Why this one. Ordered fallback, a breaker on anything failing repeatedly, and a spend ceiling that REFUSES rather than warns. Because every capability also has an option that costs nothing, a spent budget can stop the spending without ever stopping the business.

What can replace it

- Any hosted model provider — an entry in the router, not a change to the system
- A model running on your own machine, for work that is routine or private
- Templates and rules with no model at all, which must always remain the last resort

The rest of the code only ever talks to `ModelRouter` — so changing the line above changes one file, not the application.

What the move actually costs. A list entry. The router exists precisely so changing provider is never a project.

Where it runs — Containers on a virtual server

What it does. The machines that serve the website and the application.

Why this one. The application is packaged as an ordinary container with nothing host-specific inside it. That single decision is what keeps every hosting option open, forever.

What can replace it

- A managed container platform, when scaling by hand stops being fun
- A different cloud, or a different country, for the same container
- A machine in your own office, for data that must not leave it

The rest of the code only ever talks to `the container image` — so changing the line above changes one file, not the application.

What the move actually costs. Low by construction. If moving hosts is ever hard, something host-specific has leaked in and that is the bug.

Source control and automatic checks — Git, with automatic checks on every change

What it does. Keeps the history of every change and runs every test before anything goes live.

Why this one. Git itself is the thing that matters, and git is not owned by anybody. The host is a convenience.

What can replace it

- A different hosting service — a git repository moves with one command
- Self-hosted Gitea or Forgejo
- A separate build service reading the same repository

The rest of the code only ever talks to `the test commands themselves` — so changing the line above changes one file, not the application.

What the move actually costs. Very low. The checks are ordinary commands, so any system that can run a command can run them.

Watching it — Structured logs and error reporting, in an open format

What it does. Reports errors, measures speed, and tells you when something stops answering.

Why this one. Standard formats mean the tool that reads them is replaceable without changing what the system emits.

What can replace it

- Any hosted error-tracking service
- Self-hosted GlitchTip, or a Grafana and Prometheus stack
- Log files plus an uptime checker, which is enough at the start

The rest of the code only ever talks to `Logger and the metric format` — so changing the line above changes one file, not the application.

What the move actually costs. Low — the system emits a standard shape and does not know who is reading it.

Making documents — HTML templates printed to PDF by a headless browser

What it does. Produces invoices, statements, labels and reports as files a person can print or send.

Why this one. What a document SAYS is data. How it is drawn is replaceable, and should be.

What can replace it

- A dedicated PDF library for very high volume
- A hosted document service
- Spreadsheet or CSV output, which some readers prefer anyway

The rest of the code only ever talks to `DocumentRenderer` — so changing the line above changes one file, not the application.

What the move actually costs. Low. Templates are content; the renderer is a tool.

WHAT THIS BUSINESS CAN CHANGE ITSELF

Everything below is changed in the app, taking effect the same minute — no developer, no release, no phone call. Every change carries the date it starts from and is added rather than written over, so what was already recorded does not move.

18 things you can change, across 4 areas — and 6 that can never be switched off. Everything below is changed in the app, by you, taking effect the same minute. None of it needs a developer, a release or a phone call.

The column that matters most is the last one: **what happens to records already made.** A change carries the date it starts from and is added rather than written over, so a supervisor can leave on Tuesday and a replacement start on Wednesday — and last month's payroll, already paid, does not move by a rupee. *Purana record mita nahin; naye date se naya rule lagta hai.*

People

What changes	Who can	Takes effect	Records already made
Somebody joins — a worker, a supervisor, an office staff member, a contractor	Admin, or an HR role	They exist from their start date and can be assigned work the same minute.	Nothing before their start date mentions them, because they were not there.
Somebody leaves, with or without notice	Admin, or an HR role	Marked as left from a date. Their sign-in stops, and no new work is assigned to them. Their record is kept, not deleted.	Every hour they worked, every piece they made and every rupee they were paid stays exactly as it was. Deleting the person would blank all of it and change months already closed — so the record remains and simply has an end date.
A replacement starts immediately, in the same position	Admin, or an HR role	Added with their own start date and given the position. Work in progress is reassigned to them from that date. No waiting, no release, no developer.	Work completed under the previous person stays credited to the previous person. Two people held the same position at different times, and every record knows which one applied when.
A pay rate, a piece rate or a salary changes	Admin, or an HR role	Applies from the date you set — which may be today, a future date, or a past one you are correcting.	Every completed period recalculates to the rate that applied then, not the new one. This is the single most important line in this register: a rate that silently applied backwards would change payments already made to real people.
What somebody is allowed to see and do	Admin	Takes effect on their next action. Screens they may no longer open stop opening.	Everything they did while they held the old permissions stays recorded, with the permissions they had at the time.

Structure

What changes	Who can	Takes effect	Records already made
A new company is opened, or an existing one is closed	Admin	It exists immediately with its own name, trading name, code and document numbering. The group view includes it from that date.	Group figures for earlier periods are unchanged, because the company did not exist in them.
A new way of selling is added — a marketplace, a shop, a counter, an export desk	Admin	Orders can arrive through it the same day. It appears in every report that breaks figures down by channel.	Earlier reports keep their own columns. A channel that did not exist then does not appear then.
A godown, a shop, a unit or a stock point is added, renamed or closed	Admin	Stock can move to and from it immediately.	Stock movements already recorded keep pointing at it, under the name it had at the time.
Which parts of the system this business uses at all	Admin	Turned on, a module appears in the menu with its screens ready. Turned off, it disappears from the menu. A steel plant, a clothing brand and a single creator each end up with a different system built from identical code.	Turning a module off hides its screens and keeps its records. Nothing is destroyed by tidying a menu.

Your words

What changes	Who can	Takes effect	Records already made
What the system calls things	Admin	Every screen, every report and every document changes wording at once. One business says order, another says job, another says matter, consignment, batch or booking — the record underneath is identical.	Documents already issued keep the wording they were issued with, because that is what the customer received.
Extra information you want to record that nobody else needs	Admin	Added to the screen immediately, with the type you choose — text, number, date, a list to pick from, a yes or no. Reportable from the moment it exists.	Older records simply have no value for it, which is the truth. They are never back-filled with a guess.
The steps your work moves through	Admin	Add a stage, rename one, reorder them or remove one. New work follows the new list from that moment.	Work already part-way through keeps the stage it is in, even if that stage has since been removed — a job does not teleport because somebody edited a list.
The layout and numbering of invoices, statements, labels and reports	Admin	The next document uses the new layout or the new numbering.	Documents already issued are never re-rendered. What the customer holds and what you hold stay identical.

Rules

What changes	Who can	Takes effect	Records already made
Turning a discretionary rule on or off	Admin	Applies to the next transaction. One business requires an approval below a price floor; another does not — same software, different setting.	Transactions already posted are not re-judged against a rule that did not apply to them.
Who has to approve what, and above which amount	Admin	The next request follows the new path.	Requests already approved keep the path they went through, and the names of who approved them.
Tax rates and the categories they attach to	Admin, or an accounts role	Applies from its effective date, which for tax is set by law rather than by you.	Every invoice keeps the rate that applied on its own date. A return filed for an earlier period recalculates to that period's rate — this is not a convenience, it is the only correct behaviour.
Which outside service is used for messages, payments, delivery or artificial intelligence	Admin	The next message, payment or shipment goes through the new one.	Everything already sent keeps the record of which service carried it, which is what you need when you query one.
The most the system may spend on paid outside services	Admin	Enforced immediately. Over the ceiling, the paid option is refused and the work completes on one that costs nothing.	Spending already recorded is unchanged.

What can never be switched off

Short on purpose. Every line is something a bank, an auditor, a customer or an employee relies on, and a setting that could remove it would remove their protection too.

Never changeable	Why
The audit trail	Who changed what, and when. A system where this can be switched off cannot be used to answer a dispute, so it cannot be switched off.
Every record naming the company it belongs to	Without it, figures from two companies merge and no report can be trusted again.
One business being unable to read another's records	This is not a preference. It is the promise that makes a shared platform usable at all.
Money kept as exact whole units	The alternative loses fractions of a rupee in ways nobody can trace afterwards.
Deleting nothing — records are ended, never erased	An erased record changes a period that was already closed, filed and possibly audited.
Never asking for a marketplace, bank or account password	The system connects through proper keys that you can withdraw. A password would hand over an account you cannot take back.

EVERY TECHNICAL WORD, IN PLAIN LANGUAGE

No prior knowledge is assumed anywhere in this document. Every technical term it uses is here, in plain language, with an everyday comparison where one helps.

39 words. Every technical term this document uses, in plain language, with an everyday comparison. Nothing here assumes you already know any of them.

platform

One piece of software that many separate businesses use at the same time, each seeing only its own information.

Ek badi building jisme bahut saare offices hain. Building ek hai, par har office ki chaabi alag — koi kisi aur ke office mein nahin ghus sakta.

tenant

One business using the platform. Its people, its data and its settings are its own.

Us building mein ek office. Aapka office, aapka saamaan, aapka taala.

module

One area of work in the system — sales, purchase, staff, accounts. Each is a set of screens that belong together.

Dukaan ke alag-alag counters. Ek counter bikri ka, ek kharidi ka, ek hisaab-kitaab ka.

industry pack

A settings file that teaches the system your trade — what you call things, the stages your work moves through, the documents you issue.

Ek hi machine, alag-alag saancha. Saancha badal do, wahi machine doosri cheez banane lagti hai.

database

Where all the information is kept, arranged so any of it can be found instantly and nothing gets lost.

Ek badi almari jisme har cheez apne fix khaane mein rakhi hai — dhoondhne ke liye poori almari palatni nahin padti.

table

One kind of information inside the database — all your customers in one, all your orders in another.

Almari ka ek khaana. Ek khaane mein sirf customers, doosre mein sirf orders.

row

One single record — one customer, one order, one payment.

Register mein ek line. Ek line matlab ek entry.

schema

The written plan of what information the system keeps and how the pieces connect.

Makaan ka naksha. Deewar uthane se pehle kaagaz pe tay hota hai kaunsa kamra kahaan hai.

row-level security

A lock inside the database itself, so one business physically cannot read another business's records — even if the software above it has a bug.

Taala darwaze pe nahin, tijori pe. Guard so bhi jaaye toh bhi tijori band rehti hai.

migration

A recorded change to the shape of the database, so every copy of the system can be updated the same way, in the same order.

Naksha badla toh likh ke rakha — taaki har site pe wahi badlav, usi tarike se ho.

backup

A copy of everything, kept somewhere else, so a mistake or a failure does not lose your work.

Zaroori kaagzaat ki photocopy, doosri jagah rakhi hui. Asli jal jaaye toh bhi kaam nahin rukta.

integer paise

Money stored as a whole number of paise instead of a decimal, so amounts are exact and rounding can never quietly lose a rupee.

Paisa hamesha poore paise mein ginte hain, aadha-adhoora kabhi nahin — isliye hisaab kabhi ek rupya idhar-udhar nahin hota.

effective date

The date a change starts applying from. Records made before it keep the old value; records after it use the new one.

Naya rate 1 tarikh se lagu. Purane mahine ka bill purane rate se hi banega — woh apne aap nahin badlega.

audit trail

An automatic record of every change — what changed, who changed it, and when.

Har entry ke saath naam aur time apne aap likha jaata hai. Baad mein koi bole "maine nahin kiya", toh register bata deta hai.

backend

The part of the software you never see, which does the actual work — checks the rules, saves the records, calculates the totals.

Hotel ka kitchen. Customer nahin dekhta, par khaana wahin banta hai.

frontend

The part you see and click — the screens, the buttons, the forms.

Hotel ka dining hall aur menu card. Jo aapke saamne hai.

API

The agreed way two pieces of software talk to each other, so one can ask the other for something and get a predictable answer.

Waiter. Aap kitchen mein nahin jaate — waiter ko order dete ho, wahi khaana le aata hai. Waiter badal jaaye toh bhi order dene ka tarika wahi rehta hai.

interface

A written promise about what a part of the system does, without saying which product does it — so the product underneath can be swapped without anything above noticing.

Bijli ka socket. Socket ka size fix hai; usme koi bhi company ka plug lag jaata hai.

adapter

A small piece of code that translates between the system and one outside service, so the rest of the system never has to know which service is in use.

Travel adapter. Andar ka appliance wahi, bas plug ko us desk ke socket ke hisaab se badal diya.

storage

Where files are kept — photographs, invoices, scanned documents. Different from the database, which keeps information rather than files.

Almari ke bagal wala godown. Register almari mein, par bade dabbe aur photo godown mein.

cache

A small, fast copy of information that was just looked up, kept ready in case it is asked for again.

Counter pe rakha hua sabse zyada bikne wala saamaan. Har baar godown tak jaana nahin padta.

queue

A waiting line for work that does not have to finish this second — sending a hundred messages, building a big report.

Darzi ki dukaan ka parchi system. Kaam parchi pe likh ke lag gaya line mein; customer khada intezaar nahin karta.

job

One piece of work taken off the queue and done in the background.

Line mein se uthayi gayi ek parchi, ab uska kaam ho raha hai.

search index

A prepared list that makes finding things fast, the way the index at the back of a book beats reading every page.

Kitaab ke peeche wali index. Poori kitaab padhne ki zaroorat nahin, seedha page number mil jaata hai.

environment

A separate running copy of the system — one for trying things, one that customers actually use.

Rehearsal aur asli show. Practice alag jagah, taaki galti sabke saamne na ho.

deployment

Putting a new version of the software in place so people start using it.

Nayi dukaan kholna ya purani ko naya roop dena — jab tak shutter nahin uthhta, customer ko farq nahin padta.

continuous integration

A robot that checks every change automatically, before anyone can put it live.

Quality-check wala banda gate pe khada. Har maal nikalne se pehle usse guzarta hai.

rollback

Putting the previous working version back, quickly, when a new one turns out to be wrong.

Naya taala kharab nikla toh purana taala wapas laga do — do minute ka kaam.

observability

Being able to see what the system is doing and what went wrong, without guessing.

Dukaan mein CCTV aur register. Kuch gadbad ho toh dekh sakte ho ki hua kya, andaaza nahin lagana padta.

uptime

How much of the time the system is actually working and reachable.

Dukaan mahine mein kitne din khuli rahi. Band rahi toh customer wapas chala gaya.

model

The piece of artificial intelligence that reads or writes text, tags a photograph, or answers a question.

Ek bahut padha-likha assistant. Kaam accha karta hai, par har baat pe usse poochho toh kharcha aur waqt dono lagta hai.

provider

A company whose service the system uses — for messages, for payments, for artificial intelligence, for delivery.

Supplier. Ek supplier maal na de toh doosre se le lo — kaam nahin rukna chahiye.

fallback

The next option the system automatically moves to when the first one fails or is unavailable.

Bijli gayi toh inverter. Inverter gaya toh mombatti. Andhera kabhi nahin hota.

spend ceiling

A maximum amount the system is allowed to spend on paid services, after which it refuses to spend more instead of warning you.

Jeb mein utne hi paise leke nikle jitna kharch karna hai. Khatam matlab khatam — udhaar nahin.

circuit breaker

A switch that takes a repeatedly failing service out of use for a while, instead of retrying it endlessly and slowing everything down.

Ghar ka MCB. Baar-baar fault aa raha hai toh woh line hi kaat deta hai, poora ghar band nahin hota.

role

What a person is allowed to see and do — a manager sees more than a counter staff member.

Chaabi ka guccha. Manager ke paas zyada chaabiyaan, staff ke paas kam.

permission

One specific thing a role is allowed to do, like approving a discount or viewing salaries.

Guchhe ki ek chaabi. Ek chaabi ek darwaza.

authentication

Proving you are who you say you are, usually by signing in.

Gate pe pehchaan dikhana. "Main kaun hoon" wala sawaal.

encryption

Scrambling information so that even somebody who steals the file cannot read it.

Apni hi code-bhasha mein likhna. Chori bhi ho jaaye toh padha nahin jaata.

Every figure in this plan traces to a source: the module and app counts are read directly from the canonical module list the website and every generated document also read, so they cannot drift; the built-versus-spec marks correspond to sixteen apps that pass their own self-tests and a full click-through audit in both editions; and the acceptance figures in Module 08 and the gate in Module 14 are the owner's own numbers, not targets invented here.