

ADI Praxis user guide

Release 1.1 · for Admins, Program Managers, Validators, Finance, staffing partners and experts

ADI-Labs · 2026-10-01

ADI Praxis user guide

ADI Praxis (by ADI-Labs) is where subject-matter experts (SMEs) write realistic, fully synthetic tasks from real workflows, for example Banking / KYC onboarding. People check every task, and accepted tasks go into the **Approved Task Dataset**, which the separate RL Gym platform uses to train and test AI agents.

This guide is for everyone who uses ADI Praxis: ADI-Labs staff in the console, staffing partners in the partner portal, and the experts themselves in the candidate app. It describes **release 1.1** (test build `test-1.1-20260930`). Words in **bold** or "quotes" are exactly what you see on the screen.


Chapters

Chapter	Read it if you are...
1. Getting started	Everyone: the three apps, signing in, the menu, the Help button, common messages
2. Admin	An Admin: templates, guidelines and courses, partners, users, terms, keys
3. Program Manager (PM)	A PM: projects, opportunity pages, staffing, requisitions, progress, pay-run confirmation
4. Validator	A Validator: deciding applications, reviewing tasks, RL reviews, certification reviews
5. Finance	Finance: rate cards, earnings and holds, pay runs, reconciliation, partner statements
6. Staffing partner	A partner user: requisitions, putting candidates forward, tracking them, statements, API
7. Expert (SME)	An expert: applying, identity, profile, onboarding, certification, writing KYC tasks, payments
Roles, user IDs and admin functions	Who can do what, demo accounts, every Admin function
8. Troubleshooting and FAQ	Something did not work
Demo videos	A guided tour, one video per role

A PDF of the whole guide is built with `node docs/user-guide/build-pdf.mjs` (see VIDEOS.md for the videos).

The big picture





Rules that hold everywhere

- **A person makes every decision.** AI recommends and drafts; it never selects, rejects, grades, certifies or accepts a task on its own.
- **Synthetic data only.** Tasks never contain real customers, colleagues, employers or documents. The platform scans for real-looking identifiers and asks the author to explain or replace them.
- **No identity documents are kept.** The identity check is done by the provider (Stripe Identity); ADI Praxis keeps only the result, never document images, ID numbers or date of birth.
- **The dataset never changes.** Accepted tasks and RL verdicts are append-only; a correction is a new record.
- **Everything is recorded.** Every change is written to the audit log with who did it and when.

Glossary

Word	Meaning
SME / expert / candidate	A subject-matter expert. "Candidate" before they are selected
Workflow template	The definition of a kind of task (for example "KYC onboarding and refresh"): sections, coverage, checks, human gate. Admins publish it; projects use a frozen version
Project	A PM's piece of work using one template: how many distinct tasks, by when, by whom
Opportunity page	The public page candidates read before applying to a project's pool
Pool	The candidates selected for a project's opportunity
Requisition	A role a project needs filled through partners or the careers page, for one tier, with headcount, requirements, guidelines and pay
Tier	The SME level for certification: **Expert**, **Reviewer**, **Annotator**. ("Reviewer" on a screen means this tier)
Validator	The internal console role that makes human decisions (called `REVIEWER` in the code)
Guidelines package	The domain rules an Admin uploads; Claude drafts a knowledge map, a course and a test per tier from them
Coverage / slot	The matrix of case types and edge cases a project must cover; each task fills a slot so tasks stay diverse
TPT	Time per task: a planning and pay target in minutes, never a deadline

Word	Meaning
W00–W06	The sections of the KYC task workbench, from "How do you want to start?" to "Check and submit"
Recorded tool call (MCP)	A tool response the author writes so RL Gym can replay the task exactly
Human gate	The decisions an AI agent must hand to a person (for KYC: approve, reject, high risk)
Approved Task Dataset	The append-only store of accepted tasks that RL Gym reads
Rate card	What an SME earns per accepted task; versioned and never edited
Pay run	The weekly batch of payouts: built, confirmed by a PM, approved and submitted by Finance

1. Getting started

1.1 The three apps

App	Who uses it	Test environment address
Console	Admin, PM, Validator, Finance	https://praxis-web-742785092638.us-central1.run.app
Partner portal (part of the console site)	Staffing partner users	https://praxis-web-742785092638.us-central1.run.app/partner/login
Candidate app	Experts (SMEs) and the public careers page	https://praxis-candidate-742785092638.us-central1.run.app

The demo environment has the same apps at `praxis-web-744400601364…` and `praxis-candidate-744400601364…`. Demo user IDs are listed in Roles, user IDs and admin functions.

In the test and demo environments a **yellow banner** at the top says the data is synthetic and that candidate sign-in and identity checks are simulated, followed by the build (for example `Build test-1.1-20260930`). Always include the build when you report a problem.

1.2 Sign in to the console

1. Open the console. You see **"Sign in to the console"**.
2. Enter **Email** and **Password** and select **Sign in**.
3. You land on **Home**, which shows "Welcome, *your name*" and tiles with what is waiting for you, for example "Applications to decide" or "Pay runs waiting for you". Select **Open →** on a tile to go straight there.

Message	What it means
"Too many attempts. Wait a minute and try again."	Sign-in is limited to 10 attempts a minute
"Sign-in failed" or the server's reason	Wrong email or password, or the account is disabled
"Could not reach the server. Check your connection and try again."	Network problem

Your session lasts 12 hours. Select **Sign out** (top right) when you finish. **Dark theme / Light theme** switches colours.

> **One browser holds one sign-in.** Signing in as another user in a second tab switches the first tab too. To work as two roles at once (for example PM and Validator), use a separate browser profile or a private window for each.

1.3 The menu

The console menu has two rows. The **top row** shows groups: Home, Projects, Reviews, Certification, Partners, Payments, Admin. Select a group to open its first page; the **second row** shows that group's pages. You only see groups your role may use (see the table).

If you open a page you may not use, you see **"No access — This page is for ..."** and **Go to your home page**. If SME supply is switched off in an environment, partner, certification and payment pages say **"SME supply is not switched on"**.

1.4 Forms

- A red ***** marks a required field. Each form starts with "Fields marked * are required."
- Errors appear next to the field or in a box at the top listing what to fix.
- Most changes ask for confirmation when they are final (for example "Cancelling is final. Cancel this project?").

1.5 The Help button (Support Bot)

Every console and partner-portal page has a **Help** button at the bottom right.

1. Select **Help**. The **Support Bot** panel opens.
2. Choose a suggestion — "What do I need to fill in on this screen?", "What happens after I submit this?", "Why can't I do this step yet?" — or type a question and select **Ask** (or press Enter).
3. Close with ✕ or Escape.

The Support Bot sees only what you can see on the screen and explains fields, required items and next steps. **It cannot change anything or make decisions.** Do not type passwords or personal data. If you ask too many questions in a minute it asks you to wait. In the test environment it is answered by Claude; if Claude is unavailable it says "The Support Bot is not available right now".

The candidate app has no Help button.

1.6 Tutorials (videos and this guide)

Every app has a **Tutorials** page with short captioned videos and this guide as a PDF.

App	Where	What you get
Console	**Tutorials** on the top row of the menu	"For your role" first (Getting started and your role's video), then the other roles; the full user guide
Partner portal	**Tutorials** in the portal menu	The staffing partner video and the partner guide
Candidate app	**Tutorials** in the top navigation (also when signed out)	The expert video and the expert guide

Console and partner tutorials need a sign-in; the candidate app's are public so people can see the work before applying.

1.7 Status labels you will see often

Area	Labels
Project	Draft, Ready for staffing, Staffing, Staffed, In progress, Paused, Completed, Cancelled
Application	Draft, Submitted · assessing, Awaiting decision, More information requested, Selected, Not selected, Review requested, Withdrawn
Task	Queued, Assigned/Not started, In progress, In review (Submitted · awaiting review), Rework (Changes requested), Accepted, Rejected (Not accepted)
Requisition	Draft, Open, Paused, Filled, Closed
Certification	Not started, Course in progress, Ready for the test, Test in progress, Certified, Retake available, With a person for review, Not certified, Expired
Pay run	Draft → Confirmed → Approved → Submitted → Completed (or Cancelled)

1.8 Reporting a problem (testers)

Follow docs/testing/README.md: one problem per report, the build from the banner, the user ID (never the password), steps, what you expected and what you saw, and a screenshot.

2. Admin

An Admin sets up the platform so PMs can run projects and experts can work: workflow templates, guidelines with their courses and tests, staffing partners, contributor terms, diversity attributes, RL failure codes and machine keys. An Admin also has every Validator page and most PM pages. A full list of Admin functions, including the ones that only exist in the API, is in Roles, user IDs and admin functions.

What an Admin cannot do: create a project (only a PM can), or approve and submit a pay run (only Finance can).

2.1 Workflow templates

A template defines a kind of task. Projects can only be created from a **published** template, and a project keeps the version it was created with.

Add a domain

1. **Projects → Templates**. At the bottom, fill **Add a domain *** and select **Add domain**.

Create and publish a template

1. On **Templates**, select **New template**.
2. Choose **Domain *, *type* *Workflow name* |** and select **Create draft**.
3. Fill the draft editor:
   - **Primary work**, **Verification / reward**, **Human gate (decisions workers must not make)**
   - **Default TPT (minutes, 1–480)**, **Skills (comma separated)**, **Task modes** (Authoring, Annotation)
   - **Distinct-task target *, *Max tasks per expert* |**, **Open-slot share (%)**, **Similarity threshold (0–1)**
   - **Coverage dimensions** (key, label, values) and **Coverage cells** (tags, **Quota ***, *Required)*
   - ***Edge-case catalog*** *(name,* ***Quota |***, Required, description)
   - **Task definition schema (JSON)** and **Collection schema (JSON)**
4. Select **Save draft**. If something is wrong you see "Fix these before saving:" and a list.
5. Select **Publish**. Published versions cannot be edited ("Save your changes before publishing. Published versions can't be edited.").

Change or retire a template

- **New version** creates an editable draft copy. Projects already using the old version keep it.
- **Retire** → **Confirm retire** hides the workflow from new projects. Existing projects keep their version.
- The **Versions** sidebar shows every version.

2.2 Guidelines, courses and certification tests

Guidelines are the domain rules. From them Claude drafts a **knowledge map**, a **course** and a **certification test** for each tier (Expert, Reviewer, Annotator). **Nothing reaches candidates until an Admin approves every part and publishes the tier.**

Create a package and upload a version

1. **Certification → Guidelines**. Under **New guidelines package** fill **Domain *** (for example "KYC review") and **Name *** (for example "Banking KYC guidelines"). Select **Create package**.
2. On the package card, under **Upload a new version ***, choose a PDF, DOCX, MD or TXT file up to 10 MB. Tick **Major change** if SMEs must take an update module and quiz before their next task.
3. Select **Upload**. The version page opens: "Version n uploaded (n sections). Generation has started."

Watch generation

- **Generation runs** lists each run: Started, Scope, Stage, Status (Queued, Running, Succeeded, Failed), Model and cost. While a run is active you see "Running now: refresh to see progress".
- To redo part of the work, use **Regenerate**: choose Everything, Knowledge map, Course, Blueprint or Item families, and **For tier** (default "Every unpublished tier"). Only one run at a time.

Check the knowledge map

The knowledge map lists rules, steps, thresholds, edge cases and failure modes, each citing its guideline section. For each item: **Approve**, **Reject**, **Edit text** (then **Save**), and **Mark critical** for rules a candidate must never miss (shown as "Critical rule"). Filter by Kind and Status (To review, Approved, Rejected).

Approve each tier's course

1. On the version page, open a tier's **Course**.
2. Read each module against its cited sections: explanation, good and bad examples, the quiz (✓ marks the right answer) and practice items. Candidates must score 80% on each module's quiz to unlock the next.
3. To change a module: **Edit module** → **Title ***, ***Explanation ***, **Quiz (JSON) *** → **Save module**. The course then needs approval again.
4. Under "Your decision on this course", optionally add a **Note**, then **Approve course** or **Reject**.

Approve each tier's blueprint and item families

The blueprint says how long the test is and how it is scored. Every candidate gets **different but equivalent questions** generated from item families; the right answer always comes from the family's rule, never from the model.

1. Open the tier's **Blueprint**. Check Items, Time limit, Pass rules and Competencies.
2. To change them: **Edit length, time, pass rules and weights** → Items (5–100), Time limit (10–300 minutes), Overall pass mark %, Planted errors %, Written answer pass score, People

confirming each authoring grade, "Fail on any critical-rule miss", and **Competency weights**, which must total 100. **Save blueprint**, then approve again.
3. **Approve blueprint** (or **Reject**).
4. Under **Item families**, check each family: its samples must pass "Key from rule", "Independent solve agrees", "Cited section supports it" and "Difficulty in band". Then **Approve family**. You can also **Generate another sample**, **Edit family** or **Reject** (only an Admin can reject).
   • Expert-tier families also need a Validator's approval (or an Expert's, once the domain has two certified Experts).
   • A family flagged after repeated validation failures must be edited or regenerated first.

Publish a tier

When a tier card shows **Ready to publish**, select **Publish *Tier* → Yes, publish *Tier***. Candidates can start the course and test at once. A published tier cannot change: upload a new version instead.

A PM then links the package to a requisition (PM chapter).

2.3 Staffing partners

Add a partner

1. **Partners → Partners**. Under **Add a partner** fill **Partner name ***, Business check (Pending, Verified, Rejected), Domains (blank = any), Fee terms version, the tiers it may supply (none ticked = any) and contacts.
2. Select **Add partner**, then open the partner.

On the partner's page

- **Settings** → **Save settings**. **Suspend partner** stops it at once and ends every API token; **Reactivate partner** restores it.
- **Fee terms**: **Fee per certified candidate \| *Currency* \|** (USD or INR), **Terms version *** → **Save fee terms**. New terms apply to candidates certified from now on. Without terms, fees are recorded at zero.
- **Portal users**: **Name \| *Email* \|**, **Initial password (12+ characters) *** → **Add user**. Give the password to the person through a secure channel. Portal users cannot be disabled yet; suspend the partner instead.
- **API clients and webhooks** are read-only here; the partner manages them in the portal.

2.4 Console users

Admin → Users lists everyone with their roles (Admin, PM, Validator, Finance) and status. **There is no screen yet to add users, change roles or disable accounts.** Use the API with an Admin session or ask the platform team:

To	Call
Add a user	`POST /api/v1/users` with `email`, `name`, `roles` (for example `["PM"]`) and an initial `password`
Change roles	`PATCH /api/v1/users/{id}/roles` with `roles`

To	Call
Disable or re-enable	`PATCH /api/v1/users/{id}/status` with `status` `DISABLED` or `ACTIVE` (signs the user out everywhere)

You cannot remove your own Admin role or disable yourself.

2.5 Diversity taxonomy, terms, failure codes and API keys

Taxonomy (Admin → Taxonomy): the demographic filters PMs set in step 4 of the project wizard. Add one with **Label *** ***Key (lower_snake_case)*** *****, **Type *** (single choice, multiple choice, number range, city and radius, language and level) and **Allowed values (JSON) *** → **Add attribute**.

Contributor terms (Admin → Terms): the documents experts accept in onboarding. **Publish new version** → **Title *** and **Approved text *** (at least 20 characters) → **Publish version N**. Experts must accept the new version before their next assignment. A "Placeholder" pill marks text that blocks onboarding in production.

Failure codes (Admin → Failure codes): reasons Validators attach to RL review failures. **Add code** with **Code *** (upper case, for example `WRONG_TOOL`) and **Label ***. **Deactivate** hides a code from new reviews; past verdicts keep it.

API clients (Admin → API clients): keys for RL Gym and for client systems that push annotation inputs. Enter **Name *** *choose* ***Kind*** ***** ("Client system (task inputs)" or "RL Gym") and select **Create key**. **Copy the key now: it is never shown again. Revoke** stops it at once.

2.6 Doing Validator and PM work

An Admin sees every review queue for every project (see the Validator chapter) and every project (see the PM chapter). On Payments an Admin can build, confirm and cancel pay runs, manage rate cards, earnings, holds, exceptions and statements, but not approve or submit a pay run.

2.7 Things only available through the API (release 1.1)

- The **Approved Task Dataset**: browse, export, correction records, and verify the hash chain (`/api/v1/dataset…`). A nightly job also verifies the chain.
- **SME standing and tier changes** (`POST /api/v1/sme/{id}/standing`).
- The **audit log** has no screen or API; it is in the database.

3. Program Manager (PM)

A PM runs projects: creates them from a published template, publishes the opportunity page, gets experts selected and assigned, follows progress, opens requisitions for partners and the careers page, and confirms the weekly pay run. A PM sees only the projects they own.

Your Home page shows **New project →** and tiles for "Projects staffing", "Projects in progress" and "Pay runs waiting for you".

3.1 Create a project

1. **Projects → Projects** → **New project** (or **New project →** on Home).
2. Work through six steps. **Save as draft** keeps your work at any step; **Back** and **Next** move between steps.

Step	What you fill
1. Template	**Domain and workflow *** (only published templates). You see its Primary work, Verification / reward and Human gate
2. Basics	**Project name ***, *Description*, ***Start date*** *****, **Target end date ***
3. Volume, diversity and TPT	**Task mode ***: *"Authoring (experts write new tasks)" or "Annotation (workers process inputs)". Authoring:* ***Distinct-task target*** *****, **Max tasks per expert ***. *Annotation:* ***Number of tasks*** *****. **TPT (minutes per task) *** ("A planning and pay target, not a deadline"), Hours per worker per day. **Coverage quotas** come from the template; you can raise but not lower them
4. Demographics	At least one filter. **+ Add filter**, then Required (must match) or Preferred (raises the match score)
5. Job description	Use an existing one, or create one: **Title ***, ***Required skills*** *****, **Responsibilities ***, ***Wage per task*** *****, **Currency ***, ***Location type*** ***** → **Create job description**
6. Review and submit	Check the summary → **Submit project**

The **Estimates** panel shows required authors and coverage slots, total effort, working days (Monday to Friday), required workers and labour budget (tasks × wage per task).

If something is missing you see "This project can't be submitted yet." and a list. After submitting, the project is **Ready for staffing** and its job description, demographics and template version are frozen.

3.2 Assign Validators

On the project page, in **Validators**, choose **Add reviewer *** and select **Add**. Validators decide the applications for this project's pool. With none assigned you see "No reviewer assigned yet; only Admins can decide applications."

3.3 Publish the opportunity page

The opportunity page is what candidates read before applying.

1. On the project page select **Opportunity page**.
2. Optionally **Import a JD document** (PDF or Word, up to 10 MB). Check the extracted text and select **Confirm text** (or **Discard**); it is added to the full description.
3. Fill the brief: **Title ***, ***Domain*** **|**, **Specialty ***, *jurisdictions, languages, compensation (leave blank if not approved),* ***Contribution roles*** **|**, **Summary ***, ***What we will ask*** **|**, **What not to disclose ***, and the optional sections.
4. **Eligibility criteria ***: each has an id, the criterion, Required or Preferred, and the evidence expected. Only task-related criteria approved by a domain owner; the assistant never adds any.
5. **Questions candidates will be asked** are generated from the brief and criteria. You can edit them or **Reset to the generated questions**.
6. **Save draft**, then **Save and publish** ("Published. Candidates now see this version."). **View public page** opens it in the candidate app. **Close to new applications** stops new applicants.

3.4 Staff the project

1. On the project page select **Start staffing**. This opens **Resource assignment** and runs the first match.
2. To find candidates, **Launch sourcing campaign** (the opportunity must be published). Use **Copy post text** and post it on LinkedIn manually. The panel counts Clicks, Applies, Identity done, Approved and Assigned. **Pause**, **Resume** or **Close campaign** when needed.
3. Candidates apply, a Validator selects them, and they finish onboarding. Then they appear in the table with a match score. Select a score to see the breakdown (skills, experience, language, availability, preferred filters).
4. Assign experts:
   • **Assign** on one row, **Assign selected (n)** for ticked rows, or **Assign top N**.
   • Each assignment sends a **proposal**. The expert has 7 days to accept. Only accepted experts count.
   • **Withdraw proposal**, **Release** an accepted expert, or **Reject** a candidate for this project only.
5. The cards show Required workers, Accepted, Awaiting reply and Shortfall. **Re-run match** after changes. When full: "This project is fully staffed."

3.5 Follow progress and manage tasks

- **Progress dashboard**: distinct accepted tasks, distinct authors, in review, rework rate, active time vs TPT, the coverage matrix (empty / in progress / filled), edge cases, duplicates, and tasks per expert. It refreshes every 15 seconds and says "Complete" when the target and all required coverage are met.
- **Tasks and invites**:
- Filter tasks by status. **Reclaim…** a stalled task (reason: Stalled, Expert unavailable, Other) to return its slot to the queue. TPT never expires a task.
- Each accepted expert gets a single-use invite link that lasts 7 days. **Resend** (revokes the old link) or **Revoke**.
- Annotation projects: **Add task inputs** from a CSV or JSON file. If any row fails validation, nothing is added.

- **Pause project** (experts keep their saved work), **Resume project**, or **Cancel project** (final).

3.6 Requisitions (SME supply)

A requisition asks partners and the careers page for people at one tier.

1. **Projects → Requisitions** → **New requisition**.
2. Choose your **Project ***. If needed, select **Switch on SME supply for this project** (this does not change JD matching).
3. Fill **Title ***, *summary,* ***Domain*** **|**, **Tier *** (Expert, Reviewer, Annotator), **Headcount ***, dates, hours, location, jurisdictions, languages.
4. **Minimum requirements**: minimum years, licence required, qualifications, notes. The screen only recommends; a Validator confirms any "not met".
5. **Channels and pay**: tick **Partners allowed to submit**; tick "Also accept direct applications from the careers page"; set a deadline and "Most candidates per partner"; choose who pays the SMEs:
   • **Direct**: Praxis pays each SME from the rate card.
   • **Via partner**: the partner pays its people; Praxis records no earnings.
6. **Create draft requisition**.
7. On the requisition page:
   • **Guidelines** → choose the package and version → **Link guidelines**.
   • **Rate card** (direct pay only) → choose the version → **Link rate card**. Without one, SMEs earn nothing.
   • **Change state** → **Open**. Allowed partners are told and can submit. Later: **Pause**, **Mark filled**, or **Close...** (final).
8. **Submissions** lists every candidate with source (partner or careers page), requirement screen and state. Editing an open requisition tells every allowed partner.

3.7 Confirm the weekly pay run

1. **Payments → Pay runs**. If this week's run does not exist, select **Build pay run** (blank week = last week).
2. Open the run, check **Payments**, **Held** and **Carried forward**, and select **Confirm pay run**.
3. Finance then approves and submits it (Finance chapter). You can also view **Rate cards**.

4. Validator

A Validator is the person who decides. AI gives recommendations; you make every selection, task acceptance, RL verdict, grade and certification decision. You see the review queues of projects you are assigned to.

Home shows "Applications to decide", "Tasks to review", "RL reviews" and "Certification reviews".

> If you know a candidate or author, declare a conflict. You will not see their applications or tasks.

4.1 Decide applications

1. **Reviews → Applications**. Filters: Waiting for review, More information requested, Selected, Not selected.
2. Open an application and read:
   • **Criteria and assessment**: each criterion as met, partially met, not met or unknown, with the reason and the profile items it cites. "A recommendation only; check the cited profile items." If the assessment failed, choose **Retry assessment** or **Review without a recommendation**.
   • **Submitted profile** and **Roles**.
   • **Credentials and evidence**: **Review claim** → Level * (document supported, independently verified, inconclusive, contradicted, expired) and **How you checked *** → **Save**. Files open only when the virus scan is clean; opening one is recorded in the audit log.
3. Under **Your decision** choose an outcome:

Outcome	You also fill
Select for this pool	**Approved scope**: Domain \, *Specialty, Jurisdictions, Languages,* ***Task roles*** **|**, Re-review by
Ask for more information	**The one thing you need to know ***
Not selected for this pool	Optionally the related criterion

1. Always fill **Reason (task-related, for the record) *** and **Message to the candidate ***: "Respectful and specific to this pool. Never a judgement of the person."
2. Select **Record decision**.

When a candidate asks for a review of a "not selected" decision, you see their request and **Reconsider**: **Reopen for decision** or **Ask for more information**. The earlier decision stays on record.

Declare a conflict: open "Declare a conflict", enter **Details *** and select **Declare conflict**. The application leaves your queue.

4.2 Identity reviews and conflicts

- **Reviews → Identity reviews**: candidates who could not use the automated check. **Record decision** → **Alternative method used ***, Notes (never ID numbers) → **Verified by alternative process** or **Not verified**.
- **Reviews → Conflicts**: conflicts candidates declared in onboarding. They cannot be proposed for work until resolved. **Resolve** → **How it was resolved *** → **Mark resolved**.

4.3 Requisition submissions

On **Projects → Requisitions** → a requisition → **Submissions**, the requirement screen marks some candidates "May not meet". Only you can confirm it.

1. Tick rows (or **Select all recommended "not met"**).
2. Enter **Note for the record (task-related) ***.
3. **Confirm not met (n)** (the partner and candidate are told) or **Mark as meeting (n)**.

4.4 Review a task

Reviews → Task reviews lists submitted tasks. Likely duplicates and possible real data come first. You never see your own tasks.

1. Open a task. Check:
   • **How this task was made**: which sections were AI-drafted and whether the author edited them ("Sections left unchanged from the draft deserve a closer look"), the files and interview it was drafted from.
   • **Automated checks** and **Possible real data, explained by the author**.
   • **Similar tasks**: side-by-side with the closest match, with text and structure similarity.
   • **Task**: W02 Scenario, W03 Evidence and tool calls, W04 Reference trajectory, W05 Rubric and failure modes.
   • After rework: "Changed since the last version: ...".
2. Answer every **Checklist *** item Yes or No: Realistic; Correct; Covers the slot's edge case and tags are accurate; Difficulty rating is fair; Distinct from the closest tasks; Rubric would catch the listed failure modes.
3. Choose a **Decision ***:

Decision	Rule
Accept (or **Accept as distinct** for a likely duplicate)	Every checklist item must be Yes. For an open slot, confirm the tags and the **Edge case ***. Writes the task to the Approved Task Dataset
Request rework	Add at least one comment pinned to a section (W01–W06). The author sees them in the workbench
Reject	**Reason ***: Duplicate, Not realistic, Incorrect, or "Contains real data (quarantine)"

1. Optionally add **Notes**, then **Record decision**.

4.5 RL reviews

RL Gym sends results that need a human verdict.

1. **Reviews → RL reviews** (Open). Open one and select **Claim this review**.
2. Compare the **Original approved task**, the **Trajectory** (use **Comment on this step**) and the **Automated evals** (Agree or Disagree; Disagree needs **Why ***).
3. Choose a **Verdict ***: pass, fail, or Needs an expert. Add comments with a reason code. A fail needs at least one comment.
4. **Submit verdict**. It is permanent (append-only) and sent to RL Gym. The page shows the delivery status.

4.6 Certification reviews

Certification → Certification reviews. The model grades written answers as a recommendation only; nobody is refused on a model's score alone.

- **Written answers to grade**: read the stem, rubric and answer, and the "Recommendation — you decide". Enter **Your grade (0 to 1) *** (or **Start from the recommendation**) → **Confirm grade**. Some answers need a second person.
- **Certifications that need a decision**: **Certify**, **Allow another retake** or **Not certified**, with a **Reason *** that is shared with the candidate → **Record decision**. Certify stays disabled until a required licence is confirmed.
- **Licences to check**: open the certificate, check it (for example against the issuing body's register), enter a **Note *** → **Confirm licence** or **Reject licence**.

You can also open **Certification → Guidelines** to read courses and blueprints, and **Approve family** for Expert-tier item families.

4.7 Pay holds

If you find a dispute or a fraud concern about an SME, ask Finance to place a pay hold (see the Finance chapter). The API lets a Validator place holds, but the Payments pages are not in the Validator menu in release 1.1.

5. Finance

Finance owns what SMEs earn and how they are paid: rate cards, earnings and holds, the weekly pay run, reconciliation with the payout provider, and monthly partner statements. Finance sees **Home** and **Payments**.

How money flows

1. A PM links a **rate card** version to each direct-pay requisition.
2. When a Validator accepts a task, an **earning** is written once at that rate card's price. Earnings are never edited; a correction is a reversal entry.
3. Every Monday a **pay run** is built for the previous Monday–Sunday. A PM **confirms** it, Finance **approves** and **submits** it to the payout provider (Trolley; simulated in test).
4. Held balances, and balances under USD 10 or INR 500, carry into the next run.
5. Each day's payments are **reconciled** against the provider's report; mismatches become **exceptions**.
6. Each month, partners get a **statement** with a fee for each candidate certified that month.

5.1 Rate cards

Payments → Rate cards lists each rate card and its versions (Currency, Per task, Hourly, Weekly cap).

1. Under **New rate card or version** fill **Name *** (an existing name adds a new version), **Currency ***, at least one **Per accepted task** amount (Authoring, Annotation, RL review), and optionally Hourly rate and Weekly cap.
2. **Create rate card**. A rate card never changes; requisitions keep the version they are linked to.

5.2 Earnings and holds

Payments → Earnings and holds.

- Enter an **SME id** (36 characters, from a pay run or the candidate record) and select **Look up**, or **Show all**.
- **Reverse...** an earning: **Why** (5+ characters) → **Reverse**. The reversal is a new negative entry.
- **Place a pay hold**: **SME id *, *Kind* *** (Dispute or Fraud flag), **Reason *** → **Place hold**. Keep the hold id shown in the message.
- **Release a pay hold**: **Hold id *, *Note (what was resolved)* *** → **Release hold**. The balance goes into the next pay run.

5.3 Pay runs

Payments → Pay runs shows each week with its status, amount to pay, held and carried amounts, and the next step.

1. **Build pay run** (leave the week blank for last week; a week must start on Monday).

2. Wait for a PM to **Confirm pay run** ("Waiting for a PM to confirm.").
3. Open the run, check **Payments**, **Held** and **Carried forward**, and select **Approve pay run**.
   • You cannot approve a run that pays you.
   • If a second-approver threshold is set, another Finance user must approve too ("You approved — a second approver is needed"). Otherwise one approval is enough and the audit log records a single-approver action.
4. Select **Submit to payout provider**. Payees are checked again; anyone no longer ready is held. Retrying never pays anyone twice. Statuses update as the provider reports (Paid, Returned, Failed).
5. Before submission you can **Cancel run...** with a reason (kept in the audit log) and build the week again.

5.4 Payout exceptions

Payments → Payout exceptions. Reconciliation runs every day for the previous day. To run it yourself: choose **Reconcile the day (UTC) *** → **Run reconciliation**. It reports the lines in the provider's report, mismatches and new exceptions.

Each **Open** exception (unknown payment, different amount, currency or status, or a payment missing from the report): enter **What you found and did** → **Resolve**.

5.5 Partner statements

Payments → Partner statements. Choose **Month *** → **Build statements**. Each statement lists one fee line per certified candidate. Lines at zero marked `NO_FEE_TERMS` mean the partner has no agreed fee terms yet (an Admin sets them). Partners see their statements in the portal.

5.6 Things to know

- Amounts can be USD or INR; a payout shows the FX rate when converted.
- Finance without the Admin role sees partner ids rather than names on statements, and SME ids on pay-run lines.

6. Staffing partner

Staffing partners put candidates forward for requisitions ADI Praxis opens to them, follow each candidate's progress, and receive a fee for each candidate who becomes certified. **Partners never decide anything for a candidate**: ADI Praxis invites each candidate, checks their identity and certifies them, and a person makes every selection.

You can work in the **partner portal** (this chapter) or through the **Partner API** (section 6.7).

6.1 Sign in

1. Open `<console address>/partner/login`. You see **"Sign in to the partner portal"**.
2. Enter **Work email *** and **Password *** → **Sign in**.

Your ADI Praxis partner manager (an Admin) creates your account and gives you the first password. If your company is suspended you cannot sign in. "The partner portal is not switched on here" means SME supply is off in that environment.

The portal menu: **Home**, **Requisitions**, **Candidates**, **Statements**, **API & webhooks**, and the **Help** button.

6.2 Home

Tiles show open requisitions, candidates in progress, certified candidates and the latest statement. Select **See open requisitions →** to begin.

> Candidates you submit in the portal are **live**: ADI Praxis emails them an invite. To test an integration without real people, use a sandbox API client (section 6.7).

6.3 Read a requisition

Requisitions lists roles open to you: tier, domain, headcount, how many you submitted ("n of max"), deadline and state. Open one to read:

- **The role**: tier, domain, headcount, start, duration, hours, location, jurisdictions, languages, deadline, limit per partner, and **Who pays the expert** ("You pay your people" or "ADI Praxis pays the expert directly").
- **Minimum requirements**: years of experience, qualifications, and whether a professional licence is required.
- **Guidelines summary**: the topics to train your candidates on before you submit them.
- **Course outline**: the modules and the test length. Test questions and answers are never shared with partners.

6.4 Submit a candidate

Only put forward people who agreed to it and whom you trained on the guidelines summary.

1. On the requisition, select **Submit a candidate**. (It is hidden when the requisition is not open, the deadline has passed, or you reached the limit.)
2. Fill **Full name **, *Your reference (your own id; it appears on webhooks and statements)*, ***Email **** (the invite goes here), Phone, **Country *** (two letters, e.g. IN), **Years of relevant experience **, ***Experience summary **** (no ID numbers or customer data), Qualifications, Languages, and optionally employment history (**Add a role**).
3. Tick both confirmations: that you trained the candidate on the guidelines summary, and that the candidate agreed to be put forward and contacted.
4. **Submit candidate**.

You then see **"Candidate submitted"** with the invite expiry date and the **Requirement screen** result. The screen is only a recommendation: "Only a Validator can decide that a candidate does not meet the requirements."

If the same person is already registered, you see "This candidate was not accepted." and the attempt is recorded on your candidate list.

> **Test environment only:** email is simulated, so a yellow box **"Test environment: invite link"** shows the candidate's link. Open it in the candidate's browser profile and sign in with the **same email** you submitted. Production never shows this link.

6.5 Follow your candidates

Candidates lists everyone you put forward, with their state at each stage: Submission, Screen, Identity, Selection, Certification and Standing. Open a candidate to see **Where they are now** and the full **History** (never edited or removed).

Withdraw candidate is possible while the submission is Received or Invited. Their invite stops working, and nobody can put the same person forward again for 90 days.

6.6 Statements

Statements shows one statement per month, with a fee line for each of your candidates certified that month under your fee terms. A correction appears as a separate negative line. Payment is arranged outside the portal.

6.7 API and webhooks

API & webhooks is for your IT team.

- **API clients**: choose **Environment *** (Sandbox: test data, no real candidates; Live: real candidates are invited) and **Scopes *** (`requisitions:read`, `candidates:write`, `candidates:read`, `statements:read`) → **Create API client**. **The secret is shown once: copy it now. Rotate secret** and **Revoke** take effect at once.

- The API is at `/partner/v1`. Get a token from `POST /partner/v1/oauth/token` (client credentials) and send an `Idempotency-Key` header on submissions. Sandbox candidates never get email and do not appear in the portal.
- **Webhooks**: enter an HTTPS **Endpoint URL ***, the environment and the events → **Add webhook**. Each event is signed with HMAC-SHA256 (`Praxis-Signature` header) and retried until your endpoint returns 2xx. **Recent deliveries** shows the last 200; **Replay** sends one again with the same event id.

7. Expert (SME)

This chapter is for subject-matter experts who write tasks on ADI Praxis. You use the **candidate app**. The journey:

```
Sign in → Verify identity → Apply (opportunity, careers page or partner invite) → Build your SME
profile
   → A Validator decides → Onboarding → (Course and certification test, for requisitions)
   → Accept an assignment → Write tasks → A Validator accepts them → Get paid weekly
```

Your **Home** page shows your progress ("Verify identity · Build profile · Reviewer decision · Onboarding · Assignment · Write tasks") and a **Next step** card that always tells you what to do now.

7.1 Sign in

1. Open the candidate app and select **Sign in**. You see **"Sign in to ADI Praxis"**.
2. The first time, tick **"I confirm I am 18 or over."**
3. Select **Continue with Google**.
   - **Test and demo environments:** a yellow box "Demo sign-in (simulated Google)" asks for **Email *** and **Name ***. Use a new email for each new candidate you test. Select **Continue with Google (mock)**.
4. ADI Praxis only asks Google for your sign-in; it never reads Gmail, Drive or contacts.

7.2 Verify your identity

You must verify your identity before you submit a profile or open tasks. It protects the contributor community; it does not verify your qualifications.

1. On **Verify your identity**, select **Start verification**.
2. Photograph an identity document with the provider (Stripe Identity), and a selfie if asked. ADI Praxis never stores your document images, ID number or date of birth.
3. The page updates by itself: Processing → **Identity verified**. Select **Continue**.

You see	What to do
"Continue verification"	The check needs more (for example the document expired). Try again or ask for help
"Canceled"	Start again, or ask for help
"Help needed"	Our team is reviewing your case and will contact you

I need help: choose the problem (document type not accepted, country not supported, I do not consent to the automated check, it keeps failing, something else) → **Ask for help**. A Validator can verify you by an approved alternative process.

Test environment: a page "Simulate the Stripe Identity result" lets you choose the outcome: **Verified (18 or over)**, Verified but under 18, Needs more input, Processing, Canceled.

7.3 Find work and apply

There are three ways in:

- **Opportunities** (menu): open one and read it: what you'll need (Required and Preferred criteria), time commitment, what not to share. Select **Apply: build my SME profile →**.
- **A careers page link** for a requisition: read the role, sign in, fill **Your relevant experience \|** ***Years of relevant experience*** **\|**, qualifications, languages, **Country ***, tick the consent box → **Apply and continue →**.
- **A partner invite email** (a staffing partner put you forward): open the link and sign in with the same email the partner used. The application opens. Invites last 7 days.

7.4 Build your SME profile

The profile is a short chat: up to six questions, most answered with a tap. It saves as you go.

1. Answer each question by tapping the chips that apply and/or typing, then **Send**. If you don't know or can't say, use **I don't know** or **I can't say**. Optional questions have **Skip**.
2. Keep examples general: **no customer names, account or ID numbers.** If you type something sensitive it is removed and you are asked to describe it in general terms.
3. The **Your SME profile** panel (beside the chat, or a tab on a phone) lists what was picked up from your answers. **Confirm** each item, or **Edit** or **Not right, remove**. Nothing counts until you confirm it.
4. Add your roles with dates (**Role title ***, From, To) and any credentials (for example CAMS). Credentials stay "self-reported" until a Validator checks the evidence.

Prefer a form? Select **Prefer a form? Answer the same questions here**.

7.5 Upload evidence and submit

1. Select **Review and submit**. **Before you submit** lists anything still to confirm or answer.
2. Under **Supporting evidence**, tick "I have permission to share these files for qualification review", then upload only what supports your key claims (a redacted role letter, a public credential listing). **PDF, Word, PNG or JPG, up to 10 MB.** Never upload customer data, full payslips, ID documents or passwords. Attach each file to a credential if you like.
3. Tick the two required statements and select **Confirm and submit**. It stays disabled until everything is confirmed and your identity is verified.

You see **"Profile submitted"**. A person reviews every application.

7.6 Follow your application

Open the application from Home to see its status:

Status	Meaning
With a Validator	Being reviewed; nothing to do

Status	Meaning
More information requested	Read **What we need**, select **Update my profile**, answer and submit again
Selected	See **Your approved scope**, then **Start onboarding**
Not selected this time	Read the message. **Ask for a review** if something was missed: "What should the Validator know?" → **Request review**. A different person looks again

You can **Withdraw this application** at any time; your history is kept.

7.7 Onboarding

A checklist you can finish in several sittings:

1. **Confirm your approved scope** → **This is correct**
2. **Contributor terms** → **I have read and accept these terms**
3. **Confidentiality and IP** → accept
4. **Data use** → accept
5. **Conflicts and authorisation**: say whether you have an employer or customer conflict (describe it briefly, without confidential details) and confirm you will contribute only original or permitted material → **Save**
6. **Task guidance**: how tasks are structured, synthetic data only, another expert reviews every task → **I understand**
7. **Work preferences**: country, languages and level, time zone, hours a week, proposal emails → **Save**

For requisition roles two more steps tick themselves: **Guidelines course and certification** (section 7.8) and **Payment set-up** (section 7.12).

7.8 Course and certification (requisition roles)

Certifications (menu) lists your certifications with their status.

The course

1. **Start the course →**. Modules open one after another.
2. Read each module, try the **Practice** items (they don't count), then take the quiz. **Get at least 80% right** to finish the module; you can retry straight away.

The test

1. **Go to the test →**. Read **Before you start**: the test is timed, answers save as you go, pasting and leaving the page are logged for reviewers (they never fail anyone on their own), and you have up to 3 attempts.
2. **Take the selfie check →** before every attempt. Only the result is kept. (Simulated in test.)
3. **Start the test now →**. A countdown stays on screen (yellow under 5 minutes). Questions can be: choose one, choose all that apply, put steps in order, tick steps that break the guidelines, or a written answer.

4. **Review and submit** → **Submit test** → **Yes, submit my test**. When time runs out, your saved answers are submitted.

Results show **You passed**, **You didn't pass this time**, or **Your test is being reviewed by a person**, with a band per section (Strong, Meets, Developing, Below). Questions and answers are not shown. After a fail you can retake **after 48 hours with new questions**. After 3 attempts a person reviews your certification. Certificates last 12 months.

If the role needs a **professional licence**, upload **Licence number \, *Issuing body* |** and the certificate (PDF, PNG or JPG, up to 10 MB). A Validator checks it before you can be certified.

7.9 Accept an assignment

When a project needs you, a **proposal** appears on Home under **Assignments**: domain, your role, what you'll produce, effort per task, deadline, compensation and confidentiality. Reply by the date shown (7 days).

- **Accept**, or **Decline** with an optional reason (it won't count against you).
- After accepting, select **Open workbench**. You see your project's task list.

7.10 Write a KYC task

On the project page, select **Get next task**. (You can hold up to 3 open tasks.) Open the task. The **workbench** has sections W00–W06 on the left; everything saves automatically ("All changes save automatically" / "Saved"). The time target (TPT) is for planning and pay; your task never expires.

> **Everything must be invented.** Never use real customers, colleagues, employers or documents.

W00 — How do you want to start? The assistant can write a first draft of every section. You check and confirm each one; a Validator still decides.

Option	What happens
Answer a short interview	Eight quick questions (the case, onboarding or refresh, red flags, checks in order, the ambiguous result, the right outcome, risk rating, what a junior would miss)
Start from a document	Upload your own procedure notes: PDF, Word or text, up to 10 MB
Start from an interview transcript	PDF, Word, text, or captions (.vtt, .srt), up to 10 MB
Write it myself	Go straight to W01

For uploads, tick "This file contains no customer data, and I am allowed to share it...". Up to 5 files per task. If a file seems to contain real identifiers you are warned, line by line. Then select **Draft my task** (about a minute; you can leave and come back). **Draft again** replaces only the sections you have not confirmed.

Drafted sections show **AI draft: check and confirm**. Read every field, fix anything wrong or unrealistic, then select **I've checked this section**. **Redraft** with an optional note ("e.g. make the near

match a trustee, not a director") replaces that section. You cannot submit until every drafted section is confirmed.

The sections

Section	What you write
W01 Slot brief	Your slot (brief, primary work, verification, human gate, tools). Title, difficulty 1–5, jurisdiction, language. For an open slot, tag your case and name the edge case. **See an example task** shows a worked example
W02 Scenario and customer file	Trigger (new onboarding or periodic refresh), customer type, business context, **parties** (use **Generate synthetic name and address**; identifiers use `SYN–` formats), ownership links, purpose, expected activity
W03 Evidence and recorded tool calls	Documents (with deliberate defects), the tools available to the agent, and a **response for each tool** — the arguments the agent sends and the result the environment returns, recorded as an MCP call so RL Gym can replay it exactly. The synthetic policy
W04 Reference trajectory	The steps an ideal agent takes (each: action, tool, the recorded call, expected result, why it matters), findings, the disposition (approve, reject, request information, escalate), risk rating, rationale, and the **hand-off to a human**, which is required for approve, reject or high risk
W05 Rubric and failure modes	Criteria with weights totalling 100 and at least one critical, testable pass conditions, plausible wrong paths and which criterion catches each

Live checks under each section show ✓ or • (for example "Rubric weights must sum to 100", "Owners of X total 80%, not 100%", at least 6 steps from difficulty 3).

W06 Check and submit

1. **Run checks**. Fix anything listed; links take you to the section.
2. **Possible real data**: replace each flagged value with a synthetic one, or explain why it is not real (the Validator sees your explanation).
3. **Closest existing tasks**: make your case clearly different from these.
4. Tick "This case is entirely synthetic…" and select **Submit for review**.

The task becomes read-only and shows "Submitted · awaiting review".

> On a phone the workbench is read-only. Use a laptop or desktop.

7.11 Rework

If the Validator asks for changes, the task shows **Changes requested**. Open it: a yellow box "The Validator asked for changes" lists each comment with a link to its section. Fix them and submit again through W06. If a task is not accepted, you see the reason.

7.12 Payments

Payments (menu):

1. **Set up payments →** opens the payout provider's secure page in a new tab, where you add a tax form and payout method. ADI Praxis never sees your bank or tax details. (Test environment: a "Simulated payout provider" page; select **Finish and return to ADI Praxis →**.)
2. Back on Payments, **Check my status** until it shows **Ready**.
3. You earn for each task a person accepts; it appears the same day. Payouts go out weekly once your unpaid balance reaches USD 10 or INR 500.

If a partner put you forward and pays you, payment set-up shows "Not needed".

Roles, user IDs and admin functions

This page lists every kind of user in ADI Praxis, the demo user IDs in the test and demo environments, what each role may see and do, and every Admin function. It is checked against the code (release 1.1, build `test-1.1-20260930`).

Passwords are never written in this guide, GitHub, chat or email. The demo passwords are generated at deploy time and kept in the environment's Google Secret Manager as `demo-<role>-password`. Ask the lead tester or the platform owner for them.

1. Who uses ADI Praxis

Role	Shown on screen as	App	Signs in at	What they do in one line
`ADMIN`	Admin	Console	`<console>/login`	Sets up the platform: templates, users, terms, partners, guidelines and courses, API keys
`PM`	PM (Home says "Program Manager")	Console	`<console>/login`	Runs projects: creates them, staffs them, opens requisitions, confirms pay runs
`REVIEWER`	**Validator**	Console	`<console>/login`	Human decision-maker: selects candidates, accepts or returns tasks, judges RL results, confirms grades
`FINANCE`	Finance	Console	`<console>/login`	Rate cards, earnings and holds, approves and submits pay runs, payout exceptions, partner statements
Partner user	Partner	Partner portal	`<console>/partner/login`	Puts candidates forward for open requisitions, follows them, reads fee statements
Candidate / SME	(the person's name)	Candidate app	`<candidate>/sign-in`	Applies, verifies identity, certifies, onboards and authors tasks; gets paid per accepted task
Partner API client	–	Machine	`POST /partner/v1/oauth/token`	A staffing partner's system submitting candidates with OAuth2 client credentials

Role	Shown on screen as	App	Signs in at	What they do in one line
RL Gym / client API key	–	Machine	`Authorization: Bearer <key>`	RL Gym reads the approved dataset and sends RL results; a client system sends task inputs

One console user can hold several roles (for example PM and Validator). A Finance user cannot approve a pay run that pays themselves.

Two words that are easy to confuse

- **Validator** is the internal console role (`REVIEWER` in the code) that makes human decisions.
- **Reviewer** on a screen now means an SME *tier* (Expert, Reviewer, Annotator), not the console role.

2. Demo and test user IDs

User ID	Role	Name in the data	Environment	Password
`admin@praxis.demo`	ADMIN	Platform Admin	Demo and test	Secret Manager `demo-admin-password`
`pm@praxis.demo`	PM	Pat Morgan	Demo and test	`demo-pm-password`
`reviewer@praxis.demo`	REVIEWER (Validator)	Riley Chen	Demo and test	`demo-reviewer-password`
`finance@praxis.demo`	FINANCE	Farah Iqbal	Demo and test (SME supply on)	`demo-finance-password`
`partner@praxis.demo`	Partner user of "Demo Staffing Partner"	Meera Nair	Demo and test (SME supply on)	`demo-partner-password`
Any email you type in the mock Google form	Candidate / SME	The name you type	Demo and test (mock sign-in)	none: the mock asks for email and name only
`admin@praxis.local` (from `SEED_ADMIN_EMAIL`)	ADMIN	Platform Admin	Local development	`SEED_ADMIN_PASSWORD` in your `.env`
`admin@`, `pm@`, `finance@`, `validator@e2e.local`	ADMIN, PM, FINANCE, REVIEWER	–	Automated end-to-end tests only	fixed in `apps/api/scripts/e2e-prepare.ts`

Environments

Environment	Console	Candidate app
Test (testers, real Claude)	https://praxis-web-742785092638.us-central1.run.app	https://praxis-candidate-742785092638.us-central1.run.app
Demo	https://praxis-web-744400601364.us-central1.run.app	https://praxis-candidate-744400601364.us-central1.run.app

Environment	Console	Candidate app
Local	http://localhost:3100	http://localhost:3101

Demo data that is already there

- Template "KYC onboarding and refresh" (published), job description "KYC Analyst (task author)" (GBP 40 per task).
- Project **"KYC authoring demo"**, owned by `pm@praxis.demo`, with `reviewer@praxis.demo` assigned as Validator.
- Partner **"Demo Staffing Partner"** (banking, all tiers, fee USD 150 per certified candidate).
- Rate card **"KYC authoring (USD)"**: Authoring USD 40, Annotation USD 8.
- Requisition **"KYC authors — India (Annotator)"**, direct pay, careers page on.
- No guidelines and no candidates: testers create those.

Naming your own test data. Start names with your initials (for example `VS — KYC project`) so other testers can tell data apart. Data made by the demo videos starts with `[Demo video]`.

3. What each role can open (console menu)

The console menu has two rows: the top row shows groups, the second row shows the pages of the selected group. You only see groups your role may use. Groups marked † appear only when SME supply is switched on (it is on in test).

Menu group → page	Admin	PM	Validator	Finance
Home	✓	✓	✓	✓
Projects → Projects (and inside a project: staffing, opportunity page, progress, tasks and invites)	✓ (all projects)	✓ (own projects; only a PM can create one)	–	–
Projects → Templates	✓ (create, publish, retire)	read only	–	–
Projects → Requisitions †	✓	✓	read, decide "not met"	–
Reviews → Applications, Task reviews, RL reviews, Identity reviews, Conflicts	✓ (all projects)	–	✓ (assigned projects)	–
Certification → Guidelines †	✓ (upload, approve, publish)	–	read, approve item families	–
Certification → Certification reviews †	✓	–	✓ (grades, decisions, licences)	–
Partners → Partners †	✓	–	–	–
Payments → Pay runs †	build, confirm, cancel	build, confirm	–	build, **approve, submit**, cancel
Payments → Rate cards †	✓	read	–	✓

Menu group → page	Admin	PM	Validator	Finance
Payments → Earnings and holds, Payout exceptions, Partner statements †	✓	–	–	✓
Admin → Users, Taxonomy, Terms, Failure codes, API clients	✓	–	–	–
Help (Support Bot, every page)	✓	✓	✓	✓

If you open a page your role may not use, you see **"No access — This page is for ..."** with a button back to your home page. One browser holds one sign-in: use a separate browser profile or a private window for each role.

Rules the platform enforces, whatever the screen shows

- A PM sees and edits only projects they own. Only a **PM** can create a project; an Admin cannot.
- A Validator only sees review queues of projects they are assigned to.
- Only **Finance** can approve and submit a pay run, and never one that pays themselves. Admin and PM can confirm.
- An Admin cannot remove their own Admin role or disable their own account.
- Only an Admin can reject a certification item family.
- AI never makes a final selection, rejection, grade or task-acceptance decision. A Validator does.
- Every change is recorded in the audit log, with who did it and when.

4. Admin functions

Function	Where in the console	API	Notes
List console users	Admin → Users	`GET /api/v1/users`	Read-only table
Create a console user (email, name, roles, password)	**No screen yet**	`POST /api/v1/users`	No invite email. The Admin sets a first password and passes it on privately
Change a user's roles	**No screen yet**	`PATCH /api/v1/users/:id/roles`	Cannot remove your own Admin role
Disable or re-enable a user	**No screen yet**	`PATCH /api/v1/users/:id/status`	Disabling signs the user out everywhere; not allowed on yourself
Domains and templates: create, edit draft, new version, publish, retire, history	Projects → Templates	`/api/v1/domains`, `/api/v1/templates…`	PMs read only. A project can only use a published template
Demographic taxonomy (diversity attributes)	Admin → Taxonomy	`POST /api/v1/demographic-attributes`	
Contributor terms (versions candidates accept)	Admin → Terms	`GET/POST /api/v1/terms`	

Function	Where in the console	API	Notes
RL failure reason codes: add, deactivate	Admin → Failure codes	`POST/PATCH /api/v1/failure-reason-codes`	
Machine API keys (RL Gym, client API): create, revoke	Admin → API clients	`/api/v1/api-clients`	The key is shown once only; it is stored as a hash
Partners: onboard, edit, suspend	Partners → Partners	`POST /api/v1/partners`, `PATCH /api/v1/partners/:id`	Suspending revokes the partner's API tokens
Partner portal users: add	Partners → a partner → Portal users	`POST /api/v1/partners/:id/users`	No way yet to disable a portal user
Partner fee terms	Partners → a partner	`PUT /api/v1/partners/:id/fee-terms`	
Guidelines: create package, upload version, view source, regenerate, edit knowledge items	Certification → Guidelines	`/api/v1/guidelines…`	Claude drafts; the Admin approves everything
Course: edit modules, approve or reject	Guidelines → a version → Course	`/api/v1/courses…`	
Test blueprint and item families: edit, generate samples, approve, reject	Guidelines → a version → Blueprint	`/api/v1/blueprints…`, `/api/v1/item-families…`	Expert-tier families also need a Validator (or Expert) approval
Publish a tier's course and test	Guidelines → a version	`POST …/tiers/:tier/publish`	Candidates see nothing until published
Change an SME's standing or tier (probation, active, retraining, suspended, offboarded)	**No screen yet**	`POST /api/v1/sme/:id/standing`	The partner is told on suspend, offboard or tier change
Approved Task Dataset: browse, export, correction records, verify the hash chain	**No screen yet**	`/api/v1/dataset…`	Records are append-only; a correction is a new record. A nightly job also verifies the chain
Audit log	**No screen or API yet**	–	Every change is written; it can be read in the database only
Everything a PM and a Validator can do	as above		Except: creating projects (PM only) and approving or submitting pay runs (Finance only)

Switches the Admin can use to stop something quickly

To stop...	Do this
A person signing in to the console	Disable the user (API)

To stop...	Do this
A staffing partner	Suspend the partner (also revokes its API tokens)
A machine client (RL Gym, client API)	Revoke its API key
A project or campaign	Pause or cancel it (PM or Admin)
A template being used for new projects	Retire it
An RL failure reason	Deactivate the code
The whole SME supply area	Set `SME_SUPPLY_ENABLED=false` and redeploy (environment setting, not a screen)

5. How to sign in

Who	How
Admin, PM, Validator, Finance	Open the console, enter email and password, **Sign in**. Sessions last 12 hours. Sign-in attempts are rate-limited (10 a minute by default)
Partner user	Open `<console>/partner/login`, enter email and password. Refused if the user or the partner is suspended
Candidate (test and demo)	Open the candidate app, **Sign in**. The mock Google form asks for an email and a name and, the first time, to confirm you are 18 or older. Use a new email for each new candidate
Candidate (production)	Real Google sign-in. Accounts are matched by Google account, never merged by email
Partner system	`POST /partner/v1/oauth/token` with client id and secret, then send the token as `Bearer`
RL Gym / client system	Send the API key from Admin → API clients as `Authorization: Bearer <key>`

6. Known gaps (release 1.1)

These are real limits of the current build, not mistakes in this guide. If one matters to you, raise an Enhancement.

- No screen to create console users, change roles, or disable users: use the API (section 4). Until a screen exists, the lead tester creates tester accounts with `POST /api/v1/users`.
- No screen for the audit log, the Approved Task Dataset, or SME standing.
- Partner portal users cannot be disabled; suspend the whole partner instead.
- The Partner API lives under `/partner/v1`, not `/api/v1`.

8. Troubleshooting and FAQ

Problem	Why	What to do
"No access — This page is for …"	Your role may not use that page	Use the menu; ask an Admin for the role if you need it
A second tab signed me out or switched user	One browser holds one sign-in	Use a separate browser profile or private window per role
"Too many attempts. Wait a minute and try again."	Sign-in limit	Wait a minute
"SME supply is not switched on"	Partners, certification and payments are off in this environment	Ask the platform team
The Support Bot says it is not available	Claude quota or outage in the test environment	Report it once as `[Environment] Claude unavailable …`
Guideline generation ends **Failed**	Same as above	Use **Regenerate** later
PM: "No published templates yet"	An Admin has not published a template	Ask an Admin
PM: I can't see a project	PMs see only projects they own	Ask the owner or an Admin
Validator: an application or task is missing from my queue	You are not assigned to its project, you wrote it, or you declared a conflict	Ask the PM to add you as a Validator
Validator: **Accept** is disabled	Every checklist item must be Yes	Answer the checklist, or choose Request rework
Finance: I can't approve the pay run	It is not confirmed yet, or it pays you	Wait for a PM; another Finance user approves
SME: **Confirm and submit** is disabled	Something is unconfirmed, a required box is unticked, or identity is not verified	Read **Before you submit**
SME: **Get next task** is disabled	The project is paused, you have 3 open tasks, or you reached the project limit	Finish an open task
SME: "Changed in another window: reload to continue"	The task is open in two tabs	Reload and keep one tab
SME: "Offline: your changes are kept here…"	Network dropped	Keep working; it saves when you reconnect
SME: I can't edit the workbench on my phone	The workbench is read-only on small screens	Use a laptop
SME: an upload is refused	Wrong type, over 10 MB, no readable text (a scanned image), or more than 5 files	Use PDF, Word, text or captions; split large files
Partner: **Submit a candidate** is missing	The requisition is not open, the deadline passed, or you reached the limit	Check the requisition
Partner: the candidate got no invite email (test)	Email is simulated in test	Use the "Test environment: invite link" box

How do I get a console account? An Admin creates it (release 1.1 has no self-sign-up and no user screen; see Roles and admin).

Can AI reject me or my task? No. AI recommends; a Validator decides every selection, grade, certification and task.

Where do accepted tasks go? Into the append-only Approved Task Dataset, which RL Gym reads. They never change; a correction is a new record.

Is my identity document stored? No. Only the result of the check is kept.

Demo videos

The demo videos follow one story through the platform. An Admin publishes a guidelines course. A PM opens a requisition. A staffing partner puts Ravi forward and Asha applies directly. A Validator selects both. Asha writes a KYC task with the AI interview, which a Validator accepts and then reviews again when RL Gym sends a result. Ravi takes the course and certification test. Finance runs the week's pay run. Captions on screen explain each step; there is no voiceover.

Video	What it shows	Clips
`00-full-walkthrough.mp4`	Every clip below, in story order	all
`01-getting-started.mp4`	Console sign-in, Home, the two-level menu, the Help button (Support Bot), partner and candidate sign-in pages	01
`02-admin.mp4`	Guidelines → generation → knowledge map, course, blueprint and item-family approval → publish a tier; partners, users, taxonomy, terms, failure codes, API keys	02, 03
`03-program-manager.mp4`	Six-step project wizard, Validators, opportunity page; requisition with guidelines and rate card; staffing; confirming a pay run	04, 05, 10, 15b
`04-validator.mp4`	Deciding applications; reviewing and accepting a task; an RL Gym review and verdict	08, 12, 13
`05-finance.mp4`	Rate cards, earnings and holds, building, confirming, approving and submitting a pay run, reconciliation, partner statements	15a, 15b, 15c
`06-staffing-partner.mp4`	Partner portal: requisition, submitting a candidate, tracking, statements, API & webhooks	06
`07-expert-sme.mp4`	Invite → sign-in → identity → profile chat → submit; onboarding; accepting work and writing a KYC task with the AI interview; course, test and payment set-up	07, 09, 11, 14

Things to know when watching

- Everything the videos create is synthetic and named `[Demo video] …`, or uses the experts "Ravi Kumar" and "Asha Verma" with `@example.test` emails.
- Sign-in, identity, the selfie check, email and payouts are **simulated**, as in every test environment.
- The certification test answers are chosen by the script without knowing them, so Ravi's result is whatever those answers earn. A fail shows the retake rules.
- Asha applied directly to the opportunity rather than through a direct-pay requisition, so her accepted task earns nothing in the ledger. The pay run in the Finance video may therefore have no payments. This is the documented rule, not a defect.

Where the files are

The scripts live in `e2e/demo-videos/`. Recordings are written to `out/demo-videos/` (not in git, because the files are large):

- `out/demo-videos/*.mp4`: the finished videos (1440×900, H.264).
- `out/demo-videos/raw/*.webm`: one recording per clip.
- `out/demo-videos/state.json`: what the story created (ids, emails), for troubleshooting.

Recording them again

Do this after a release changes the screens.

Target	Command
Testers' environment (real Claude)	`e2e/demo-videos/run.sh` (needs `gcloud auth login`; passwords come from Secret Manager at run time)
Demo environment	`e2e/demo-videos/run.sh adi-praxis-demo-0927`
Local, fully mocked	`e2e/demo-videos/local-stack.sh` then `e2e/demo-videos/run.sh local`; stop with `e2e/demo-videos/local-stack.sh stop`

To record one clip again, run `npx playwright test -c e2e/demo-videos --grep " 11 "`, then `node e2e/demo-videos/make-videos.mjs`. Later clips use what earlier clips created (saved in `state.json`). A full run takes about 30 minutes locally and longer on the test environment, where Claude writes the course and the task draft.

To add or change a caption, edit `c.say('…')` in `e2e/demo-videos/story.spec.ts`. To re-record with a human voice, use the captions as the script.

In the apps

The videos and guides are built into the apps (see Getting started, section 1.6): the console's **Tutorials** page (all videos, full guide), the partner portal's (partner video and guide) and the candidate app's (expert video and guide). `package.mjs` copies them to `apps/web/tutorials/` (served only after a sign-in check) and `apps/candidate/public/tutorials/`. After re-recording, run it again and commit the new files.

Sharing outside the repository

`node e2e/demo-videos/package.mjs` (after `make-videos.mjs`) builds two things:

- `out/handbook/`: a handbook page (`page.html`, or `index.html` to open locally) with the role videos at web size, the guide PDF and the demo user IDs.
- `out/ADI-Praxis-1.1-Handbook.zip`: the same, plus the full-quality videos and the 23-minute full walkthrough. Put this zip on a shared Google Drive or SharePoint folder for people outside the platform team.

The handbook is also published as a private page on claude.ai (https://claude.ai/artifact/9kAo1if3WiSXVMmHEXxDdN). Share it from the page's Share menu. After re-recording, run `package.mjs` again and republish the page to the same link.