Q4 Global Paid Search Query Clustering

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: query dataset, product brief, locale and channel constraints. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: clusters, query assignments, intent labels, exclusions, ambiguous queries, rationale. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: intent: informational, commercial, transactional, navigational, unclear; assignment: assigned, excluded, needs_review. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Q4 Global Paid Search Query Clustering

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Cluster / query assignment

Group queries by shared intent; assign each query ID to a cluster or explain exclusion.

Intent / ambiguity

Choose a permitted intent and identify queries that require clarification rather than forcing an unsupported label.

Q4 Global Paid Search Query Clustering

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: query dataset, product brief, locale and channel constraints. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: clusters, query assignments, intent labels, exclusions, ambiguous queries, rationale. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Omnichannel Creative and Locale Compliance

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: creative assets, substantiated claims, channel specifications, locale requirements. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: asset-by-locale findings, claim evidence, proposed corrections, release recommendation. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: finding: compliant, noncompliant, insufficient_evidence, not_applicable; recommendation: ready_for_review, revise, hold. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Omnichannel Creative and Locale Compliance

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Asset / locale / channel

Identify the exact creative item and its target market and channel.

Claim evidence / release recommendation

Link each claim to supporting material; recommend ready for review, revision or hold using the allowed choices.

Omnichannel Creative and Locale Compliance

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: creative assets, substantiated claims, channel specifications, locale requirements. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: asset-by-locale findings, claim evidence, proposed corrections, release recommendation. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Adverse Media Review

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: customer identifiers, supplied media extracts, dates and source metadata. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: identity match, source reliability, allegations versus established facts, relevance, recommendation. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: match: confirmed, possible, false_positive, unresolved; recommendation: close, escalate, request_information. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Adverse Media Review

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Identity match

Assess whether the media subject is the customer; names alone do not establish a match.

Source reliability / allegation status

Evaluate the source and separate allegations from established facts; explain relevance and uncertainty.

Adverse Media Review

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: customer identifiers, supplied media extracts, dates and source metadata. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: identity match, source reliability, allegations versus established facts, relevance, recommendation. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Audit and Evidence Preparation

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: audit request, control descriptions, evidence inventory and review period. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: evidence index, request mapping, provenance, gaps, preparation memo. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: evidence: available, missing, incomplete, conflicting, out_of_scope. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Audit and Evidence Preparation

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Request mapping / evidence index

Show which evidence addresses each audit request, including location, period and provenance.

Gap / preparation memo

Describe missing or conflicting material and the action needed; summarise what the pack does and does not support.

Audit and Evidence Preparation

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: audit request, control descriptions, evidence inventory and review period. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: evidence index, request mapping, provenance, gaps, preparation memo. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Communications Surveillance

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: synthetic communications, participant roles, timestamps and surveillance policy. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: relevant excerpts, contextual findings, policy mapping, escalation recommendation. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: disposition: close, escalate, request_context; finding: supported, unsupported, inconclusive. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Communications Surveillance

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Excerpt / context

Quote the relevant communication and consider its surrounding messages, speakers and timing.

Policy concern / disposition

Explain the supported concern and choose closure, context request or escalation under the supplied policy.

Communications Surveillance

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: synthetic communications, participant roles, timestamps and surveillance policy. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: relevant excerpts, contextual findings, policy mapping, escalation recommendation. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Compliance Monitoring

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: defined monitoring scope, records, obligations and monitoring period. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: obligation-to-evidence assessment, exceptions, severity, proposed follow-up. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: result: compliant, noncompliant, insufficient_evidence, not_applicable; severity: low, medium, high, critical, undetermined. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Compliance Monitoring

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Obligation / monitoring result

Identify the applicable requirement and whether evidence supports compliance, an exception or insufficient evidence.

Severity / follow-up

Use the approved severity scale; explain impact and required corrective action without inventing thresholds.

Compliance Monitoring

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: defined monitoring scope, records, obligations and monitoring period. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: obligation-to-evidence assessment, exceptions, severity, proposed follow-up. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Customer Risk Rating

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: customer profile, risk factors, evidence and versioned rating methodology. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: factor assessments, calculation where supported, proposed risk, overrides, rationale. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: risk: low, medium, high, undetermined; override: none, proposed_increase, proposed_decrease. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Customer Risk Rating

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Risk factors / calculation

Record each methodology input, its evidence and the calculation. Keep unknown values explicit.

Proposed risk / override

Choose the permitted rating where supported. Explain any proposed override and required approval; do not invent a factor.

Customer Risk Rating

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: customer profile, risk factors, evidence and versioned rating methodology. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: factor assessments, calculation where supported, proposed risk, overrides, rationale. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Enhanced Due Diligence

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: high-risk case, source-of-funds/wealth evidence, ownership and adverse findings. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: enhanced checks, evidence gaps, risk assessment, recommendation, human handoff. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: recommendation: proceed_for_approval, request_information, escalate, recommend_decline; evidence: verified, unverified, conflicting, missing. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Enhanced Due Diligence

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Source of funds / source of wealth

Explain the origin of the relevant money and the wider accumulation of wealth using the supplied supporting evidence.

Enhanced checks / recommendation

Document additional checks and gaps, then state the evidence-supported recommendation and escalation needs.

Enhanced Due Diligence

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: high-risk case, source-of-funds/wealth evidence, ownership and adverse findings. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: enhanced checks, evidence gaps, risk assessment, recommendation, human handoff. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Issue and Remediation Tracking

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: issue records, action plans, owner records, due dates and closure evidence. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: issue status, linked evidence, overdue assessment, closure recommendation. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: status: open, in_progress, pending_validation, closed, reopened; recommendation: retain_open, request_evidence, recommend_closure. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Issue and Remediation Tracking

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Issue / action / owner / due date

Identify the problem, planned remedy, accountable owner and target date.

Closure evidence / status

Distinguish implementation from effectiveness testing. Use the allowed status and explain why closure is or is not supported.

Issue and Remediation Tracking

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: issue records, action plans, owner records, due dates and closure evidence. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: issue status, linked evidence, overdue assessment, closure recommendation. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

KYB and Beneficial Ownership

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: entity records, ownership graph, ownership percentages, control evidence and applicable policy. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: entity verification, ownership traversal, beneficial owners and controllers, gaps, recommendation. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: party_role: legal_entity, shareholder, beneficial_owner, controller, authorised_signatory, trustee, settlor, beneficiary, other; disposition: complete_for_review, request_information, escalate. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

KYB and Beneficial Ownership

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Party role / ownership percentage

Identify entities, owners and controllers; record the source-backed share at each link.

Ownership traversal / verification status

Trace through intermediaries to the relevant persons under the approved method. Mark stale, missing or conflicting links explicitly.

KYB and Beneficial Ownership

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: entity records, ownership graph, ownership percentages, control evidence and applicable policy. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: entity verification, ownership traversal, beneficial owners and controllers, gaps, recommendation. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

KYC Onboarding and Refresh

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: customer case, identity evidence, prior KYC and applicable dated policy. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: steps, findings, disposition, risk_rating, rationale, evidence citations, human_handoff. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: trigger: onboarding, periodic_refresh, event_triggered_update; disposition: complete_for_review, request_information, escalate, recommend_decline; risk: low, medium, high, undetermined; party_role: customer, representative, authorised_signatory, other. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

KYC Onboarding and Refresh

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Disposition

Select the permitted completion-for-review, information request, escalation or decline recommendation. It is a recommendation, not an account action.

Risk rating / party role

Use the approved rating or undetermined where evidence is insufficient; distinguish customer, representative and signatory roles.

KYC Onboarding and Refresh

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: customer case, identity evidence, prior KYC and applicable dated policy. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: steps, findings, disposition, risk_rating, rationale, evidence citations, human_handoff. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

AML Transaction-Monitoring Alerts

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: alert, synthetic transactions, customer profile, scenario parameters and historical context. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: transaction analysis, expected versus observed activity, gaps, alert disposition, escalation rationale. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: disposition: close_with_rationale, request_information, escalate_for_investigation; suspicion: not_established, potential, unresolved. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

AML Transaction-Monitoring Alerts

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Expected / observed activity

Compare the customer profile with the transaction amounts, timing, counterparties and pattern supplied in the case.

Alert disposition / suspicion

Choose an allowed next step and explain whether concern is potential or unresolved. An alert does not establish wrongdoing.

AML Transaction-Monitoring Alerts

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: alert, synthetic transactions, customer profile, scenario parameters and historical context. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: transaction analysis, expected versus observed activity, gaps, alert disposition, escalation rationale. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Fraud-Risk and Compliance Handoffs

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: fraud alert, transaction records, case timeline, roles and escalation policy. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: facts, fraud indicators, compliance concerns, handoff package, recommendation and rationale. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: handoff: fraud, compliance, joint_review; recommendation: request_information, escalate, close_with_rationale. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Fraud-Risk and Compliance Handoffs

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Fraud indicator / compliance concern

Separate evidence of possible fraud from compliance obligations; explain each without treating suspicion as proof.

Handoff destination / package

Identify the authorised receiving team and supply facts, evidence IDs, timeline, open questions and required next action.

Fraud-Risk and Compliance Handoffs

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: fraud alert, transaction records, case timeline, roles and escalation policy. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: facts, fraud indicators, compliance concerns, handoff package, recommendation and rationale. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.

Noise Cancelling Headphones Launch

AUTHORING GUIDE | 8 sections | Default task time: 60 minutes

What to expect

You will author a complete benchmark task, not merely answer a questionnaire. The assistant asks relevant questions, remembers confirmed content and helps organise your words. You supply the evidence, expected result and grading. The template fixes Single Agent or Multi Agent; there is no mode selector here.

1. Assignment and brief

Task title identifies this case. Trigger explains why work is needed. Scope, date and locale set the boundaries. Describe the decision or deliverable the benchmark agent must produce; do not include your answer in the agent brief.

2. Case inputs and evidence

Input means the material the agent can inspect: product brief, test evidence, audience, channel requirements, budget and launch dates. Give each item a stable ID, source and relevant date. Record gaps explicitly. Use authorised test data; exclude real personal identifiers and confidential material unless expressly authorised.

3. Tools and recorded responses

A tool is an allowed action; arguments are its inputs; recorded response is what that call returns. Link the response to the matching call and evidence ID. Select none for a pure structured decision. Do not claim a live check occurred.

4. Policy applicability

Choose an approved project rule, its version and source page/section. Explain which step it applies to, why and any exception. Distinguish public requirements from bank/customer policy. Additional documents need authorised review before their rules become active.

5. Expected work and result

Steps describe the work the agent should do; findings state supported conclusions. The expected deliverable for this template is: launch plan, channel assets, substantiated claims, budget allocation, measurement plan and release recommendation. Explain the rationale and unresolved issues. Keep reference answers separate from agent-visible inputs.

6. Allowed outcomes and values

Use the template pick lists rather than new labels. Current proposed labels: claim_status: supported, unsupported, needs_review; release: ready_for_review, revise, hold. If no choice fits, flag it for review; do not silently invent an enum or policy threshold.

7. Grading criteria

For each criterion supply what is assessed, observable pass/partial/fail conditions, weight and evidence or rule link. Mark critical errors, common mistakes and acceptable alternatives. Where this template requires percentage weights, use a total of 100.

8. Final checks and submission

Confirm coordinated changes, inspect the investigation map and View as agent, resolve blockers and declare your own work. Submit sends this revision for review. Rework returns it to Authoring with comments; correct it and submit again.

Noise Cancelling Headphones Launch

FIELD REFERENCE | What each field means

Task title / brief

Name this case and state the requested deliverable. Describe the assignment without revealing the reference answer.

Trigger / as-of date / scope

Say why the task starts, which date governs the evidence and which customer, asset, period or locale is in scope.

Evidence ID / source / date

Give each record a unique identifier, its origin and relevant date so findings can cite it precisely.

Tool / arguments / response

Name an allowed action, supply the inputs it accepts and record the matching result. Use none when tools are unnecessary.

Policy rule / version / source locator

Select the approved rule and exact version. Identify its page or clause; explain scope, applicability and exceptions.

Steps / dependencies

Describe expected work in order. A dependency means another step must supply its output first. Multi-agent tasks also need role and handoff details.

Findings / evidence references

State supported observations and link their record IDs. Distinguish known facts, reasonable inferences and unresolved gaps.

Rationale / human handoff

Explain why the recommendation follows from the evidence and applicable rules. State what an authorised person must decide or do next.

Criterion / weight / critical flag

Define an observable grading test, its contribution to the total and whether failure is a critical error under the scoring rules.

Partial credit / common errors / acceptable variations

Describe incomplete-but-useful work, predictable mistakes and other valid approaches. Grade outcomes fairly rather than requiring identical wording.

Reviewer comment / decision

Name the affected field and correction needed. Expert review and PM approval are separate responsibilities, even when one person performs both.

Claim substantiation / launch asset

Link each product claim to supporting tests or approved source material and identify the exact asset using it.

Budget / measurement / release

State allocations, success measures and the recommended release status; reconcile them with the supplied launch constraints.

Noise Cancelling Headphones Launch

EXPERT REVIEW AND PM APPROVAL GUIDE | 8 checks

What to expect

The expert assesses the submitted revision and may edit with an audit trail or return it to the SME with precise corrections. The PM makes the approval decision after expert review. The same authorised person may perform both responsibilities. Task states are Authoring, Review / Approval Pending, and Approved; pending responsibility is tracked inside the middle state.

1. Brief and scope

Can another agent understand the task without verbal explanation? Confirm the requested work, date, boundaries and required outputs. Check that the brief does not reveal the reference answer.

2. Evidence quality

Open the supplied inputs: product brief, test evidence, audience, channel requirements, budget and launch dates. Check IDs, dates, provenance, permissions and internal consistency. Missing evidence must remain missing; it cannot be replaced by an assumption.

3. Tool behaviour

Check allowed tools, input fields and every recorded response. Responses must match their calls and case. Confirm that the no-tool option is appropriate where selected.

4. Policy and added documents

Review document relevance and policy status, not just its filename. Check authority, scope, version, source locator and exceptions. Approve or return additional bank/customer policy documents through the policy process; do not promote unreviewed rules.

5. Reference solution

Check the steps and supported conclusions against the evidence. Required result: launch plan, channel assets, substantiated claims, budget allocation, measurement plan and release recommendation. Preserve reasonable uncertainty and acceptable alternative approaches. Do not require unsupported legal conclusions.

6. Graph and agent view

Single-agent: check step dependencies. Multi-agent: check role inputs, permissions, handoff artifacts and joins. The graph describes task work only; approval status is not a graph node. Agent view must exclude private solutions and grading.

7. Rubric and validation

Check observable criteria, weights, critical flags, partial credit, common errors and alternatives. Resolve validation blockers. Similarity or authorship signals require judgement; they do not prove misconduct.

8. Review decision and PM approval

Expert: return actionable, field-specific corrections or mark expert review complete. PM: approve the reviewed revision or return it for correction. Revisions after review require renewed checks. Approval does not itself prove executable Anvil export; contract validation remains required.