GROUP ***DISCUSSIONS***

GROUP MEMBERS	• Sat Panha • Soveth Roathbunna • Phy Vathanak • X

Discuss in group (3 to 4) on bellow topics.

Present your outcomes to the whole group.

DISCUSSION 1: LAST PRACTICE DISCUSSION

- First, share the points you **could not perform** well during the last practice: does someone know how to solve them?
  Bunna: I misuse class in react; in HTML, we use 'class' which differs from 'className' in ReactJS. After the discussion I've learnt more about React syntax.

  Vathanak: Once, I have an issue with parameter when pass into the card component I forgot to use curly bracket ({parameter1, parameter2}) that I cannot render my component. Second, UI design is kind of harder than using CSS and Tailwindcss. I also apply Tailwincss into React but it kind of hard to apply. After group discussion I have learned how to use Tailwindcss Vite new version (v4.0) in React. It is easy to setup and apply style in the code.

  Panha: I have an issue with component and props. These two kind of the same thing sometime I also confuse. After group discussion I have found more about component and props by showing code each other at the last lab and explain how to use and what different between component and props very clear.

- Then, **compare your codes** among the team: which solution is the better? Cleaner?
- Bunna solution is the best because I implement the 'props' argument reducing the parameter passed into the function.

```
export default function Place({props}) {
  return (
    <li key={props.id} className="place-item">
      <button>
        <img src={props.image.src} alt={props.image.alt} />
        <h3>{props.title}</h3>
      </button>
    </li>
  );
}
```

DISCUSSION 2: IMAGINE AN APP USING COMPONENTS!

Do you remember last practice? You had to design a component **Place** that takes as an argument **a place data structure.**



MOCK-UP *COMPONENTS INTERACTION*

Image another app!

- Thing about an application and identify how you can use components to re-usage similar widgets
- Your component must take at least 1 parameter
- Your component must be used at least 2 times

To present

- Your app mockup
- Your component(s) you have identified
- Your component(s) parameters
-

App Idea: Computer Shop

- **Description:** A simple application that displays some information about each computer for sale.
- **Components:**
  - **App Component** (parent) → Displays a list of computers.
  - **Computer Component** (child) → Represents an individual computer and have two buttons for add to card and view detail information .
- **Component Parameters:**

- id: Unique identifier for the computer.
- title: computer name
- brand: company
- spec: detail information hardware
- image: {src, alt} for cover images.
- Price : display price.