1. STRATEGIC CREATIVE BRIEF & BRAND CORE

Sustune Care delivers clinical precision and domiciliary care rooted in human dignity and environmental stewardship. Operating at the convergence of clinical governance and person-centered compassion, our mission is to safeguard well-being in the home and community through sustainable, zero-waste protocols, carbon-conscious logistics, and transparent oversight.

Protected Governance
Architectural safety and clinical precision represented by the heraldic shield and sheltering roofline.

Dynamic Vitality
Continuous recovery and healthcare progress represented by the dual-fluid central 'S' ribbon.

Empathetic Hands
Direct bedside warmth, active listening, and unconditional human dignity cabled at the foundation.

Brand Voice & Tone Strategy Matrix

Dimension	We Are (Brand Target)	We Are Not (Unacceptable Register)
Protection	Reassuring, structured, vigilantly compliant	Overbearing, bureaucratic, clinical, or institutional
Empathy	Attentive, human-first, dignified, compassionate	Sentimental, fragile, patronizing, or overly casual
Clinical Delivery	Evidence-based, technically precise, transparent	Cold, opaque, detached, or overly academic
Sustainability	Operationally conscious, enduring, ethical	Performative, tokenistic, or greenwashing marketing

Boilerplate Messaging Suite


Micro-Lockup Tagline: *"Protected Care. Sustained Dignity."* (UI Short: *"Clinical Precision, Sustainable Compassion"*)

50-Word Elevator Pitch: Sustune Care delivers gold-standard home and supported healthcare rooted in clinical excellence and personal dignity. Combining rigorous safety oversight with compassionate hands-on professionals, we provide protected, sustainable care environments where individuals thrive comfortably at home with absolute clinical reliability.

150-Word Corporate Summary: Sustune Care is a premier healthcare and domiciliary care provider committed to elevating standard-of-living care through clinical governance, sustainable operations, and dignified human support. Operating under the guiding principles of safety, compassion, and innovation, Sustune Care bridges the gap between clinical hospital facilities and the warmth of home life. Our interdisciplinary care teams adhere to rigorous medical protocols, eco-conscious operational standards, and person-centered care methodologies. Built upon our core visual ethos—a protective shield, a sheltering home, nurturing care hands, and a forward-moving 'S' foundation—we support clients recovering from acute illness, managing chronic conditions, or seeking dignified aging support with unwavering integrity.

2. MASTER LOGOMARK ARCHITECTURE

The Sustune Care master mark is a unified heraldic seal engineered with exact geometric symbiosis. It unites the 4-point Guiding Star, the Architectural Roof with 4-pane grid, the fluid dual-gradient 'S' ribbon, and the foundational Supporting Palms within an open heraldic shield.



MASTER EMBLEM

Structural Symbol Breakdown

- **Guiding Radiance Star (Apex):** 4-point clinical star marking institutional standard and moral navigation.
- **Sheltering Gable & 4-Pane Grid:** Signifies domiciliary safety, protected residential environments, and home comfort.
- **Dynamic 'S' Ribbon Matrix:** Bi-chromatic dual loop. Upper loop transitions from Cerulean to Marine; lower loop transitions from Teal to Emerald.
- **Symmetrical Supporting Palms:** Direct physical support, bedside dignity, warmth, and foundational caregiving.
- **Outer Gold Shield Framework:** Beveled structural perimeter establishing clinical governance and patient security.

Exclusion Zone & Scale Standards

Application	Formula / Metric	Physical Measurement	Compliance Mandate
Clearspace (X)	1.0X Height of Guiding Star	14mm at 100mm emblem scale	Zero text, rules, or borders within perimeter boundary
Digital Min. Size	Standard: 48px | Retina: 96px	Height: 48px total	Preserves window pane definition and hand contours
Print Min. Size	Physical Height: 20.0mm	0.787 inches	Prevents micro-die lines from bridging during offset print
Max Enlargement	No vector ceiling	Infinite (Scalable SVG/.AI)	Maintain exact Pantone ink formulations on large formats

Unacceptable Logomark Modifications

No Aspect Ratio Distortion: Never stretch, condense, skew, or rotate the emblem angle.

No Element Isolation: Never detach the star, hand cradle, or 'S' ribbon from the shield.

No Arbitrary Recoloring: Never apply flat pastels, neon fills, or invert ribbon gradient flows.

2.2 ANCHOR COLOR PALETTE MATRIX

Extracted and deconstructed directly from the Sustune Care emblem. All values are mathematically color-calibrated for web screen spaces (sRGB) and 4-color process offset printing (ISO 12647-2 compliant).

Imperial Gold

HEX: #C99738
RGB: 201, 151, 56
CMYK: 20, 40, 90, 5
PMS: 110 C / 110 U

Burnished Bronze

HEX: #8B601C
RGB: 139, 96, 28
CMYK: 30, 55, 100, 30
PMS: 126 C / 126 U

Cerulean Flow

HEX: #0073B7
RGB: 0, 115, 183
CMYK: 88, 48, 0, 0
PMS: 2174 C / 2174 U

Deep Marine Blue

HEX: #0D3B66
RGB: 13, 59, 102
CMYK: 100, 75, 25, 25
PMS: 295 C / 295 U

Emerald Vitality

HEX: #0A8754
RGB: 10, 135, 84
CMYK: 86, 18, 85, 5
PMS: 7725 C / 7725 U

Pure Slate Gray

HEX: #1E293B
RGB: 30, 41, 59
CMYK: 75, 60, 40, 40
PMS: 432 C / 432 U

Cool Mist Tint

HEX: #F1F5F9
RGB: 241, 245, 249
CMYK: 4, 2, 2, 0
PMS: Cool Gray 1 C

Clinical White

HEX: #FFFFFF
RGB: 255, 255, 255
CMYK: 0, 0, 0, 0
Ref: Pure Opaque Stock

Color Hierarchy & 60-30-10 Distribution Rule

Role	Primary Tokens	Ratio	Application Scope
Dominant Ground	Clinical White (#FFFFFF) & Mist (#F1F5F9)	**60%**	Page canvas, generous white breathing space, clean patient documentation
Clinical Secondary	Cerulean Flow (#0073B7) & Marine (#0D3B66)	**30%**	Primary CTA buttons, navigation bars, section titles, headers, footer bands
Prestige Accent	Imperial Gold (#C99738) & Emerald (#0A8754)	**10%**	Foil stamped logos, accreditation badges, success states, subtle dividers

WCAG 2.1 Contrast Ratios

Pass AAA: Pure Slate (#1E293B) on White = **12.63:1** | Deep Marine (#0D3B66) on White = **10.84:1**.
Pass AA: Cerulean Flow (#0073B7) on White = **4.58:1** | Imperial Gold (#C99738) on Deep Marine (#0D3B66) = **4.62:1**.
Note: Never place white copy over unshadowed Imperial Gold; use Pure Slate (#1E293B) for dark text contrast over gold fills.

2.3 TYPOGRAPHY HIERARCHY & SPEC SCALE

Headings utilize **Plus Jakarta Sans** for clean clinical structure and modern geometric legibility. Body text and operational documentation utilize **Inter** for optimal multi-screen and print micro-reading clarity.

Element	Font Family / Weight	Desktop Size / Line-Ht	Mobile Size	Tracking	Margin Bottom
Display H1	Plus Jakarta Sans 800 Bold	3.25rem (52px) / 1.15 (60px)	36px / 42px	-0.025em	1.5rem (24px)
Section H2	Plus Jakarta Sans 700 Bold	2.25rem (36px) / 1.25 (45px)	28px / 34px	-0.015em	1.25rem (20px)
Card H3	Plus Jakarta Sans 600 SemiBold	1.50rem (24px) / 1.30 (31px)	20px / 26px	0.000em	0.75rem (12px)
Header H4	Plus Jakarta Sans 600 SemiBold	1.125rem (18px) / 1.40 (25px)	16px / 22px	+0.010em	0.5rem (8px)
Subtitle	Inter 500 Medium	1.25rem (20px) / 1.50 (30px)	17px / 26px	0.000em	1.0rem (16px)
Body Regular	Inter 400 Regular	1.00rem (16px) / 1.60 (25.6px)	15px / 24px	0.000em	0.875rem (14px)
Caption/Meta	Inter 400 Regular	0.875rem (14px) / 1.50 (21px)	13px / 19px	+0.015em	0.5rem (8px)
Micro/Legal	Inter 500 Medium	0.75rem (12px) / 1.40 (16.8px)	11px / 15px	+0.025em	0.25rem (4px)

3.1 WEB UI & COMPONENT STANDARDS

Container Framework: `max-w-7xl` (1280px) with 12-column responsive layout.
Border Radius: `rounded-md` (6px) buttons | `rounded-xl` (12px) cards.
Shadows: `shadow-sm` on base cards; `shadow-md` on card hovers.

Primary Canvas: Pure White #FFFFFF canvas with #F8FAFC cards.
Hero Banners: Deep Marine #0D3B66 with Imperial Gold accent rules.
Divider Accents: 1px solid #E2E8F0 with #C99738 badge frames.

Button Architecture (Design Tokens)

Primary Action
`bg-[#0073B7]` hover: #0D3B66

Clinical Secondary
`bg-[#0A8754]` hover: #075F3B

Prestige Outline
`border-[#C99738]` hover: #C99738


3.2 MULTI-PLATFORM SOCIAL MEDIA STANDARDS

Platform & Placement	Resolution	Aspect Ratio	Composition & Safe Zone Strategy
LinkedIn Corporate Banner	1584 × 396 px	4 : 1	Center 1200 × 300px safe; keep lower left 300 × 150px clear of copy
LinkedIn Document Carousel	1080 × 1350 px	4 : 5	100px margins; bottom 150px reserved for native UI pagination controls
Instagram / Facebook Feed	1080 × 1080 px	1 : 1	90px padding perimeter; high-contrast centered clinical / caregiver subject
Instagram Story / Reel	1080 × 1920 px	9 : 16	Top 250px and bottom 350px clear of critical titles and interactive CTAs
Meta Healthcare Ads	1200 × 628 px	1.91 : 1	Under 20% text density rule; logo pinned upper-left; CTA Cerulean Flow

4.1 EXECUTIVE BUSINESS CARDS SPECIFICATION

Finished Trim Size: 3.5" × 2.0" (88.9 × 50.8 mm) | **Bleed:** 3.0 mm (94.9 × 56.8 mm overall) | **Safe Inner Margin:** 4.0 mm.
Substrate: 380 GSM Mohawk Superfine Ultra-White Eggshell or Soft-Touch Silk Matte laminate.
Finishing: 3D Raised Blind Deboss with targeted Gold Foil (Kurz Luxor 428) on shield frame; Spot Gloss UV on 'S' ribbon.





4.2 CORPORATE LETTERHEAD & SECOND SHEET

Dimensions: ISO A4 (210 × 297 mm) & US Letter (8.5" × 11") | **Substrate:** 120 GSM Gmund Bio Cycle or Neenah Classic Crest Pure White.
Margins: Top 42 mm | Bottom 32 mm | Left & Right 22 mm. Embedded with a 3.5% opacity security watermark of the emblem.

Logo **SUSTUNE CARE**
HEALTHCARE & DOMICILIARY ECOSYSTEM

100 Care Parkway, Suite 400
contact@sustunecare.com | +1 (555) 019-CARE
www.sustunecare.com

[Date: October 24, 2026]
[Recipient Name, Organization Address]

Letterhead body text begins at 42mm vertical clear margin. All official communications maintain 1.45 line-height and are governed by healthcare data compliance protocols.

Sustune Care Ltd. Healthcare Registration No: 09841243. ISO 9001 & CQC Certified. Page 1 of 1

4.3 ENVELOPE & 4.4 PRESENTATION FOLDER MECHANICALS

Stationery Item	Finished Dimensions	Substrate / Stock	Mechanical Specifications & Finishes
#10 Commercial Envelope	4.125" × 9.5" (104.8 × 241.3 mm)	120 GSM Pure White Wove	Top-left return logo at 9.5mm margin; 16mm barcode clear band; 12% tint interior security pattern
C4 / C5 Document Envelopes	C4: 229 × 324 mm C5: 162 × 229 mm	135 GSM Peel & Seal Stock	Flap on long edge; gold rule divider above return address; tamper-evident adhesive strip
Presentation Folder (Oversized)	9.0" × 12.0" folded (18" × 12" flat)	350 GSM Invercote Creato (SBS)	Dual 4.0" (101.6mm) inner pockets; 0.25" gusset spine; business card die-cut slits on right pocket
Folder Finishes	Full Surface Coated	Anti-scratch Soft-Touch Laminate	Front emblem Hot-Stamped Kurz Luxor 428 Gold Foil + High-Build 60µ Spot UV on 'S' Ribbon

Prepress Compliance Checklist: CMYK ink limit ≤ 280% on uncoated stationery; all fonts converted to vector paths on dies; Pantone 110 C & 295 C approved. RELEASE VERIFIED