



Performance



Accessibility



Best Practices



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS

Expand view

First Contentful Paint

0.7 s

Largest Contentful Paint

0.7 s

Total Blocking Time

0 ms


Cumulative Layout Shift

0.009

Speed Index

0.7 s

View Treemap



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

- ▲ Eliminate render-blocking resources — Est savings of 490 ms
- ▲ Reduce unused JavaScript — Est savings of 162 KiB
- ▲ Page prevented back/forward cache restoration — 1 failure reason
- ▲ Does not have a <meta name="viewport"> tag with width or initial-scale No ``<meta name="viewport">`` tag found

Minify JavaScript — Est savings of 46 KiB	▼
Enable text compression — Est savings of 62 KiB	▼
Does not use passive listeners to improve scrolling performance	▼
Avoid serving legacy JavaScript to modern browsers — Est savings of 27 KiB	▼
Reduce unused CSS — Est savings of 18 KiB	▼
○ Avoid large layout shifts — 1 layout shift found	▼
○ User Timing marks and measures — 2 user timings	▼
○ Avoid chaining critical requests — 9 chains found	▼
○ Minimize third-party usage — Third-party code blocked the main thread for 0 ms	▼
○ Largest Contentful Paint element — 740 ms	▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (24) Show



# Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ARIA

▲ ARIA input fields do not have accessible names ▼

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

INTERNATIONALIZATION AND LOCALIZATION

▲ `<html>` element does not have a `[lang]` attribute ▼

These are opportunities to improve the interpretation of your content by users in different locales.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19) Show

NOT APPLICABLE (36) Show



# Best Practices

## USER EXPERIENCE

▲ Does not have a `<meta name="viewport">` tag with `width` or `initial-scale` No `<meta name="viewport">` tag found ▼

## BROWSER COMPATIBILITY

▲ Page lacks the HTML doctype, thus triggering quirks-mode Document must contain a doctype ▼

## TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks ▼

○ Use a strong HSTS policy ▼

○ Ensure proper origin isolation with COOP ▼

○ Mitigate clickjacking with XFO or CSP ▼

## GENERAL

○ Detected JavaScript libraries ▼

PASSED AUDITS (12)	Show
<hr/>	
NOT APPLICABLE (2)	Show
<hr/>	

Captured at Aug 22, 2025, 10:29 AM GMT+2 Initial page load	Emulated Desktop with Lighthouse 12.6.1 Custom throttling	Single page session Using Chromium 139.0.0.0 with devtools
--	---	--

Generated by **Lighthouse** 12.6.1 | [File an issue](#)