




Performance



Accessibility




Best Practices



Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint

0.4 s

Largest Contentful Paint

0.5 s

Total Blocking Time

0 ms


Cumulative Layout Shift

0.127

Speed Index

0.4 s

View Treemap



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: All FCP LCP CLS

DIAGNOSTICS

▲ Avoid large layout shifts — 1 layout shift found

▲ Serve images in next-gen formats — Est savings of 69 KiB

▲ Properly size images — Est savings of 39 KiB

▲ Reduce unused JavaScript — Est savings of 135 KiB

| | |
|---|---|
| Preload Largest Contentful Paint image — Est savings of 0 ms | ▼ |
| Image elements do not have explicit width and height | ▼ |
| Minify JavaScript — Est savings of 25 KiB | ▼ |
| Avoid serving legacy JavaScript to modern browsers — Est savings of 1 KiB | ▼ |
| <input type="radio"/> User Timing marks and measures — 2 user timings | ▼ |
| <input type="radio"/> Avoid chaining critical requests — 2 chains found | ▼ |
| <input type="radio"/> Largest Contentful Paint element — 460 ms | ▼ |

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (27)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (19) Show

NOT APPLICABLE (38) Show



Best Practices

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼
- ☐ Mitigate clickjacking with XFO or CSP ▼

PASSED AUDITS (14) Show

NOT APPLICABLE (3) Show

Captured at Aug 22, 2025,
10:20 AM GMT+2
Initial page load

Emulated Desktop with
Lighthouse 12.6.1
Custom throttling

Single page session
Using Chromium 139.0.0.0 with
devtools

Generated by **Lighthouse** 12.6.1 | [File an issue](#)