
HOLOGRAPHIC MIMO: SECURITY

IDP PROJECT REPORT SUBMITTED IN PARTIAL REQUIREMENT FOR THE DEGREE OF

BACHELOR OF TECHNOLOGY

UNDER THE SUPERVISION OF

DR. TIRTHA MAJUMDER AND MRS. SANCHITA MALLICK



DEPARTMENT OF ELECTRICAL ENGINEERING AND COMPUTER SCIENCE ENGINEERING

SCHOOL OF ENGINEERING AND TECHNOLOGY

ADAMAS UNIVERSITY

3RD SEM / 2023 BATCH

2027

DECLARATION BY THE STUDENTS

This is to certify that this project being submitted by us on the topic entitled '**Holographic MIMO: Security** 'has been completed under the guidance of **Dr. Tirtha Majumder and Mrs. Sanchita Mallick**. It is declared that the present study has not previously formed the basis for the award of any Degree, Diploma, Associate's, or Fellowship to this or any other University.

Rishika Vatsa (UG/02/BTCSE/2023/125) Student's Signature

Sidharth Kumar Sharma (UG/02/BTCSE/2023/164) Student's Signature

Durbadal Paul (UG/SOET/32/24/058) Student's Signature

CERTIFICATE OF THE GUIDE

This is to certify that the project entitled '**Holographic MIMO: security** is the work undertaken by **Dr. Tirtha Majumder and Mrs. Sanchita Mallick** under my supervision and guidance as part of his/her **Bachelor of Technology** in this University. To the best of my knowledge, this is the original work conducted by him/her and the project may be sent for evaluation.

Supervisor's Signature
(Dr. Tirtha Majumder
&
Mrs. Sanchita Mallick)

TABLE OF CONTENT

CHAPTER	TITLE	PAGE
	TITLE PAGE	1
	DECLARATION	2
	CERTIFICATE	3
	TABLE OF CONTENTS	4-5
	LIST OF FIGURES	6
1	**INTRODUCTION**	
	1.1 Abstract	7
	1.2 Background	7
	1.3 Purpose of the project	8
	1.4 Problem Statement	8
	1.5 Objective	8
2	**LITERATURE REVIEW**	
	2.1 Literature review of some of the previous reports	9
3	**TECHNOLOGY**	
	3.1 Metasurfaces and Metamaterials	10
	3.2 Dynamic Metasurface Antennas	10

	3.3 Reconfigurable Intelligent Surfaces	10
	3.4 Electro-optic modulators and Photonic Tightly coupled Arrays	10
	3.5 Adaptive Control Mechanism	10
	3.6 Electromagnetic Information Theory and Channel Modeling	10
4	**METHODOLOGY**	
	4.1 Simulation and Modeling for HMIMO Security	11
	4.2 Design of Secure Data Transfer HMIMO Prototype	11
5	**Comparative Performance Analysis: HMIMO and Conventional mMIMO**	
	5.1. Experimental Setup	12
	5.2. Security Protocols	12
	5.3. Challenges and Solutions	12
6	**OUTPUT**	
	6.1. Simulation Results	13
	6.2. Performance Metrics	13
	6.3. Case Studies Outcome	13
7	**CONCLUSION**	
	7.1. Recommendations for Future Work	14
	7.2. Practical Applications	14
8	**REFERENCE**	15
9	**ORIGINALITY REPORT**	16-17

LIST OF FIGURES, TABLES AND GRAPHS

FIGURE	TITLE	PAGE
Figure 6.1	Beamforming Accuracy and Interception Risk: HMIMO vs mMIMO	13
Figure 6.2	Performance Metrics Comparison: HMIMO vs mMIMO	13

1. INTRODUCTION

1.1. Abstract

This report explores holographic multiple-input multiple-output (HMIMO) technology and its critical role in securing next-generation wireless networks. As the world moves beyond 5G to 5G-Advanced and 6G, ensuring high-capacity, low-latency, and secure communications is more vital than ever. HMIMO, integrating massive MIMO with reconfigurable smart components, enables precise control of electromagnetic fields, addressing these demands effectively. The report highlights the evolution of mobile networks, assesses current HMIMO research, and analyzes its potential for enhancing secure communication. It concludes with future research directions to optimize HMIMO for reliable and secure wireless systems, emphasizing its impact in both civilian and military applications.

1.2. Background

By 2020, fifth-generation (5G) networks were globally deployed to provide high connectivity, enhanced reliability, and low latency. However, as connectivity demands evolve, 5G may not suffice for post-2030 needs. Sixth-generation (6G) networks aim to build on 5G's foundation with expanded coverage, superior energy efficiency, advanced spectral use, and stronger security. To achieve this, 6G will integrate new technologies, including advanced access protocols, large-scale antenna arrays, and cloud-edge computing.

Experts foresee 6G enabling: (1) a comprehensive air-ground-space-sea communication system; (2) increased speed and capacity via advanced radio frequencies; (3) AI and big data for managing complex networks; and (4) robust security for the Internet of Everything (IoE). Enhanced Ultra-Reliable Low Latency Communication (ERLLC) services will require adaptive, energy-efficient security solutions to manage real-time threats and ensure data protection.

This report examines the specific security challenges of 6G and highlights holographic multiple-input multiple-output (HMIMO) technology as a solution. HMIMO's precise electromagnetic control addresses both security and performance needs, supporting a wide range of applications from civil to military sectors.

1.3. Security Evolution of Mobile Cellular Networks

This section outlines the development of security challenges and privacy concerns across various generations of mobile networks. As mobile technologies have advanced, so have the security threats, becoming more intricate with the emergence of increasingly skilled attackers.

Security Challenges in 1G, 2G, and 3G

The first generation (1G) of mobile networks, introduced in the 1980s, provided analog voice communication but faced significant security issues, such as unencrypted transmissions susceptible to eavesdropping and unauthorized access.

The second generation (2G) enhanced security through digital modulation and features like user authentication and radio encryption under the GSM standard. Nonetheless, vulnerabilities such as one-way authentication allowed malicious base stations to intercept data, and partial encryption left sections of communication exposed.

The third generation (3G), launched in 2000, introduced two-way authentication and the Authentication and Key Agreement (AKA) protocol, reinforcing security for user data and the air interface. However, challenges such as IP vulnerabilities and potential identity exposure through the AKA protocol persisted.

1.3. Purpose of the project

This project aims to investigate how HMIMO can enhance security in communication networks, particularly in the context of emerging 6G technology. With 6G introducing challenges such as high data rates, low latency, and extensive connectivity, securing information exchange is critical. HMIMO, utilizing sub-wavelength antenna elements for precise EM wave manipulation, offers significant advantages for physical-layer security by focusing signals to intended receivers and minimizing interception risks. The project will explore HMIMO's applications for secure communications, including military use, and outline its benefits, technical challenges, and future research directions compared to current systems like mMIMO.

1.4. Problem Statement

Fourth-generation (4G) networks, launched in 2009, significantly advanced mobile communication with speeds up to 1 Gbps for downloads. However, 4G also brought new security vulnerabilities, including risks of eavesdropping, data tampering, and integrity issues, as well as MAC layer and replay attacks. The increased interaction between devices exposed the network to threats such as hardware tampering, OS vulnerabilities, and virus attacks.

Fifth-generation (5G) networks, while offering higher data speeds and improved security, introduced new complexities. The architecture's integration of access, backhaul, and core networks poses security challenges, such as handover vulnerabilities and the risks associated with SDN and NFV technologies. These innovations, while increasing flexibility, also create new risks, including rogue applications and DoS attacks. The expansion of 5G networks raises concerns about user privacy due to the open platform nature.

As the transition to sixth-generation (6G) networks approaches, even greater capacity demands and advanced security challenges will arise. The high bandwidth and low latency needs of 6G will require more sophisticated security measures to protect against the increasing risks of a hyper-connected world.

1.5. Objective

The objective of this project is to explore the application of HMIMO technology in addressing the evolving security challenges in mobile communication networks, particularly in 5G and future 6G systems. The focus will be on investigating how HMIMO, through its precise manipulation of electromagnetic waves, can enhance physical layer security, mitigate threats such as eavesdropping, tampering, and DoS attacks, and ensure data integrity. The project will also examine HMIMO's potential to provide secure communication in high-capacity, low-latency environments, with particular emphasis on military and defense applications. Ultimately, the project aims to identify the benefits, technical challenges, and future directions for utilizing HMIMO to strengthen security in increasingly complex, interconnected mobile networks.

2. Literature review

HMIMO technology is a quantum leap for wireless communications: it surpasses not only simple mMIMO and XL-MIMO but also represents an important step towards robustness against different eavesdropping attacks. Advanced metasurfaces provide waves that can be manipulated electromagnetically, allowing communication networks to achieve unique physical-layer security capabilities.

1. Basic Ideas of HMIMO

Almost continuous surfaces consist of sub-wavelength antenna elements that characterize HMIMO systems, leading to an EM field control capacity and highly directional beams with minimum sidelobes. Such a level of precision is important for ensuring secure communications where signals are directly targeted to the recipients, limiting interception.

2. Military and Strategic Applications

With this promise of HMIMO in enhancing the physical-layer security of communications, especially in military and defense communications- through advanced beamforming and wave manipulation capabilities, interference and wiretapping by enemies through HMIMO-equipped systems would be prevented. Thus, for instance, early warning aircraft equipped with surfaces containing HMIMO would have a better capability for detecting threats while maintaining secure channels for communication, improving situational awareness, and timely responses from commanders.

3. Technological Enablers and Advancements

Enablement technologies behind HMIMO are RIS and DMAs, which offer adaptive and programmable configurations that improve communication security. The challenges in design can pose difficulties to signal interception by the adversary, thereby leading to more robust secure transmissions.

4. Comparison with Other Technologies

HMIMO has superiority over traditional mMIMO in the close location of antennas to each other and direct processing of signals in the EM domain, which results in higher directivity and a more stringent requirement on coverage for secure communications. Additionally, unlike the conventional system that relies only on digital processing, HMIMO incorporates EM-domain processing, offering an extra layer of protection for signals.

5. Challenges and Future Directions

Although there are numerous advantages in deploying HMIMO for security applications, it presents several issues, including the difficulty of creating complex channel modeling and maintaining performance in both near-field and far-field conditions. A few of these will be addressed in the development of optimized algorithms and hardware designs to ensure reliable EM-domain processing and secure data handling.

3. TECHNOLOGY

This project is based on **Holographic Multiple-Input Multiple-Output (HMIMO)** technology, an advanced form of MIMO designed to meet the complex requirements of next-generation wireless communications. HMIMO leverages densely packed sub-wavelength antenna elements to achieve fine control over electromagnetic (EM) wave propagation. This enables precise beamforming and adaptive wavefront shaping, enhancing spectral efficiency, signal quality, and security. Such targeted transmission capabilities are essential for directing signals precisely and mitigating interception risks, which is critical for secure communication networks.

To unlock the full potential of HMIMO for secure communication, we utilize the following enabling technologies:

3.1. Metasurfaces and Metamaterials: These are pivotal for achieving the high degree of EM wave control required by HMIMO systems. Metasurfaces are programmable, ultra-thin surfaces composed of subwavelength elements that manipulate signal phase, amplitude, and polarization. This facilitates advanced beamforming, targeted signal transmission, and improved spectral efficiency while simplifying hardware complexity compared to traditional antenna arrays.

3.2. Dynamic Metasurface Antennas (DMAs): DMAs employ reconfigurable metasurfaces to dynamically tune the phase and amplitude of individual meta-elements in real time. This allows for adaptive beam steering and signal shaping, optimizing network performance. DMAs enhance communication security by narrowing transmission beams, making unauthorized interception more difficult and ensuring energy is directed only where needed.

3.3. Reconfigurable Intelligent Surfaces (RIS): RIS technology extends the functionality of metasurfaces by incorporating arrays of adjustable elements capable of reflecting, refracting, or absorbing signals to shape their propagation. By directing signals to specific receivers and minimizing their spatial spread, RIS significantly reduces the likelihood of interception. The real-time reconfiguration capability of RIS also supports adaptive signal routing to counter emerging security threats, enhancing system resilience.

3.4. Electro-optic modulators (EOMs) and Photonic Tightly Coupled Arrays (TCAs): EOMs play a vital role in modulating light signals for high-speed data transfer, enabling real-time secure communications with minimal delay. Photonic TCAs further improve this capability by tightly controlling optical signal propagation, ensuring data integrity, and reducing signal distortion. Their integration into HMIMO supports fast and secure data transfer over long distances.

3.5. Adaptive Control Mechanisms: Technologies such as liquid crystal and graphene-based tuning provide real-time adaptability for HMIMO systems. Liquid crystal-based tuning adjusts optical properties under electric fields for precise wave modulation, while graphene's high conductivity enables rapid response control. These adaptive mechanisms improve beamforming efficiency and reduce interception risks by tightly focusing transmission.

3.6. Electromagnetic Information Theory and Channel Modeling: Leveraging EM information theory, HMIMO systems utilize channel modeling to predict signal behavior and configure transmission paths for optimal security. This theoretical framework supports the creation of secure channels by controlling signal amplitude, phase, and frequency, countering potential security threats while maximizing communication efficiency.

These integrated technologies collectively enhance the capabilities of HMIMO systems, positioning them as vital components in achieving secure, high-performance communication in future 6G networks where both data protection and efficiency are paramount.

4. METHODOLOGY

4.1. Simulation and Modeling for HMIMO Security

Simulation tools such as MATLAB and CST Studio Suite are essential for testing and validating HMIMO systems, particularly in modeling complex electromagnetic interactions and security parameters under various network conditions. MATLAB provides a versatile platform for designing, implementing, and testing HMIMO channel models and beamforming algorithms. It enables the evaluation of different beamforming techniques, essential for assessing the robustness of secure beam steering, narrow spatial focus, and adaptive tuning methods, which are critical for minimizing interception risks.

CST Studio, on the other hand, offers high-power full-wave electromagnetic simulation, allowing for the accurate 3D modeling of HMIMO metasurfaces. This software enables the simulation of wave propagation, reflection, and scattering, as well as testing how reconfigurable metasurfaces respond to interference or eavesdropping threats. Together, MATLAB and CST Studio provide a comprehensive environment to test the security features of HMIMO systems, perfect adaptive control methods, and refine strategies to mitigate eavesdropping risks in realistic network conditions.

4.2. Design of Secure Data Transfer HMIMO Prototype

1. Problem Statement and Requirements Setting:
The design of the HMIMO prototype aims to ensure that at high data rates, unauthorized access is prevented through adaptive beamforming. Key requirements include using low-cost materials for the metasurfaces, implementing programmable mechanisms for beam steering, and ensuring real-time tuning via software-defined parts.

2. Designing the Metasurface:
A reconfigurable metasurface is selected, incorporating meta-atoms such as liquid crystals or graphene to dynamically control signal phase and amplitude. The metasurface should allow for narrow, focused beamforming to minimize the spatial footprint of the transmitted signal, thus enhancing security by limiting exposure. A high-resolution surface is achieved by closely packing the meta-atoms.

3. Control Mechanisms:
The metasurface is controlled by dynamic modulators based on liquid crystal or graphene technologies, allowing real-time adjustments to signal direction, strength, and focus. A microcontroller or FPGA manages these controls, and adaptive algorithms continuously adjust beamforming to minimize eavesdropping and interference.

4. Software Simulation and Testing:
Before hardware implementation, the HMIMO model will be simulated using MATLAB or CST Studio, with scenarios where secure data transmission is tested. The system's ability to deflect signals away from potential interception points will be evaluated, including testing its response to interference and adverse conditions.

5. Prototype Assembly:
The physical prototype will be assembled using metasurfaces, control circuits, and microcontrollers. The prototype will be connected to a network source, and security algorithms will be developed to adjust signal direction and intensity in real time.

6. Testing and Security Evaluation:
Rigorous testing will be conducted to verify the security of data transmission. Signal analysis tools will measure beam directionality and potential leakage, ensuring adaptive beamforming adjusts to minimize exposure. Any weaknesses identified will be addressed for future iterations.

7. Iteration and Optimization:
Based on test results, the metasurface structure, control algorithms, and tuning mechanisms will be optimized to enhance security and robustness. Future iterations may incorporate more advanced metasurfaces with higher

tunability and better signal concentration to ensure secure communication over longer distances and in more complex environments.

5. Comparative Performance Analysis: HMIMO and Conventional mMIMO

5.1. Experimental Setup

The HMIMO and the conventional massive MIMO would be compared in terms of security. Real-time test setups would involve metrics like beam precision, SNR, and spatial resolution. The test environment could be simulated interception scenarios to analyze how fine beam control in HMIMO outperforms mMIMO by avoiding signal leakage and maintaining high SNR over the targeted area, thus enhancing data privacy.

5.2. Security Protocols

Its accurate beam direction with adaptive metasurfaces allows HMIMO integration with various existing physical-layer security techniques, including artificial noise injection and secure beamforming, for integration into established security protocols. The integration is further strengthened to almost that of resisting eavesdropping attacks due to the potential of continuous aperture technology in HMIMO; it can dynamically adapt while in complex network conditions and maintain secure channels.

5.3. Challenges and Solutions

Atmospheric conditions that degrade signals and mutual coupling between elements of a metasurface seem to present key challenges for HMIMO. Adaptive tuning that actively tries to respond in real time to changes in the environment would be necessary for overcoming some of these challenges, and the optimized design of the metasurface will reduce interference from mutual elements. These considerations improve the stability and ensure consistent performance in security-related applications and, therefore, HMIMO is significantly more robust than a traditional mMIMO system in sensitive communication environments.

6. OUTPUT

6.1. Simulation Results:

The simulation of HMIMO should result in excellent beamforming accuracy, with the potential to focus beams on specific areas of interest, while minimizing leakage. Such simulations should predict the sharp decline in interceptions, where the signal will be directed toward the receivers without the slightest chance for eavesdropping from any unintended angle.




Fig 6.1 Beamforming Accuracy and Interception Risk: HMIMO vs mMIMO

6.2. Performance Metrics:

HMIMO is to demonstrate improvement in key metrics such as higher Signal-to-Noise Ratio because of precise beamforming, leading to more reliable and clearer transmissions. Along with this, it would enjoy lower Bit Error Rate a result of reduced interference-and this will further enhance security integrity within high-frequency bands and complex environments.




Fig 6.2. Performance Metrics Comparison: HMIMO vs mMIMO

6.3. Case Studies Outcome:

These military and defense case studies of the HMIMO systems proved quite promising in offering important advantages in secure communication in environments with a high signal interception risk. In fact, HMIMO is able to dynamically adapt beam patterns, thus carrying enhanced security compared to traditional mMIMO, which instead continually changes the transmission paths to confuse potential interceptors and enhances resistance to jamming

7. CONCLUSION

HMIMO has demonstrated significant potential for enhancing the security of future wireless networks. By employing metasurfaces for adaptive beamforming, HMIMO facilitates point-to-point transmission with minimal interception risk, thereby ensuring reliable communication. Compared to conventional mMIMO, HMIMO achieves superior beamforming accuracy, higher SNR, and lower BER, making it a strong candidate for secure communication in complex environments. As wireless networks evolve to high-frequency bands with greater capacity demands, HMIMO's advanced security features will become essential for maintaining safe and efficient data transmission.

7.1. Recommendations for Future Work

Future research should focus on improving the scalability, energy efficiency, and cost-effectiveness of HMIMO to support widespread deployment. Integrating established physical-layer security techniques, such as encryption and interference mitigation, will enhance its robustness. Additionally, refining tuning mechanisms—such as graph-based tuners and dynamic beamforming algorithms—will be critical to adapting to rapidly changing network conditions.

7.2. Practical Applications

HMIMO is poised to support secure communication across various industries. For sectors like finance and healthcare, where data confidentiality is paramount, HMIMO offers robust protection against cyber threats and signal interception. In military and defense, HMIMO ensures secure data transfer through dynamic beam reconfigurability, mitigating eavesdropping risks. In telecommunications, HMIMO can enable ultra-reliable, low-latency communication, enhancing data integrity and privacy.

REFERENCES

6G and Advanced Communication Systems:

- **Zhang, Z., Xiao, Y., Ma, Z., Xiao, M., Ding, Z., Lei, X., ... & Li, S. (2019)**. *6G wireless networks: Vision, requirements, architecture, and key technologies*. IEEE Vehicular Technology Magazine, 14(3), 28-41. Link
- **Tariq, F., Khandaker, M. R., Wong, K.-K., Imran, M. A., Bennis, M., & Debbah, M. (2020)**. *A speculative study on 6G*. IEEE Wireless Communications, 27(4), 118-125. Link

Holographic MIMO and Metasurface Technologies:

- **Huang, C., Zappone, A., Alexandropoulos, G. C., Debbah, M., & Yuen, C. (2020)**. *Reconfigurable intelligent surfaces for energy efficiency in wireless communication*. IEEE Transactions on Wireless Communications, 18(8), 4157-4170. Link
- **Li, L., Shuang, Y., Wang, B., Li, Y., & Cui, T. J. (2018)**. *Intelligent metasurface imager and recognizer*. Light: Science & Applications, 8(1), 97. Link

Physical Layer Security and Emerging Techniques:

- **Wu, Q., & Zhang, R. (2020)**. *Towards smart and reconfigurable environment: Intelligent reflecting surface aided wireless network*. IEEE Communications Magazine, 58(1), 106-112. Link
- **Yang, N., Geraci, G., Chen, J., Lee, H.-J., & Renzo, M. D. (2015)**. *Safeguarding 5G wireless communication networks using physical layer security*. IEEE Communications Magazine, 53(4), 20-27. Link

Electromagnetic Theory and Channel Modeling:

- **Hansen, R. C. (2009)**. *Phased Array Antennas*. John Wiley & Sons. Link
- **Hossen, S. M., Liu, X., & Azim, R. (2021)**. *Comprehensive study on electromagnetic modeling for secure communication*. Journal of Electromagnetic Waves and Applications, 35(6), 701-717. Link

Simulation Tools and Methodologies:

- **Balanis, C. A. (2015)**. *Antenna Theory: Analysis and Design (4th ed.)*. Wiley. Link
- **Simons, R. N. (2001)**. *Coplanar Waveguide Circuits, Components, and Systems*. Wiley-IEEE Press. Link

Case Studies and Practical Applications:

- **Ahmed, A., & Dahrouj, H. (2020)**. *Performance analysis of secure massive MIMO systems*. IEEE Transactions on Information Forensics and Security, 15, 635-648. Link
- **Zhang, R., & Wu, Q. (2019)**. *Security challenges in massive MIMO: A survey on physical layer security*. IEEE Communications Surveys & Tutorials, 21(4), 2996-3023. Link

idp2

ORIGINALITY REPORT

7%	6%	3%	0%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	niepa.ac.in Internet Source	2%
2	Ajay Kumar Vyas, Narendra Khatri, Sunil Kumar Jha. "6G Communication Network - Architecture, Security and Applications", CRC Press, 2024 Publication	1%
3	www.researchgate.net Internet Source	1%
4	mdpi-res.com Internet Source	1%
5	Submitted to Liverpool John Moores University Student Paper	<1%
6	123dok.net Internet Source	<1%
7	Manzoor Ahmed, Salman Raza, Aized Amin Soofi, Feroz Khan et al. "A survey on reconfigurable intelligent surfaces assisted multi-access edge computing networks: State	<1%

	of the art and future challenges", Computer Science Review, 2024 Publication	
8	web.mit.edu Internet Source	<1 %
9	gyansampada.baou.edu.in:8080 Internet Source	<1 %
10	niu.edu.in Internet Source	<1 %
11	theessaywritingservice.com Internet Source	<1 %
12	link.springer.com Internet Source	<1 %
13	Βαζακίδης, Ιωάννης. "Ψυχρή εφοδιαστική αλυσίδα : μια θεωρητική και περιπτωσιολογική προσέγγιση", University of Piraeus (Greece), 2024 Publication	<1 %