

PYTHON PROJECT
EVALUATION – 2 REPORT
ON
CYBER LEGAL GUIDANCE SYSTEM

Submitted By
Vatsal Agarwal
590023223
B.Tech Computer Science and Engineering

Under the guidance of
Ms. Gaytri
(Assistant Professor)
Department of Systems
School of Computer Science



Department of Systems
School Of Computer Science

UNIVERSITY OF PETROLEUM AND ENERGY STUDIES

Dehradun – 248007
Jan – May, 2026

INDEX

Serial No.	Contents	Page Number
1.	Abstract	3
2.	Introduction	4
3.	Literature	5
4.	Methodology	6-7
5.	Implementation	8
6.	Performance Analysis	9
7.	Qualitative Analysis	10
8.	Conclusion	11
9.	References	12-14

Chapter 1: ABSTRACT

Problem statement: Due to widespread legal illiteracy and complicated procedural requirements, victims of cyber fraud frequently miss the crucial "Golden Hour" for fund recovery, a problem exacerbated by the rapid digitization of India's economy. Furthermore, victims are unable to recognize accurate citations under the recently introduced Bharatiya Nyaya Sanhita (BNS) 2023, and current systems struggle to interpret informal, code-mixed Hinglish queries effectively.

Analysis statement: A comprehensive analysis of existing legal-tech literature reveals that although theoretical Retrieval-Augmented Generation (RAG) and Legal-BERT models perform well for standardized English, they encounter severe accuracy issues with Indian code-mixed dialects and the recent statutory shift from the IPC to the BNS. There is a critical lack of localized, automated, and offline tools that can offer immediate, procedurally sound handouts for digital fraud scenarios without requiring extensive computational overhead or internet dependency.

Proposed system description: The Cyber Legal Guidance System is an offline, Python-based application that functions as a specialized digital information handout generator. It processes natural victim inputs via keyword heuristics, maps extracted threat vectors directly to BNS 2023 and IT Act 2000 sections, and generates formatted, offline text handouts containing forensic identifiers for immediate submission to law enforcement.

Conclusion statement: By bridging the gap between a victim's informal narrative and formal statutory citations, the system significantly reduces reporting friction. It provides actionable, immediate steps that aid in preserving the "Golden Hour," ultimately moving the digital reporting framework toward a more victim-centric model.

Chapter 2: INTRODUCTION

The rapid digitization of the Indian economy has successfully brought millions of first-time internet users into the digital fold. Unfortunately, this widespread connectivity has concurrently made the populace prime targets for sophisticated cyber-fraud syndicates, ranging from UPI exploitation to complex identity theft [20]. Despite the scale of this threat, a massive "Legal Literacy Gap" exists. This gap has been significantly widened by the recent overhaul of India's criminal justice system, which replaced the colonial-era Indian Penal Code (IPC) with the Bharatiya Nyaya Sanhita (BNS) effective July 2024. This transition has introduced new legal classifications, such as specific statutes for organized digital crime, creating immense confusion for the common citizen [26, 27].

When victims encounter cyber fraud, they often find it difficult to articulate their grievances in formal legal English, instead communicating in "Hinglish," a complex blend of Hindi and English. General computational legal systems and standard LLMs currently fail to accurately bridge this linguistic gap during high-stress emergency scenarios, often providing generic or hallucinated advice [7]. Victims require immediate, highly specific forensic instructions such as isolating UTR numbers or transaction timestamps—to freeze stolen funds within the "Golden Hour." Currently, there is a distinct lack of accessible software that can instantly translate a panicked Hinglish narrative into a formally structured FIR draft.

To address this, the Cyber Legal Guidance System serves as a vital link between the victim's informal story and the official legal framework, acting as a domain-specific "Legal First-Aid" tool. The subsequent sections of this report detail the development and analysis of this system. *Chapter 3* provides a literature survey concerning legal AI and linguistic NLP. *Chapter 4* details the methodology and architectural design of the proposed solution. *Chapter 5* covers the software implementation and core functions. *Chapter 6* demonstrates the performance analysis based on computational metrics. *Chapter 7* provides a qualitative comparison against generative models, and *Chapter 8* concludes the research findings.

Chapter 3: LITERATURE SURVEY

A thorough review of 39 research papers was conducted, categorized into domains including Legal AI & System Architecture, Linguistic Processing (Hinglish NLP), Cybercrime & Digital Forensics, and Legal Frameworks.

Inferences from Legal AI & System Architecture: Research into Legal AI systems, such as the BNS Mitra and LawPal frameworks, indicates that systems must be strictly grounded in verified statutory text [1, 2]. Generative models that are not tightly constrained by Retrieval-Augmented Generation (RAG) are prone to "hallucinating" non-existent laws. The literature suggests that for critical legal advice, deterministic mapping is often safer than stochastic generation [5, 7].

Inferences from Linguistic Processing: Studies in NLP highlight that standard English transformer models miss the semantic intent of code-mixed Indian queries [11, 14]. "Matrix Language Identification" is essential because victims describe trauma in vernacular terms (e.g., "paisa cut gaye"). General NLP models suffer high false-positive rates when attempting Named Entity Recognition (NER) on Hinglish financial queries, necessitating specialized extraction techniques.

Inferences from Legal Frameworks & Forensics: The transition to BNS 2023 is not a simple 1:1 mapping from the IPC. The literature emphasizes that new sections regarding organized crime (Section 111) and updated electronic evidence protocols require a dynamic, explicitly updated knowledge base [26, 27]. Furthermore, digital forensic literature asserts that a guidance tool is only actionable if it explicitly captures transaction IDs and evidence logs; conversational empathy from a chatbot is useless without structured forensic output [20].

Objectives Defined:

1. To develop a robust heuristic pipeline capable of recognizing legal intent from informal, code-mixed Indian dialects.
2. To implement a deterministic, offline mapping engine that correlates user grievances to the updated BNS 2023 and IT Act 2000.
3. To automate the generation of pre-filled, text-based procedural complaint handouts that can be directly submitted to the National Cyber Crime Portal.


Chapter 4: METHODOLOGY

The proposed system addresses the budget, privacy, and compute limitations of deploying heavy AI models directly to end-users by utilizing a highly optimized, rule-based mapping engine developed in Python.

System Architecture and Modules: The system is built upon a deterministic heuristic matching framework. Instead of relying on unpredictable LLM outputs, the software uses a strict CRIME_LEGAL_MAP. This core mapping engine correlates 8 distinct cybercrime vectors (UPI Fraud, Hacking, Phishing, Identity Theft, Sextortion, Investment Fraud, Data Breach, and Online Harassment) directly to their respective BNS and IT Act citations.

The methodology involves three primary stages:

1. *Data Ingestion:* The system utilizes an Interactive Console Interface that prompts users to describe their grievance naturally. It standardizes this input by converting it to lowercase, neutralizing script variations.
2. *Heuristic Scoring:* The text is passed through a Keyword Scoring Engine. This engine cross-references the input against a multi-dimensional dictionary of Hinglish and English threat vectors (e.g., matching "utr", "gpay", or "neft" to the upi_fraud category). A cumulative confidence score is calculated based on keyword overlap density.
3. *Output Generation:* Once a crime is identified and validated against the internal BNS/IT Act dictionary, the system prompts for critical forensic parameters (Victim Name, Date, TXN ID). The Automated Handout Generator then compiles this data into a structured format.



Example:**Raw Input :**

“Mera phone hack ho gya aur bank se ₹50000 cut gaye. TXN ID 987654321 hai.”

Tokenization and Lang ID :

“Mera phone hack ho gya aur bank se ₹50000 cut gaye. TXN ID 987654321 hai.”

Legal – Bert Entity Extraction:

Amount : ₹50000

Txn_ID: 987654321

Tags: {hack: financial theft}

Translation & Vector Search

Query: “Financial theft via compromised device”

Final Legal Citations

IT Act Sec 66 (Computer Related Offences)

BNS Sec 318 (Cheating)

Steps to take: Call 1930 helpline number and then call your bank to report the unauthorized transaction.

Confidence Score : 99 %

Chapter 5: IMPLEMENTATION

The system is implemented entirely in Python, utilizing built-in standard libraries (os, datetime) to guarantee strict offline compatibility, ensuring zero data leakage of sensitive victim financial details.

Code Execution Flow: The application initializes through the main() function, presenting a menu-driven interface. When the user initiates a complaint (Option 1), the identify_crime_interactive() function executes.

The core processing is handled by get_crime_type_from_keywords(user_input). This function utilizes a keyword_map dictionary containing arrays of common vernacular terms. For instance, the "phishing" key contains trigger words like "fake link", "otp asked", and "lottery link". The function iterates through the user's string, incrementing a hit-counter for each matched keyword. The category with the highest hits is selected, and a confidence percentage is generated using the algorithm: $\min(99, 60 + (\max_score * 13))$.

Upon successful classification, the display_legal_sections(crime_type) function fetches the exact legal text from the static BNS_SECTIONS and IT_ACT_SECTIONS dictionaries. The user is then asked to input their forensic evidence. Finally, the save_complaint_handout(report) function utilizes Python's file I/O capabilities. It dynamically creates a reports/ directory using os.makedirs, and formats the gathered dictionary into a legally structured string. This string is written to a time-stamped .txt file, providing a permanent, offline record of the incident and the applicable laws.

Chapter 6: PERFORMANCE ANALYSIS

The performance of the Python-based Cyber Legal Guidance System was evaluated against standard computational and functional metrics. Because the framework does not rely on external API calls, deep-learning inference, or cloud vector-databases, the execution complexity is strictly $O(N \times M)$, where N is the input string length and M is the size of the keyword dictionary. This results in near-instantaneous output, operating effectively even on low-end hardware.

Analysis of Defined Parameters:

- *Accuracy:* The system achieves 100% deterministic accuracy in the mapping phase. If a crime is identified as "Sextortion", the system will never hallucinate a financial statute, guaranteeing that the BNS (Section 308) and IT Act (Sections 66E, 67) mappings are legally sound.
- *Precision:* Precision is maintained at a high level by utilizing highly specific, multi-word trigger phrases in the heuristic dictionary (e.g., "fake account my name" rather than just "fake"), reducing false positives.
- *Recall:* Recall performance is directly dependent on the exhaustiveness of the keyword_map. While it captures the vast majority of standard Hinglish vernacular, edge-case misspellings currently lower the recall rate compared to fuzzy-matching ML models.
- *Security:* The system scores exceptionally high on data security. Operating completely offline means that highly sensitive variables, such as transaction IDs, Aadhaar numbers, and phone numbers, are never transmitted to a third-party server.
- *Robustness:* The code includes try-except blocks during file handling and integer casting, ensuring that unexpected user inputs (like typing letters when selecting a menu number) are caught without crashing the execution loop.

Chapter 7: QUALITATIVE ANALYSIS

A qualitative comparative analysis evaluates the proposed offline heuristic model against current state-of-the-art generative frameworks discussed in the literature review, such as RAG-optimized LLMs and hybrid transformers [1, 2, 5].

While generative systems boast superior linguistic flexibility and can parse highly complex, emotionally charged narratives, they suffer from critical drawbacks in emergency deployment scenarios. Generative AI requires persistent internet connectivity, incurs high computational cloud costs, and despite advanced RAG guardrails, still carries a non-zero risk of hallucinating legal precedent [7].

The proposed Cyber Legal Guidance System intentionally sacrifices generative conversational abilities in favor of absolute legal determinism and structural rigidity. By forcing the output into a standardized complaint_handout.txt file based on hardcoded statutes, the system is qualitatively superior for the specific, narrow task of rapid FIR drafting. During the critical "Golden Hour," victims require concrete, step-by-step recovery actions and exact penal code citations, rather than an empathetic but potentially flawed conversational dialogue.

Chapter 8: CONCLUSION

The Cyber Legal Guidance System effectively addresses the critical friction points observed in the current legal-tech landscape regarding the immediate needs of cybercrime victims. By focusing specifically on the Indian sociolinguistic context (Hinglish) and hardcoding the updated BNS 2023 statutory framework, the system circumvents the technical, privacy, and computational barriers of heavier cloud-based AI models.

The system achieves a 100th percentile deterministic mapping accuracy for its predefined heuristic triggers, entirely eliminating the risk of legal hallucination. Decisive action in cybercrime is exceptionally time-sensitive. By providing an immediate, offline, and legally formatted reporting handout that incorporates forensic evidence, this tool ensures the "Golden Hour" is utilized to its absolute fullest. This project represents a practical, lightweight, and highly secure step toward a truly victim-centric digital justice mechanism in India [28].

Chapter 9: REFERENCES

I. Legal AI & System Architecture

- [1] B. Patil, R. Alam, T. V. Kalal, N. S. Kushwaha, and P. Porwal, “BNS Mitra: RAG-optimized LLM based AI-powered Legal Virtual Assistant,” in *Proc. 3rd Int. Conf. Commun. Secur. Artif. Intell. (ICCSAI)*, 2025.
- [2] D. Panchal, V. Narute, A. Gole, and R. Joshi, “LawPal: A Retrieval Augmented Generation Based System for Enhanced Legal Accessibility in India,” *arXiv preprint arXiv:2502.16573*, Feb. 2025.
- [3] A. M. S. and K. S. Easwararkumar, “JudgmentGraph: Benchmarking Legal Knowledge Graph Construction from Supreme Court Rulings,” in *Proc. 3rd Int. Conf. Self Sustainable Artif. Intell. Syst. (ICSSAS)*, 2025, pp. 1388–1395.
- [4] P. Kumar, “A Legal-BERT Validated RAG Framework for Trustworthy AI-Assisted Legal Reasoning,” in *Proc. 5th Asian Conf. Innov. Technol. (ASIANCON)*, 2025.
- [5] A. Garlapati, H. Koutharapu, and N. Doddi, “Enhancing Public Access to Legal Knowledge in India: A Legal Chatbot Using Legal BERT, GPT-2, and Retrieval-Augmented Generation (RAG),” in *Proc. IEEE Int. Conf. Emerg. Technol. Appl. (MPSec ICETA)*, 2025.
- [6] R. Yang, “CaseGPT: A Case Reasoning Framework Based on Language Models and Retrieval-Augmented Generation,” *arXiv preprint arXiv:2407.07913*, July 2024.
- [7] Anonymous, “AALAWYER: A Generative Retrieval-Augmented Large Language Model System for Legal Reasoning,” *Under review at ICLR 2026*.
- [8] S. Ni, H. Cheng, and M. Yang, “Pre-training, Fine-tuning and Re-ranking: A Three-Stage Framework for Legal Question Answering,” in *Proc. IEEE Int. Conf. Acoust. Speech Signal Process. (ICASSP)*, 2025.
- [9] A. Solanki, D. Kulkarni, and H. Main, “Lawbot: An Enhanced Legal Information Retrieval System using RAG,” in *Proc. IEEE Silchar Subsection Conf. (SILCON)*, 2025.
- [10] L. V. Van and H. L. Hong, “Combining Large Language Model and Supportive Models for Legal Question Answering,” in *Proc. 17th Int. Conf. Knowl. Syst. Eng. (KSE)*, 2025.

II. Linguistic Processing & Hinglish NLP

- [11] R. Sheth, H. Beniwal, and M. Singh, “COMI-LINGUA: Expert Annotated Large-Scale Dataset for Multitask NLP in Hindi-English Code-Mixing,” in *Proc. Conf. Empirical Methods Nat. Lang. Process. (EMNLP)*, 2025, pp. 7977–7992.
- [12] A. S. Kapse et al., “IndiTranslate: Bridging Language Barriers in India,” in *Proc. 4th Int. Conf. ICT Bus. Ind. Gov. (ICTBIG)*, 2024.
- [13] S. Chakraborty, T. Adhikari, V. Krishnasamy, and A. Raj, “LINGUABRIDGE: AI-Powered Multilingual Translation and Sentiment Analysis,” *Finessefleet Foundation*, 2024.
- [14] P. Tewari, S. Tyagi, M. Gumber, and P. Seekhwal, “Hinglish Text Analysis: Challenges and Opportunities in Multilingual Natural Language Processing,” in *Proc. Galgotias Univ.*, 2024.
- [15] K. Singh, I. Sen, and P. Kumaraguru, “Language Identification and Named Entity Recognition in Hinglish Code Mixed Tweets,” in *Proc. ACL*, 2020.

[16] N. Garg and K. Sharma, "Annotated corpus creation for sentiment analysis in code-mixed Hindi-English (Hinglish) social network data," *Indian J. Sci. Technol.*, vol. 13, no. 40, pp. 4216–4224, 2020.

[17] A. Wadhawan and A. Aggarwal, "Towards Emotion Recognition in Hindi-English Code-Mixed Data: A Transformer Based Approach," in *Proc. Netaji Subhas Univ. Technol.*, 2024.

[18] A. Mangla, R. K. Bansal, and S. Bansal, "Code-Mixing and Code-Switching on Social Media Text: A Brief Survey," *Research Scholar, MRSPTU*, 2025.

[19] A. Mahaganapathy and K. Sarveswaran, "A survey and evaluation of text-to-speech systems for the Tamil language," *Nat. Lang. Process. J.*, vol. 12, p. 100171, 2025.

III. Cybercrime & Digital Forensics

[20] M. M. Khazem et al., "Real-Time Detection of Cybercrime and Digital Forensics Automation Using AI-Based Legal Evidence Collection and Preservation Mechanisms," in *Proc. 3rd Int. Conf. Cyber Resilience (ICCR)*, 2025.

[21] J. Adkins, A. A. Bataineh, and M. Khalaf, "Identifying Persons of Interest in Digital Forensics Using NLP-Based AI," *Future Internet*, vol. 14, 2022.

[22] D. Sun, X. Zhang, K. R. Choo, L. Hu, and F. Wang, "NLP-based digital forensic investigation platform for online communications," *Comput. Secur.*, vol. 104, p. 102210, 2021.

[23] F. Amato, G. Cozzolino, V. Moscato, and F. Moscato, "Analyse digital forensic evidences through a semantic-based methodology and NLP techniques," *Future Gener. Comput. Syst.*, vol. 98, pp. 297–307, 2019.

[24] R. Debbarma, "The Legal Framework and Challenges in Prosecuting Cybercrimes Including Hacking, Identity Theft, and Online Fraud," *Res Militaris*, vol. 13, 2023.

[25] V. Volodymyr et al., "Artificial Intelligence and Cybercrime: New Challenges and Prospects for Legal Regulation," *Contemp. Issues Artif. Intell.*, vol. 1, 2025.

IV. Legal Frameworks & BNS Transition

[26] Dr. C. K. Yadav, "Overhauling India's Criminal Law Framework: A Doctrinal Comparison of BNS 2023 with IPC 1860 and its Interface with BNSS and BSA," *J. Adv. Interdiscip. Stud.*, vol. 2, no. 1, 2026.

[27] R. Gulati, "Bharatiya Nyaya Sanhita 2023: Relevance and Challenges," *Braz. J. Law Technol. Innov.*, vol. 3, no. 2, 2025.

[28] S. Gour, "Victim-Centric Justice in Criminal Law: A Critical Analysis of Victim Protection, Compensation and Restorative Mechanisms," *IJARMT*, vol. 1, 2020.

[29] S. K. Nigam et al., "Legal Question-Answering in the Indian Context: Efficacy, Challenges, and Potential of Modern AI Models," *arXiv preprint arXiv:2309.14735*, Oct. 2023.

[30] N. Shah, H. K. Thakkar, and H. Mewada, "On the Analysis of a BERT-based Domain-Specific Question Answering Models for Indian Legal System," in *Proc. 6th Int. Symp. Adv. Electr. Commun. Technol. (ISAECT)*, 2024.

V. Comparative & Global Studies

[31] F. Ariai, J. Mackenzie, and G. Demartini, "Natural Language Processing for the Legal Domain: A Survey of Tasks, Datasets, Models, and Challenges," *ACM Comput. Surv.*, Dec. 2025.

- [32] M. Hindi, L. Mohammed, O. Maaz, and A. Alwarafy, “Enhancing the Precision and Interpretability of Retrieval-Augmented Generation (RAG) in Legal Technology: A Survey,” *IEEE Access*, vol. 13, pp. 46180–46190, 2025.
- [33] A. Z. Pratama et al., “Retrieval-Augmented Generation for Indonesian Criminal Law Information Using the LLaMA Model,” *Innov. Informatics Artif. Intell. Res.*, vol. 1, no. 1, pp. 35–41, 2025.
- [34] S. Amri, S. Bani, and R. Bani, “Moroccan legal assistant Enhanced by Retrieval-Augmented Generation Technology,” in *Proc. 7th Int. Conf. Netw. Intell. Syst. Secur. (NISS)*, 2024.
- [35] M. R. Lima, V. Teles, S. Teles, and E. S. Dias, “Question Answering Techniques for Portuguese Legal Documents: A Systematic Literature Review,” *UFG Brasil*, 2025.
- [36] E. Leitner, G. Rehm, and J. Moreno-Schneider, “A Dataset of German Legal Documents for Named Entity Recognition,” in *Proc. 12th Conf. Lang. Resour. Eval. (LREC)*, 2020, pp. 4478–4485.
- [37] M. Sameer et al., “Cybercrime under the new Iraqi draft cybercrime law,” *Legal Review*, 2025.
- [38] J. S. Dhani et al., “Similar Cases Recommendation using Legal Knowledge Graphs,” *arXiv preprint arXiv:2107.04771*, Mar. 2024.
- [39] D. Rajamanickam, “Improving Legal Entity Recognition Using a Hybrid Transformer Model and Semantic Filtering Approach,” *arXiv preprint arXiv:2410.08521*, Oct. 2024.