

Mini Projects

MCQ Question Paper

Code

```
: <!DOCTYPE html>
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]>   <html class="no-js"> <!--<![endif]-->
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>questions</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="">
  </head>
  <body>
    <div style="margin-left: 10%; ">
      <b><ul type="disc"><h3># Answer the following questions. Each can have
multiple answers.</h3></ul></b><br>
      <div>
        <form>
          <table >
            <tr align="left">
              1. In which continent are Chile, Argentina and Brazil?
              <table width="50%">
                <tr>
                  <td width="50%"><form><input type="radio" name="n1"> A. North
America</td>
                  <td width="50%"><input type="radio" name="n1"> B. South
america</td>
                </tr>
                <tr >
                  <td width="50%"><input type="radio" name="n1"> C. Europe</td>
                  <td width="50%"><input type="radio" name="n1"> D. Asia</form></td>
                </tr>
              </table>
            </tr>
          </table>
        </div><br>
        <div>
          <table>
```

<tr>

2. Which brand of soup featured in one of Andy Warhol's most famous pop art pieces?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1"> A.

Heinz</td>

<td width="50%"><input type="radio" name="n1"> B.

Campbell's</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C. Baxters</td>

<td width="50%"><input type="radio" name="n1"> D.

Knorr</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

3. In which city were the 1992 Summer Olympics held?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1"> A.

Atlanta</td>

<td width="50%"><input type="radio" name="n1"> B. Barcelona</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C. Sydney</td>

<td width="50%"><input type="radio" name="n1"> D.

Seoul</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

4. What other country, besides the US, uses the US dollar as its official currency?

<table width="50%">

Ecuador	<input type="radio"/> A.
	<input type="radio"/> B. Canada
	<input type="radio"/> C. Mexico
Kingdom	<input type="radio"/> D. United

5. The Statue of Liberty was a gift to the United States from which European country?	<input type="radio"/> A.
Belgium	<input type="radio"/> B. Germany
	<input type="radio"/> C. Spain
France	<input type="radio"/> D.

6. Which traditional Spanish dance originated in Andalusia and is recognised by UNESCO as a heritage of humanity?	<input type="radio"/> A.
Tango	<input type="radio"/> B. Salsa

```

        <tr >
            <td width="50%"><input type="radio" name="n1"> C. flamenco</td>
            <td width="50%"><input type="radio" name="n1"> D. Paso doble
</form></td>
        </tr>
    </table>
</tr>
</table>
</div><br>
<div>
    <table>
        <tr>
            7. The human body is made up of approximately how much water?
            <table width="50%">
                <tr >
                    <td width="50%"><form><input type="radio" name="n1"> A.
40%</td>
                    <td width="50%"><input type="radio" name="n1"> B. 50%</td>
                </tr>
                <tr >
                    <td width="50%"><input type="radio" name="n1"> C. 60%</td>
                    <td width="50%"><input type="radio" name="n1"> D.
70%</form></td>
                </tr>
            </table>
        </tr>
    </table>
</div><br>
<div>
    <table>
        <tr>
            8. What is the world's fastest species of bird?
            <table width="50%">
                <tr >
                    <td width="50%"><form><input type="radio" name="n1"> A.
Golden Eagle</td>
                    <td width="50%"><input type="radio" name="n1"> B. Peregrine
falcon</td>
                </tr>
                <tr >
                    <td width="50%"><input type="radio" name="n1"> C.
Frigatebird</td>
                    <td width="50%"><input type="radio" name="n1"> D.
Penguin</form></td>
                </tr>
            </table>
        </tr>
    </table>
</div>

```

```

        </table>
    </tr>
</table>
</div><br>
<div>
<table>
<tr>
    9. Which artist famously cut off his own ear?
    <table width="50%">
        <tr >
            <td width="50%"><form><input type="radio" name="n1"> A. Vincent
van gogh</td>
            <td width="50%"><input type="radio" name="n1"> B. Claude
Monet</td>
        </tr>
        <tr >
            <td width="50%"><input type="radio" name="n1"> C. Salvador
Dali</td>
            <td width="50%"><input type="radio" name="n1"> D. Pabalo
Picasso</form></td>
        </tr>
    </table>
</tr>
</table>
</div><br>
<div>
<table>
<tr>
    10. Which female holds the most Wimbledon titles?
    <table width="50%">
        <tr >
            <td width="50%"><form><input type="radio" name="n1"> A. Martina
Navratilova</td>
            <td width="50%"><input type="radio" name="n1"> B. Serena
Williams</td>
        </tr>
        <tr >
            <td width="50%"><input type="radio" name="n1"> C. Venus
Williams</td>
            <td width="50%"><input type="radio" name="n1"> D. Martina
Hingis</form></td>
        </tr>
    </table>
</tr>
</table>

```

</div>

<div>

<table>

<tr>

11. In 1768, Captain James Cook set out to explore which ocean?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1"> A.

Pacific Ocean </td>

<td width="50%"><input type="radio" name="n1"> B. Atlantic

Ocean</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C. Indian

Ocean</td>

<td width="50%"><input type="radio" name="n1"> D. Arctic

Ocean</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

12. Which of the following is not an international organisation?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1">

A. FIFA</td>

<td width="50%"><input type="radio" name="n1"> B.

NATO</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C.

ASEAN</td>

<td width="50%"><input type="radio" name="n1">

D. FBI</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

13. Which of the following disorders is the fear of being alone?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1"> A.

Agoraphobia</td>

<td width="50%"><input type="radio" name="n1"> B.

Aerophobia</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C.

Acrophobia</td>

<td width="50%"><input type="radio" name="n1">

D. Arachnophobia</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

14. Which is the easiest way to tell the age of many trees?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1">

A. To measure the width of the tree</td>

<td width="50%"><input type="radio" name="n1"> B. To

count the rings on the trunk</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C. To

count the number of leaves</td>

<td width="50%"><input type="radio" name="n1"> D. To

measure the height of the tree</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

15. Which did Viking people use as money?

<table width="50%">

A. He was born with them

 ☐ D. He |

</div>

Category	Value
Category 1	Value 1
Category 2	Value 2
Category 3	Value 3
Category 4	Value 4
Category 5	Value 5
Category 6	Value 6
Category 7	Value 7
Category 8	Value 8
Category 9	Value 9
Category 10	Value 10
Category 11	Value 11
Category 12	Value 12
Category 13	Value 13
Category 14	Value 14
Category 15	Value 15
Category 16	Value 16
Category 17	Value 17
Category 18	Value 18
Category 19	Value 19
Category 20	Value 20
Category 21	Value 21
Category 22	Value 22
Category 23	Value 23
Category 24	Value 24
Category 25	Value 25
Category 26	Value 26
Category 27	Value 27
Category 28	Value 28
Category 29	Value 29
Category 30	Value 30
Category 31	Value 31
Category 32	Value 32
Category 33	Value 33
Category 34	Value 34
Category 35	Value 35
Category 36	Value 36
Category 37	Value 37
Category 38	Value 38
Category 39	Value 39
Category 40	Value 40
Category 41	Value 41
Category 42	Value 42
Category 43	Value 43
Category 44	Value 44
Category 45	Value 45
Category 46	Value 46
Category 47	Value 47
Category 48	Value 48
Category 49	Value 49
Category 50	Value 50

 ☐ B. | ☐ D. |

</div>

Category	Value
Category 1	Value 1
Category 2	Value 2
Category 3	Value 3
Category 4	Value 4
Category 5	Value 5
Category 6	Value 6
Category 7	Value 7
Category 8	Value 8
Category 9	Value 9
Category 10	Value 10
Category 11	Value 11
Category 12	Value 12
Category 13	Value 13
Category 14	Value 14
Category 15	Value 15
Category 16	Value 16
Category 17	Value 17
Category 18	Value 18
Category 19	Value 19
Category 20	Value 20
Category 21	Value 21
Category 22	Value 22
Category 23	Value 23
Category 24	Value 24
Category 25	Value 25
Category 26	Value 26
Category 27	Value 27
Category 28	Value 28
Category 29	Value 29
Category 30	Value 30
Category 31	Value 31
Category 32	Value 32
Category 33	Value 33
Category 34	Value 34
Category 35	Value 35
Category 36	Value 36
Category 37	Value 37
Category 38	Value 38
Category 39	Value 39
Category 40	Value 40
Category 41	Value 41
Category 42	Value 42
Category 43	Value 43
Category 44	Value 44
Category 45	Value 45
Category 46	Value 46
Category 47	Value 47
Category 48	Value 48
Category 49	Value 49
Category 50	Value 50

|

name="n1"> A. Spain </td>	<td width="50%"><form><input type="radio"
name="n1"> B. France </td>	<td width="50%"><input type="radio"
	</tr>
	<tr >
name="n1"> C. Italy </td>	<td width="50%"><input type="radio"
name="n1"> D. Belgium</form></td>	<td width="50%"><input type="radio"
	</tr>
	</table>
	</tr>
	</table>
	</div>
	<div>
	<table>
	<tr>

22. In the series "Game of Thrones", Winterfell is the ancestral home of which family?

	<table width="50%">
	<tr >
name="n1"> A. The Lannisters</td>	<td width="50%"><form><input type="radio"
name="n1"> B. The Starks </td>	<td width="50%"><input type="radio"
	</tr>
	<tr >
name="n1"> C. The Tully's</td>	<td width="50%"><input type="radio"
name="n1"> D. The Targaryens</form></td>	<td width="50%"><input type="radio"
	</tr>
	</table>
	</tr>
	</table>
	</div>
	<div>
	<table>
	<tr>

23. Which company is known for publishing the Mario video game?

<table width="50%">
<tr >

name="n1"> A. Xbox </td>	<td width="50%"><form><input type="radio"
name="n1"> B. Nintendo</td>	<td width="50%"><input type="radio"
	</tr>
	<tr >
name="n1"> C. SEGA</td>	<td width="50%"><input type="radio"
name="n1"> D. Electronic Arts</form></td>	<td width="50%"><input type="radio"
	</tr>
	</table>

	</tr>
	</table>
	</div>
	<div>
	<table>
	<tr>
24. We often use sodium bicarbonate in the kitchen. What is its other name?	

	<table width="50%">
	<tr >
type="radio" name="n1"> A. Vinegar </td>	<td width="50%"><form><input
name="n1"> B. Sugar</td>	<td width="50%"><input type="radio"
	</tr>
	<tr >
name="n1"> C. Salt</td>	<td width="50%"><input type="radio"
name="n1"> D.Baking soda</form></td>	<td width="50%"><input type="radio"
	</tr>
	</table>

	</tr>
	</table>
	</div>
	<div>
	<table>
	<tr>
25. Which was the first film by Disney to be produced in colour?	

	<table width="50%">
	<tr >

```

type="radio" name="n1"> A. Toy Story </td>
name="n1"> B. Sleeping Beauty</td>
name="n1"> C. Snow White and the Seven Dwarfs</td>
name="n1"> D. Cinderella</form></td>

</tr>
<tr >
<td width="50%"><input type="radio"
name="n1"> C. Snow White and the Seven Dwarfs</td>
<td width="50%"><input type="radio"
name="n1"> D. Cinderella</form></td>


</tr>
</table>
</tr>
</table>
</div><br><br>
<br><br>
<div align="center">
<input type="submit" name="s1" value="submit"></div>



</form>
</div>

</body>
</html>

```

Output:





Resume Parser System

Code:

Personal details;

```
<!DOCTYPE html>
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]>   <html class="no-js"> <!--<![endif]-->
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Resume Builder</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="personalcs.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin
href="https://fonts.googleapis.com/css2?family=Roboto:wght@300&display=swap"
rel="stylesheet">
  </head>
  <body>

    <h1 align="center"><u> ADIT Resume Parser System</u></h1><br>
    <div style="margin-left:20%;">
    <h2><u>Personal Details</u></h2>
    <form>
      <table width="56%">
        <tr>
          <td><label>First name:<br></label>
            <input class="box" type="text" name="first"></td>
          <td>
            <label>Phone:<br></label>
            <input class="box" type="number" name="number" max="10">
          </td>
        </tr>
      </table><br><br>

      <table width="85%">
        <tr>
```

```
        <td><label> Last name:<br> </label><input class="box" type="text"
name="last"></td>
```

```
        <td><label> E-mail: <br> </label>
        <textarea class="box" rows="2"
cols="40"></textarea class="box"> </td>
```

```
    </tr>
</table><br><br>
```

```
<table width="75%">
<tr>
    <td> <label>Nationality:<br></label>
        <input class="box" type="text" name="g1"> &nbsp; &nbsp; &nbsp; &nbsp;
&nbsp;</td>
    <td><label>Date of Birth:<br></label>
        <input class="box" type="date"> &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
```

```
        <label>Gender:</label>
```

```
        <select class="box" name="n1">
            <option value="select">SELECT</option>
            <option value="Male">Male</option>
            <option value="Female">Female</option>
            <option value="Other">Other</option>
        </select>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp;
    </td>
```

```
</tr>
```

```
</table> <br><br>
<table width="43%">
<tr>
    <td><label>Address:<br></label>
        <textarea class="box" name="address" cols="35"
rows="4"></textarea class="box"> <br></td>
    <td><label>pin code:<br></label>
        <input class="box" type="number" name="p1"></td>
```

```
</tr>
</table><br><br>
<table width="55%">
<tr>
    <td><label>Website: <br></label>
        <textarea class="box" name="r4" cols="30"
rows="1"></textarea class="box"></td>
    <td> <label>LinkedIn:<br></label>
```


[illegible]

```

        <a href="professional.html" class="next">&nbsp; &nbsp; &nbsp;next&nbsp; &nbsp; &nbsp;
&nbsp;</a>
    </div>
</body>
</html>

```

Projcts;

```

<!DOCTYPE html>
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]>   <html class="no-js"> <!--<![endif]-->
<html>
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <title>Professional_resume</title>
        <meta name="description" content="">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <link rel="stylesheet" href="personalcs.css">
    </head>
    <body>
        <div style="margin-left:20%; margin-top: 75px; " >
            <form>
                <div>
                    <table width="70%">
                        <tr>
                            <td>
                                <label><u>Projects:<br></u></label><br>
                                <textarea class="box" name="n1" cols="50"
rows="6"></textarea class="box">
                            </td>
                            <td>
                                <label><u>Achievements:<br></u></label><br>
                                <textarea class="box" name="r5" cols="50"
rows="6"></textarea class="box">
                            </td>
                        </tr>
                    </table>
                    <br><br>
                    <table width="60%">
                        <tr>
                            <td>
                                <label><u>work expirience:<br></u></label><br>

```

```

        <textarea class="box" name="n3" cols="50"
rows="6"></textarea class="box">
        <br><br>
    </td>
    <td>
        <label>certifiactes:</label><br>
        <input class="pad" type="file" name="n2"><br><br>-You can choose
more than one file.
    </td>
</tr>
</table>

```

```

</div>
<div>
    <h3><u>Skills and Hobbies</u></h3>
    <table width="60%">
        <tr>
            <td><label><u>Slills:<br></u></label><br>
                <textarea class="box" name="n4" cols="40"
rows="5"></textarea class="box"></td>
            <td>
                <label><u>Hobbies:<br></u></label><br>
                <textarea class="box" name="n5" cols="40"
rows="5"></textarea class="box">
            </td>
            <td align="center">

        </td>
    </tr>
</table>

    <br><br><br>

```

```

    </div>
</form>
</div>

```

```

    <div style="margin-left:45% ;">
        <input class="next" type="submit" name="s1" value="&nbsp;
&nbsp;submit&nbsp; &nbsp;," class="next"></div>

```

```
</body>
</html>
```

Output:

Education


Education:

CGPA:


School:

City:

Start Date:

End Date:

SSC:

HSC:

Discription

next

→  File | C:/Users/Disha%20Jadav/OneDrive/Desktop/web%20Dev/classwork/wd_08_07/resume/project1.html

ADIT Resume Parser System

Personal Details

First name:


Phone:

Last name:

E-mail:

Nationality:

Date of Birth:

Gender: **SELECT** ▼

Address:

pin code:

Website:

LinkedIn:

next

Projects:

Achievements:

work experience:

certificates:

Choose File No file chosen

-You can choose more than one file.

Skills and Hobbies

Skills:

Hobbies:

submit

Sticky Notes

Code:

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title></title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="">
    <style>
      .table1{
        position: absolute;
        top: 200px;
        left: 100px;
        transform: rotate(0deg);
        width: 160px;
        height: 150px;
        border-collapse: collapse;
        background-color: lightgoldenrodyellow;
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
      }
      .table2{
        position: absolute;
        top: 210px;
        left: 200px;
        transform: rotate(20deg);
        width: 160px;
        height: 150px;
        border-collapse: collapse;
        background-color: lightgoldenrodyellow;
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
      }
      .table3{
        position: absolute;
        top: 180px;
        left: 300px;
        transform: rotate(50deg);
        width: 160px;
        height: 150px;
        border-collapse: collapse;
        background-color: lightgoldenrodyellow;
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
      }
      .table4{
        position: absolute;
        top: 300px;
        left: 300px;
        transform: rotate(-56deg);
```

```

width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table5{
position: absolute;
top: 110px;
left: 100px;
transform: rotate(-56deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table6{
position: absolute;
top: 210px;
left: 430px;
transform: rotate(120deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table7{
position: absolute;
top: 310px;
left: 430px;
transform: rotate(-69deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table8{
position: absolute;
top: 310px;
left: 230px;
transform: rotate(-330deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table9{
position: absolute;

```



```

top: 247px;
left: 440px;
transform: rotate(-187deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table10{
position: absolute;
top: 453px;
left: 149px;
transform: rotate(-267deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table11{
position: absolute;
top: 350px;
left: 119px;
transform: rotate(-4  0deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table12{
position: absolute;
top: 253px;
left: 349px;
transform: rotate(67deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table13{
position: absolute;
top: 409px;
left: 349px;
transform: rotate(97deg);
width: 160px;
height: 150px;
border-collapse: collapse;
background-color: lightgoldenrodyellow;
box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}

```

```

}
.table14{
    position: absolute;
    top: 489px;
    left: 449px;
    transform: rotate(-197deg);
    width: 160px;
    height: 150px;
    border-collapse: collapse;
    background-color: lightgoldenrodyellow;
    box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}
.table15{
    position: absolute;
    top: 289px;
    left: 449px;
    transform: rotate(-14deg);
    width: 160px;
    height: 150px;
    border-collapse: collapse;
    background-color: lightgoldenrodyellow;
    box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
}

.c1{
    border-collapse: collapse;
}
.c2{
    border: 1px solid lightblue;
    border-collapse: collapse;
    height: 10px;
    background-color: burlywood;
}
.c3{
    position: absolute;
    left: 200px;
}
</style>
</head>
<body>
<div class="c3">
    <table class="table1" align="center">
        <tr>
            <td class="c2">

            </td>
        </tr>
        <tr>
            <td class="c1">

            </td>
        </tr>
    </table>

```

```

<tr>
  <td class="c1" align="center">
    buy milk
  </td>
</tr>
<tr>
  <td class="c1">

  </td>
</tr>
</table>

```

```

<table class="table2" align="center">
  <tr>
    <td class="c2">

    </td>
  </tr>
  <tr>
    <td class="c1">

    </td>
  </tr>
  <tr>
    <td class="c1" align="center">
      buy milk
    </td>
  </tr>
  <tr>
    <td class="c1">

    </td>
  </tr>
</table>

```

```

<table class="table3" align="center">
  <tr>
    <td class="c2">

    </td>
  </tr>
  <tr>
    <td class="c1">

    </td>
  </tr>
  <tr>
    <td class="c1" align="center">
      buy milk
    </td>
  </tr>

```

```

<tr>
  <td class="c1">

    </td>
  </tr>
</table>
<table class="table4" align="center">
  <tr>
    <td class="c2">

      </td>
    </tr>
    <tr>
      <td class="c1">

        </td>
      </tr>
      <tr>
        <td class="c1" align="center">
          buy milk
        </td>
      </tr>
      <tr>
        <td class="c1">

          </td>
        </tr>
      </table>
      <table class="table5" align="center">
        <tr>
          <td class="c2">

            </td>
          </tr>
          <tr>
            <td class="c1">

              </td>
            </tr>
            <tr>
              <td class="c1" align="center">
                buy milk
              </td>
            </tr>
            <tr>
              <td class="c1">

                </td>
              </tr>
            </table>
            <table class="table6" align="center">
              <tr>

```

```

        <td class="c2">

    </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
<tr>
    <td class="c1" align="center">
        buy milk
    </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
</table>
<table class="table7" align="center">
    <tr>
        <td class="c2">

            </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
<tr>
    <td class="c1" align="center">
        buy milk
    </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
</table>
<table class="table8" align="center">
    <tr>
        <td class="c2">

            </td>
</tr>
<tr>
    <td class="c1">

        </td>

```

```

</tr>
<tr>
  <td class="c1" align="center">
    buy milk
  </td>
</tr>
<tr>
  <td class="c1">

  </td>
</tr>
</table>
<table class="table9" align="center">
  <tr>
    <td class="c2">

    </td>
  </tr>
  <tr>
    <td class="c1">

    </td>
  </tr>
  <tr>
    <td class="c1" align="center">
      buy milk
    </td>
  </tr>
  <tr>
    <td class="c1">

    </td>
  </tr>
</table>
<table class="table10" align="center">
  <tr>
    <td class="c2">

    </td>
  </tr>
  <tr>
    <td class="c1">

    </td>
  </tr>
  <tr>
    <td class="c1" align="center">
      buy milk
    </td>
  </tr>
  <tr>
    <td class="c1">

```

```

        </td>
    </tr>
</table>
<table class="table11" align="center">
    <tr>
        <td class="c2">

            </td>
        </tr>
        <tr>
            <td class="c1">

                </td>
            </tr>
            <tr>
                <td class="c1" align="center">
                    buy milk
                </td>
            </tr>
            <tr>
                <td class="c1">

                    </td>
                </tr>
</table>
<table class="table12" align="center">
    <tr>
        <td class="c2">

            </td>
        </tr>
        <tr>
            <td class="c1">

                </td>
            </tr>
            <tr>
                <td class="c1" align="center">
                    buy milk
                </td>
            </tr>
            <tr>
                <td class="c1">

                    </td>
                </tr>
</table>
<table class="table13" align="center">
    <tr>
        <td class="c2">

```

```

        </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
<tr>
    <td class="c1" align="center">
        buy milk
    </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
</table>
<table class="table14" align="center">
    <tr>
        <td class="c2">

            </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
<tr>
    <td class="c1" align="center">
        buy milk
    </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
</table>
<table class="table15" align="center">
    <tr>
        <td class="c2">

            </td>
</tr>
<tr>
    <td class="c1">

        </td>
</tr>
<tr>

```



```
<td class="c1" align="center">
  buy milk
</td>
</tr>
<tr>
  <td class="c1">

    </td>
  </tr>
</table>
</div>
</body>
```

Output:



Cards

Code:

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
```

```

<meta http-equiv="X-UA-Compatible" content="IE=edge">
<title></title>
<meta name="description" content="">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="">
<style>
    .table1{
        position: absolute;
        top: 195px;
        left: 90px;
        transform: rotate(0deg);
        border-collapse: collapse;
        background-color: rgb(255, 255, 255);
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
    }
    .table2{
        position: absolute;
        top: 200px;
        left: 105px;
        transform: rotate(8deg);
        border-collapse: collapse;
        background-color: rgb(255, 255, 255);
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
    }
    .table3{
        position: absolute;
        top: 205px;
        left: 120px;
        transform: rotate(16deg);
        border-collapse: collapse;
        background-color: rgb(255, 255, 255);
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
    }
    .table4{
        position: absolute;
        top: 210px;
        left: 135px;
        transform: rotate(24deg);
        border-collapse: collapse;
        background-color: rgb(255, 255, 255);
        box-shadow: 0px 4px 6px 0 rgba(65, 65, 57, 0.5),0px 4px 6px 0 rgba(65, 65, 57, 0.5);
    }
    img{
        height: 200px;
    }
</style>
</head>
<body style=" background-color: rgb(31.4, 78.4, 47.1);">
    <div style="position: absolute; left: 400px;">
        <table align="center" class="table1">
            <tr>

```

```

        <td>
            
        </td>
    </tr>
</table>
<table align="center" class="table2">
    <tr>
        <td>
            
        </td>
    </tr>
</table>
<table align="center" class="table3">
    <tr>
        <td>
            
        </td>
    </tr>
</table>
<table align="center" class="table4">
    <tr>
        <td>
            
        </td>
    </tr>
</table>
</div>
</body>
</html>

```

Output:



Equation

Code:

```
<!DOCTYPE html>
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]>    <html class="no-js"> <!--<![endif]-->
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Equation</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="">
    <style>

      table{
        border-collapse: collapse;
        font-weight: 600px;
        font-size: 18px;

      }
      .n2{
        font-size: 45px;
      }
      .sigma{
        font-size: 45px;
        padding-bottom:7px;
        line-height:35px;
      }
      .n3{
        font-size: 30px;
      }

    </style>
  </head>
  <body>
    <table width="19%" align="center" border="1">
      <tr>
        <td class="n3" >
          f(x,y,r) =
        </td>
        <td style="border-bottom: 2px solid black;" >

          <table class="t2" border="1">

            <tr>
```

```

        <td height="25px" >
            n
            <div class="sigma">&#8721;</div>

        </td>
    </tr>
    <tr>
        <td style="padding:0px; margin:0px;">
            x=0
        </td>
    </tr>
</table>
</td>
<td style="border-bottom: 2px solid black;">
    <table border="1">
        <tr>
            <td class="n2">
                (
            </td>
            <td>
                <table border="1" class="t4">
                    <tr>
                        <td class="n4">
                            n
                        </td>
                    </tr>
                    <tr>
                        <td class="n4">
                            r
                        </td>
                    </tr>
                </table>
            </td>
            <td class="n2">
                )
            </td>
        </tr>
    </table>
</td>
<td style="border-bottom: 2px solid black;">
    <table border="1" >
        <tr>
            <td class="n3">
                2<sup style="font-size: 20px;">log<sub style="font-size: 20px;">y</sub><sup
style="font-size: 20px;">x</sup></sup></sup>

            </td>

        </tr>
    <tr>
        <td height="15px">

```

```

        </td>
    </tr>
    <tr>
        <td height="15px">

            </td>
        </tr>
    </table>

    </td>
</tr>
<tr>
    <td>

        </td>
        <td>

            </td>
            <td align="end"> <b>r</b> </td>
        </tr>
    </table>
</body>
</html>

```

Output:

$$f(x,y,r) = \sum_{x=0}^n \binom{n}{r} 2^{\log_y x}$$

Overlay

Code:

```
<!DOCTYPE html>
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]>    <html class="no-js"> <!--<![endif]-->
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>table</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="">
    <style>
      .main{
        background-image: url("https://wallpapercave.com/wp/wp3946493.jpg");
        background-repeat: no-repeat;
        background-size: 100%;

      }
      .table1{
        width:100%;
        height: 725px;
        border-collapse: collapse;

      }
      .overlay{
        position: relative;
        top:725px;
        width: 100%;

      }
      .r1{
        background-image:linear-gradient( rgba(144, 177, 255,0.7),rgba(115, 142, 203,0.6));
      }
      .r2{
        background-image:linear-gradient( rgba(115, 142, 203,0.6),rgba(115, 142, 203,0.5));
      }
      .r3{
        background-image:linear-gradient( rgba(115, 142, 203,0.5),rgba(115, 142, 203,0.4));
      }
      .r4{
        background-image:linear-gradient( rgba(115, 142, 203,0.3),rgba(115, 142, 203,0.2));
      }

      .r1:hover{
        background-image:linear-gradient( rgba(115, 142, 203,0.5),rgba(115, 142, 203,0.4));
```

```
}  
.r2:hover{  
    background-image:linear-gradient( rgba(115, 142, 203,0.4),rgba(115, 142, 203,0.3));  
}  
.r3:hover{  
    background-image:linear-gradient( rgba(115, 142, 203,0.3),rgba(115, 142, 203,0.2));  
}  
.r4:hover{  
    background-image:linear-gradient( rgba(115, 142, 203,0.1),rgba(115, 142, 203,0));  
}  
</style>  
  
</head>  
<body>  
    <div class="main">  
  
        <table class="table1" >  
            <tr >  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
                <td class="r1">  
  
                    </td>  
            </tr>  
            <tr>  
                <td class="r2">  
  
                    </td>  
                <td class="r2">
```



```
<td class="r3">

</td>
<td class="r3">

</td>
</tr>
<tr >
  <td class="r4">

</td>
<td class="r4">

</td>
<td class="r4">

</td>
<td class="r4">

</td>
<td class="r4">

</td>
<td class="r4">

</td>
<td class="r4">


</td>
<td class="r4">

</td>
</tr>
</table>
```

```
</div>
</body>
</html>
```

Output:

]



Animation of Squares:

Code:

```
<!DOCTYPE html>
<!--[if lt IE 7]>    <html class="no-js lt-ie9 lt-ie8 lt-ie7"> <![endif]-->
<!--[if IE 7]>      <html class="no-js lt-ie9 lt-ie8"> <![endif]-->
<!--[if IE 8]>      <html class="no-js lt-ie9"> <![endif]-->
<!--[if gt IE 8]>    <html class="no-js"> <!--<![endif]-->
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Box</title>
    <meta name="description" content="">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="">
    <style>
      .box{
        position: absolute;
        left:500px;
        top:100px;

        width: 500px;
        height: 500px;

        background-color: rgb(254, 236, 239);
```

```

}
.div1{
  width: 100px;
  height: 100px;
  background-color: rgb(255, 217, 223);
  position: relative;
  float: left;
  animation-name:b1 ;
  animation-duration: 4s;
}
@keyframes b1{
  0% { left:0px; top:0px;}
  20% { left:300px; top:0px;}
  40%{ left:300px; top:300px;}
  60%{ left:0px; top:300px;}
  80%{ left:0px; top:0px;}
  100% { left:0px; top:0px;}

}
.div2{
  width: 100px;
  height: 100px;
  background-color:rgb(255, 180, 192) ;
  position: relative;
  float: right;
  animation-name:b2 ;
  animation-duration: 4s;
  animation-fill-mode: forwards;
}
@keyframes b2{
  0% { left:0px; top:0px;}
  20%{ left:0px; top:0px;}
  40%{ left:0px; top:300px;}
  60%{ left:-300px; top:300px;}
  80%{ left:-300px; top:0px;}
  100% { left:-300px; top:0px;}

}
.div3{
  width: 100px;
  height: 100px;
  position: relative;
  top: 400px;
  left: 400px;
  background-color: rgb(255, 131, 152);
  animation-name:b3 ;
  animation-duration: 4s;
  animation-fill-mode: forwards;
}
@keyframes b3{
  0% { left: 400px; top:400px;}
  20%{ left: 400px; top: 400px;}

```

```

    40%{ left: 400px; top: 400px;}
    60%{ left:100px; top:400px;}
    80%{ left:100px; top:100px;}
    100% { left:100px; top:100px;}

}
.div4{
    width: 100px;
    height: 100px;
    position: relative;
    top: 300px;
    left: 0px;
    background-color: #ff4f6c;
    animation-name:b4 ;
    animation-duration: 4s;
    animation-fill-mode: forwards;
}
@keyframes b4{
    0%  { left: 0px; top:300px;}
    20%{ left: 0px; top: 300px;}
    40%{ left: 0px; top: 300px;}
    60%{ left:0px; top:300px;}
    80%{ left:0px; top:0px;}
    100% { left:0px; top:0px;}

}
</style>
</head>
<body>

```

```

<h1 align="center"> box Animation </h1>

```

```

<div class="box">

```

```

<div class="div1"></div>

```

```

<div class="div2"></div>

```

```

<div class="div3"></div>

```

```

<div class="div4"></div>

```

```

</div>

```

```

</body>

```


```

</html>

```

Output:

box Animation



Dial Pad

Code:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
      .displaydiv{
        width:220px;
        height:50px;
        border:1px solid;
        font-size: 40px;
        border: 3px solid rgb(120,120,120);
        border-radius: 5px;

      }
      .but{
        width: 70px;
        height:70px;
        font-size: 40px;
        border:none;
        color:rgb(194, 194, 194);
        border-radius:5px;
        background: linear-gradient(rgb(120,120,120),rgb(32, 32, 32));
        box-shadow: 0 4px 6px 0 rgba(0,0,0,0.5),0 6px 8px 0 rgba(0,0,0,0.4);

        /* color : white; */
        /* background: linear-gradient(rgba(81,152,255,0.9),rgba(216,254,255,0.5)); */
      }
      .but:active{
        background: linear-gradient(rgb(99, 99, 99),rgb(20,20,20));
        box-shadow: 0 2px 4px 0 rgba(0,0,0,0.2),0 2px 6px 0 rgba(0,0,0,0.3);

      }
    </style>
    <script>
      var temp=0;
      var c=0;

      function dial(i)
      {
        if(c<10)
        {
          temp = temp*10+i;
          c++;
          document.getElementById("display").innerHTML=temp;
        }
      }
    </script>
  </html>
```

```

    }
</script>
<style>
</style>
</head>
<body>
    <div align="center">
        <br><br><br>
        <div class="displaydiv" id="display">
            <!-- <p id="display">

                </p> -->
        </div><br><br>

        <table align="center">
            <tr>
                <td>
                    <button class="but" onclick="dial(1)" id="1">1</button>
                </td>
                <td>
                    <button class="but" onclick="dial(2)" id="2">2</button>
                </td>
                <td>
                    <button class="but" onclick="dial(3)" id="3">3</button>
                </td>
            </tr>
            <tr>
                <td>
                    <button class="but" onclick="dial(4)" id="4">4</button>
                </td>
                <td>
                    <button class="but" onclick="dial(5)" id="5">5</button>
                </td>
                <td>
                    <button class="but" onclick="dial(6)" id="6">6</button>
                </td>
            </tr>
            <tr>
                <td>
                    <button class="but" onclick="dial(7)" id="7">7</button>
                </td>
                <td>
                    <button class="but" onclick="dial(8)" id="8">8</button>
                </td>
                <td>
                    <button class="but" onclick="dial(9)" id="9">9</button>
                </td>
            </tr>
            <tr>
                <td></td>
                <td>
                    <button class="but" onclick="dial(0)" id="0">0</button>
                </td>
            </tr>
        </table>
    </div>

```



```
        </td>
      </tr>
    </table>
    <p id="Temp">

  </p>
</div>
</body>
</html>
```

Output:

1234578900



Timer in MCQs

```
<!DOCTYPE html>
<html>

<head>
  <title>
    Question Paper
  </title>
  <style>
    .time{
      float:right;
      width:150px;
      height:20px;
      /* border:1px solid; */
    }
  </style>
  <script>
    var min=3;
    var sec=0;
    function clock()
    {
      if(sec==0)
      {
        min=min-1;
        sec=60;
      }
      if(sec>0)
      {
        sec = sec - 1;
        document.getElementById("clk").innerHTML=min +":" + sec;
      }
    }
    function redirect()
    {
      window.location.assign("mcq_done.html");
    }
  </script>
</head>

<body>
  <script>
    setInterval(clock,1000);
    setTimeout(redirect,180000);
  </script>
  <div class="time">
    Remaining Time:
    <span id="clk">

  </span>
```

```
<div style="margin-left: 10%; ">
```

```
  <b><ul type="disc"><h3># Answer the following questions. Each can have multiple  
answers.</h3></ul></b><br>
```

```
  <div>
```

```
    <form>
```

```
    <table >
```

```
      <tr align="left">
```

```
        1. In which continent are Chile, Argentina and Brazil?
```

```
        <table width="50%">
```

```
          <tr>
```

```
            <td width="50%"><form><input type="radio" name="n1"> A. North America</td>
```

```
            <td width="50%"><input type="radio" name="n1"> B. South america</td>
```

```
          </tr>
```

```
          <tr >
```

```
            <td width="50%"><input type="radio" name="n1"> C. Europe</td>
```

```
            <td width="50%"><input type="radio" name="n1"> D. Asia</form></td>
```

```
          </tr>
```

```
        </table>
```

```
      </tr>
```

```
    </table>
```

```
  </div><br>
```

```
  <div>
```

```
    <table>
```

```
      <tr>
```

```
        2. Which brand of soup featured in one of Andy Warhol's most famous pop art pieces?
```

```
        <table width="50%">
```

```
          <tr >
```

```
            <td width="50%"><form><input type="radio" name="n1"> A. Heinz</td>
```

```
            <td width="50%"><input type="radio" name="n1"> B. Campbell's</td>
```

```
          </tr>
```

```
          <tr >
```

```
            <td width="50%"><input type="radio" name="n1"> C. Baxters</td>
```

```
            <td width="50%"><input type="radio" name="n1"> D. Knorr</form></td>
```

```
          </tr>
```

```
        </table>
```

```
      </tr>
```

```
    </table>
```

```
  </div><br>
```

```
<div>
```

```
  <table>
```

```
    <tr>
```

```
      3. In which city were the 1992 Summer Olympics held?
```

```
      <table width="50%">
```

```
        <tr >
```

```
          <td width="50%"><form><input type="radio" name="n1"> A. Atlanta</td>
```

```
          <td width="50%"><input type="radio" name="n1"> B. Barcelona</td>
```

```
        </tr>
```

```
        <tr >
```

```
          <td width="50%"><input type="radio" name="n1"> C. Sydney</td>
```

```
          <td width="50%"><input type="radio" name="n1"> D. Seoul</form></td>
```

```
        </tr>
```

```
</table>
</tr>
</table>
</div>
```

```
<div><br>
<table>
```

```
<tr>
```

4. What other country, besides the US, uses the US dollar as its official currency?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Ecuador</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. Canada</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. Mexico</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. United Kingdom</form></td>
```

```
</tr>
```

```
</table>
```

```
</tr>
```

```
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

5. The Statue of Liberty was a gift to the United States from which European country?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Belgium</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. Germany</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. Spain</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. France</form></td>
```

```
</tr>
```

```
</table>
```

```
</tr>
```

```
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

6. Which traditional Spanish dance originated in Andalusia and is recognised by UNESCO as a heritage of humanity?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Tango</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. Salsa</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. flamenco</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. Paso doble </form></td>
```

```
</tr>
```

```
</table>
</tr>
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

7. The human body is made up of approximately how much water?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. 40%</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. 50%</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. 60%</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. 70%</form></td>
```

```
</tr>
```

```
</table>
```

```
</tr>
```

```
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

8. What is the world's fastest species of bird?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Golden
```

```
Eagle</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. Peregrine falcon</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. Frigatebird</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. Pengyin</form></td>
```

```
</tr>
```

```
</table>
```

```
</tr>
```

```
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

9. Which artist famously cut off his own ear?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Vincent van gogh</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. Claude Monet</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. Salvador Dali</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. Pabalo Picasso</form></td>
```

```
</tr>
```

```
</table>
</tr>
</table>
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

10. Which female holds the most Wimbledon titles?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Martina
```

Navratilova</td>

```
<td width="50%"><input type="radio" name="n1"> B. Serena Williams</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. Venus Williams</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. Martina Hingis</form></td>
```

```
</tr>
```

```
</table>
```

```
</tr>
```

```
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

11. In 1768, Captain James Cook set out to explore which ocean?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. Pacific Ocean </td>
```

```
<td width="50%"><input type="radio" name="n1"> B. Atlantic Ocean</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. Indian Ocean</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. Arctic Ocean</form></td>
```

```
</tr>
```

```
</table>
```

```
</tr>
```

```
</table>
```

```
</div><br>
```

```
<div>
```

```
<table>
```

```
<tr>
```

12. Which of the following is not an international organisation?

```
<table width="50%">
```

```
<tr >
```

```
<td width="50%"><form><input type="radio" name="n1"> A. FIFA</td>
```

```
<td width="50%"><input type="radio" name="n1"> B. NATO</td>
```

```
</tr>
```

```
<tr >
```

```
<td width="50%"><input type="radio" name="n1"> C. ASEAN</td>
```

```
<td width="50%"><input type="radio" name="n1"> D. FBI</form></td>
```

```
</tr>
```

```

        </table>
    </tr>
</table>
</div><br>
<div>
    <table>
        <tr>
            13. Which of the following disorders is the fear of being alone?
            <table width="50%">
                <tr >
                    <td width="50%"><form><input type="radio" name="n1"> A.
Agoraphobia</td>
                    <td width="50%"><input type="radio" name="n1"> B. Aerophobia</td>
                </tr>
                <tr >
                    <td width="50%"><input type="radio" name="n1"> C. Acrophobia</td>
                    <td width="50%"><input type="radio" name="n1">
D. Arachnophobia</form></td>
                </tr>
            </table>
        </tr>
    </table>
</div><br>
<div>
    <table>
        <tr>
            14. Which is the easiest way to tell the age of many trees?
            <table width="50%">
                <tr >
                    <td width="50%"><form><input type="radio" name="n1"> A. To measure
the width of the tree</td>
                    <td width="50%"><input type="radio" name="n1"> B. To count the rings
on the trunk</td>
                </tr>
                <tr >
                    <td width="50%"><input type="radio" name="n1"> C. To count the
number of leaves</td>
                    <td width="50%"><input type="radio" name="n1"> D. To measure the
height of the tree</form></td>
                </tr>
            </table>
        </tr>
    </table>
</div>
<div>
    <table>
        <tr>
            15. Which did Viking people use as money?
            <table width="50%">
                <tr >
                    <td width="50%"><form><input type="radio" name="n1"> A. Rune stones
</td>

```

<input name="n1" type="radio"/>	B. Jewellery
---------------------------------	--------------

<input name="n1" type="radio"/>	C. Seal skins
<input name="n1" type="radio"/>	D. Wool

16. Which two months are named after Emperors of the Roman Empire?	
<input name="n1" type="radio"/>	A. January and February
<input name="n1" type="radio"/>	B. March and April
<input name="n1" type="radio"/>	C. May and June
<input name="n1" type="radio"/>	D. July and August

17. Where did the powers of Spiderman come from?	
<input name="n1" type="radio"/>	A. He was born with them
<input name="n1" type="radio"/>	B. He was bitten by a radioactive spider
<input name="n1" type="radio"/>	C. He went through a scientific experiment
<input name="n1" type="radio"/>	D. He woke up with them after a dream

<div>
<table>
<tr>
18. What is the most points that a player can score with a single throw in

darts?

<table width="50%">
<tr >
<td width="50%"><form><input type="radio" name="n1"> A. 20</td>
<td width="50%"><input type="radio" name="n1"> B. 40</td>
</tr>
<tr >
<td width="50%"><input type="radio" name="n1"> C. 60</td>
<td width="50%"><input type="radio" name="n1"> D. 80</form></td>
</tr>
</table>

</tr>
</table>
</div>

<div>
<table>
<tr>

19. In the United States, football is called soccer. So what is American
football called in the United Kingdom?

<table width="50%">
<tr >
<td width="50%"><form><input type="radio" name="n1"> A.

<td width="50%"><input type="radio" name="n1"> B. American

</tr>
<tr >
<td width="50%"><input type="radio" name="n1"> C. Handball</td>
<td width="50%"><input type="radio" name="n1"> D.

Combball</form></td>

</tr>
</table>
</tr>
</table>
</div>

<div>
<table>
<tr>

20. Which of the following actors was the first one to play James
Bond?

<table width="50%">
<tr >
<td width="50%"><form><input type="radio" name="n1"> A.

<td width="50%"><input type="radio" name="n1"> B. Roger

Timothy Dalton</td>

Moore </td>

</tr>
</tr >

Connery	<input name="n1" type="radio"/> C. Sean
Lazenby	<input name="n1" type="radio"/> D. George

<table> <tr> <td>21. The two biggest exporters of beers in Europe are Germany and</td> </tr> </table>	21. The two biggest exporters of beers in Europe are Germany and
21. The two biggest exporters of beers in Europe are Germany and	

Spain	<input name="n1" type="radio"/> A.
	<input name="n1" type="radio"/> B. France
	<input name="n1" type="radio"/> C. Italy
Belgium	<input name="n1" type="radio"/> D.

<table> <tr> <td>22. In the series "Game of Thrones", Winterfell is the ancestral</td> </tr> </table>	22. In the series "Game of Thrones", Winterfell is the ancestral
22. In the series "Game of Thrones", Winterfell is the ancestral	

The Lannisters	<input name="n1" type="radio"/> A.
Starks	<input name="n1" type="radio"/> B. The
Tully's	<input name="n1" type="radio"/> C. The
Targaryens	<input name="n1" type="radio"/> D. The

<div>

<table>

<tr>

game?

23. Which company is known for publishing the Mario video

<table width="50%">

<tr >

<td width="50%"><form><input type="radio" name="n1">

A. Xbox </td>

<td width="50%"><input type="radio" name="n1">

B. Nintendo</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C.

SEGA</td>

<td width="50%"><input type="radio" name="n1"> D.

Electronic Arts</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

its other name?

<table width="50%">

<tr >

<td width="50%"><form><input type="radio"

name="n1"> A. Vinegar </td>

<td width="50%"><input type="radio" name="n1">

B. Sugar</td>

</tr>

<tr >

<td width="50%"><input type="radio" name="n1"> C.

Salt</td>

<td width="50%"><input type="radio" name="n1">

D.Baking soda</form></td>

</tr>

</table>

</tr>

</table>

</div>

<div>

<table>

<tr>

colour?

25. Which was the first film by Disney to be produced in

<table width="50%">

<tr >

name="n1"> A. Toy Story </td>	<td width="50%"><form><input type="radio"
Sleeping Beauty</td>	<td width="50%"><input type="radio" name="n1"> B.
	</tr>
	<tr >
Snow White and the Seven Dwarfs</td>	<td width="50%"><input type="radio" name="n1"> C.
Cinderella</form></td>	<td width="50%"><input type="radio" name="n1"> D.
	</tr>
	</table>
	</tr>
	</table>
	</div>
	<div align="center">
	<input type="submit" name="s1" value="submit"></div>
	</form>
	</div>
	</body>
	</html>

Output:

Answer the following questions. Each can have multiple answers.

Remaining Time: 2:50

- In which continent are Chile, Argentina and Brazil?
 - ☐ A. North America
 - ☐ B. South america
 - ☐ C. Europe
 - ☐ D. Asia
- Which brand of soup featured in one of Andy Warhol's most famous pop art pieces?
 - ☐ A. Heinz
 - ☐ B. Campbell's
 - ☐ C. Baxters
 - ☐ D. Knorr
- In which city were the 1992 Summer Olympics held?
 - ☐ A. Atlanta
 - ☐ B. Barcelona
 - ☐ C. Sydney
 - ☐ D. Seoul
- What other country, besides the US, uses the US dollar as its official currency?
 - ☐ A. Ecuador
 - ☐ B. Canada

Time over!!!

PHP Questions

Code:

StudentRegistration.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <form action="display.php" method="post">
      <label>Enrollment No.:</label>
      <input type="number" name="eno"><br><br>
      <label>Name:</label>
      <input type="text" name = "name"><br><br>
      <input type="Submit" value="submit">
    </form>
  </body>
</html>
```

StudentDisplay.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    Name:<?php
      echo $_POST["name"];
    ?><br><br>
    Enrollment No.:<?php
      echo $_POST["eno"];
    ?>
  </body>
</html>
```

Output:

Enrollment No.:

Name:

Name:Vatsal Darji

Enrollment No.:66

Code:

Factorial.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <form action="Display_Fac.php" method="post">
      <label>Number:</label>
      <input type="number" name="num"><br><br>
      <input type="submit" value="Submit">
    </form>
  </body>
</html>
```

DisplayFac.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>

    <?php
      $num = $_POST["num"];
      $fact = 1;
      for($i = 1;$i <= $num;$i++)
      {
        $fact = $fact*$i;
      }
      echo "Ans: ".$fact;
    ?>
  </body>
</html>
```

Output:

Number:

Ans:120

Code:

InputTwoNumbers.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <form action = "Find_Greater.php" method="POST">
      <label>Num1:</label>
      <input type="number" name="num1"><br><br>
      <label>Num2:</label>
      <input type="number" name="num2"><br><br>
      <input type="submit" value="submit">
    </form>
  </body>
</html>
```

ShowGreater.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <?php
      $num1 = $_POST["num1"];
      $num2 = $_POST["num2"];
      if($num1 == $num2)
      {
        echo $num1." and ".$num2." are equal.";
      }
      elseif($num1 > $num2)
      {
        echo $num1;
      }
      else
      {
        echo $num2;
      }
    ?>
  </body>
</html>
```

Output:

Num1:

Num2:

12 is greater then 10

Code:

CurrencySelector.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <form action="Calculate_Currency.php" method="post">
      <select name="curr1">
        <option value="INR">Indian Rupee</option>
        <option value="CAD">Canadian Dollar</option>
        <option value="USD">United States Dollar</option>
      </select>
      to
      <select name="curr2">
        <option value="USD">United States Dollar</option>
        <option value="INR">Indian Rupee</option>
        <option value="CAD">Canadian Dollar</option>
      </select><br><br>
      <input type="number" name="inpcurr1" placeholder="Input Currency"><br><br>
      <input type="submit" value="Convert">
    </form>
  </body>
</html>
```

CurrencyConvertor.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <h2>
```



```

<?php
$curr1 = $_POST["curr1"];
$curr2 = $_POST["curr2"];
$inpcurr1 = $_POST["inpcurr1"];
$anscurr = 0;
if($curr1 == "INR")
{
    if($curr2 == "CAD")
    {
        $anscurr = $inpcurr1 * 0.017;
        echo $inpcurr1." Indian Rupee is ".$anscurr." Canadian Dollar";
    }
    elseif($curr2 == "USD")
    {
        $anscurr = $inpcurr1 * 0.012;
        echo $inpcurr1." Indian Rupee is ".$anscurr." United States Dollar";
    }
    else
    {
        echo "Invalid Selection!!!";
    }
}
elseif($curr1 == "CAD")
{
    if($curr2 == "INR")
    {
        $anscurr = $inpcurr1 * 60.57;
        echo $inpcurr1." Canadian Dollar is ".$anscurr." Indian Rupee";
    }
    elseif($curr2 == "USD")
    {
        $anscurr = $inpcurr1 * 0.73;
        echo $inpcurr1." Canadian Dollar is ".$anscurr." United States Dollar";
    }
    else
    {
        echo "Invalid Selection!!!";
    }
}
elseif($curr1 == "USD")
{
    if($curr2 == "INR")
    {
        $anscurr = $inpcurr1 * 82.44;
        echo $inpcurr1." United States Dollar is ".$anscurr." Indian Rupee";
    }
    elseif($curr2 == "CAD")
    {
        $anscurr = $inpcurr1 * 1.36;
        echo $inpcurr1." United States Dollar is ".$anscurr." Canadian Dollar";
    }
    else

```

```

        {
            echo "Invalid Selection!!!";
        }
    }
    else
    {
        echo "Invalid Selection!!!";
    }
}
?>
</h2>
</body>
</html>

```

Output:

to

1 United States Dollar is 82.44 Indian Rupee

Code:

CollectionSelection.php

```

<!DOCTYPE html>
<html lang="en">
    <?php
        session_start();
    ?>
    <head>
        <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Document</title>
    </head>
    <body>
        <form action="Show_Seat.php" method="post">
            <select name="CollegeName">
                <option value="0">--Select College--</option>
                <option value="ADIT">A. D. Patel Institute of Technology</option>
                <option value="GCET">G H Patel College of Engineering & Technology</option>
                <option value="MBIT">Madhuben & Bhanubhai Patel Institute of
Technology</option>
            </select>
            <input type="submit" value="Submit">
        </form>
    </body>
</html>

```

CollegeSeats.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    <h2>
      <?php
        $_SESSION["college"]=$_POST["CollegeName"];
        $collegename = $_SESSION["college"];
        if($collegename == "ADIT")
        {
          echo "Total Seats:69";
        }
        elseif($collegename == "GCET")
        {
          echo "Total Seats:80";
        }
        elseif($collegename == "MBIT")
        {
          echo "Total Seats:40";
        }
        else
        {
          echo "Invalid Selection!!!";
        }
      ?>
    </h2>
  </body>
</html>
```

Output:

A. D. Patel Institute of Technology ▼ Submit

Total Seats:69

