

Your Scan Results

Domain

https://gogreen-2.vercel.app

Date & Time

12/05/2026, 03:55pm

Issues Identified

A

22

AA

5

AAA

76


Recite Me Accessibility Scan

Level A Overview

About this Scan

This free scan shows you a preview dashboard of your findings under accessibility rating ‘A’. Start off by tackling A-rated “fixes” to boost your score and become an accessibility hero in no time!

Website accessibility and compliance made simple. Create a website that is built with accessibility in mind and to WCAG industry standards, with the help of the Recite Me Accessibility Checker.



How the the Checker Works

The Recite Me Checker audits back-end and front-end web development processes by running 396 compliance scans in line with WCAG 2.2 and breaking down the issues you should be working to fix. The methodology follows a four-step process to help you increase your accessibility score:



1. Scan Your Domains

Start with a scan of your website covering WCAG 2.2 success criteria.



2. Identify Accessibility Issues

Our intuitive dashboard helps you identify the most common accessibility issues.



3. Fix Accessibility Checks

We show you what to fix for the biggest improvement against your internal efforts and time.



4. Track Your Progress

Track your web accessibility improvements over time and manage your fix queue.

Next Steps

Now it's time to action your finding using the Recite Me checker and make your website more accessible for your diverse online audience.

How WCAG works

Web Content Accessibility Guidelines (WCAG) ensure that people facing digital access barriers are not excluded from accessing online content. WCAG is considered to be the benchmark for website accessibility. Created by the World Wide Web Consortium (W3C), following WCAG guidelines is the best and the easiest way of making your website usable for all of your visitors.

Levels of Compliance

Following tests against WCAG guidelines and success criteria a website will be given a level of accessibility conformance. the globally acceptable level of 'accessibility' is Level AA.

A

'Must Do'

Providing a basic level of accessibility on your website.

AA

'Should Do'

Industry accepted level of appropriate accessibility.

AAA

'Could Do'

For those that want to offer enhanced accessibility.



WCAG Four Principles

The key for website owners is to adopt a design and layout that is clear enough that everyone can use it. The FOUR principles are designed to help you think about the ways people use web content.

1. Perceivable

Information and user interface components must be presentable to users in ways they can perceive.

2. Operable

User interface components and navigation must be operable.

3. Understandable

Information and the operation of user interface must be understandable.

4. Robust

Content must be robust enough that it can be interpreted reliably by a wide variety of user agents, including assistive technologies.

78

Success Criteria

The success criteria are what determine "conformance" to WAG and what a websites is tested against.

396

Techniques

WCAG techniques are a set of specific test methods that can be used to achieve the accessibility standards.

1000+

Test

Tests are created to run against techniques to see if a website conforms to WAG Success Criteria.

Domain Overview

It's time to explore your website's accessibility scan. Don't worry, it's not as complicated as it looks. Below is your dashboard where we have grouped your accessibility issues under ratings A, AA and AAA. Start off by tackling A-rated 'fixes' to boost your score and become an accessibility hero in no time!

Your Scan Results

Domain

https://gogreen-2.vercel.app

Date & Time

12/05/2026, 03:55pm

Issues Identified

A

22

AA

5

AAA

76

Level A/AA: Checks

Type	Guideline	Description	Findings
 Non-text Content	1.1.1	This refers to any content that is not a sequence of characters that c...	21
 Reflow	1.4.10	Content can be presented without loss of information or functionality,...	1
 Contrast (Enhanced)	1.4.6	Text and images of text have a contrast ratio of 7:1. This does not ap...	72
 Focus Order	2.4.3	When the order of the content is important to its meaning or operation...	1
 Multiple Ways	2.4.5	There must be more than one way to locate a web page within a set of w...	4

And 1 more

Non-text Content

1.1.1

Fixes
21

This refers to any content that is not a sequence of characters that can be interpreted by user agents/software (i.e. programmatically determined) or a depiction of something not in a human language, and includes emoticons and ASCII art. All such instances should include an alt-text accompaniment serving the same purpose (or as close as possible).

✔ Fix issue example

G100 | Providing a short text alternative which is the accepted name or a descriptive name of the non-...

Description

The objective of this technique is to allow users to identify the non-text content even if the non-text content is intended to provide a specific sensory experience. For example, a deaf person may want to know what an audio instrumental file is - even if they cannot hear it. Similarly, a blind person may want to know what the subject of a visual image is - even if they cannot see it.

Recite Me Recommends

If you are delivering information to your users, by non text means (images or video or audio) : you should always be sure that the information can be found by some one that can't see that image or video, or hear the audio.

Code Snippet

Element

```
<svg width="10" height="10" viewBox="0 0 12 12"
fill="none" aria-hidden="true"><path d="m3 4.5 3
3 3-3" stroke...</svg>
```

Non-text Content

1.1.1

Fixes
21

This refers to any content that is not a sequence of characters that can be interpreted by user agents/software (i.e. programmatically determined) or a depiction of something not in a human language, and includes emoticons and ASCII art. All such instances should include an alt-text accompaniment serving the same purpose (or as close as possible).

✔ Fix issue example

G100 | Providing a short text alternative which is the accepted name or a descriptive name of the non-...

Description

The objective of this technique is to allow users to identify the non-text content even if the non-text content is intended to provide a specific sensory experience. For example, a deaf person may want to know what an audio instrumental file is - even if they cannot hear it. Similarly, a blind person may want to know what the subject of a visual image is - even if they cannot see it.

Recite Me Recommends

If you are delivering information to your users, by non text means (images or video or audio) : you should always be sure that the information can be found by some one that can't see that image or video, or hear the audio.

Code Snippet

Element

```
<svg width="10" height="10" viewBox="0 0 12 12"
fill="none" aria-hidden="true"><path d="m3 4.5 3
3 3-3" stroke...</svg>
```

Content can be presented without loss of information or functionality, and without 2D scrolling for 320 CSS pixels width (vertical axis) or 256 CSS pixels height (horizontal axis).

✓ Fix issue example

C34 | Using media queries to un-fixing sticky headers / footers

Description

The objective of this technique is to present content with sticky headers and footers when there is enough space. This is done by using min-height, max-height and min-width media queries techniques that adapt to the available space of the viewport. Sticky regions always stay visible in the viewport while the other content will disappear underneath when scrolling. In terms of content visibility, this is often not a problem on the desktop and on mobile devices in portrait orientation. However, when using mobile devices in landscape orientation or when zooming in on the desktop, sticky regions may block a big portion of the screen: the height of the sticky region may leave only a small part of the screen for the display of page content. Disabling, or un-fixing sticky regions, is an effective way to allow for enough available space when users prefer different reading and zoom preferences or...

Recite Me Recommends

This guideline states that The content of a webpage should re-flow and fit within the boundaries of the browser window without needing to scroll left or right when the page is zoomed up to 400% the original size.

Code Snippet

Element

```
<header data-fixed-nav="true" class="fixed
inset-x-0 z-50 bg-white border-b border-line
transition-all duration-300 top-0 lg:top-8"><div
class="mx-auto w-full max-...</div></header>
```

Text and images of text have a contrast ratio of 7:1. This does not apply to large text, where the ratio must be 4.5:1, and text that is part of an inactive user interface component, purely decorative, not visible to anyone or part of a picture that contains significant other visual content has no contrast requirements. Text contained within branding or logos is exempt.

Fix issue example

G17 | Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and bac...

Description

The objective of this technique is to make sure that users can read text that is presented over a background. This technique goes beyond the 4.5:1 contrast technique to provide a higher level of contrast to make it easier for people with low vision to read. If the background is a solid color (or all black or all white) then the contrast ratio of the text can be maintained by making sure that each of the text letters have a 7:1 contrast ratio with the background. If the background or the letters vary in relative luminance (or are patterned), then the background around the letters can be chosen or shaded so that the letters maintain a 7:1 contrast ratio with the background behind them even if they do not have that contrast ratio with the entire background. The contrast ratio can sometimes be maintained by changing the relative luminance of the letters as the relative luminance of the backg...

Recite Me Recommends

This technique explains that text should be easy to read when it is placed on top of a picture or a background. The goal is to make the contrast between the text and the background strong enough for people with low vision to read it comfortably.

Code Snippet

Element

```
<a class="flex items-center justify-center w-max gap-2 h-12 sm:h-14 px-6 sm:px-8 rounded-full bg-accent text-white text-sm sm:text-base font-medium hover:bg-accent-2 hover:-translate-y-0.5 transition-all shadow-[0_0_20px_rgba(30,127,92,0.4)] group" href="/get-assessment">Get a Free Assessment<svg viewBox="0 0 24 24" aria-hidden="true" fill="none" stroke="currentColor" stroke-width="1.5" stroke-linecap="round" stroke-linejoin="round" class="size-4 text-white/70 group-hover:translate-x-0.5 group-hover:-translate-y-0.5 transition-transform"><path d="M7 17 17 7"></path><path d="M8 7h9v9"></path></svg></a>
```


Text and images of text have a contrast ratio of 7:1. This does not apply to large text, where the ratio must be 4.5:1, and text that is part of an inactive user interface component, purely decorative, not visible to anyone or part of a picture that contains significant other visual content has no contrast requirements. Text contained within branding or logos is exempt.

Fix issue example

G17 | Ensuring that a contrast ratio of at least 7:1 exists between text (and images of text) and bac...

Description

The objective of this technique is to make sure that users can read text that is presented over a background. This technique goes beyond the 4.5:1 contrast technique to provide a higher level of contrast to make it easier for people with low vision to read. If the background is a solid color (or all black or all white) then the contrast ratio of the text can be maintained by making sure that each of the text letters have a 7:1 contrast ratio with the background. If the background or the letters vary in relative luminance (or are patterned), then the background around the letters can be chosen or shaded so that the letters maintain a 7:1 contrast ratio with the background behind them even if they do not have that contrast ratio with the entire background. The contrast ratio can sometimes be maintained by changing the relative luminance of the letters as the relative luminance of the backg...

Recite Me Recommends

This technique explains that text should be easy to read when it is placed on top of a picture or a background. The goal is to make the contrast between the text and the background strong enough for people with low vision to read it comfortably.

Code Snippet

Element

```
<div class="inline-flex items-center gap-2 text-[11px] uppercase tracking-[0.18em] text-muted font-medium" style="opacity:0;transform:translateY(8px)"><span class="h-px w-6 bg-accent"></span>Capabilities</div>
```

When the order of the content is important to its meaning or operation and it can be sequentially navigated, components that can be focused must receive the focus in an order that reflects the sequence.

✔ Fix issue example

F44 | Failure of Success Criterion 2.4.3 due to using tabindex to create a tab order that does not pr...

Description

This document describes a failure that occurs when the tab order does not follow logical relationships and sequences in the content. Focusable elements like links and form elements have a `tabindex` attribute. The elements receive focus in ascending order of the value of the `tabindex` attribute. When the values of the `tabindex` attribute are assigned in a different order than the relationships and sequences in the content, the tab order no longer follows the relationships and sequences in the content. One of the most common causes of this failure occurs when editing a page where `tabindex` has been used. It is easy for the tab order and the content order to fall out of correspondence when the content is edited but the `tabindex` attributes are not updated to reflect the changes to the content.

Recite Me Recommends

Your Tab order, should not cause the document order to become confusing.

Solution:
Where possible, set your tab order to follow the order a reader may read the page of a book. Try to avoid 'jumping' the tab focus around the page.

Code Snippet

Element

```
<div tabindex="0" role="region" aria-label="Project gallery" class="block xl:hidden col-span-1 w-[100vw] -mx-6 mt-6 overflow-x-auto snap-x snap-mandatory [&:::-webkit-scrollbar]:hidden [-ms-overflow-style:none] [scrollbar-width:none]"><div class="...
```

There must be more than one way to locate a web page within a set of web pages. This does not apply where the web page is the result of, or a step in, a process.

✔ Fix issue example

H59 | Using the link element and navigation tools

Description

The objective of this technique is to describe how the link element can provide metadata about the position of an HTML page within a set of Web pages or can assist in locating content with a set of Web pages. The value of the rel attributes indicates what type of relation is being described, and the href attribute provides a link to the document having that relation. Different link element rel values are used to create relationships: next: Refers to the next document in a linear sequence of documents, prev: Refers to the previous document in an ordered series of documents.

Recite Me Recommends

Your visitors are not all the same,. and some will want to use your site differently to others. Some will be happy to use a global navigation scheme to find their way around, others will prefer to use search, others still might wish to visit a sitemap first, some will use your pages sequentially.. the intent of this guideline is to make you aware of these differing use-cases, so that you can design solutions to satisfy them.

Code Snippet

Element

```
<link rel="preload" as="image"
imagesrcset="/_next/image?url=%2Fimages%2Flogo-mark-removebg.png&w=128&q=75 1x,
/_next/image?url=%2Fimages%2Flogo-mark-removebg.png&w=256&q=75 2x">
```

There must be more than one way to locate a web page within a set of web pages. This does not apply where the web page is the result of, or a step in, a process.

✔ Fix issue example

H59 | Using the link element and navigation tools

Description

The objective of this technique is to describe how the link element can provide metadata about the position of an HTML page within a set of Web pages or can assist in locating content with a set of Web pages. The value of the rel attributes indicates what type of relation is being described, and the href attribute provides a link to the document having that relation. Different link element rel values are used to create relationships:next: Refers to the next document in a linear sequence of documents.prev: Refers to the previous document in an ordered series of documents.

Recite Me Recommends

Your visitors are not all the same,. and some will want to use your site differently to others. Some will be happy to use a global navigation scheme to find their way around, others will prefer to use search, others still might wish to visit a sitemap first, some will use your pages sequentially.. the intent of this guideline is to make you aware of these differing use-cases, so that you can design solutions to satisfy them.

Code Snippet

Element

```
<link rel="preload" as="image"
imagesrcset="/_next/image?url=%2Fimages%2Flogo-
text-removebg.png&w=640&q=75 1x,
/_next/image?url=%2Fimages%2Flogo-text-
removebg.png&w=1920&q=75 2x">
```

IUser can access information about their location within a set of web pages.

✔ Fix issue example

H59 | Using the link element and navigation tools

Description

The objective of this technique is to describe how the link element can provide metadata about the position of an HTML page within a set of Web pages or can assist in locating content with a set of Web pages. The value of the rel attributes indicates what type of relation is being described, and the href attribute provides a link to the document having that relation. Different link element rel values are used to create relationships:next: Refers to the next document in a linear sequence of documents.prev: Refers to the previous document in an ordered series of documents.

Recite Me Recommends

Your visitors are not all the same,. and some will want to use your site differently to others. Some will be happy to use a global navigation scheme to find their way around, others will prefer to use search, others still might wish to visit a sitemap first, some will use your pages sequentially.. the intent of this guideline is to make you aware of these differing use-cases, so that you can design solutions to satisfy them.

Code Snippet

Element

```
<link rel="preload" as="image"
imagesrcset="/_next/image?url=%2Fimages%2Flogo-
mark-removebg.png&w=128&q=75 1x,
/_next/image?url=%2Fimages%2Flogo-mark-
removebg.png&w=256&q=75 2x">
```

IUser can access information about their location within a set of web pages.

✔ Fix issue example

H59 | Using the link element and navigation tools

Description

The objective of this technique is to describe how the link element can provide metadata about the position of an HTML page within a set of Web pages or can assist in locating content with a set of Web pages. The value of the rel attributes indicates what type of relation is being described, and the href attribute provides a link to the document having that relation. Different link element rel values are used to create relationships:next: Refers to the next document in a linear sequence of documents.prev: Refers to the previous document in an ordered series of documents.

Recite Me Recommends


Your visitors are not all the same,. and some will want to use your site differently to others. Some will be happy to use a global navigation scheme to find their way around, others will prefer to use search, others still might wish to visit a sitemap first, some will use your pages sequentially.. the intent of this guideline is to make you aware of these differing use-cases, so that you can design solutions to satisfy them.

Code Snippet

Element

```
<link rel="preload" as="image"
imagesrcset="/_next/image?url=%2Fimages%2Flogo-
text-removebg.png&w=640&q=75 1x,
/_next/image?url=%2Fimages%2Flogo-text-
removebg.png&w=1920&q=75 2x">
```

Book a demo



Website accessibility and compliance made simple. The Recite Me Accessibility Checker identifies accessibility code issues and shows you exactly how to fix them through the power of AI.

Book a Checker demo

Identify the scope of your digital landscape to determine which pages and documents need testing for compliance.

```

    graph LR
      A[State in England] --> B[The current state of the system is not complete]
      A --> C[It is Complete!]
      C --> D[The system is now complete]
  
```

Conduct a comprehensive scan of your website against WCAG 2.2 success criteria to pinpoint accessibility issues.

Utilise AI-powered insights to prioritise and guide you on fixing issues for the most significant improvements in accessibility.

The screenshot shows a dashboard titled "New Sustainability Progress". It features a line chart with a blue background and a bar chart below it. The line chart has a y-axis ranging from 0 to 100 and an x-axis with labels "Q1", "Q2", "Q3", "Q4", "Q5", "Q6", "Q7", "Q8", "Q9", "Q10". The data points are connected by a blue line. The bar chart has a y-axis ranging from 0 to 100 and an x-axis with labels "Q1", "Q2", "Q3", "Q4", "Q5", "Q6", "Q7", "Q8", "Q9", "Q10". The bars are blue and represent the same data as the line chart.

Implement programmatic scanning to ensure ongoing compliance and that new content remains accessible to all users.

Digital barriers stand in the way of visitors reading and understanding your online content. Create an inclusive experience online by providing assistive technology and language options to enable everyone to customise your website in ways that work for them.



Book a Toolbar demo

