



URBAN LANDSCAPE

— PRICE LIST | 2025 —

Jaquar. A group on a mission.

1972

Essco commissioned its very first, composite, ultra-modern manufacturing plant

1987

The super success of its advanced flush valve made Jaquar the highest-selling bath fittings brand, and revolutionised the Indian market

2006

Launched the shower enclosure category, offering designing-to-installation services, with standardised quality specifications

2008

Commissions 2nd state-of-the-art manufacturing facility in Rajasthan to increase faucet production capacity to 3 million annually

2010

Opens 3rd integrated manufacturing plant. Adds sanitaryware products to offer complete bathroom solutions. Production capacity scales up to 135,000 sq. m.

1960

Launch of Essco, the first pan-India bath fittings brand with an unheard of 7-year warranty

1986

Launch of the premium bath fittings brand – Jaquar. Aimed at bringing global standards to the Indian market

2001

Launch of Jaquar Orientation Centre, an immersive experience centre, for better product visualisation and education with expert advice. Enjoys pan-India presence today

2007

Opens its 1st large-scale manufacturing facility in Rajasthan with a production capacity of 2 million faucets annually, and in-house testing capabilities

2009

Launches India's first luxury bath brand – Artize

Forays into hot water solutions with a wide range of concepts and products



2013

Jaquar is recognised as India's most trusted bath fittings brand by customers in research conducted by Neilsen

Jaquar represents India as the first Indian bath brand to get showcased at ISH, Frankfurt, the global bath fair

2017

Acquires Euro Ceramic, one of Asia's most advanced sanitaryware plants, in Gujarat. Jaquar's 6th manufacturing unit with a production capacity of 2.5 million pieces annually

Opens the first Jaquar World in Dubai, a branded, global, destination showroom of complete bathroom and lighting solutions. It has presence across the globe today

2020

Adds 7th manufacturing unit, spread over almost 56,000 sq. m. Produces Jaquar's LED lighting products - from professional to consumer LED lighting, with advanced testing and certifying lab

2022

Launch of Atelier by Artize – the luxury bath gallery in Delhi, Mumbai, and Bangalore

2016

Opens Jaquar Group global HQs in Delhi NCR, a USGBC-certified net-positive building spread over 48,000 sq. m. And its 4th manufacturing unit, for wellness products

Acquires JoeyForLife, a South Korean company which becomes its 5th manufacturing unit, offering showering systems and technology

2021

Launch of 8th manufacturing unit - water heater plant with a capacity to produce half a million pieces per year and water heaters of up to 100 litres. Overall group manufacturing facilities scaled to 330,000 sq. m.

2023

The Jaquar Group is a global brand with presence in over 55 countries today. Offers complete bathroom and lighting solutions, produces over 39 million bath fittings, and capacity to produce 25 million lighting products



Landscape Pole Lights




Decorative Lights



Facade Lights




Consumer Lights



Commercial Indoor Lights



Commercial Outdoor Lights



Smart Lights

ILLUMINATE YOUR WORLD WITH OUR INNOVATIVE LED LIGHTING

Jaquar Lighting offers a comprehensive range of LED solutions to brighten every space, from residential to commercial, and decorative to landscaping. Discover an extensive selection of lighting options, including stunning chandeliers and unique LED fixtures, all designed to cater to diverse budgets without compromising on quality or reliability. Our products seamlessly complement and enhance a wide variety of interior and exterior styles, from classic to contemporary, ensuring a perfect fit for your unique aesthetic.

Carrying forward the legacy of the Jaquar Group, we are committed to setting new standards in design, quality, and customer satisfaction. As pioneers in the lighting industry, we deliver innovative, energy-efficient solutions that combine brilliance in design, performance, and perfection.

Experience the Jaquar difference – where exceptional quality, captivating designs, and impeccable craftsmanship illuminate your world.

What makes Jaquar lighting stand apart:

- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaquar orientation centres
- Pro-active customer care

H

Z

W

H

Z

O

O



Luminaire
06-12



Pole
14-17



Bracket
18-21



Garden
22-25



Geometric Poles
26-29

LUMINARIES



LUMINARIES

URBAN LANDSCAPE



Item Code	Wattage (W)	CCT	MRP
OGL-BLK-PTAVIORCD028WWT0	28	WW	20,500
OGL-BLK-PTAVIORCD028NWT0	28	NW	20,500
OGL-BLK-PTAVIORCD028CWT0	28	CW	20,500
OGL-GRY-PTAVIORCD028WWT0	28	WW	20,500
OGL-GRY-PTAVIORCD028NWT0	28	NW	20,500
OGL-GRY-PTAVIORCD028CWT0	28	CW	20,500

Description:
LED Avior Post Top 28W Clear Diffuser

Item Code	Wattage (W)	CCT	MRP
OGL-BLK-PTAURORCD030WWT0	30	WW	10,500
OGL-BLK-PTAURORCD030NWT0	30	NW	10,500
OGL-BLK-PTAURORCD030CWT0	30	CW	10,500
OGL-BLK-PTAURORCD040WWT0	40	WW	10,900
OGL-BLK-PTAURORCD040NWT0	40	NW	10,900
OGL-BLK-PTAURORCD040CWT0	40	CW	10,900
OGL-GRY-PTAURORCD040CWT0	40	CW	10,900
*OGL-GRY-PTAURORFD040CWT0	40	CW	10,900
OGL-GRY-PTAURORCD060WWT0	60	WW	14,200
OGL-GRY-PTAURORCD060NWT0	60	NW	14,200
OGL-GRY-PTAURORCD060CWT0	60	CW	14,200



Description:
LED Aurora Post Top 30W, 40W, 60 Clear Diffuser
*40W, Frosted



Item Code	Wattage (W)	CCT	MRP
OGL-BLK-LGTP01X030XW	30	WW	22,300
OGL-GRY-LGTP01X030XW	30	WW	22,300
OGL-GRY-LGTP01X030XC	30	CW	22,300

Description:
LED COB Post Top 30W

LUMINARIES

URBAN LANDSCAPE



Item Code	Wattage (W)	CCT	MRP
OGL-GRY-PTLUMINCD040NWT0	40	NW	13,500
OGL-GRY-PTLUMINCD040CWT0	40	CW	13,500
OGL-BLK-PTLUMINCD040NWT0	40	NW	13,500
OGL-BLK-PTLUMINCD040CWT0	40	CW	13,500

Description:
LED Lumina Post Top 40W NW, CW, NW, CW Clear Diffuser

Item Code	Wattage (W)	CCT	MRP
*OGL-BLK-PTTURAIFD030WWT0	30	WW	19,900
*OGL-BLK-PTTURAIFD030NWT0	30	NW	19,900
*OGL-BLK-PTTURAIFD030CWT0	30	CW	19,900
*OGL-GRY-PTTURAIFD030WWT0	30	WW	19,900
*OGL-GRY-PTTURAIFD030NWT0	30	NW	19,900
*OGL-GRY-PTTURAIFD030CWT0	30	CW	19,900
OGL-GRY-PTTURBIFD030WWT0	30	WW	26,600
*OGL-BLK-PTTURAIFD040WWT0	40	WW	18,400
*OGL-BLK-PTTURAIFD050WWT0	50	WW	21,000

Description:
LED Light Turais - 30W, WW, NW, CW, WW, NW
LED Light Post Top Turais-40W, WW
*30W, 40W & 50W, UPRT



Item Code	Wattage (W)	CCT	MRP
OGL-GRY-PTOAKGCD2X20WWT2	2X20	WW	31,500

Description:
LED Oak Ovation Post Top Light 2X20W WW



LUMINARIES

URBAN LANDSCAPE



Item Code	Wattage (W)	CCT	MRP
OGL-GRY-PTLANB09U1X075XW	75	WW	58,500
OGL-BLK-PTLANB09U1X075XW	75	WW	58,500

Description:
LED Ain Post Top Type 2 Optics, 75W, 120LM/W, WW

Item Code	Wattage (W)	CCT	MRP
OGL-GRY-PTRING01FD40WWT0	40	WW	15,700
OGL-GRY-PTRING01FD40NWT0	40	NW	15,700
OGL-GRY-PTRING01FD40CWT0	40	CW	15,700
OGL-BLK-PTRING01FD40WWT0	40	WW	15,700
OGL-BLK-PTRING01FD40NWT0	40	NW	15,700
OGL-BLK-PTRING01FD40CWT0	40	CW	15,700
OGL-GRY-PTRING02FD60WWT0	60	WW	16,500
OGL-GRY-PTRING02FD60NWT0	60	NW	16,500
OGL-GRY-PTRING02FD60CWT0	60	CW	16,500
OGL-BLK-PTRING02FD60WWT0	60	WW	16,500
OGL-BLK-PTRING02FD60NWT0	60	NW	16,500
OGL-BLK-PTRING02FD60CWT0	60	CW	16,500



Description:
LED Post Top Light Ring 40W & 60W WW, NW, CW, WW, NW, CW, Dia 400MM



Item Code	Wattage (W)	CCT	MRP
OGL-ACR-PTLUMINF035WWT0	35	3000K	17,000
OGL-BLK-PTLUMINF040WWT0	40	3000K	18,200

Description:
Luminosity Led Light Post Top - 35W & 40W, 3000K UPRT

LUMINARIES

URBAN LANDSCAPE



Item Code	Wattage (W)	CCT	MRP
*OGL-GRY-SLERALDCD025WWT0	25	WW	14,100
OGL-BLK-SLERALDCD040WWT0	40	WW	15,700
OGL-BLK-SLERALDCD040NWT0	40	NW	15,700
OGL-BLK-SLERALDCD040CWT0	40	CW	15,700
*OGL-GRY-SLERALDCD045WWT0	45	WW	16,200
OGL-BLK-SLERALDCD045WWT0	45	WW	16,200
OGL-BLK-SLERALDCD045NWT0	45	NW	16,200
OGL-BLK-SLERALDCD045CWT0	45	CW	16,200
OGL-BLK-SLERALDCD050WWT0	50	WW	16,600
OGL-BLK-SLERALDCD050NWT0	50	NW	16,600
OGL-BLK-SLERALDCD050CWT0	50	CW	16,600
*OGL-WHT-SLERALDCD050WWT0	50	WW	16,600
*OGL-GRY-SLERALDCD060CWT0	60	CW	17,000
*OGL-GRY-SLERALDCD080CWT0	80	CW	17,700
OGL-BLK-SLERALDCD080WWT0	80	WW	17,700

Description:

LED Light Eralod -25W, WW SUSP

LED Light Eralod -40W, 45W & 50W, WW, NW, CW SUSP

LED Light Eralod -60W, CW SUSP

LED Light Eralod -80W, CW, WW SUSP

*25W, 45W, WW & 60W, 80W CW, Gray Colour & 50W WW, White Colour

Item Code	Wattage (W)	CCT	MRP
OGL-GRY-LSERLANFD060WWT3	60	WW	23,500

Description:

Lasercut Lantern - 60W, WW SUSP



Item Code	Wattage (W)	CCT	MRP
OGL-GRY-PTMARROCD040WWT0	40	WW	11,200
OGL-BLK-PTMARROCD040WWT0	40	WW	11,200

Description:

LED Post Top Marrow Post 40W WW



Item Code	Wattage (W)	CCT	MRP
OGL-GRY-SLMSNLSUCD45WWT3	45	3000K	14,900
OGL-GRY-SLMSNLSUCD45NWT3	45	4000K	14,900
OGL-GRY-SLMSNLSUCD45CWT3	45	6500K	14,900
*OGL-BLK-SLMSNLSUCD45WWT3	45	3000K	14,900
OGL-BLK-SLMSNLSUCD60WWT3	60	WW	15,400
OGL-BLK-SLMSNLSUCD60NWT3	60	NW	15,400
OGL-BLK-SLMSNLSUCD60CWT3	60	CW	15,400
*OGL-GRY-SLMSNLSUCD60WWT3	60	WW	15,400
*OGL-GRY-SLMSNLSUCD60NWT3	60	NW	15,400
*OGL-GRY-SLMSNLSUCD60CWT3	60	CW	15,400
*OGL-GRY-SLSNLSUCD060WWT3	60	3000K	17,600
*OGL-GRY-SLSNLSUCD060NWT3	60	4000K	17,600
*OGL-GRY-SLSNLSUCD060CWT3	60	6500K	17,600
OGL-BLK-SLSNLSUCD060WWT3	60	3000K	17,600
OGL-BLK-SLSNLSUCD060NWT3	60	4000K	17,600
OGL-BLK-SLSNLSUCD060CWT3	60	6500K	17,600
OGL-BLK-SLSNLSUCD090WWT3	90	WW	18,500
OGL-BLK-SLSNLSUCD090NWT3	90	NW	18,500
OGL-BLK-SLSNLSUCD090CWT3	90	CW	18,500
*OGL-GRY-SLSNLSUCD090WWT3	90	WW	18,500
*OGL-GRY-SLSNLSUCD090NWT3	90	NW	18,500
*OGL-GRY-SLSNLSUCD090CWT3	90	CW	18,500
*OGL-GRY-SLSNLSUCD120WWT3	120	WW	22,000
*OGL-GRY-SLSNLSUCD120NWT3	120	NW	22,000
*OGL-GRY-SLSNLSUCD120CWT3	120	CW	22,000
OGL-BLK-SLSNLSUCD120WWT3	120	WW	22,000
OGL-BLK-SLSNLSUCD120NWT3	120	NW	22,000
OGL-BLK-SLSNLSUCD120CWT3	120	CW	22,000
OGL-ACR-SLSNLSUCD120WWT2	120	3000K	22,000
OGL-ACR-SLSNLSUCD120NWT2	120	4000K	22,000
OGL-ACR-SLSNLSUCD120CWT2	120	6500K	22,000
OGL-BLK-SLSNLSUCD150WWT3	150	WW	24,200
*OGL-GRY-SLSNLSUCD150WWT3	150	3000K	24,200
*OGL-GRY-SLSNLSUCD150NWT3	150	4000K	24,200
*OGL-GRY-SLSNLSUCD150CWT3	150	6500K	24,200
*OGL-ACR-SLSNLSUCD150CWT2	150	CW	28,900
OGL-GRY-SLSNLSUCD180WWT3	180	3000K	25,200

Description:

LED Light Mini Sentinel - 45W, 3000K, 4000K, 6500K SUSP

LED Light Mini Sentinel - 60W, WW, NW, CW & 3000K, 4000K, 6500K SUSP

LED Light Sentinel - 90W, WW, NW, CW, SUSP

LED Light Sentinel - 120W, WW, NW, CW & 3000K, 4000K, 6500K SUSP

LED Light Sentinel - 150W, WW & 3000K, 4000K, 6500K SUSP

LED Light Sentinel - 150W, CW SUSP-ACR

LED Light Sentinel - 180W, 3000K SUSP

*45W 3000K Black Colour

*60W WW, NW, CW, 3000K, 4000K, 6500K Gray Colour

*90W WW, NW, CW Gray Colour

*120W WW, NW, CW Gray Colour & ACR 3000K, 4000K, 6500K

*150W 3000K, 4000K, 6500K Gray Colour & ACR CW



Item Code	Wattage (W)	CCT	MRP
OGL-GRY-PTSLENDFD040WWT0	40	WW	13,000

Description:
LED Post Top Slender Post Top 40W WW



POLE





Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-GRY-POLFLOXCIBT6003M	3	114-1000	60-2000	-	19,500
OPO-BLK-POLFLOXCIBT6003M	3	114-1000	60-2000	-	19,500
OPO-GRY-POLFLOXCIBT6004M	4	114-1000	60-3000	-	22,700
OPO-BLK-POLFLOXCIBT6004M	4	114-1000	60-3000	-	22,700
OPO-BLK-POLED1146048300M	3	114-1000	60-2000	48	17,900
OPO-GRY-POLED1146048300M	3	114-1000	60-2000	48	17,900
OPO-BLK-POLED1146048305M	3.5	114-1000	60-2500	48	19,200
OPO-GRY-POLED1146048305M	3.5	114-1000	60-2500	48	19,200
OPO-BLK-POLED1146048400M	4	114-1000	60-3000	48	21,500
OPO-GRY-POLED1146048400M	4	114-1000	60-3000	48	21,500
OPO-BLK-POLED1147660300M	3	114-1000	76-2000	60	19,700
OPO-GRY-POLED1147660300M	3	114-1000	76-2000	60	19,700
OPO-BLK-POLED1147660305M	3.5	114-1000	76-2500	60	21,900
OPO-GRY-POLED1147660305M	3.5	114-1000	76-2500	60	21,900
OPO-BLK-POLED1147660400M	4	114-1000	76-3000	60	23,500
OPO-GRY-POLED1147660400M	4	114-1000	76-3000	60	23,500
OPO-BLK-POLED1147660405M	4.5	114-1000	76-3500	60	25,200
OPO-GRY-POLED1147660405M	4.5	114-1000	76-3500	60	25,200
OPO-BLK-POLBKOD11460205M	2.5	114-1000	60-1500	-	16,500
OPO-GRY-POLBKOD11460205M	2.5	114-1000	60-1500	-	16,500
OPO-BLK-POLBKOD11460300M	3	114-1000	60-2000	-	18,000
OPO-GRY-POLBKOD11460300M	3	114-1000	60-2000	-	18,000
OPO-BLK-POLBKOD11460400M	4	114-1000	60-2900	-	19,500
OPO-GRY-POLBKOD11460400M	4	114-1000	60-2900	-	19,500
OPO-BLK-POLBKOD11476300M	3	114-1000	76-1900	-	19,500
OPO-GRY-POLBKOD11476300M	3	114-1000	76-1900	-	19,500
OPO-BLK-POLBKOD11476305M	3.5	114-1000	76-2500	-	21,900
OPO-GRY-POLBKOD11476305M	3.5	114-1000	76-2500	-	21,900
OPO-BLK-POLBKOD11476400M	4	114-1000	76-3000	-	23,500
OPO-GRY-POLBKOD11476400M	4	114-1000	76-3000	-	23,500
OPO-BLK-POLBKOD11476405M	4.5	114-1000	76-3500	-	25,200
OPO-GRY-POLBKOD11476405M	4.5	114-1000	76-3500	-	25,200
OPO-BLK-POLBKOD11476500M	5	114-1000	76-4000	-	29,900
OPO-GRY-POLBKOD11476500M	5	114-1000	76-4000	-	29,900
OPO-BLK-POLBKOD11476600M	6	114-1000	76-5000	-	32,000
OPO-GRY-POLBKOD11476600M	6	114-1000	76-5000	-	32,000
OPO-GRY-POLBKTD14089600M	6	140-1000	76-5000	-	33,000
OPO-GRY-POLBKTD11476700M	7	114-1000	76-5000	-	34,500
OPO-GRY-POLD14011408909M	9	140-2000	114-2900	89	81,000

Description:

Flox Pole/Pole 2.5 Mtr./3 Mtr./3.5 Mtr./4 Mtr./4.5 Mtr./5 Mtr./6 Mtr./7 Mtr./9 Mtr.

Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-GRY-POLED89STR400M	4	89-4000	-	-	24,500
OPO-GRY-POLED89STR300M	3	89-4000	-	-	19,500

Description:

Pole 9Mtr. Conical, Bottom





Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-BLK-POLAZURED890300M	3	89-3000	-	-	33,000
OPO-GRY-POLAZURED890300M	3	89-3000	-	-	33,000

Description:
Azure Pike Pole 3Mtr. with CI Base

Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-BLK-POLAZURED890300M	8.5	114-8500	-	-	55,500
OPO-GRY-POLAZURED890300M	8.5	114-8500	-	-	55,500

Description:
Azure Pike Pole 3Mtr. with CI Base



Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-GRY-POLCOND140H0900M	9	140-2000	-	-	81,000
OPO-BLK-POLCOND140H0900M	9	140-2000	-	-	81,000

Description:
Glint Pole Single Arm Bracket
Leser Cut Design With Inside Edge Lightup




Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-BLK-DECPOLCIBRIBH03M	3	-	-	-	51,500
OPO-ACR-DECPOLCIBRIBH03M	3	-	-	-	51,500
OPO-GRY-DECPOLCIBRIBH03M	3	-	-	-	51,500

Description:
Decorative Pole Ci Base With Ribbed Pipe

Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-GRY-POLSKY0900M2X12W	9	165-3000	275-4000	-	1,34,500
OPO-GRY-POLSKYLT2X12W09M	9	140-3000	220-4000	-	1,29,200
*OGL-BLK-POLSKYLT2X12W09M	9	165-3000	273-4000	76 - 2000	1,31,000
*OPO-GRY-POLSKYLT2X12W06M	6	114-1500	194-3000	76 - 2000	1,17,900

Description:
Skylight Pole with Illumination Blue & Green,
Wattage 2 × 12



Item Code	POLE HEIGHT (Mtr.)	DIA - 1 (MM)	DIA - 2 (MM)	TOP DIA (MM)	MRP
OPO-GRY-PLGLINTD1656009M	9	165-1500	60-5000	-	14,6500
OPO-GRY-POLBKTDAGS02205M	9	60 x H 2500x L 2500	-	-	65,000
OPO-GRY-PLGLINTD1404805M	9	140-1200	48-220	-	98,500
OPO-GRY-POLBKTSAGS02180M	6	48 x H 1800	-	-	45,000

Description:
Glint Pole Single Arm Bracket
Leser Cut Design With Inside Edge Lightup

BRACKET



BRACKET

URBAN LANDSCAPE



Item Code	OH (MM)	H (MM)	MRP
OPO-GRY-POLBKTS04SA7501M	750	1000	14,100
OPO-BLK-POLBKTS04SA7501M	750	1000	14,100

Description:
Single Arm Decorative Bracket

Item Code	OH (MM)	H (MM)	MRP
OPO-GRY-POLBKTS04DA7501M	750	1000	19,200
OPO-BLK-POLBKTS04DA7501M	750	1000	19,200



Description:
Double Arm Decorative Bracket



Item Code	DIA (MM)	H (MM)	MRP
OPO-GRY-BKTS07SAD420900M	42	2000	6,400
OPO-BLK-BKTS07SAD420900M	42	2000	6,400

Description:
Single Arm Bracket
Angle Deg 105

BRACKET

URBAN LANDSCAPE



Item Code	DIA (MM)	L (MM)	MRP
OPO-GRY-BKTS07DAD420900M	42	900	9,400
OPO-BLK-BKTS07DAD420900M	42	900	9,400

Description:
Double Arm Decorative Bracket
Angle Deg 105

Item Code	OH (MM)	MRP
OPO-GRY-BKTSKYSAH5001200	1200	8,500



Description:
Single Arm Bracket Skylight
With Leser Design



Item Code	OH (MM)	DIA (MM)	MRP
OGL-BLK-SKLPBKTDH05L102	1200	60	10,300
*OPO-GRY-SKLPBKTDH05L100	1000	-	8,950
*OPO-GRY-SKLPBKTDH05L750	750	-	8,150
OPO-GRY-BKTSKYDAH5001200	1200	-	10,600

Description:
Double Arm Bracket Skylight
With Leser Design/ *C Design



GARDEN



GARDEN

URBAN LANDSCAPE




Item Code	Wattage (W)	CCT	MRP
OPO-GRY-PLTURSQ1503M40WW	40	WW	56,500
OPO-GRY-PLTURSQ1503M40NW	40	NW	56,500
OPO-GRY-PLTURSQ1503M40CW	40	CW	56,500
OPO-BLK-PLTURSQ1503M40WW	40	WW	56,500
OPO-BLK-PLTURSQ1503M40NW	40	NW	56,500
OPO-BLK-PLTURSQ1503M40CW	40	CW	56,500
*OPO-BLK-PLTURSQ1504M40WW	40	WW	62,000
*OPO-BLK-PLTURSQ1504M40NW	40	NW	62,000
*OPO-BLK-PLTURSQ1504M40CW	40	CW	62,000
*OPO-GRY-PLTURSQ1504M40WW	40	WW	62,000
*OPO-GRY-PLTURSQ1504M40NW	40	NW	62,000

Description:
Garden Turret Pole 3Mtr./*4Mtr
SQ. 150X150mm


Item Code	DIA (MM)	BASE (MM)	Wattage (W)	CCT	MRP
**OPO-GRY-PLVGD100206M25WW	100	2000	25	WW	34,200
**OPO-GRY-PLVGD100206M25NW	100	2000	25	NW	34,200
**OPO-GRY-PLVGD100206M25CW	100	2000	25	CW	34,200
**OPO-BLK-PLVGD100206M25WW	100	2000	25	WW	34,200
**OPO-BLK-PLVGD100206M25NW	100	2000	25	NW	34,200
**OPO-BLK-PLVGD100206M25CW	100	2000	25	CW	34,200
*OPO-BLK-PLVGD166205M40WW	166	2000	40	WW	46,100
*OPO-GRY-PLVGD166205M40WW	166	2000	40	WW	46,100
*OPO-BLK-PLVGD166205M40CW	166	2000	40	CW	46,100
***OPO-GRY-PLVGD166300M40WW	166	2000	40	WW	52,000

Description:
Garden Vega Pole *2.5/**2.6/**3Mtr.
SQ. 150X150mm



Item Code	DIA (MM)	BASE (MM)	Wattage (W)	CCT	MRP
OPO-GRY-CRIMPSQ1503M30WW	100	WW	30	CW	73,900
OPO-BLK-CRIMPSQ1503M40WW	100	WW	40	WW	73,900

Description:
Crimsonlance Pole 3mtr Sq 150mm
Laser Cut Design with Diffusor



Item Code	Wattage (W)	CCT	MRP
OPO-BLK-ZYPS150340W4X20W	40	WW	56,500

Description:
Zyphyr Pole 3mtr. Sq 150mm Laser Cut Design with
Diffusor Top Luminaire 4*20w



GEOMETRIC POLES



GEOMETRIC POLES

URBAN LANDSCAPE




Item Code	GI (Mtr.)	Wattage (W)	CCT	MRP
OPO-GRY-PSSQSA7540WW102M	1.2	40	WW	28,500
OPO-GRY-PSSQDA7530WWT33M	3	30	WW	40,200
OPO-GRY-PSSQDA7560WWT34M	4	60	WW	41,500
OPO-BLK-PSSQDA7560WWT34M	4	60	WW	41,500
OPO-BLK-PSSQSA7560WWT35M	5	60	WW	49,000
OPO-BLK-PSSQSA7560NWT35M	5	60	NW	49,000
OPO-BLK-PSSQSA7560CWT35M	5	60	CW	49,000
OPO-GRY-PSSQSA7560WWT35M	5	60	WW	49,000
OPO-GRY-PSSQSA7560NWT35M	5	60	NW	49,000
OPO-GRY-PSSQSA7560CWT35M	5	60	CW	49,000
OPO-GRY-PSSQSA4060WWT36M	6	60	WW	N/A
OPO-BLK-PSSQSA7560WWT36M	6	60	WW	58,500
OPO-BLK-PSSQSA7560NWT36M	6	60	NW	58,500
OPO-BLK-PSSQSA7560CWT36M	6	60	CW	58,500
OPO-GRY-PSSQSA7560WWT36M	6	60	WW	58,500
OPO-GRY-PSSQSA7560NWT36M	6	60	NW	58,500
OPO-GRY-PSSQSA7560CWT36M	6	60	CW	58,500

Description:
Pole GI 1.2 Mtr./3 Mtr./4 Mtr./5 Mtr./6 Mtr. 60W Single Arm 750MM, SQ. 100X100mm

Item Code	GI (Mtr.)	Wattage (W)	CCT	MRP
OPO-BLK-PSSQDA7560WWT35M	5	2X60	WW	64,000
OPO-BLK-PSSQDA7560WWT35M	5	2X60	NW	64,000
OPO-BLK-PSSQDA7560CWT35M	5	2X60	CW	64,000
OPO-GRY-PSSQDA7560WWT35M	5	2X60	WW	64,000
OPO-GRY-PSSQDA7560NWT35M	5	2X60	NW	64,000
OPO-GRY-PSSQDA7560CWT35M	5	2X60	CW	64,000
OPO-BLK-PSSQDA7560WWT36M	6	2X60	WW	72,500
OPO-BLK-PSSQDA7560NWT36M	6	2X60	NW	72,500
OPO-BLK-PSSQDA7560CWT36M	6	2X60	CW	72,500
OPO-GRY-PSSQDA7560WWT36M	6	2X60	WW	72,500
OPO-GRY-PSSQDA7560NWT36M	6	2X60	NW	72,500
OPO-GRY-PSSQDA7560CWT36M	6	2X60	CW	72,500



Description:
Pole GI 5 Mtr./6 Mtr. 2X60W Double Arm 750MM, SQ. 100X100mm



Item Code	GI (Mtr.)	Wattage (W)	CCT	MRP
*OPO-GRY-PLSTSQ6M6024WWT3	6	60/24	WW	70,500
**OPO-GRY-PLSTSQ7M7545CWT3	7	75/45	WW	84,000

Description:
Pole GI 6 Mtr./7 Mtr. *1ST ARM 750MM 60W, 2ND ARM 600MM 24W, WW
**1ST ARM 1000MM 75W, 2ND ARM 600MM 45W, CW, SQ. 100X100mm

Item Code	GI (Mtr.)	Wattage (W)	CCT	MRP
OPO-BLK-SQGIP675SA60WT1M	4/5	60	WW	67,000

Description:
Pole GI 4 Mtr./5 Mtr 5MTR 60W WW Single ARM 750MM @ 4MTR with 1000MM Top Moduler Mono Color SQ. 100X100mm



Item Code	GI (Mtr.)	Wattage (W)	CCT	MRP
OPO-GRY-PSSQSAZIG40CW04M	4	40	CW	47,200

Description:
Pole SQ.100X100MM 4MTR 40W CW Single Arm





Pro-active customer care

Even peers vouch for Jaquar's enviable customer care.

Backed by over 1,000 trained technicians and a warranty on its products, Jaquar lighting provides India's most reliable service to its customers with a fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: ccare.lighting@jaquar.com



Global Headquarters

Net Zero Energy Building spread over 48,000 sq. mtrs.

Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

Artize

It pays tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.



BATH + LIGHT

A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with its wide range of concepts and products.



For over 6 decades, 'Essco' the bathroom brand has been the benchmark for the organised bath industry in India. Essco defines base quality standards in India. A great value-for-money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10-year warranty promise.



Follow us on:       | jaquar.com



Looking for
Jaquar Lighting Products?

**CALL
PURCHASE ASSISTANCE
1800-120-332222**
(Toll Free)

And we'll make it easy!

Speak to our Lighting Experts, who will suggest the right product that you should go in for and where to buy it from.

KNOW MORE



Website



Whatsapp