


Saas Shipment Details



Our main table is BOLHDR which contains Shipment level details.

Structure Of Above Tables :

1. BOLHDR :

[LadingID] [int] IDENTITY(1,1) NOT NULL
[ClientID] [int] NOT NULL
[PickupDate] [smalldatetime] NULL
[PickupTime] [char](30) NULL
[DeliveryDate] [smalldatetime] NULL
[DeliveryTime] [char](30) NULL
[CustRefNo] [varchar](110) NULL
[OrgName] [varchar](150) NOT NULL
[OrgAdr1] [varchar](150) NOT NULL
[OrgAdr2] [varchar](110) NULL
[OrgCity] [int] NOT NULL
[OrgState] [int] NOT NULL
[OrgZip] [int] NULL
[OrgCountry] [int] NOT NULL
[DestName] [varchar](150) NOT NULL
[DestAdr1] [varchar](150) NOT NULL
[DestAdr2] [varchar](110) NULL
[DestCity] [int] NOT NULL
[DestState] [int] NOT NULL
[DestZip] [int] NULL
[DestCountry] [int] NOT NULL
[BillToName] [varchar](150) NULL
[BillToAdr1] [varchar](150) NULL
[BillToAdr2] [varchar](110) NULL
[BillToState] [int] NULL
[BillToCity] [int] NULL
[BillToZip] [int] NULL
[BillToCountry] [int] NULL
[CarrierCode] [char](4) NULL
[CarrierName] [varchar](105) NULL
[EqpType] [varchar](110) NULL
[ProNumber] [varchar](110) NULL
[SONumber] [varchar](150) NULL

[PONumber] [varchar](150) NULL
[Status] [int] NOT NULL
[SplNotes] [varchar](1200) NULL
[Rate] [money] NULL
[Ref1ID] [int] NULL
[Ref2ID] [int] NULL
[Ref3ID] [int] NULL
[Ref1Value] [varchar](150) NULL
[Ref2Value] [varchar](150) NULL
[Ref3Value] [varchar](150) NULL
[AddDate] [datetime] NULL
[TransTime] [varchar](75) NULL
[ShipCost] [money] NULL
[FreightCost] [money] NULL
[FuelCost] [money] NULL
[AccsCost] [money] NULL
[ParentLadingID] [varchar](30) NULL
[LoadID] [int] NULL
[OrgID] [int] NULL
[DestID] [int] NULL
[BillToID] [int] NULL
[ProDate] [datetime] NULL
[AddedBy] [varchar](30) NULL
[ShipperNotes] [varchar](300) NULL
[ConsigneeNotes] [varchar](300) NULL
[ClientLadingNo] [varchar](21) NULL
[PaymentTermID] [numeric](2, 0) NULL
[AccountInfoID] [numeric](10, 0) NULL
[OriginContactPerson] [varchar](110) NULL
[OriginContactPhone] [varchar](110) NULL
[DestContactPerson] [varchar](110) NULL
[DestContactPhone] [varchar](110) NULL
[CreatedBy] [varchar](150) NULL
[CreatedDate] [datetime] NULL
[ModifiedBy] [varchar](150) NULL
[ModifiedDate] [datetime] NULL
[OriginEmail] [varchar](225) NULL
[DestEmail] [varchar](225) NULL
[EquipmentID] [numeric](10, 0) NULL
[ShipmentValue] [decimal](9, 2) NULL
[ValuePerPound] [decimal](9, 2) NULL
[IsDispatch] [bit] NULL
[PriorityID] [numeric](10, 0) NULL
[TransitDays] [varchar](75) NULL
[CarrierType] [varchar](75) NULL
[QuoteNumber] [varchar](75) NULL
[QuoteDate] [datetime] NULL
[OriginTerminalName] [varchar](110) NULL
[OriginTerminalAdd1] [varchar](110) NULL
[OriginTerminalAdd2] [varchar](110) NULL
[OriginTerminalCity] [varchar](110) NULL
[OriginTerminalState] [varchar](110) NULL
[OriginTerminalZip] [varchar](110) NULL
[OriginTerminalCountry] [varchar](110) NULL
[OriginTerminalContactPerson] [varchar](110) NULL
[OriginTerminalFreePhone] [varchar](110) NULL
[OriginTerminalPhone] [varchar](110) NULL

[OriginTerminalEmail] [varchar](110) NULL
[DestTerminalName] [varchar](110) NULL
[DestTerminalAdd1] [varchar](110) NULL
[DestTerminalAdd2] [varchar](110) NULL
[DestTerminalCity] [varchar](110) NULL
[DestTerminalState] [varchar](110) NULL
[DestTerminalZip] [varchar](110) NULL
[DestTerminalCountry] [varchar](110) NULL
[DestTerminalContactPerson] [varchar](110) NULL
[DestTerminalFreePhone] [varchar](110) NULL
[DestTerminalPhone] [varchar](110) NULL
[DestTerminalEmail] [varchar](110) NULL
[OriginTerminalFax] [varchar](110) NULL
[DestTerminalFax] [varchar](110) NULL
[RequestedPickupDateFrom] [smalldatetime] NULL
[RequestedPickupTimeFrom] [varchar](110) NULL
[RequestedPickupDateTo] [smalldatetime] NULL
[RequestedPickupTimeTo] [varchar](110) NULL
[OrgFaxNo] [varchar](110) NULL
[DestFaxNo] [varchar](110) NULL
[BillToFaxNo] [varchar](110) NULL
[RequestedDeliveryDate] [smalldatetime] NULL
[RequestedDeliveryTime] [varchar](110) NULL
[EntrySourceID] [int] NULL
[PickupNumber] [varchar](110) NULL
[IsEDIGenerated] [bit] NULL
[CarrierNotes] [varchar](1500) NULL
[EDITransactionNo] [varchar](110) NULL
[ShipperCode] [varchar](150) NULL
[ConsigneeCode] [varchar](150) NULL
[ServiceLevelID] [int] NULL
[EdiGeneratedDate] [datetime] NULL
[Miles] [numeric](6, 0) NULL
[BrokerCarrierCode] [varchar](15) NULL
[BrokerReferenceNo] [varchar](110) NULL
[PickupApiCallStatusId] [int] NULL
[CustomerTmsSyncStatus] [int] NULL
[CustomerTmsSyncDate] [datetime] NULL
[CarrierBolNo] [varchar](110) NULL
[IsBalanceDue] [bit] NULL
[IsDuplicate] [bit] NULL
[ShipmentErrorID] [int] NULL
[EDIShipmentID] [int] NULL
[EDITrackingID] [int] NULL
[ShipmentDirection] [char](1) NULL
[ManualPickup] [bit] NULL
[IsAccountCodeGen] [bit] NULL
[ExportedAccDetail] [bit] NULL
[TotalHeight] [int] NULL
[TotalLenght] [int] NULL
[TotalWidth] [int] NULL
[IsITSFileGenerated] [bit] NULL
[IsArchive] [bit] NULL
[NoMatchAllocation] [bit] NULL
[WiseTakeNumber] [varchar](50) NULL
[WiseTechNumber] [varchar](50) NULL
[ExcludeBenchMarkCalculation] [bit] NULL

[RequestedDeliveryTimeTo] [varchar](110) NULL
[PickupTimeTo] [varchar](30) NULL
[DeliveryTimeTo] [varchar](30) NULL
[OriginPortCode] [varchar](10) NULL
[DestinationPortCode] [varchar](10) NULL
[WeightUnitID] [numeric](1, 0) NULL
[CODAmount] [decimal](10, 2) NULL
[OriginPhoneExtension] [varchar](5) NULL
[DestPhoneExtension] [varchar](5) NULL
[CreatedUserId] [int] NULL
[TotalLinearFeet] [numeric](6, 2) NULL
[ShipmentForwardNumber] [varchar](50) NULL
[ShipmentPerformanceId] [int] NULL
[InsuranceTypeId] [int] NULL

2. BOL_Info :

[Bol_Infold] [int] IDENTITY(1,1) NOT NULL
[QuoteRequestedMailId] [varchar](150) NULL
[LadingID] [int] NULL
[ContactName] [varchar](50) NULL
[CustomerType] [varchar](15) NULL
[ContactPhone] [varchar](15) NULL
[ServiceLevelName] [varchar](100) NULL
[TimeCritical] [bit] NULL
[ServiceLevelCode] [varchar](20) NULL
[Mode] [varchar](5) NULL
[BranchCode] [char](50) NULL
[RatingTariffTypeId] [numeric](8, 0) NULL
[CWSyncStatusId] [int] NULL

3. BOLProducts :

[BOLProductID] [int] IDENTITY(1,1) NOT NULL
[LadingID] [int] NOT NULL
[Pallets] [int] NULL
[Pieces] [int] NULL
[Hazmat] [bit] NOT NULL
[Description] [varchar](250) NULL
[NMFC] [varchar](50) NULL
[Class] [varchar](50) NULL
[Weight] [decimal](10, 0) NULL
[ProductID] [int] NULL
[Height] [int] NULL
[Lenght] [int] NULL
[HazmatContact] [varchar](50) NULL
[Quantity] [int] NULL
[Commodity] [varchar](150) NULL
[Remarks] [varchar](50) NULL
[Width] [numeric](7, 2) NULL
[ScheduleID] [numeric](10, 0) NULL
[PackageTypeID] [numeric](10, 0) NULL
[PCF] [decimal](9, 2) NULL
[StopID] [int] NULL
[SKUNumber] [varchar](15) NULL
[AccountNumber] [varchar](15) NULL
[Stackable] [bit] NULL

[SourceStopID] [int] NULL
[LBSWeight] [numeric](10, 2) NULL
[LinearFeet] [numeric](6, 2) NULL
[HazmatProperShippingName] [varchar](100) NULL
[HazmatClass] [varchar](100) NULL
[HazmatUnNaNumber] [varchar](100) NULL
[HazmatPhone] [varchar](100) NULL
[HazmatContactName] [varchar](100) NULL
[HazmatGroup] [varchar](100) NULL

4. BOLAccessorials :

[LadingID] [int] NOT NULL
[AccesorialID] [int] NOT NULL

5. Account_InvoiceDetails :

[InvDetailID] [numeric](10, 0) IDENTITY(1,1) NOT NULL
[BolNumber] [varchar](21) NULL
[ProNumber] [varchar](20) NULL
[ProReceiveDate] [datetime] NULL
[ShipDate] [datetime] NULL
[TotalRatedCost] [numeric](10, 2) NULL
[TotalBilledAmount] [numeric](10, 2) NULL
[Distance] [numeric](8, 0) NULL
[Notes] [varchar](200) NULL
[DrAcID] [numeric](10, 0) NOT NULL
[CrAcID] [numeric](10, 0) NOT NULL
[SourceRecordID] [numeric](10, 0) NULL
[EntrySourceID] [numeric](3, 0) NULL
[SCAC] [char](4) NULL
[CarrierName] [varchar](100) NULL
[AccountInfoID] [numeric](10, 0) NULL
[LadingID] [int] NULL
[CreatedBy] [varchar](50) NULL
[CreatedDate] [datetime] NULL
[ModifiedBy] [varchar](50) NULL
[ModifiedDate] [datetime] NULL
[ManiInvoiceID] [numeric](10, 0) NULL
[SaasRefID] [varchar](20) NOT NULL
[IsBaseProfile] [bit] NULL
[MarkupCharge] [numeric](10, 2) NULL
[MarkupType] [varchar](5) NULL
[MarkupTariffTypeID] [numeric](8, 0) NULL
[MappedProfileID] [int] NULL
[ProfileID] [int] NULL
[ResultDetailID] [numeric](10, 0) NULL
[InvNumber] [varchar](20) NULL
[InvDate] [datetime] NULL
[InvReceiveDate] [datetime] NULL
[TotalPaidAmount] [decimal](10, 2) NULL
[PaymentSubDate] [datetime] NULL
[PaymentDate] [datetime] NULL
[CheckNumber] [varchar](30) NULL
[CheckDate] [datetime] NULL
[DueDate] [datetime] NULL
[PaymentStatus] [bit] NULL

[PaymentTermID] [numeric](10, 0) NULL
[QbTxnID] [varchar](50) NULL
[QbEditSeq] [varchar](50) NULL
[VoucherTypeID] [int] NULL
[RefInvDetailID] [numeric](10, 0) NULL
[AuditStatusID] [int] NULL
[CustRefNo] [varchar](50) NULL
[PrintStatus] [varchar](1) NULL
[QbSyncDate] [datetime] NULL
[RevPrefix] [varchar](2) NULL
[RevNumber] [numeric](10, 0) NULL
[InvoiceCreatedBy] [varchar](50) NULL
[InvoiceCreatedDate] [datetime] NULL
[HistoryID] [numeric](10, 0) NULL
[EmailStatus] [varchar](1) NULL
[ExcessPaymentProNo] [varchar](20) NULL
[ExcessPaymentCheckNo] [varchar](30) NULL
[ExcessPaymentCheckDate] [datetime] NULL
[AccountPaymentMasterId] [numeric](8, 0) NULL
[CostModifyDate] [datetime] NULL
[IsInvoiceSynchronized] [bit] NULL
[IsEdiAudit] [bit] NULL
[EDIAuditDate] [datetime] NULL
[CleanProNumber] [varchar](50) NULL
[CWSyncDate] [datetime] NULL
[EdiStatus] [varchar](100) NULL
[EdiShipmentid] [numeric](10, 0) NULL
[RatedCurrencyCode] [varchar](5) NULL
[ClientCurrencyCode] [varchar](5) NULL
[LaneID] [numeric](8, 0) NULL
[LaneCurrencyCode] [varchar](3) NULL
[QBSyncBy] [varchar](50) NULL
[ShipExchangeRateDate] [datetime] NULL
[InvoiceExchangeRateDate] [datetime] NULL

6. Account InvoiceCostDetails :

[CostDetailID] [numeric](10, 0) IDENTITY(1,1) NOT NULL
[InvDetailID] [numeric](10, 0) NOT NULL
[AccessorialID] [int] NULL
[RatedCost] [numeric](10, 2) NULL
[BilledCost] [numeric](10, 2) NULL
[PaidCost] [numeric](10, 2) NULL
[Description] [varchar](100) NULL
[AccCode] [char](3) NULL
[ConversionRate] [numeric](8, 5) NULL
[InvoiceExchangeRate] [numeric](8, 5) NULL

7. BOLStatus :

[BOLStatusID] [int] IDENTITY(1,1) NOT NULL
[Status] [varchar](50) NOT NULL
[StatusSeq] [int] NULL

Master Tables :

1. Mas_Accesorial :

[ClientID] [int] NOT NULL
[AccesorialID] [int] IDENTITY(1,1) NOT NULL
[AccesorialCode] [char](3) NOT NULL
[Description] [varchar](30) NOT NULL
[Status] [bit] NOT NULL
[MAS_Accesorial_Group_ID] [int] NOT NULL
[IsSystem] [bit] NOT NULL

2. Mas_Client :

[ClientID] [int] IDENTITY(1,1) NOT NULL
[ClientName] [varchar](100) NOT NULL
[ShortName] [varchar](5) NOT NULL
[Address1] [varchar](50) NOT NULL
[Address2] [varchar](50) NULL
[CityID] [int] NOT NULL
[PostalID] [int] NULL
[IsActive] [bit] NOT NULL
[ActivateDate] [smalldatetime] NOT NULL
[DeactivateDate] [smalldatetime] NULL
[IsCorporate] [bit] NOT NULL
[ContactName] [varchar](30) NULL
[ContactEmail] [varchar](200) NULL
[ContactPhone] [varchar](15) NULL
[CorporateID] [int] NULL
[CurrencyID] [int] NULL
[StateID] [int] NOT NULL
[BusinessSizeID] [int] NULL
[IsSystem] [bit] NOT NULL
[CreatedBy] [varchar](50) NULL
[CreatedDate] [datetime] NULL
[ModifiedBy] [varchar](50) NULL
[ModifiedDate] [datetime] NULL
[ContactFax] [varchar](15) NULL
[ClientType] [varchar](2) NULL
[CreditLimit] [decimal](10, 2) NULL
[LoadnoPrefix] [varchar](5) NULL
[CalculateBenchMark] [bit] NULL
[BillToCode] [varchar](50) NULL
[BaseCurrencyCode] [varchar](3) NULL

3. Mas_Country :

[CountryId] [int] NOT NULL
[CountryCode] [nchar](3) NOT NULL
[CountryName] [nvarchar](50) NOT NULL
[IsActive] [bit] NULL
[IsoCountryCode] [varchar](2) NULL

4. Mas_State :

[StateId] [int] IDENTITY(1,1) NOT NULL
[CountryId] [int] NOT NULL

[StateCode] [nchar](3) NOT NULL
[StateName] [nvarchar](50) NOT NULL

5. Mas_City :

[CityId] [int] IDENTITY(1,1) NOT NULL
[StateId] [int] NOT NULL
[CityCode] [nchar](3) NOT NULL
[CityName] [nvarchar](100) NOT NULL
[CreatedBy] [varchar](50) NULL
[CreatedDate] [datetime] NULL

6. Mas_Postal :

[PostalID] [int] IDENTITY(1,1) NOT NULL
[PostalCode] [varchar](10) NOT NULL
[CityID] [int] NOT NULL
[CreatedBy] [varchar](50) NULL
[CreatedDate] [datetime] NULL
[TimeZone] [int] NULL

7. Mas_ServiceLevel :

[ClientID] [int] NOT NULL
[ServiceLevelID] [int] IDENTITY(1,1) NOT NULL
[ServiceLevelCode] [varchar](3) NULL
[Description] [varchar](30) NOT NULL
[Status] [bit] NOT NULL
[ServiceLevelGroupID] [int] NOT NULL

8. Mas_PaymentTerms :

[PaymentTermID] [numeric](2, 0) IDENTITY(1,1) NOT NULL
[Description] [varchar](30) NOT NULL

9. Mas_ProductPackageType :

[PackageTypeID] [numeric](10, 0) IDENTITY(1,1) NOT NULL
[PackageType] [varchar](30) NOT NULL
[EDIEquiv] [varchar](50) NULL

10. Mas_Carrier :

[ClientID] [int] NOT NULL
[CarrierID] [char](4) NOT NULL
[CarrierName] [varchar](60) NOT NULL
[Address1] [varchar](30) NOT NULL
[Address2] [varchar](30) NULL
[CityID] [int] NOT NULL
[PostalID] [int] NULL
[Status] [bit] NOT NULL
[EffectiveDate] [smalldatetime] NOT NULL
[ContactName] [varchar](30) NOT NULL
[ContactPhone] [varchar](15) NOT NULL
[ContactEmail] [varchar](100) NOT NULL
[ProLength] [int] NOT NULL
[FuelRequired] [bit] NOT NULL

[IsProNoAllowed] [bit] NOT NULL
[IsCorporateCarrier] [bit] NOT NULL
[TenderEmail] [varchar](100) NULL
[BusinessSizeID] [int] NOT NULL
[CorporateCarrierID] [char](4) NULL
[ProMask] [varchar](30) NULL
[CarrierLogo] [image] NULL
[DefaultRatingMode] [numeric](8, 0) NULL
[CreatedBy] [varchar](50) NULL
[CreatedDate] [datetime] NULL
[ModifiedBy] [varchar](50) NULL
[ModifiedDate] [datetime] NULL
[CarrierTypeID] [int] NULL
[MCNumber] [varchar](50) NULL
[USDotNumber] [varchar](50) NULL
[CarrierUrl] [varchar](100) NULL
[ContactFaxNo] [varchar](15) NULL
[IsPickupAPI] [bit] NULL
[C1CCode] [varchar](20) NULL