

L^AT_EX2_ε Guide for Authors using the PT1 Design

Subtitle, If You Have One

ALI WOOLLATT

This guide was compiled using PT1.cls 2010/12/02, v1.20

The latest version can be downloaded from:

https://authornet.cambridge.org/information/productionguide/LaTeX_files/PT1.zip

Contents

<i>List of illustrations</i>	<i>page</i> vi
<i>List of tables</i>	vii
<i>List of boxes</i>	viii
<i>List of contributors</i>	ix

Part I Getting started 1

1 Introduction	3
1.1 The L ^A T _E X 2 _ε book document class	3
1.2 The PT1 document class	3
1.3 Implementing the PT1 class file	4
1.4 Implementing the multi-contributor option	4
1.5 Fonts	4
1.5.1 Times	5
1.5.2 Adobe Myriad Pro Condensed	5
1.6 Submission of files	5
1.7 Make-up	5
2 The PT1 class file in detail	7
2.1 Frenchspacing	7
2.2 Adding a subtitle to the front page	7
2.3 Adding a blank page to your document	7
2.4 Chapter numbering	8
2.5 Section numbering	8
2.6 Specifying running heads and toc entries	8
2.6.1 Single-contributor books	8
2.6.2 Multi-contributor books	9
2.7 Adding author(s) name(s) and affiliation(s)	10
2.7.1 Single-contributor books	10
2.7.2 Multi-contributor books	10
2.8 Changing the level of entries in the table of contents	11
2.9 List of contributors	11
2.9.1 Note to editors regarding the list of contributors	11
2.10 Adding a Part quotation	12
2.11 Adding a Chapter quotation	12

2.12	Adding a ‘copyright’ line to a chapter opening page	13
2.13	Lists	13
2.14	Extracts	14
2.15	Endnotes	14
2.15.1	Single-contributor books	14
2.15.2	Multi-contributor books	15
2.16	Examples	15
2.17	Exercises	16
2.17.1	Exercises at the end of sections	16
2.17.2	Exercises at the end of chapters	16
	Exercises	17
2.18	Problems	17
2.18.1	Problems at the end of sections	17
2.18.2	Problems at the end of chapters	18
	Problems	18
2.19	Floating boxes	18
2.20	Figures	18
2.20.1	Wide figures 30–35pc	20
2.21	Tables	20
2.21.1	My vertical rules have disappeared	21
2.21.2	Reinstating the vertical rules	22
2.21.3	There is very little space around the rules in my table	22
2.21.4	Adding space between columns	22
2.21.5	Adding space between rows	22
2.22	Landscape figures and tables, using <code>rotating.sty</code>	22
2.22.1	Coding for landscape figures	23
2.22.2	Coding for landscape tables	23
2.23	Summary	25
3	Mathematical solutions	27
3.1	Why are we using <code>amsthm.sty</code> ?	27
3.2	<code>amsthm</code> styles	28
3.2.1	<code>amsthm plain</code> style	28
3.2.2	<code>amsthm definition</code> style	29
3.2.3	<code>amsthm remark</code> style	29
3.3	Proofs	30
3.3.1	Changing the word ‘Proof’ to something else	30
3.3.2	Typesetting a proof without a \square	30
3.3.3	Placing the \square after a displayed equation	31
3.3.4	Placing the \square after a displayed <code>eqnarray</code>	31
3.4	Boxed equations	32

Part II Closing features	33
4 Reference and bibliography lists	35
4.1 Automatic lists using BibT _E X	35
4.2 Citations using natbib commands	35
4.3 How to change reference entries from author–date to numbers	36
4.4 Keying in your reference list for an author–date system	36
4.5 Keying in your reference list for a numbered system	37
5 Indexes	39
5.1 Creating a single index using makeidx.sty	39
5.2 Creating multiple indexes using multind.sty	39
5.3 Creating multiple indexes using index.sty	40
5.3.1 Caution – from the authors of index.sty	41
Appendix A Typesetting appendices	43
A.1 Single-contributor books	43
A.1.1 How to typeset one appendix	43
A.1.2 How to typeset several appendices	43
A.2 Multi-contributor books	43
A.2.1 How to typeset one appendix	43
A.2.2 How to typeset several appendices	44
A.3 Numbering systems	44
Appendix B amsthm commands	45
Appendix C The root file for this guide	46
<i>Notes</i>	49
<i>References</i>	50
<i>Author index</i>	51
<i>Subject index</i>	52

Illustrations

2.1	A Cantor repeller. Figure captions will be flush-left and unjustified	19
2.2	A wide figure	20
2.3	Landscape figure	24
A.1	Similarity solutions	44

Tables

2.1	Note that table captions are typeset using the <code>processtable</code> macro	21
2.2	Grooved ware and beaker features, their finds and radiocarbon dates. For a breakdown of the pottery assemblages see Tables I and III; for the flints see Tables II and IV; for the animal bones see Table V	26

Boxes

- 2.1 An example of a floating box – ensure that the title fits in one line 19

Contributors

Magnús Már Magnússon *International Glaciological Society, Scott Polar Research Institute, Lensfield Road, Cambridge CB2 1ER*

David Tranah *Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU*

PART I

GETTING STARTED

I have called this principle, by which each slight variation, if useful, is preserved, by the term of Natural Selection.

Charles Darwin

This guide is for authors who are preparing a book for Cambridge University Press using the \LaTeX document preparation system, and the PT1 class file.

The \LaTeX document preparation system is a special version of the \TeX typesetting program. \LaTeX adds to \TeX a collection of commands which simplify typesetting by allowing the author to concentrate on the logical structure of the document rather than its visual layout.

\LaTeX provides a consistent and comprehensive document preparation interface. There are simple-to-use commands for generating a table of contents (toc), lists of figures and/or tables, and indexes. \LaTeX can automatically number list entries, equations, figures, tables, and footnotes, as well as parts, chapters, sections and subsections. Using this numbering system, bibliographic citations, page references and cross references to any other numbered entity (e.g. chapter, section, equation, figure, list entry) are quite straightforward.

\LaTeX is a powerful tool for managing long and complex documents. In particular, partial processing enables long documents to be produced chapter by chapter without losing sequential information. The use of document classes allows a simple change of style to transform the appearance of your document.

1.1 The $\text{\LaTeX}2_{\epsilon}$ book document class

The PT1 class file preserves the standard \LaTeX interface such that any document which can be produced using the standard $\text{\LaTeX}2_{\epsilon}$ book class can also be produced with the PT1 class. The one exception is tables – captions will disappear; please refer to Section 2.21. However, the measure (i.e. width of text) is different from that for book, therefore line-breaks will change and long equations may need re-setting.

1.2 The PT1 document class

The PT1 design has been implemented as a $\text{\LaTeX}2_{\epsilon}$ class file, and is based on the book class as discussed in the \LaTeX manual. Commands which differ from the standard \LaTeX interface, or which are provided in addition to the standard interface, are explained in this guide. This guide is *not* a substitute for the \LaTeX manual itself.

1.3 Implementing the PT1 class file

Copy PT1.cls into the correct subdirectory on your system. The PT1 document class is implemented as a complete document class, *not* a document class option. To run this guide through L^AT_EX, you need to include the following class and style files:

```
\documentclass{PT1}
\usepackage{natbib}
\usepackage[figuresright]{rotating}
\usepackage{floatpag}
\rotfloatpagestyle{empty}
\usepackage{amsthm}
\usepackage{multind}\ProvidesPackage{multind}
```

It may be that your book does not use graphics, references, rotation, theorems, or multiple indexes, in which case you simply need the first line. If you include `multind.sty`, you must also insert the command `\ProvidesPackage{multind}`. More recent style files include this information; it simply sends a message to the class file to re-style the index into the PT1 style.

In general, the following standard document class options should *not* be used:

- 10pt, 11pt, 12pt;
- oneside (twoside is the default);
- fleqn, leqno, titlepage, twocolumn.

1.4 Implementing the multi-contributor option

This option should be used where chapters have been written by different contributors. Please read Section 1.3 first; then implement the `[multi]` option as follows:

```
\documentclass[multi]{PT1}
```

Further details can be found in Section 2.6.2.

1.5 Fonts

The typefaces for the final typeset version of the PT1 design are Times for the text, and Adobe Myriad Pro Condensed for the sans-serif elements, such as headings.

It is a good idea to start working with these fonts straight away; you will get an idea of the final look of the text, and you will know the extent. If you cannot use the Adobe font for any reason, it is acceptable to default to the standard Times sans-serif.

If your book is going to be typeset by Cambridge University Press, you are welcome to submit your files using Computer Modern; we will change the font. Authors supplying final PDFs must use Times.

1.5.1 Times

We recommend you use one of the following versions of Times:

1. mathptmx, available from:
<http://www.ctan.org/tex-archive/fonts/psfonts/psnfss-source/mathptmx/>
2. txfonts, available from:
<http://www.ctan.org/tex-archive/fonts/txfonts/>

Mathptmx changes the default roman font to Adobe Times, but does not support bold math characters.

Txfonts does support bold math, but the kerning of subscripts and superscripts is not ideal. You must load txfonts *after* amsthm.sty, otherwise you will get some ‘already defined’ messages.¹

1.5.2 Adobe Myriad Pro Condensed

This typeface is available to purchase in OpenType format from Adobe. If you have this typeface and are able to convert it to a L^AT_EX-usable format, include it by adding the [prodtf] option as follows:

```
\documentclass[prodtf]{PT1}
```

This will call in the style file myriad-pt1.sty, distributed with this package.

1.6 Submission of files

Please note that you must supply a PDF of your files so that the typesetters can check characters such as bold math italic. If you are providing final PDF files for printing, remember to embed all fonts as Type 1 fonts.

1.7 Make-up

This is a generic guide for many Cambridge designs. We have therefore not attempted to correct long lines, and there are occasions where pages may be a little long. The latter is due to the use of `\begin{samepage}... \end{samepage}` where we are keeping text

¹ The reason we do not include times.sty as an option is because it mixes Computer Modern and Times fonts, and there is a clash between math and italic characters.

together for clarity. Authors should not include any page make-up commands, unless they are providing final PDFs for printing.

MAGNÚS MÁR MAGNÚSSON^a AND DAVID TRANAH^b

International Glaciological Society

The following notes may help you achieve the best effects with the PT1 class file. The source code for this chapter quotation may be found in Section 2.11.

Ali Woollatt

2.1 Frenchspacing

The `\frenchspacing` option has been selected by default. This ensures that no extra space is inserted after full points, and is normal practice. If there is a strong reason for reversing this, you can key `\nonfrenchspacing` in the preamble.

2.2 Adding a subtitle to the front page

The standard `\title` command has been extended to take an optional argument which is then used as a subtitle on the main title page. For example, this document uses following title command:

```
\title[Subtitle, If You Have One]
{\LaTeXeintitle\ Guide for Authors using~the~\cambridge~Design}
```

2.3 Adding a blank page to your document

Blank pages should not be numbered. If you require one, use the command `\cleardoublepage`, which has been redefined to start the next page on a recto, and if necessary, insert a totally blank verso page first.

^a Formerly of the Icelandic Meteorological Office, Reykjavík.

^b Supported by NSF Grant 43645.

2.4 Chapter numbering

If your book starts with an unnumbered chapter (e.g. `\chapter*{Introduction}`), then make all the numbered elements (e.g. section heads) unnumbered, by using `\section*{...}`. Otherwise, sections will be numbered 0.1, 0.2, etc.

2.5 Section numbering

\LaTeX provides five levels of section heads, and they are all defined in the PT1 class file: `\section`, `\subsection`, `\subsubsection`, `\paragraph`, and `\subparagraph`. Numbers are given for the first three headings.

You can reduce the level of numbered section heads (it is not advisable to increase them). For instance, if you only want headings numbered down to subsections, add the following line to the preamble: `\setcounter{secnumdepth}{2}`. To number down to sections, make this `\setcounter{secnumdepth}{1}`, etc.

In addition to the standard section heads, PT1 provides two further heads: `\xhead` (used for examples, theorems, etc.) and `\yhead` (used for solutions).

2.6 Specifying running heads and toc entries

2.6.1 Single-contributor books

In PT1, chapter titles and section heads are used as running heads at the top of every page:

- chapter titles appear on even-numbered pages (versos), and
- section heads appear on odd-numbered pages (rectos).

A problem with the standard version of \LaTeX has always been that the shortened versions of chapter and section titles, specified for running heads, have also been the entries for the toc. There are packages such as the memoir class which enable you to specify different toc entries, running head entries, and chapter titles. However, there is a simple way to add the verbose version of the chapter or section heads into the toc:

```
\chapter[Toc entry]{Verbose chapter title}
\chaptermark{Running head entry}

\section[Toc entry]{Verbose section title}
\sectionmark{Running head entry}
\sectionmark{Running head entry}
```

Note that for sections, you need the optional argument to `\section`, even if ‘Toc entry’ is in fact the same text as ‘Verbose section title’. Also, the `\sectionmark` has to be entered twice as shown, because the first `\sectionmark` deals with the header of the page that the `\section` command falls on, and the second deals with subsequent pages.

2.6.2 Multi-contributor books

Using the PT1 multi-contributor option, author(s) name(s) and chapter titles are used as running heads at the top of every page:

- author(s) name(s) appear on even-numbered pages (versos), and
- chapter titles appear on odd-numbered pages (rectos).

The author(s) names(s) may run to several lines, and contain new line commands (e.g. `\\`), but the running head must be a single line. To enable you to specify the short form of the author(s) name(s) – compulsory for the multi-contributor option – the standard `\author` command has been extended to take an optional argument to be used as the running head:

```
\author[Author(s) name(s)]{The full author(s) name(s)}
```

The following shows some coding for a chapter written by two authors, each of whom have footnotes. In this example, the authors’ names will immediately follow the chapter title, and will read Magnús Már Magnússon^a and David Tranah^b. Their respective footnotes will be ‘^a Formerly of the Icelandic Meteorological Office, Reykjavík.’ and ‘^b Supported by NSF Grant 43645.’ It is crucial that `\author` precedes `\chapter`. If the authors have footnotes, you must start the chapter with `\alphafootnotes`, fill in the details for author(s), chapter title and author footnotes, then key `\arabicfootnotes` to revert to arabic footnotes:

```
\alphafootnotes
\author[M,M Magn\'usson and D,A Tranah]
  {Magn\'us M\'ar Magn\'usson\footnotemark\
   and David Tranah\footnotemark}

\chapter[Running head entry]
  {The \cambridge\ class file in detail}

\footnotetext[1]{Formerly of the Icelandic
  Meteorological Office, Reykjav\'i k.}
\footnotetext[2]{Supported by NSF Grant 43645.}
\arabicfootnotes
```

Note that for multi-contributor books, the long version of the chapter title will always appear in the table of contents.

2.7 Adding author(s) name(s) and affiliation(s)

2.7.1 Single-contributor books

Sometimes, chapters in single-contributor books are written by different people. If you wish the authors and affiliations to appear beneath the chapter opening, as demonstrated in this chapter, key your chapter head as follows:

```
\alphafootnotes
% for single-contributor books
\chapterauthor{Magn\'us M\'ar Magn\'usson\footnotemark\
and David Tranah\footnotemark}
\chapteraffil{International Glaciological Society}

\chapter{The \cambridge\ class file in detail}

\footnotetext[1]{Formerly of the Icelandic
Meteorological Office, Reykjav\'i k.}
\footnotetext[2]{Supported by NSF Grant 43645.}
\arabicfootnotes
```

If you have footnotes associated with the authors, you will also need to insert `\alphafootnotes` and `\arabicfootnotes`, as shown.

Ensure that `\chapterauthor` and `\chapteraffil` are keyed before `\chapter`.

2.7.2 Multi-contributor books

If you wish the authors and affiliations to appear beneath the chapter opening, key your chapter head as follows:

```
\alphafootnotes
% for multi-contributor books
\author[M\,M Magn\'usson and D\,A Tranah]
{Magn\'us M\'ar Magn\'usson\footnotemark\
and David Tranah\footnotemark}
\authoraffil{International Glaciological Society}

\chapter{The \cambridge\ class file in detail}

\footnotetext[1]{Formerly of the Icelandic
Meteorological Office, Reykjav\'i k.}
\footnotetext[2]{Supported by NSF Grant 43645.}
\arabicfootnotes
```

If you have footnotes associated with the authors, you will also need to insert `\alphafootnotes` and `\arabicfootnotes`, as shown.

Ensure that `\author` and `\authoraaffil` are keyed before `\chapter`.

2.8 Changing the level of entries in the table of contents

The PT1 design will, by default, list parts, chapters and sections in the table of contents. However, to improve the usefulness of this guide, we have used the command:

```
\setcounter{tocdepth}{2}
```

to increase this by one level, so the table of contents in this document also shows subsections.

2.9 List of contributors

The code for generating an automatic list of contributors should be entered after the author and chapter titles, as follows:

```
\contributor{Magn\'us M\'ar Magn\'usson
\affiliation{International Glaciological Society,
Scott Polar Research Institute,
Lensfield Road, Cambridge CB2 1ER}}
```

```
\contributor{David Tranah
\affiliation{Cambridge University Press,
The Edinburgh Building, Shaftesbury Road,
Cambridge CB2 8RU}}
```

You then simply need to add the `\listofcontributors` command after the table of contents (or after the artwork lists, if included) in the preamble, as follows:

```
\tableofcontents
\listoffigures
\listoftables
\listofcontributors
```

2.9.1 Note to editors regarding the list of contributors

The contributors will appear in the same order as they are called in, since the list is generated in the same way as the table of contents. This means that at the final stage, the file will require editing to make the entries alphabetic.

Once you have a complete list of contributors, comment out the line which is generating them, and replace it as shown below:

```
\tableofcontents
\listoffigures
\listoftables
%\listofcontributors
\editedlistofcontributors
```

Next, rename the file with the extension `.loc` to `editedloc.tex` (in the case of this guide, you would rename `PT1guide.loc` to `editedloc.tex`). Edit this file as required, then run the file through \LaTeX once more, and the edited version will appear.

2.10 Adding a Part quotation

The following code will give you the part quotation shown on page 1. Part quotations should be one paragraph long and precede the `\part` command as follows:

```
\partquote{I have called this principle...}{Charles Darwin}
\label{partquote}
\part{Getting started}
```

`\partquote` must have two arguments, so if you do not have a source for the quotation, replace `{Charles Darwin}` with an empty set of braces `{}`.

2.11 Adding a Chapter quotation

The following code will give you the chapter quotation and source shown at the beginning of this chapter. Chapter quotations should be one paragraph long:

```
\begin{chapterquote}
  The following notes may help you achieve the best effects with
  the \cambridge\ class file. The source code for this chapter
  quotation may be found in Section~\ref{chapterquote}.
\source{Ali Woollatt}
\end{chapterquote}
```

2.12 Adding a 'copyright' line to a chapter opening page

If you are publishing a single chapter, with permission from Cambridge University Press, you may be required to add a copyright line (and/or other information) to the footer of the chapter opening page. Add the following code somewhere on the first page of the chapter:

```
\copyrightline{Reprinted from \textit{Mathematical
  Methods for Physics and Engineering} by Riley,
  Hobson and Bence \textcopyright~2010 Cambridge
  University Press.}
```

Should the following chapter not require the copyright line, reverse this immediately before the next `\chapter` command by using:

```
\copyrightline{}
```

2.13 Lists

The PT1 class provides the following standard list environments:

1. numbered lists, created using the `enumerate` environment;
2. bulleted lists, created using the `itemize` environment;
3. labelled lists, created using the `description` environment.

The `enumerate` environment numbers each list item with an arabic numeral followed by a full point; alternative styles can be achieved by inserting a redefinition of the number labelling command after the `\begin{enumerate}`. For example, a list numbered with lower-case letters inside parentheses can be produced. Because '(a)' is wider than a standard arabic digit, the label width has to be increased. This is achieved by specifying the widest label in the list inside square braces:

```
\begin{enumerate}[(a)]
  \renewcommand{\theenumi}{(\alph{enumi})}
  \item estimate the fluctuations in the near-wall region\ldots
  \item subdue these near-wall fluctuations\ldots
\end{enumerate}
```

This produces the following list:

- (a) estimate the fluctuations in the near-wall region. . .
- (b) subdue these near-wall fluctuations. . .

2.14 Extracts

An extract may be included using the following coding:

```
\begin{extract}
  In fact, neutron star matter is the most complex and
  fascinating state of matter that astronomers have yet
  discovered. The dense degenerate gas of neutrons appears
  to be superfluid, despite the very high temperatures~( $10^6$  K
  or higher) that we find inside neutron stars. (Bernard Schutz)
\end{extract}
```

The resulting extract is typeset in a slightly smaller font size, and indented:

In fact, neutron star matter is the most complex and fascinating state of matter that astronomers have yet discovered. The dense degenerate gas of neutrons appears to be superfluid, despite the very high temperatures (10^6 K or higher) that we find inside neutron stars. (Bernard Schutz)

2.15 Endnotes

In addition to footnotes,¹ the PT1 class provides a similar facility for endnotes. Their appearance depends on which option you are using:

1. for single-contributor books, the endnotes will be produced in the form of an unnumbered chapter at the end of the book;
2. for multi-contributor books, they are an unnumbered section at the end of each chapter.

Endnotes are inserted into the text in a similar way to footnotes, but using the `\endnote` command; for example,

```
When the Richardson number\endnote{Lewis Fry Richardson
(1881--1953).\label{richardson}} increases\ldots
```

will produce ‘When the Richardson number¹ increases. . .’ in the text. Authors must choose between using footnotes and endnotes; do not use both.

2.15.1 Single-contributor books

Endnotes should be printed at the end of the book, after the appendices but before the bibliography and/or references.

¹ The footnote counter will be reset on chapters.


```

:
\theendnotes
\begin{thebibliography}{99}
:

```

The `\theendnotes` command generates an unnumbered chapter which appears in the table of contents (see page 49 for style).

2.15.2 Multi-contributor books

Endnotes should be printed at the end of the chapter using the same `\theendnotes` command.

2.16 Examples

Examples have rules both above and below. The default word ‘Example’ may be replaced by ‘Alternative’ by removing the comment symbol, as shown in the following list:

```

\begin{examplelist}%[Alternative]
\item Show that the geometrical definition of grad leads to the
      usual expression for  $\nabla\phi$  in Cartesian coordinates.
\solution{Solution}
      Consider a small rectangular volume element  $\Delta V = \Delta x \Delta y \Delta z$  with its faces parallel to the
 $x, y, z$  coordinate surfaces and with the point  $P$  at one
      corner. We must calculate\dots

\item Find the Fourier series of  $f(x) = x^3$  for  $0 < x \leq 2$ .
\label{fourier}
\solution{Solution}
      In the example discussed in the previous section we found
      the Fourier series for  $f(x) = x^2$  in the required range.
      So, if we \textit{integrate} this term by term\dots
\end{examplelist}

```

This will produce:

Example 2.1 Show that the geometrical definition of grad leads to the usual expression for $\nabla\phi$ in Cartesian coordinates.

Solution

Consider a small rectangular volume element $\Delta V = \Delta x \Delta y \Delta z$ with its faces parallel to the x, y, z coordinate surfaces and with the point P at one corner. We must calculate...

Example 2.2 Find the Fourier series of $f(x) = x^3$ for $0 < x \leq 2$.

Solution

In the example discussed in the previous section we found the Fourier series for $f(x) = x^2$ in the required range. So, if we *integrate* this term by term...

2.17 Exercises

2.17.1 Exercises at the end of sections

Authors may use the `exerciselist` environment which will typeset exercises at the end of each section. There is an option to add some text such as ‘Exercise’; this is shown in the following example:

```
\begin{exerciselist}[Exercise]
  \item Show that the link between shock formation and
        film rupture is invoked here because of the\ldots
  \item Show that the physical interpretation of\ldots
        \label{physi}
\end{exerciselist}
```

which will produce:

Exercise 2.17.1 Show that the link between shock formation and film rupture is invoked here because of the...

Exercise 2.17.2 Show that the physical interpretation of...

As with all numbered environments, individual exercises (e.g. Exercise 2.17.2) can be cross-referenced.

2.17.2 Exercises at the end of chapters

If you would prefer to have the exercises at the end of each chapter, use the `exercises` environment. This generates an entry in the table of contents and starts a new unnumbered section. For example,

```
\begin{exercises}
  \item Let the film thickness be  $h_0$ ,
        \begin{equation}
          h=h_0 H\{x\}.
        \end{equation}
        \label{exerciseeq}
        Integrating once\ldots
  \item Assuming the flow far away from\ldots
```

```
\end{exercises}
```

will produce:

Exercises

2.1 Let the film thickness be h_0 ,

$$h = h_0 H\xi. \quad (2.1)$$

Integrating once...

2.2 Assuming the flow far away from...

2.18 Problems

2.18.1 Problems at the end of sections

Authors may use the `problemlist` environment which will typeset problems at the end of each section. There is an option to add some text such as ‘Problem’; this is shown in the following example:

```
\begin{problemlist}[Problem]
  \item Show that in a theory with  $\beta(g)=bg^2 + b'g^3 + b''g^4 + \cdots$ ,
    it is possible by a redefinition of the coupling constant
    to make the coefficient  $b^n$  anything we want.
  \item Calculate the effective electric charge that should
    be used in studying processes at energy  $100\text{ GeV}$ , taking
    account of all known charged quarks and leptons with masses
    below  $100\text{ GeV}$ .
    \label{quarks}
\end{problemlist}
```

which will produce:

Problem 2.18.1 Show that in a theory with $\beta(g) = bg^2 + b'g^3 + b''g^4 + \cdots$, it is possible by a redefinition of the coupling constant to make the coefficient b^n anything we want.

Problem 2.18.2 Calculate the effective electric charge that should be used in studying processes at energy 100 GeV , taking account of all known charged quarks and leptons with masses below 100 GeV .

As with all numbered environments, individual problems (e.g. Problem 2.18.2) can be cross-referenced.

2.18.2 Problems at the end of chapters

If you would prefer to have the problems at the end of each chapter, use the `problems` environment. This generates an entry in the table of contents and starts a new unnumbered section. For example,

```
\begin{problems}
  \item Show that if a functional  $O$  satisfies the condition
     $(O, S) = i\Delta S$  and the action  $S$  satisfies the
    quantum master equation then the quantum average
     $\langle O \rangle$  is independent of the gauge-fixing
    functional  $\Psi$ .
  \item Show that there is no simple Lie algebra with just
    four generators.
\end{problems}
```

will produce:

Problems

- 2.1 Show that if a functional O satisfies the condition $(O, S) = i\Delta S$ and the action S satisfies the quantum master equation then the quantum average $\langle O \rangle$ is independent of the gauge-fixing functional Ψ .
- 2.2 Show that there is no simple Lie algebra with just four generators.

2.19 Floating boxes

The PT1 design includes the use of boxes. These are floating objects, and are keyed in a similar way to tables. See Box 2.1 for an example (and note that you may have a ‘List of boxes’ in the table of contents by adding `\listoffloatingboxes` to the prelims).

2.20 Figures

The PT1 class will cope with most positioning of your figures. As captions fall below figures, the figure must be included first, then the caption, then the label. This is illustrated in Figure 2.1. The `cantor1.eps` file has been called in by using `\usepackage{rotating}` (which, in turn, calls in `graphicx.sty`) in the preamble.

Box 2.1

An example of a floating box – ensure that the title fits in one line

The open string theory we have in our hands is the theory of strings on a D25-brane, a D-brane that fills all of the space dimensions. The D25-brane is a physical object, not just a mathematical construct, so it has a constant energy density T_{25} which, in fact, can be calculated exactly.

```
\begin{floatingbox}
\processfloatingbox{An example of a floating box --
ensure that the title fits in one line}
{The open string theory we have in our hands is the theory of
strings on a D25-brane, a D-brane that fills all of the space
dimensions. The D25-brane is a physical object, not just a
mathematical construct, so it has a constant energy
density~ $T_{25}$  which, in fact, can be calculated exactly.
\label{floatingbox}}
\end{floatingbox}
```




Fig. 2.1

A Cantor repeller. Figure captions will be flush-left and unjustified

```
\begin{figure}
\includegraphics[scale=0.55]{cantor1.eps}
\caption{A Cantor repeller. Figure captions will be flush-left
and unjustified}
\label{cantor}
\end{figure}
```




Fig. 2.2 A wide figure

```

\begin{figure}% code for wide figures
  \widefigure\includegraphics[width=35pc]{cantor1.eps}
  \caption{A~wide figure}
  \label{anothercantor}
\end{figure}

```

2.20.1 Wide figures 30–35pc

Figures may extend the full width of the page, as illustrated in Figure 2.2. To achieve this, you must add `\widefigure` before inserting the artwork (see the source code immediately below this figure).

2.21 Tables

Due to the complex specification for tables in the PT1 design, they need to be typeset slightly differently. Please refer to the source code immediately below Table 2.1, where you will find the following construction:

```

\begin{table}
  \processtable
    {Table caption\label{transformation}}
    {\begin{tabular}...\end{tabular}}
\end{table}

```

Table 2.1 Note that table captions are typeset using the <code>processtable</code> macro			
Figure ^a	hA	hB	hC
1	$\exp\left(\pi i \frac{5}{8}\right)$	$\exp\left(\pi i \frac{1}{8}\right)$	0
2	-1	$\exp\left(\pi i \frac{3}{4}\right)$	1
3	$-4 + 3i$	$-4 + 3i$	$\frac{7}{4}$
4	-2	-2	$\frac{5}{4}i$
^a Note: All generalizations are false, including this one.			

```

\begin{table}
\processtable
{Note that table captions are typeset using~the \texttt{processtable}
macro\label{sample-table}}
{\addtolength{\tabcolsep}{2pt}% to stretch columns, if required
\begin{tabular}{c@{\hspace{25pt}}ccc}
Figure\footnote{\textit{Note:} All generalizations are false,
including this one.} & $hA$ & $hB$ & $hC$\\
\hline
1 & $\exp\left(\pi i \frac{5}{8}\right)$
& $\exp\left(\pi i \frac{1}{8}\right)$ & $0$\\[3pt]
2 & $-1$ & $\exp\left(\pi i \frac{3}{4}\right)$ & $1$\\[12pt]
3 & $-4+3i$ & $-4+3i$ & $\frac{7}{4}$\\[3pt]
4 & $-2$ & $-2$ & $\frac{5}{4}i$\\
\hline
\end{tabular}}
\end{table}

```

In other words, they are typeset using `\processtable` which contains 2 arguments.

The PT1 class will cope with most positioning of your tables. Table captions must be included first, then the label, then the body of the table.

2.21.1 My vertical rules have disappeared

Vertical rules in tables are not PT1 style, and have been automatically removed; this gives your document a truly professional look. Instead of vertical rules, we recommend the use of extra horizontal space, see Section 2.21.4. The rules have been removed by redefining

the `tabular` environment. The amended definition also inserts extra vertical space above and below the horizontal rules (produced by `\hline`).

If you really must have them reinstated, read Section 2.21.2.

2.21.2 Reinstating the vertical rules

Authors can revert to the standard \LaTeX style, if necessary. Tables will take on a rather squashed appearance, as in the \LaTeX book, whereby there is no added space around horizontal rules. Add the command `\reinstaterules` in the preamble, and re-run your files through \LaTeX .

2.21.3 There is very little space around the rules in my table

Tables revert to the standard, rather squashed look of standard \LaTeX tables for two reasons:

1. you are using `array.sty`; or
2. you have chosen to reinstate vertical rules (see Section 2.21.2)

In both cases, the `tabular` environment is redefined.

2.21.4 Adding space between columns

You can add space (2pt in this example) between every column using `\addtolength\tabcolsep{2pt}`. However, if you only wanted to expand the space between columns 1 and 2 to 25pt, you would do this using `\begin{tabular}{@{}c@{\hspace{25pt}}ccc@{}}` (see Table 2.1).

2.21.5 Adding space between rows

If you need some form of separation between rows (for example, between rows 2 and 3 in the body of Table 2.1), adding `[12pt]` immediately after the double backslash at the end of row 2 will add a 12pt vertical space (the equivalent of a blank line at this typesize). This is neater than adding another horizontal line.

2.22 Landscape figures and tables, using `rotating.sty`

Landscape figures and tables (floats) may be typeset using the `rotating.sty` package. Note that the direction of rotation is always anti-clockwise, regardless of whether the rotated float lands on an even or odd page. To achieve this, be sure to add the optional argument `[figuresright]` when calling in `rotating.sty` (see below).

In addition to `rotating.sty`, you should also include `floatpag.sty` and the command `\rotfloatpagestyle{empty}`. This combination ensures that headers and footers are removed from the float page:




Fig. 2.3

A Cantor repeller. Figure captions will be flush-left and unjustified

Table 2.2 Grooved ware and beaker features, their finds and radiocarbon dates. For a breakdown of the pottery assemblages see Tables I and III; for the flints see Tables II and IV; for the animal bones see Table V

Context	Length	Breadth/ Diameter	Depth	Profile	Pottery	Flint	Animal Bones	Stone	Other	C14 Dates
	m	m	m							
Grooved Ware										
784	–	0.9	0.18	Sloping U	P1	×46	×8		×2 bone	2150 ±100 BC
785	–	1.00	0.12	Sloping U	P2–4	×23	×21	Hammerstone	–	–
962	–	1.37	0.20	Sloping U	P5–6	×48	×57	–	–	1990 ±80 BC (Layer 4) 1870 ±90 BC (Layer 1)
983	0.83	0.73	0.25	Stepped U	–	×18	×8	–	Fired clay	–
Beaker										
552	–	0.68	0.12	Saucer	P7–14	–	–	–	–	–
790	–	0.60	0.25	U	P15	×12	–	Quartzite-lump	–	–
794	2.89	0.75	0.25	Irreg.	P16	×3	–	–	–	–

3.1 Why are we using amsthm.sty?

Many authors are already using this style file, so we have decided that rather than re-invent the wheel, we will make it part of our distribution. This means that the top of the root file would include the following lines:

```
\documentclass{PT1}  
\usepackage{amsmath}  
\usepackage{amsthm}
```

As mentioned in Chapter 1, if your book does not use theorems, proofs, etc., then there is no need to include the amsthm package, but you do need to include these files to run this guide through L^AT_EX. Note that if you are also using amsmath.sty, it *must* precede amsthm.sty.

The instructions for amsthm.sty are documented separately in amsthdoc.pdf. We are including amsthm.sty and amsthdoc.pdf in this distribution for your convenience, but you may find more recent versions on the web. The following sections discuss the basic features, plus a few extras.

To save time, you may cut and paste the code in Appendix B into your root file. This is a comprehensive (but not necessarily a complete) list of theorem-like environments you may wish to use.

The amsthm commands used in this guide are detailed in Appendix C. They are simply a subset of commands from Appendix B; some illustrate unnumbered versions.

Please note that theorems, definitions, remarks, etc. should be numbered in a single sequence, either by chapter (Chapter 4 would have Definition 4.1, Lemma 4.2, Lemma 4.3, Proposition 4.4, Corollary 4.5) or by section (Definition 4.1.1, Lemma 4.1.2, Lemma 4.1.3, Proposition 4.1.4, Corollary 4.1.5).

To number these elements by chapter in this guide, we have used `\newtheorem{theorem}{Theorem}[chapter]`. If you prefer to have the elements numbered by section, replace `[chapter]` with `[section]`.

3.2 amsthm styles

If no `\theoremstyle` command is given, the style used will be `plain`. To specify different styles, divide your `\newtheorem` commands into groups and preface each group with the appropriate `\theoremstyle`.

3.2.1 amsthm plain style

The `plain` style is normally used for theorems, lemmas, corollaries, propositions, conjectures, criterion and algorithms. Authors are free to define their preferred numbering systems for these. The following example resets the theorem numbers for each chapter; lemmas follow in the same sequence. We have also requested that corollaries remain unnumbered by using the starred version:

```
\theoremstyle{plain}% default
\newtheorem{theorem}{Theorem}[chapter]
\newtheorem{lemma}[theorem]{Lemma}
\newtheorem*{corollary}{Corollary}

\begin{theorem}
  Let the scalar function\ldots
\end{theorem}
\begin{lemma}[Tranah]
  The first-order free surface amplitudes\ldots
\end{lemma}
\begin{lemma}[\citealp{MenshEst}]
  The exotic behaviours of Lagrangian\ldots
\end{lemma}
\begin{corollary}
  Let  $G$  be the free group on\ldots
\end{corollary}
```

will produce the following output:

Theorem 3.1 *Let the scalar function...*

Lemma 3.2 (Tranah) *The first-order free surface amplitudes...*

Lemma 3.3 (Menshikov, 1985) *The exotic behaviours of Lagrangian...*

Corollary *Let G be the free group on...*

Note that Corollaries would normally be in the same numbering sequence as Theorems and Lemmas. If you'd prefer your theorems to be typeset in roman (though this is not recommended) use the `amsthm definition` style instead (see Section 3.2.2).

3.2.2 amsthm definition style

The definition style is normally used for definitions and conditions. Again, authors are free to define their preferred numbering systems for these. However, it is most usual to continue with the same numbering sequence as for Theorems, Lemmas, etc.:

```
\theoremstyle{definition}
\newtheorem{definition}[theorem]{Definition}
\newtheorem{condition}[theorem]{Condition}

\begin{definition}
  The series above is the Green function\ldots
\end{definition}
\begin{definition}
  The correlation between the real and estimated flow\ldots
\end{definition}
\begin{condition}
  The length (i.e. number of letters) of a word  $w$  in  $[s]^*$ \ldots
\end{condition}
```

will produce the following output:

Definition 3.4 The series above is the Green function...

Definition 3.5 The correlation between the real and estimated flow...

Condition 3.6 The length (i.e. number of letters) of a word $w \in [s]^*$...

3.2.3 amsthm remark style

The remark style is normally used for remarks, notes, notation, claims, summary, acknowledgements, cases, conclusions. However, in the PT1 design, the remark and definition styles are the same. Authors who have already used the remark style may continue to do so; authors who are just starting out may choose to continue to use the definition style for remarks, notes, etc. Authors are free to define their preferred numbering systems for these.

```
\theoremstyle{remark}
\newtheorem*{remark}{Remark}
\newtheorem*{case}{Case}

\begin{remark}
  The absolute amplitude of a stratified wake\ldots
\end{remark}
\begin{case}
  The profiles of quadratic fluctuations\ldots
```

```
\end{case}
```

will produce the following output:

Remark The absolute amplitude of a stratified wake...

Case The profiles of quadratic fluctuations...

3.3 Proofs

The `proof` environment is also part of the `amsthm` package, and provides a consistent format for proofs. For example,

```
\begin{proof}
  Use  $K_\lambda$  and  $S_\lambda$  to translate combinators
  into  $\lambda$ -terms. For the converse, translate
   $\lambda x. \dots$  by  $[x]$  and use induction
  and the lemma.
\end{proof}
```

produces the following:

Proof Use K_λ and S_λ to translate combinators into λ -terms. For the converse, translate $\lambda x \dots$ by $[x]$ and use induction and the lemma. \square

3.3.1 Changing the word ‘Proof’ to something else

An optional argument allows you to substitute a different name for the standard ‘Proof’. To change the proof heading to read ‘Proof of the Pythagorean Theorem’, key the following:

```
\begin{proof}[Proof of the Pythagorean Theorem]
  Start with a generic right-angled triangle\dots
\end{proof}
```

which produces:

Proof of the Pythagorean Theorem Start with a generic right-angled triangle... \square

3.3.2 Typesetting a proof without a \square

This is not part of the `amsthm` package. Use the `proof*` version. For example,

```
\begin{proof*}
  The apparent virtual mass coefficient\dots
\end{proof*}
```


produces the following:

Proof The apparent virtual mass coefficient...

3.3.3 Placing the \square after a displayed equation

To avoid the \square dropping onto the following line at the end of a proof,

```
\begin{proof}
  \ldots and, as we are all aware,
  \[
    E=mc^2. \qedhere
  \]
\end{proof}
```

produces the following:

Proof ... and, as we are all aware,

$$E = mc^2. \quad \square$$

When used with the `amsmath` package, version 2 or later, `\qedhere` will position \square flush right; with earlier versions, \square will be spaced a quad away from the end of the text or display.

If `\qedhere` produces an error message in an equation, try using `\mbox{\qedhere}` instead.

3.3.4 Placing the \square after a displayed eqnarray

This is also not part of the `amsthm` package. To enable this, you need to use the starred version of `proof`, and add both `\arrayqed` and `\arrayqedhere`, as shown in the following example:

```
\begin{proof*}
  The following equations prove the theorem:
  \arrayqed
  \begin{eqnarray}
    \epsilon &=& -\frac{1}{2}U_0\frac{\mathrm{d}q'^2}{\mathrm{d}x}\mathrm{nonumber}\\
    &=& 10\mathrm{nu}\frac{q'^2}{\lambda^2}
  \end{eqnarray}
  \arrayqedhere
\end{proof*}
```

produces the following:

Proof The following equations prove the theorem:

$$\begin{aligned}\epsilon &= -\frac{1}{2}U_0 \frac{dq'^2}{dx} \\ &= 10v \frac{q'^2}{\lambda^2}\end{aligned}\quad \square$$

3.4 Boxed equations

Important equations may be highlighted using the `shadedbox` environment. You would not normally include text in such a box, but it is included here to demonstrate how to add a footnote. Euler might have included the following equation in his thesis:

This is one way¹ to define e :

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n \quad (3.1)$$

Here is the code for the above:

```
\begin{shadedbox}
  This is one way\footnotemark\ to define $e$:
  \begin{equation}
    e = \lim_{n \rightarrow \infty} \left( 1 + \frac{1}{n} \right)^n
  \end{equation}
\end{shadedbox}
\footnotetext{There are others.}
```

¹ There are others.



PART II

CLOSING FEATURES

4.1 Automatic lists using Bib \TeX

We have chosen to use the `natbib` package because of its versatility.

First, call in `natbib.sty`. If you are using the multi-contributor option, you will get an unnumbered section heading, otherwise it will be an unnumbered chapter heading.

The bibliography file for this guide (`PT1guide.tex`) is called `percolation.bib`; the bibliography style is `cambridgeauthordate.bst`, so place the final two commands at the point where you would like the references to appear:

```
\usepackage{natbib}
:
% \renewcommand{\refname}{Bibliography}
\bibliography{percolation}
\bibliographystyle{cambridgeauthordate}
```

Note that if you uncomment the third line shown above, you can change the heading from ‘References’ to ‘Bibliography’. Next, \LaTeX your book twice. Then run Bib \TeX by executing the command

```
bibtex PT1guide
```

Finally, run your book through \LaTeX twice again. This series of runs will generate a file called `PT1guide.bbl`, which will then be included by `\bibliography{percolation}`.

Suppose you have cited 8 entries from the ‘percolation’ database, e.g. `\citealp{MenshEst}`; `\citealp{Kasymp}`; `\citealp{VGFH}`; `\citealp{HamMaz94}`; `\citealp{HamLower}`; `\citealp{AiBar87}`; `\citealp{MMS}`; and `\citealp{HamAtomBond}`; the output will be just those 8 entries (see page 50).

4.2 Citations using natbib commands

Here are some of the basic citation commands available with the `natbib` package; there are many more if you cannot find what you need in this list. Bear in mind that Menshikov

(1985) or (Menshikov, 1985) read best, depending on context.

<code>\citep{MenshEst}</code>	→ (Menshikov, 1985)
<code>\citep[see][p.\$\\$, \$34]{MenshEst}</code>	→ (see Menshikov, 1985, p. 34)
<code>\citep[e.g.][{}]{MenshEst}</code>	→ (e.g. Menshikov, 1985)
<code>\citep[Section~2.3]{MenshEst}</code>	→ (Menshikov, 1985, Section 2.3)
<code>\citep{MenshEst, VGFH}</code>	→ (Menshikov, 1985; Vyssotsky et al., 1961)
<code>\cite{MenshEst, VGFH}</code>	→ Menshikov (1985); Vyssotsky et al. (1961)
<code>\citealt{MenshEst}</code>	→ Menshikov 1985
<code>\cite{MenshEst}</code>	→ Menshikov (1985)
<code>\citealp{MenshEst}</code>	→ Menshikov, 1985
<code>\citeauthor{MenshEst}</code>	→ Menshikov
<code>\citeyearpar{MenshEst}</code>	→ (1985)
<code>\citeyear{MenshEst}</code>	→ 1985

4.3 How to change reference entries from author–date to numbers

L^AT_EX authors are used to `\cite{...}` producing a reference such as [11] in their manuscripts. If you prefer this style, it is an option within the natbib package:

```
\usepackage[numbers]{natbib}
```

4.4 Keying in your reference list for an author–date system

The entries need to be keyed as below. Note that if you uncomment the first line, you can change the heading from ‘References’ to ‘Bibliography’:

```
% \renewcommand{\refname}{Bibliography}
\begin{thebibliography}{8}
  \expandafter\ifx\csname natexlab\endcsname\relax
    \def\natexlab#1{#1}\fi
  \expandafter\ifx\csname selectlanguage\endcsname\relax
    \def\selectlanguage#1{\relax}\fi

  \bibitem[Aizenman and Barsky, 1987]{AiBar87}
    Aizenman, M., and Barsky, D.~J. 1987.
    Sharpness of the phase transition in percolation models.
    {\em Comm. Math. Phys.}, {\bf 108}, 489--526.

  \bibitem[Hammersley, 1957]{HamLower}
    Hammersley, J.~M. 1957.
    Percolation processes: Lower bounds for the critical probability.
    {\em Ann. Math. Statist.}, {\bf 28}, 790--795.
```

```

\bibitem[Hammersley, 1961]{HamAtomBond}
Hammersley, J.~M. 1961.
Comparison of atom and bond percolation processes.
{\em J. Mathematical Phys.}, {\bf 2}, 728--733.

\bibitem[Hammersley and Mazzarino, 1994]{HamMaz94}
Hammersley, J.~M., and Mazzarino, G. 1994.
Properties of large Eden clusters in the plane.
{\em Combin. Probab. Comput.}, {\bf 3}, 471--505.

\bibitem[Kesten, 1990]{Kasymp}
Kesten, H. 1990.
Asymptotics in high dimensions for percolation.
Pages 219--240 of: Grimmett, G.~R., and Welsh, D.~J.~A. (eds),
{\em Disorder in Physical Systems: A Volume in Honour of John Hammersley}.
Oxford University Press.

\bibitem[Menshikov, 1985]{MenshEst}
Menshikov, M.~V. 1985.
Estimates for percolation thresholds for lattices in  $\mathbb{R}^n$ .
{\em Dokl. Akad. Nauk SSSR}, {\bf 284}, 36--39.

\bibitem[Menshikov et al., 1986]{MMS}
Menshikov, M.~V., Molchanov, S.~A., and Sidorenko, A.~F. 1986.
Percolation theory and some applications.
Pages 53--110 of: {\em Probability theory. Mathematical
statistics. Theoretical cybernetics, Vol. 24 (Russian)}.
Akad. Nauk SSSR Vsesoyuz. Inst. Nauchn. i Tekhn. Inform.
Translated in {\em J. Soviet Math.} {\bf 42} (1988), no. 4,
1766--1810.

\bibitem[Vyssotsky et al., 1961]{VGFH}
Vyssotsky, V.~A., Gordon, S.~B., Frisch, H.~L., and Hammersley, J.~M. 1961.
Critical percolation probabilities (bond problem).
{\em Phys. Rev.}, {\bf 123}, 1566--1567.

\end{thebibliography}

```

4.5 Keying in your reference list for a numbered system

For this style, you may omit the optional square brace shown in Section 4.4. Once again, if you uncomment the first line, you can change the heading from ‘References’ to ‘Bibliography’:

```

% \renewcommand{\refname}{Bibliography}
\begin{thebibliography}{8}

\bibitem{AiBar87}
Aizenman, M., and Barsky, D.~J. 1987.
Sharpness of the phase transition in percolation models.
{\em Comm. Math. Phys.}, {\bf 108}, 489--526.

```

```

\bibitem{HamLower}
  Hammersley, J.~M. 1957.
  Percolation processes: Lower bounds for the critical probability.
  {\em Ann. Math. Statist.}, {\bf 28}, 790--795.

\bibitem{HamAtomBond}
  Hammersley, J.~M. 1961.
  Comparison of atom and bond percolation processes.
  {\em J. Mathematical Phys.}, {\bf 2}, 728--733.
  :
  :
\bibitem[Wyssotsky et al., 1961]{VGFH}
  Wyssotsky, V.~A., Gordon, S.~B., Frisch, H.~L., and Hammersley, J.~M. 1961.
  Critical percolation probabilities (bond problem).
  {\em Phys. Rev.}, {\bf 123}, 1566--1567.

\end{thebibliography}

```


5.1 Creating a single index using `makeidx.sty`

To generate a single index, normally a subject index, the commands would take the form:

```
\index{diffraction}
\index{force!hydrodynamic}
\index{force!interactive}
```

The following commands are then required in the preamble:

```
\usepackage{makeidx}
\makeindex
```

and at the point you wish your index to appear,

```
\printindex
```

Run your book through \LaTeX enough times so that the labels, etc., are stable. Then execute the command:

```
makeindex PT1guide
```

To include the index, you need to run \LaTeX one more time.

5.2 Creating multiple indexes using `multind.sty`

This guide has been prepared using `multind.sty`. This style file redefines the `\makeindex`, `\index` and `\printindex` commands to deal with multiple indexes.

Suppose you want to create an author index and a subject index. The entries should be in the text as usual, but take the following form:

```
\index{authors}{Young, P.D.F.}
\index{authors}{Tranah, D.A.}
\index{authors}{Peterson, K.}
\index{subject}{diffraction}
\index{subject}{force!hydrodynamic}
\index{subject}{force!interactive}
```

In the preamble, you need to add the following lines:

```
\usepackage{multind}\ProvidesPackage{multind}
\makeindex{authors}
\makeindex{subject}
```

It is crucial to add the command `\ProvidesPackage{multind}`; this will send a message to the class file to re-style the index into the PT1 style. You will get a warning in your log file:

```
LaTeX Warning: You have requested package ‘’,
                but the package provides ‘multind’.
```

which can be ignored. At the point where you wish your indexes to appear, you then need the commands:

```
\printindex{authors}{Author index}
\printindex{subject}{Subject index}
```

Run your book through \LaTeX enough times so that the labels, etc., are stable. Then execute the commands:

```
makeindex authors
makeindex subject
```

To include the indexes, you need to run \LaTeX one more time.

5.3 Creating multiple indexes using index.sty

This style file allows you to define new indexes. Suppose you want to create an author index as well as a normal subject index. The entries should be in the text as usual, but take the following form:

```
\index[aut]{Young, P.D.F.}
\index[aut]{Tranah, D.A.}
\index[aut]{Peterson, K.}
\index{diffraction}
\index{force!hydrodynamic}
\index{force!interactive}
```

To create the extra author index, you need to have the following lines in the preamble:

```
\usepackage{index}
\newindex{aut}{adx}{and}{Author index}
\makeindex
```

At the point where you wish your indexes to appear, use:

```
\printindex[aut]  
\printindex
```

Run your book through \LaTeX enough times so that the labels, etc., are stable. Then execute the commands:

```
makeindex -o PT1guide.and PT1guide.adx  
makeindex PT1guide
```

To include the indexes, you need to run \LaTeX one more time.

5.3.1 Caution – from the authors of index.sty

In order to implement `index.sty`, it's been necessary to modify a number of \LaTeX commands seemingly unrelated to indexing, namely, `\@starttoc`, `\raggedbottom`, `\flushbottom`, `\addcontents`, `\markboth`, and `\markright`. Naturally, this could cause incompatibilities between `index.sty` and any style files that either redefine these same commands or make specific assumptions about how they operate.

The redefinition of `\@starttoc` is particularly bad, since it introduces an incompatibility with the AMS document classes. This will be addressed soon.

In the current implementation, `index.sty` uses one output stream for each index. Since there are a limited number of output indexes, this means that there is a limit on the number of indexes you can have in a document. There is more information on this in `index.dtx` which is part of the `index.sty` distribution.

For these reasons, whilst all care has been taken to deal with these changes in `PT1.cls`, if you do find incompatibilities with other files, please contact us at texline@cambridge.org with your source files, class and style files, and log file.

A.1 Single-contributor books

A.1.1 How to typeset one appendix

If you have just one appendix, say `appendix.tex`, you will want to generate a chapter head ‘Appendix’ rather than ‘Appendix A’. Use `\oneappendix` in the main file, as follows:

```
\oneappendix
\include{appendix}
```

A.1.2 How to typeset several appendices

The coding used to generate the appendices in this guide is as follows:

```
\appendix
\include{appendixA}
\include{appendixB}
\include{appendixC}
```

A.2 Multi-contributor books

A.2.1 How to typeset one appendix

If you have just one appendix, it will be the next section head and you should include the following code at the end of your chapter:

```
\oneappendix
\section{Appendix heading}
\subsection{Subheading}
\endappendix
```

You will need to add `\endappendix` if you have further section heads in this chapter.

A.2.2 How to typeset several appendices

The following code will generate Appendix A and Appendix B at the end of your chapter:

```
\appendix
\section{Appendix heading}
\subsection{Subheading}
:
\section{Next appendix heading}
\subsection{Next subheading}
\endappendix
```

Again, you will need to add `\endappendix` if you have further section heads in this chapter.

A.3 Numbering systems

Equations in appendices will be numbered as follows:

$$E = mc^2, \tag{A.1}$$

and figure captions as follows:

Fig. A.1

Similarity solutions

The following code may be cut and pasted into your root file. Assuming you have included `amsthm.sty`, it will number your theorems, definitions, etc. in the same numbering sequence and by chapter, e.g. Definition 4.1, Lemma 4.2, Lemma 4.3, Proposition 4.4, Corollary 4.5.

If you prefer to have the elements numbered by section, e.g. Definition 4.1.1, Lemma 4.1.2, Lemma 4.1.3, Proposition 4.1.4, Corollary 4.1.5, replace `[chapter]` on line 2 with `[section]`.

```
\theoremstyle{plain}% default
\newtheorem{theorem}{Theorem}[chapter]
\newtheorem{lemma}[theorem]{Lemma}
\newtheorem{corollary}[theorem]{Corollary}
\newtheorem{proposition}[theorem]{Proposition}
\newtheorem{conjecture}[theorem]{Conjecture}
\newtheorem{criterion}[theorem]{Criterion}
\newtheorem{algorithm}[theorem]{Algorithm}

\theoremstyle{definition}
\newtheorem{definition}[theorem]{Definition}
\newtheorem{condition}[theorem]{Condition}

\theoremstyle{remark}
\newtheorem{remark}[theorem]{Remark}
\newtheorem{note}[theorem]{Note}
\newtheorem{notation}[theorem]{Notation}
\newtheorem{claim}[theorem]{Claim}
\newtheorem{summary}[theorem]{Summary}
\newtheorem{acknowledgement}[theorem]{Acknowledgement}
\newtheorem{case}[theorem]{Case}
\newtheorem{conclusion}[theorem]{Conclusion}
```

```

% PT1guide.tex
% for the suite of standard Cambridge designs
% 2010/12/02, v1.20

\NeedsTeXFormat{LaTeX2e}[1996/06/01]

% \documentclass[multi]{PT1} % multi-contributor option
% \documentclass[prodtf]{PT1} % production option (used to produce PT1guide.pdf);
%                               % can only be used if you have the Adobe Myriad Pro
%                               % condensed font

\documentclass{PT1}
\usepackage{natbib}
\usepackage[figuresright]{rotating}
\usepackage{floatpag}
\rotfloatpagestyle{empty}

% \usepackage{amsmath}          % if you are using this package,
%                               % it must be loaded before amsthm.sty
\usepackage{amsthm}

% \usepackage{txfonts}          % times font (used to produce PT1guide.pdf)

% indexes
% uncomment the relevant set of commands

% for a single index
% \usepackage{makeidx}
% \makeindex

% for multiple indexes using multind.sty
\usepackage{multind}\ProvidesPackage{multind}
\makeindex{authors}
\makeindex{subject}

% for multiple indexes using index.sty
% \usepackage{index}
% \newindex{aut}{adx}{and}{Author index}
% \makeindex

\newcommand\cambridge{PT1}

% see chapter 3 for details
\theoremstyle{plain}% default
\newtheorem{theorem}{Theorem}[chapter]
\newtheorem{lemma}[theorem]{Lemma}
\newtheorem*{corollary}{Corollary}

```

```

\theoremstyle{definition}
\newtheorem{definition}[theorem]{Definition}
\newtheorem{condition}[theorem]{Condition}
\newtheorem{example-norules}[theorem]{Example}%

\theoremstyle{remark}
\newtheorem*{remark}{Remark}
\newtheorem*{case}{Case}

\hyphenation{line-break line-breaks docu-ment tri-angle cam-bridge
amsthdoc cambridgemods baseline-skip author authors
cambridgestyle en-vir-on-ment polar astron-omers solu-tion}

\setcounter{tocdepth}{2}    % the toc normally lists sections; for the purposes of
                           % this document, this has been extended to subsections

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%

% \includeonly{chap2}

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%

\begin{document}

\title[Subtitle, If You Have One]
{\LaTeXeintitle\ Guide for Authors using~the~\cambridge~Design}

\author{Ali Woollatt}

\details{This guide was compiled using \cambridge.cls \version\\[\baselineskip]
The latest version can be downloaded from:
https://authornet.cambridge.org/information/productionguide/
LaTeX\_files/\cambridge.zip}

\frontmatter
\maketitle
\tableofcontents
\listoffigures
\listoftables
\listoffloatingboxes
\listofcontributors

\mainmatter
\partquote{I have called this principle, by which each slight variation,
if useful, is preserved, by the term of Natural Selection.}{Charles Darwin}
\label{partquote}
\part{Getting started}
\include{chap1}% introduction
\include{chap2}% features of the \cambridge\ class file
\include{chap3}% mathematical solutions

\addtocontents{toc}{\protect\pagebreak}
\part{Closing features}
\include{chap4}% references and bibliographies
\include{chap5}% single and multiple indexes

```

```
\backmatter
% if you only have one appendix, use \oneappendix instead of \appendix

\appendix
\include{appendixA}
\include{appendixB}
\include{appendixC}
\endappendix

% insert a blank line to the toc list
\addtocontents{toc}{\vspace{\baselineskip}}
\theendnotes

% \renewcommand{\refname}{Bibliography}% if you prefer this heading
\bibliography{percolation}\label{refs}
\bibliographystyle{cambridgeauthordate}

\cleardoublepage

% indexes

% for a single index
% \printindex

% for multiple indexes using multind.sty
\printindex{authors}{Author index}
\printindex{subject}{Subject index}

% for multiple indexes using index.sty
% \printindex[aut]
% \printindex

\end{document}
```

Notes

Chapter 2

1 Lewis Fry Richardson (1881–1953).

References

- Aizenman, M., and Barsky, D. J. 1987. Sharpness of the phase transition in percolation models. *Comm. Math. Phys.*, **108**, 489–526.
- Hammersley, J. M. 1957. Percolation processes: Lower bounds for the critical probability. *Ann. Math. Statist.*, **28**, 790–795.
- Hammersley, J. M. 1961. Comparison of atom and bond percolation processes. *J. Mathematical Phys.*, **2**, 728–733.
- Hammersley, J. M., and Mazzarino, G. 1994. Properties of large Eden clusters in the plane. *Combin. Probab. Comput.*, **3**, 471–505.
- Kesten, H. 1990. Asymptotics in high dimensions for percolation. Pages 219–240 of: Grimmett, G. R., and Welsh, D. J. A. (eds), *Disorder in Physical Systems: A Volume in Honour of John Hammersley*. Oxford University Press.
- Menshikov, M. V. 1985. Estimates for percolation thresholds for lattices in \mathbf{R}^n . *Dokl. Akad. Nauk SSSR*, **284**, 36–39.
- Menshikov, M. V., Molchanov, S. A., and Sidorenko, A. F. 1986. Percolation theory and some applications. Pages 53–110 of: *Probability theory. Mathematical statistics. Theoretical cybernetics, Vol. 24 (Russian)*. Akad. Nauk SSSR Vsesoyuz. Inst. Nauchn. i Tekhn. Inform. Translated in *J. Soviet Math.* **42** (1988), no. 4, 1766–1810.
- Vyssotsky, V. A., Gordon, S. B., Frisch, H. L., and Hammersley, J. M. 1961. Critical percolation probabilities (bond problem). *Phys. Rev.*, **123**, 1566–1567.

Author index

Peterson, K., 40
Tranah, D.A., 40
Young, P.D.F., 40

Subject index

diffraction, 40
force
 hydrodynamic, 40
 interactive, 40