

## Tables (6)

| Name            | Type         | Schema                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>chapter</b>  |              | CREATE TABLE chapter (<br>id INTEGER NOT NULL,<br>name VARCHAR(100) NOT<br>NULL, description TEXT,<br>subject_id INTEGER NOT<br>NULL, subject_name<br>VARCHAR(100) NOT NULL,<br>PRIMARY KEY (id),<br>FOREIGN KEY(subject_id)<br>REFERENCES subject (id)<br>)                                                                                                                        |
| id              | INTEGER      | "id" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                                                               |
| name            | VARCHAR(100) | "name" VARCHAR(100) NOT<br>NULL                                                                                                                                                                                                                                                                                                                                                     |
| description     | TEXT         | "description" TEXT                                                                                                                                                                                                                                                                                                                                                                  |
| subject_id      | INTEGER      | "subject_id" INTEGER NOT<br>NULL                                                                                                                                                                                                                                                                                                                                                    |
| subject_name    | VARCHAR(100) | "subject_name"<br>VARCHAR(100) NOT NULL                                                                                                                                                                                                                                                                                                                                             |
| <b>question</b> |              | CREATE TABLE question (<br>id INTEGER NOT NULL,<br>quiz_id INTEGER NOT<br>NULL, chapter_id<br>INTEGER NOT NULL, marks<br>INTEGER NOT NULL,<br>question_statement TEXT<br>NOT NULL, option1<br>VARCHAR(200) NOT NULL,<br>option2 VARCHAR(200)<br>NOT NULL, option3<br>VARCHAR(200) NOT NULL,<br>option4 VARCHAR(200)<br>NOT NULL,<br>correct_option INTEGER<br>NOT NULL, PRIMARY KEY |

| Name               | Type         | Schema                                                                                                                                                                                                                                                                                                                                        |
|--------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    |              | (id), FOREIGN<br>KEY(quiz_id) REFERENCES<br>quiz (id) )                                                                                                                                                                                                                                                                                       |
| id                 | INTEGER      | "id" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                         |
| quiz_id            | INTEGER      | "quiz_id" INTEGER NOT<br>NULL                                                                                                                                                                                                                                                                                                                 |
| chapter_id         | INTEGER      | "chapter_id" INTEGER NOT<br>NULL                                                                                                                                                                                                                                                                                                              |
| marks              | INTEGER      | "marks" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                      |
| question_statement | TEXT         | "question_statement" TEXT<br>NOT NULL                                                                                                                                                                                                                                                                                                         |
| option1            | VARCHAR(200) | "option1" VARCHAR(200)<br>NOT NULL                                                                                                                                                                                                                                                                                                            |
| option2            | VARCHAR(200) | "option2" VARCHAR(200)<br>NOT NULL                                                                                                                                                                                                                                                                                                            |
| option3            | VARCHAR(200) | "option3" VARCHAR(200)<br>NOT NULL                                                                                                                                                                                                                                                                                                            |
| option4            | VARCHAR(200) | "option4" VARCHAR(200)<br>NOT NULL                                                                                                                                                                                                                                                                                                            |
| correct_option     | INTEGER      | "correct_option" INTEGER<br>NOT NULL                                                                                                                                                                                                                                                                                                          |
| <b>quiz</b>        |              | CREATE TABLE quiz ( id<br>INTEGER NOT NULL, name<br>VARCHAR(100) NOT NULL,<br>chapter_id INTEGER NOT<br>NULL, chapter_name<br>VARCHAR(100),<br>subject_name<br>VARCHAR(100) NOT NULL,<br>date_of_quiz DATETIME,<br>time_duration<br>VARCHAR(10), remarks<br>TEXT, total_ques<br>INTEGER, total_marks<br>INTEGER, PRIMARY KEY<br>(id), FOREIGN |

| Name          | Type         | Schema                                                                                                                                                                                                                                                                                                                                       |
|---------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               |              | KEY(chapter_id)<br>REFERENCES chapter (id)<br>)                                                                                                                                                                                                                                                                                              |
| id            | INTEGER      | "id" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                        |
| name          | VARCHAR(100) | "name" VARCHAR(100) NOT NULL                                                                                                                                                                                                                                                                                                                 |
| chapter_id    | INTEGER      | "chapter_id" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                |
| chapter_name  | VARCHAR(100) | "chapter_name"<br>VARCHAR(100)                                                                                                                                                                                                                                                                                                               |
| subject_name  | VARCHAR(100) | "subject_name"<br>VARCHAR(100) NOT NULL                                                                                                                                                                                                                                                                                                      |
| date_of_quiz  | DATETIME     | "date_of_quiz" DATETIME                                                                                                                                                                                                                                                                                                                      |
| time_duration | VARCHAR(10)  | "time_duration"<br>VARCHAR(10)                                                                                                                                                                                                                                                                                                               |
| remarks       | TEXT         | "remarks" TEXT                                                                                                                                                                                                                                                                                                                               |
| total_ques    | INTEGER      | "total_ques" INTEGER                                                                                                                                                                                                                                                                                                                         |
| total_marks   | INTEGER      | "total_marks" INTEGER                                                                                                                                                                                                                                                                                                                        |
| <b>score</b>  |              | CREATE TABLE score ( id<br>INTEGER NOT NULL,<br>quiz_id INTEGER NOT<br>NULL, chapter_id<br>INTEGER NOT NULL,<br>user_id INTEGER NOT<br>NULL,<br>time_stamp_of_attempt<br>DATETIME, total_scored<br>INTEGER NOT NULL,<br>PRIMARY KEY (id),<br>FOREIGN KEY(quiz_id)<br>REFERENCES quiz (id),<br>FOREIGN KEY(user_id)<br>REFERENCES user (id) ) |
| id            | INTEGER      | "id" INTEGER NOT NULL                                                                                                                                                                                                                                                                                                                        |
| quiz_id       | INTEGER      | "quiz_id" INTEGER NOT                                                                                                                                                                                                                                                                                                                        |

| Name                  | Type         | Schema                                                                                                                                                                                                          |
|-----------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       |              | NULL                                                                                                                                                                                                            |
| chapter_id            | INTEGER      | "chapter_id" INTEGER NOT NULL                                                                                                                                                                                   |
| user_id               | INTEGER      | "user_id" INTEGER NOT NULL                                                                                                                                                                                      |
| time_stamp_of_attempt | DATETIME     | "time_stamp_of_attempt" DATETIME                                                                                                                                                                                |
| total_scored          | INTEGER      | "total_scored" INTEGER NOT NULL                                                                                                                                                                                 |
| <b>subject</b>        |              | CREATE TABLE subject ( id INTEGER NOT NULL, name VARCHAR(100) NOT NULL, description TEXT, PRIMARY KEY (id), UNIQUE (name) )                                                                                     |
| id                    | INTEGER      | "id" INTEGER NOT NULL                                                                                                                                                                                           |
| name                  | VARCHAR(100) | "name" VARCHAR(100) NOT NULL                                                                                                                                                                                    |
| description           | TEXT         | "description" TEXT                                                                                                                                                                                              |
| <b>user</b>           |              | CREATE TABLE user ( id INTEGER NOT NULL, full_name VARCHAR(100) NOT NULL, email VARCHAR(120) NOT NULL, password VARCHAR(255) NOT NULL, qualification VARCHAR(100), dob DATE, PRIMARY KEY (id), UNIQUE (email) ) |
| id                    | INTEGER      | "id" INTEGER NOT NULL                                                                                                                                                                                           |
| full_name             | VARCHAR(100) | "full_name" VARCHAR(100) NOT NULL                                                                                                                                                                               |
| email                 | VARCHAR(120) | "email" VARCHAR(120) NOT NULL                                                                                                                                                                                   |
| password              | VARCHAR(255) | "password" VARCHAR(255)                                                                                                                                                                                         |

| Name          | Type         | Schema                          |
|---------------|--------------|---------------------------------|
|               |              | NOT NULL                        |
| qualification | VARCHAR(100) | "qualification"<br>VARCHAR(100) |
| dob           | DATE         | "dob" DATE                      |

## Indices (0)

| Name | Type | Schema |
|------|------|--------|
|------|------|--------|

## Views (0)

| Name | Type | Schema |
|------|------|--------|
|------|------|--------|

## Triggers (0)

| Name | Type | Schema |
|------|------|--------|
|------|------|--------|