

```

import { useState, useEffect, useRef } from "react";

// ——— INITIAL DATA ———
const OWNER_PASSWORD = "vault2026";
const WHATSAPP_NUMBER = "50912345678"; // ← Ton numéro WhatsApp

const INITIAL_PRODUCTS = [
  { id: 1, name: "Chemise Classique Blanche", category: "Homme", price: 2800, img: "" },
  { id: 2, name: "Robe Midi Dorée", category: "Femme", price: 4500, img: "", stock: 10 },
  { id: 3, name: "Blazer Noir Structuré", category: "Homme", price: 7200, img: "" },
  { id: 4, name: "Ensemble Deux Pièces", category: "Femme", price: 5800, img: "" },
  { id: 5, name: "Pantalon Droit Élégant", category: "Homme", price: 3200, img: "" },
  { id: 6, name: "Robe de Soirée", category: "Femme", price: 8500, img: "", stock: 5 }
];

// ——— STYLES ———
const G = {
  black: "#0a0a0a", deep: "#111", card: "#161616", gold: "#c9a84c",
  goldLight: "#e2c97e", white: "#f5f0e8", muted: "#888", border: "rgba(201,168,76,0.2)",
  red: "#e05252", green: "#52e09c",
};

const css = {
  btn: (bg = G.gold, color = G.black) => ({
    background: bg, color, border: "none", padding: "11px 28px",
    fontFamily: "'Montserrat', sans-serif", fontSize: "0.62rem", fontWeight: 700,
    letterSpacing: "0.22em", textTransform: "uppercase", cursor: "pointer",
    transition: "all .25s", display: "inline-flex", alignItems: "center", gap: 8,
  })),
  outlineBtn: { background: "transparent", color: G.white, border: `1px solid ${G.border}` },
  input: { width: "100%", background: G.black, border: `1px solid ${G.border}` },
  label: { display: "block", fontSize: "0.58rem", letterSpacing: "0.22em", textTransform: "uppercase" },
  card: { background: G.card, border: `1px solid ${G.border}`, padding: 24 },
};

// ——— FONTS ———
const FontLink = () => (
  <style>{`
    @import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:ital*{box-sizing:border-box;margin:0;padding:0}
    body{background:${G.black};color:${G.white};font-family:'Montserrat',sans-serif;
    ::-webkit-scrollbar{width:4px} ::-webkit-scrollbar-track{background:${G.deep}
    input::placeholder{color:${G.muted}}
    @keyframes fadeUp{from{opacity:0;transform:translateY(24px)}to{opacity:1;transform:translateY(0)}}
  `}

```

```

    @keyframes fadeIn{from{opacity:0}to{opacity:1}}
    @keyframes pulse{0%,100%{opacity:.4}50%{opacity:1}}
    @keyframes slideIn{from{transform:translateX(100%)}to{transform:translateX(0)}}
    @keyframes marquee{from{transform:translateX(0)}to{transform:translateX(-50%)}}
    .fadeUp{animation:fadeUp .7s ease forwards}
    .fadeIn{animation:fadeIn .4s ease forwards}
    .hover-gold:hover{color:${G.gold}!important;border-color:${G.gold}!important}
    .hover-scale:hover{transform:scale(1.03)}
    .product-card:hover .overlay{opacity:1!important}
    .product-card:hover .pimg{transform:scale(1.05)}
  `}</style>
);

// ——— UTILS —————
const fmt = n => n.toLocaleString("fr-HT") + " HTG";
const uid = () => Date.now() + Math.random().toString(36).slice(2, 6);
const statusColor = s => ({ "Nouveau": G.gold, "En préparation": "#f0a500", "Livr

// ——— NOTIFICATION —————
function Notif({ msg, onDone }) {
  useEffect(() => { const t = setTimeout(onDone, 3000); return () => clearTimeout
  return (
    <div style={{ position: "fixed", bottom: 32, left: "50%", transform: "transla
      {msg}
    </div>
  );
}

// ——— PRODUCT PLACEHOLDER —————
function ImgPlaceholder() {
  return (
    <div style={{ width: "100%", aspectRatio: "3/4", background: `linear-gradient
      <span style={{ fontSize: "2.5rem", opacity: 0.15 }}><img alt="t-shirt icon" data-bbox="675 660 695 675"/></span>
      <span style={{ fontSize: "0.55rem", letterSpacing: "0.2em", textTransform:
    </div>
  );
}

// ——— CART DRAWER —————
function CartDrawer({ cart, open, onClose, onQty, onRemove, onCheckout }) {
  const total = cart.reduce((s, i) => s + i.price * i.qty, 0);
  return (
    <>
      {open && <div onClick={onClose} style={{ position: "fixed", inset: 0, backg
      <div style={{ position: "fixed", top: 0, right: open ? 0 : -440, width: 400
        <div style={{ display: "flex", justifyContent: "space-between", alignItem
          <span style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "1.8re

```

```

        <button onClick={onClose} style={{ background: "none", border: "none",
    </div>
    <div style={{ flex: 1, overflowY: "auto" }}>
        {cart.length === 0
            ? <div style={{ textAlign: "center", paddingTop: 60, color: G.muted,
              : cart.map(item => (
                <div key={item.id} style={{ display: "flex", gap: 14, padding: "18p
                  <div style={{ width: 68, height: 84, background: G.card, border:
                    <div style={{ flex: 1 }}>
                      <div style={{ fontFamily: "Cormorant Garamond,serif", fontSize:
                        <div style={{ color: G.gold, fontSize: "0.75rem", marginBottom:
                          <div style={{ display: "flex", alignItems: "center", gap: 10 }}
                            <button onClick={() => onQty(item.id, -1)} style={{ ...css.bt
                              <span style={{ fontSize: "0.85rem", minWidth: 20, textAlign:
                                <button onClick={() => onQty(item.id, 1)} style={{ ...css.btn
                                  </div>
                                </div>
                              <button onClick={() => onRemove(item.id)} style={{ background: "n
                                </div>
                              ))
                            }
                        </div>
                    {cart.length > 0 && (
                      <div style={{ paddingTop: 20, borderTop: `1px solid ${G.border}` }}>
                        <div style={{ display: "flex", justifyContent: "space-between", margi
                          <span style={{ fontSize: "0.62rem", letterSpacing: "0.2em", textTra
                            <span style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "1
                              </div>
                            <button onClick={onCheckout} style={{ ...css.btn(), width: "100%", ju
                              🛒 Commander via WhatsApp
                            </button>
                          </div>
                        </div>
                      ))
                    </div>
                  </>
                );
              }
            }

```

```

// ——— CHECKOUT MODAL —————
function CheckoutModal({ cart, onClose, onConfirm }) {
  const [name, setName] = useState("");
  const [phone, setPhone] = useState("");
  const [address, setAddress] = useState("");
  const total = cart.reduce((s, i) => s + i.price * i.qty, 0);

  const submit = () => {
    if (!name || !phone) return alert("Veuillez entrer votre nom et téléphone.");

```

```

    onConfirm({ name, phone, address, cart: [...cart], total, id: uid(), status:
    onClose();
  });

return (
  <div style={{ position: "fixed", inset: 0, background: "rgba(0,0,0,.8)", zIndex:
    <div style={{ background: G.deep, border: `1px solid ${G.border}`, padding:
      <div style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "1.8rem",
        <div style={{ marginBottom: 16 }}>
          <label style={css.label}>Votre nom *</label>
          <input style={css.input} value={name} onChange={e => setName(e.target.v
        </div>
        <div style={{ marginBottom: 16 }}>
          <label style={css.label}>Téléphone / WhatsApp *</label>
          <input style={css.input} value={phone} onChange={e => setPhone(e.target
        </div>
        <div style={{ marginBottom: 28 }}>
          <label style={css.label}>Adresse de livraison</label>
          <input style={css.input} value={address} onChange={e => setAddress(e.ta
        </div>
        <div style={{ background: G.card, padding: "14px 18px", marginBottom: 24,
          {cart.map(i => <div key={i.id} style={{ display: "flex", justifyContent
            <span>{i.name} × {i.qty}</span><span style={{ color: G.white }}>{fmt(
            </div>)}
          <div style={{ borderTop: `1px solid ${G.border}`, marginTop: 10, paddin
            <span style={{ fontSize: "0.62rem", letterSpacing: "0.18em", textTran
            <span style={{ color: G.gold, fontFamily: "Cormorant Garamond,serif",
            </div>
          </div>
          <div style={{ display: "flex", gap: 12 }}>
            <button onClick={onClose} style={{ ...css.outlineBtn, flex: 1, justifyC
            <button onClick={submit} style={{ ...css.btn(), flex: 1, justifyContent
            </div>
          </div>
        </div>
      </div>
    );
  }

// — OWNER LOGIN —————
function OwnerLogin({ onLogin }) {
  const [pw, setPw] = useState("");
  const [err, setErr] = useState(false);
  const submit = () => {
    if (pw === OWNER_PASSWORD) { onLogin(); setErr(false); }
    else setErr(true);
  };
  return (

```

```

<div style={{ minHeight: "100vh", background: G.black, display: "flex", align
  <div style={{ ...css.card, width: 380, textAlign: "center" }}>
    <div style={{ fontFamily: "Cormorant Garamond, serif", fontSize: "2.5rem",
    <div style={{ fontSize: "0.6rem", letterSpacing: "0.25em", textTransform:
    <label style={css.label}>Mot de passe</label>
    <input type="password" style={{ ...css.input, marginBottom: 20, textAlign
    {err && <div style={{ color: G.red, fontSize: "0.72rem", marginBottom: 12
    <button onClick={submit} style={{ ...css.btn(), width: "100%", justifyCon
    <div style={{ marginTop: 16, fontSize: "0.6rem", color: G.muted }}>Mot de
    </div>
  </div>
);
}

```

```

// — OWNER DASHBOARD —————
function OwnerDashboard({ products, orders, onBack, onSaveProducts, onUpdateOrder
  const [tab, setTab] = useState("orders");
  const [editProduct, setEditProduct] = useState(null);
  const [newP, setNewP] = useState({ name: "", category: "Homme", price: "", img:
  const [localSettings, setLocalSettings] = useState(settings);
  const [localProducts, setLocalProducts] = useState(products);

  const tabs = [
    { id: "orders", label: "📦 Commandes", count: orders.filter(o => o.status ===
    { id: "products", label: "🛒 Produits" },
    { id: "settings", label: "⚙️ Réglages" },
  ];

  const revenue = orders.filter(o => o.status === "Livré").reduce((s, o) => s + o

  const addProduct = () => {
    if (!newP.name || !newP.price) return;
    const updated = [...localProducts, { ...newP, id: uid(), price: parseInt(newP
    setLocalProducts(updated);
    onSaveProducts(updated);
    setNewP({ name: "", category: "Homme", price: "", img: "", stock: "", active:
  };

  const deleteProduct = (id) => {
    const updated = localProducts.filter(p => p.id !== id);
    setLocalProducts(updated);
    onSaveProducts(updated);
  };

  const toggleActive = (id) => {
    const updated = localProducts.map(p => p.id === id ? { ...p, active: !p.activ
    setLocalProducts(updated);
  };

```

```

    onSaveProducts(updated);
  };

const saveEdit = () => {
  const updated = localProducts.map(p => p.id === editProduct.id ? editProduct
    setLocalProducts(updated);
    onSaveProducts(updated);
    setEditProduct(null);
  };

return (
  <div style={{ minHeight: "100vh", background: G.black }}>
    { /* Header */ }
    <div style={{ background: G.deep, borderBottom: `1px solid ${G.border}`, pa
      <div style={{ display: "flex", alignItems: "center", gap: 20 }}>
        <span style={{ fontFamily: "Cormorant Garamond, serif", fontSize: "1.6re
          <span style={{ fontSize: "0.6rem", letterSpacing: "0.2em", textTransfor
        </div>
        <button onClick={onBack} style={{ ...css.outlineBtn, fontSize: "0.6rem" }
      </div>

    { /* Stats */ }
    <div style={{ display: "grid", gridTemplateColumns: "repeat(4,1fr)", gap: 1
      {[
        { label: "Commandes totales", value: orders.length, icon: "📦" },
        { label: "Nouvelles commandes", value: orders.filter(o => o.status ===
        { label: "Produits actifs", value: localProducts.filter(p => p.active).
        { label: "Revenu livré", value: fmt(revenue), icon: "💰", color: G.gree
      ].map((s, i) => (
        <div key={i} style={{ background: G.deep, padding: "28px 24px" }}>
          <div style={{ fontSize: "1.4rem", marginBottom: 10 }}>{s.icon}</div>
          <div style={{ fontFamily: "Cormorant Garamond, serif", fontSize: "1.9r
          <div style={{ fontSize: "0.58rem", letterSpacing: "0.18em", textTrans
          </div>
        </div>
      )))
    </div>

    { /* Tabs */ }
    <div style={{ display: "flex", borderBottom: `1px solid ${G.border}`, paddi
      {tabs.map(t => (
        <button key={t.id} onClick={() => setTab(t.id)} style={{ background: "n
          {t.label}
          {t.count > 0 && <span style={{ background: G.gold, color: G.black, bo
        </button>
      )))
    </div>

```

```

<div style={{ padding: 32 }}>

  { /* — ORDERS TAB — */ }
  { tab === "orders" && (
    <div>
      <div style={{ fontFamily: "Cormorant Garamond, serif", fontSize: "1.8r
        {orders.length === 0
          ? <div style={{ ...css.card, textAlign: "center", padding: 60, colo
            : orders.slice().reverse().map(order => (
              <div key={order.id} style={{ ...css.card, marginBottom: 16 }} cla
                <div style={{ display: "flex", justifyContent: "space-between",
                  <div>
                    <div style={{ display: "flex", alignItems: "center", gap: 1
                      <span style={{ fontFamily: "Cormorant Garamond, serif", fo
                        <span style={{ background: statusColor(order.status) + "2
                      </div>
                    <div style={{ fontSize: "0.72rem", color: G.muted, marginBo
                    <div style={{ fontSize: "0.62rem", color: G.muted }}>📄 {or
                  </div>
                <div style={{ textAlign: "right" }}>
                  <div style={{ fontFamily: "Cormorant Garamond, serif", fontS
                    <select value={order.status} onChange={e => onUpdateOrder(o
                      style={{ background: G.black, color: G.white, border: `1px
                        [{"Nouveau", "En préparation", "Livré", "Annulé"].map(s =
                      </select>
                    </div>
                  </div>
                </div>
              <div style={{ marginTop: 14, paddingTop: 14, borderTop: `1px so
                {order.cart.map((item, i) => (
                  <span key={i} style={{ background: G.black, border: `1px so
                    {item.name} ×{item.qty}
                  </span>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    )}
  )
}
</div>
)}

  { /* — PRODUCTS TAB — */ }

```

```

{tab === "products" && (
  <div>
    <div style={{ fontFamily: "Cormorant Garamond, serif", fontSize: "1.8r

    {/* Add Product Form */}
    <div style={{ ...css.card, marginBottom: 32 }}>
      <div style={{ fontSize: "0.62rem", letterSpacing: "0.25em", textTra
      <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fi
        <div>
          <label style={css.label}>Nom du produit *</label>
          <input style={css.input} value={newP.name} onChange={e => setNe
        </div>
        <div>
          <label style={css.label}>Catégorie *</label>
          <select style={{ ...css.input }} value={newP.category} onChange
            <option>Homme</option><option>Femme</option><option>Accessoir
          </select>
        </div>
        <div>
          <label style={css.label}>Prix (HTG) *</label>
          <input style={css.input} type="number" value={newP.price} onCha
        </div>
        <div>
          <label style={css.label}>Stock</label>
          <input style={css.input} type="number" value={newP.stock} onCha
        </div>
      </div>
      <div style={{ marginBottom: 20 }}>
        <label style={css.label}>URL Image (lien photo)</label>
        <input style={css.input} value={newP.img} onChange={e => setNewP(
      </div>
      <button onClick={addProduct} style={css.btn()}>+ Ajouter au catalog
    </div>

    {/* Product List */}
    <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fill
      {localProducts.map(p => (
        <div key={p.id} style={{ ...css.card, opacity: p.active ? 1 : 0.5
          {editProduct?.id === p.id ? (
            <div>
              <div style={{ fontSize: "0.6rem", color: G.gold, letterSpac
                {[["name", "Nom"], ["price", "Prix HTG"], ["stock", "Stock"],
                  <div key={k} style={{ marginBottom: 10 }}>
                    <label style={css.label}>{l}</label>
                    <input style={css.input} value={editProduct[k]} onChang
                  </div>
                </div>
              )))
            )})

```

```

        <div style={{ display: "flex", gap: 8, marginTop: 14 }}>
          <button onClick={saveEdit} style={css.btn()}>Sauvegarder<
          <button onClick={() => setEditProduct(null)} style={css.o
        </div>
      </div>
    ) : (
      <>
        <div style={{ fontFamily: "Cormorant Garamond,serif", fontS
        <div style={{ fontSize: "0.62rem", color: G.muted, letterSp
        <div style={{ display: "flex", justifyContent: "space-betwe
          <span style={{ color: G.gold, fontSize: "0.9rem" }}>{fmt(
          <span style={{ fontSize: "0.65rem", color: p.stock < 3 ?
        </div>
        <div style={{ display: "flex", gap: 8, flexWrap: "wrap" }}>
          <button onClick={() => setEditProduct({ ...p })} style={{
          <button onClick={() => toggleActive(p.id)} style={{ ...cs
          <button onClick={() => deleteProduct(p.id)} style={{ ...c
        </div>
      </>
    )}
  </div>
  )}}
</div>
  )}}
</div>
  )}

{/* — SETTINGS TAB — */}
{tab === "settings" && (
  <div style={{ maxWidth: 560 }}>
    <div style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "1.8r
    <div style={css.card}>
      {[
        { key: "storeName", label: "Nom de la boutique", placeholder: "VA
        { key: "whatsapp", label: "Numéro WhatsApp (avec indicatif)", pla
        { key: "location", label: "Ville / Localisation", placeholder: "P
        { key: "email", label: "Email de contact", placeholder: "info@vau
        { key: "tagline", label: "Slogan de la boutique", placeholder: "M
        { key: "currency", label: "Devise affichée", placeholder: "HTG" }
        { key: "password", label: "Nouveau mot de passe propriétaire", pl
      ].map(({ key, label, placeholder }) => (
        <div key={key} style={{ marginBottom: 20 }}>
          <label style={css.label}>{label}</label>
          <input style={css.input} value={localSettings[key] || ""} onCha
        </div>
      ))}
      <button onClick={() => onSaveSettings(localSettings)} style={{ ...c
    </div>
  )}

```

```

        </div>
      )}
    </div>
  </div>
);
}

// — STOREFRONT —————
function Storefront({ products, orders, onAddToCart, cart, settings, onOwnerMode
  const [filter, setFilter] = useState("Tout");
  const categories = ["Tout", ...new Set(products.map(p => p.category))];
  const visible = products.filter(p => p.active && (filter === "Tout" || p.catego

  return (
    <div style={{ background: G.black, minHeight: "100vh" }}>
      <style>{`
        @import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:
        .pcard:hover .pimg-wrap{transform:scale(1.04)} .pcard .pover{opacity:0;tr
        .nav-link:hover{color:${G.gold}!important}
        @keyframes marq{from{transform:translateX(0)}to{transform:translateX(-50%
      `}</style>

      {/* NAV */}
      <nav style={{ position: "fixed", top: 0, left: 0, right: 0, zIndex: 100, di
        <span style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "1.8rem"
          <div style={{ display: "flex", gap: 32 }}>
            {categories.map(c => (
              <button key={c} onClick={() => setFilter(c)} className="nav-link" sty
            )}}
          </div>
          <div style={{ display: "flex", gap: 16, alignItems: "center" }}>
            <button onClick={onOwnerMode} style={{ background: "none", border: `1px
            <button onClick={() => onAddToCart(null)} style={{ ...css.btn(), paddin
              🛒 Panier ({cart.reduce((s, i) => s + i.qty, 0)})
            </button>
          </div>
        </nav>

      {/* HERO */}
      <div style={{ height: "100vh", display: "flex", flexDirection: "column", ju
        <div style={{ position: "absolute", inset: 0, background: "radial-gradien
          <div style={{ width: 1, height: 72, background: `linear-gradient(to botto
            <p style={{ fontSize: "0.62rem", letterSpacing: "0.35em", textTransform:
            <h1 style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "clamp(4re
              Mode<br /><em style={{ fontStyle: "italic", color: G.gold }}>Raffinée</
            </h1>
            <p style={{ marginTop: 24, fontSize: "0.75rem", letterSpacing: "0.12em",

```

```

    {settings.tagline || "Pièces sélectionnées avec soin. Élégance sans com
  </p>
  <div style={{ marginTop: 44, display: "flex", gap: 14, animation: "fadeUp
    <a href="#collection" style={{ ...css.btn(), textDecoration: "none" }}>
  </div>
</div>

{/* MARQUEE */}
<div style={{ overflow: "hidden", borderTop: `1px solid ${G.border}`, borde
  <div style={{ display: "flex", width: "max-content", animation: "marq 22s
    [...Array(2)].map((_, j) => (
      <div key={j} style={{ display: "flex", alignItems: "center", gap: 36,
        [{"Nouvelle Collection", "Livraison Haïti", "Qualité Premium", "Mod
          <span key={i} style={{ display: "flex", alignItems: "center", gap
            )}}
        </div>
      )}}
    </div>
  </div>

{/* PRODUCTS */}
<section id="collection" style={{ padding: "80px 48px" }}>
  <p style={{ fontSize: "0.58rem", letterSpacing: "0.38em", textTransform:
  <h2 style={{ fontFamily: "Cormorant Garamond, serif", fontSize: "clamp(2.5
    Nos Pièces <em style={{ fontStyle: "italic", color: G.gold }}>Signature
  </h2>
  {visible.length === 0
    ? <div style={{ textAlign: "center", padding: 80, color: G.muted }}>Auc
    : <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fill
      {visible.map(p => (
        <div key={p.id} className="pcard" style={{ background: G.card, curs
          <div style={{ position: "relative", overflow: "hidden" }}>
            <div className="pimg-wrap" style={{ transition: "transform .55s
              {p.img
                ? <img src={p.img} alt={p.name} style={{ width: "100%", asp
                  : <div style={{ width: "100%", aspectRatio: "3/4", backgrou
                    <span style={{ fontSize: "2.5rem", opacity: 0.15 }}>👕</s
                    <span style={{ fontSize: "0.55rem", letterSpacing: "0.2em
                  </div>
                }
              </div>
            <div className="pover" style={{ position: "absolute", inset: 0,
              <button onClick={() => onAddToCart(p)} style={{ ...css.btn(),
            </div>
            {p.stock > 0 && p.stock < 4 && <div style={{ position: "absolut
          </div>
          <div style={{ padding: "18px 20px", borderTop: `1px solid ${G.bor

```

```

        <div style={{ fontSize: "0.58rem", letterSpacing: "0.18em", tex
        <div style={{ fontFamily: "Cormorant Garamond,serif", fontSize:
        <div style={{ display: "flex", justifyContent: "space-between",
            <span style={{ color: G.gold, fontSize: "0.88rem" }}>{fmt(p.p
            <button onClick={() => onAddToCart(p)} style={{ background: "
        </div>
    </div>
</div>
    )))
</div>
}
</section>

```

```

{ /* FEATURES */ }

```

```

<div style={{ display: "grid", gridTemplateColumns: "repeat(3,1fr)", gap: 1
    [[
        { icon: "🚚", title: "Livraison Locale", desc: "Partout en Haïti – Port
        { icon: "✦", title: "Qualité Garantie", desc: "Chaque pièce sélectionné
        { icon: "📱", title: "Commande WhatsApp", desc: "Commandez facilement v
    ].map((f, i) => (
        <div key={i} style={{ background: G.deep, padding: "44px 36px", textAli
            <div style={{ fontSize: "1.8rem", marginBottom: 16 }}>{f.icon}</div>
            <div style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "1.3r
            <div style={{ fontSize: "0.72rem", color: G.muted, lineHeight: 1.8 }}
            </div>
        )))
    </div>

```

```

{ /* FOOTER */ }

```

```

<footer style={{ background: G.deep, borderTop: `1px solid ${G.border}`, pa
    <div style={{ display: "flex", justifyContent: "space-between", alignItem
        <div>
            <div style={{ fontFamily: "Cormorant Garamond,serif", fontSize: "2.2r
            <div style={{ fontSize: "0.7rem", color: G.muted, maxWidth: 260, line
            </div>
        </div>
        <div style={{ display: "flex", gap: 60 }}>
            [[
                { title: "Boutique", links: ["Collection", "Nouveautés", "Promotion
                { title: "Contact", links: [settings.email || "info@vault.ht", `Wha
            ].map((col, i) => (
                <div key={i}>
                    <div style={{ fontSize: "0.58rem", letterSpacing: "0.28em", textT
                        {col.links.map((l, j) => <div key={j} style={{ fontSize: "0.72rem
                    </div>
                )))
            </div>
        </div>
    </div>

```

```

        <div style={{ borderTop: `1px solid ${G.border}`, paddingTop: 24, display
          <span>© 2026 {settings.storeName || "VAULT"} – Tous droits réservés.</s
          <span>{settings.location || "Port-au-Prince, Haïti"}</span>
        </div>
      </footer>
    </div>
  );
}

// — APP —————
export default function App() {
  const [view, setView] = useState("store"); // store | ownerLogin | owner
  const [products, setProducts] = useState(INITIAL_PRODUCTS);
  const [orders, setOrders] = useState([]);
  const [cart, setCart] = useState([]);
  const [cartOpen, setCartOpen] = useState(false);
  const [checkoutOpen, setCheckoutOpen] = useState(false);
  const [notif, setNotif] = useState(null);
  const [settings, setSettings] = useState({ storeName: "VAULT", whatsapp: WHATSA

  const notify = msg => setNotif(msg);

  const handleAddToCart = (product) => {
    if (!product) { setCartOpen(true); return; }
    setCart(prev => {
      const ex = prev.find(i => i.id === product.id);
      if (ex) return prev.map(i => i.id === product.id ? { ...i, qty: i.qty + 1 }
      return [...prev, { ...product, qty: 1 }]);
    });
    notify(`${product.name} ajouté au panier ✓`);
  };

  const handleQty = (id, delta) => {
    setCart(prev => prev.map(i => i.id === id ? { ...i, qty: i.qty + delta } : i)
  };

  const handleRemove = (id) => setCart(prev => prev.filter(i => i.id !== id));

  const handleCheckout = () => { setCartOpen(false); setCheckoutOpen(true); };

  const handleConfirmOrder = (order) => {
    setOrders(prev => [...prev, order]);
    setCart([]);
    const msg = `🎁 Nouvelle commande VAULT !\n\n👤 ${order.name}\n📱 ${order.pho
    const url = `https://wa.me/${(settings.whatsapp || WHATSAPP_NUMBER).replace(/
    window.open(url, "_blank");
    notify("Commande envoyée ! Merci 🎉");
  };

```

```

};

const handleUpdateOrder = (id, status) => {
  setOrders(prev => prev.map(o => o.id === id ? { ...o, status } : o));
};

return (
  <>
    <FontLink />
    {notif && <Notif msg={notif} onDone={() => setNotif(null)} />}

    {view === "store" && (
      <>
        <Storefront
          products={products}
          orders={orders}
          cart={cart}
          settings={settings}
          onAddToCart={handleAddToCart}
          onOwnerMode={() => setView("ownerLogin")}
        />
        <CartDrawer
          cart={cart}
          open={cartOpen}
          onClose={() => setCartOpen(false)}
          onQty={handleQty}
          onRemove={handleRemove}
          onCheckout={handleCheckout}
        />
        {checkoutOpen && (
          <CheckoutModal
            cart={cart}
            onClose={() => setCheckoutOpen(false)}
            onConfirm={handleConfirmOrder}
          />
        )}
        <button
          onClick={() => setCartOpen(true)}
          style={{ position: "fixed", bottom: 28, right: 28, background: G.gold
        >
          
          {cart.reduce((s, i) => s + i.qty, 0) > 0 && (
            <span style={{ position: "absolute", top: -4, right: -4, background
              {cart.reduce((s, i) => s + i.qty, 0)}
            </span>
          )}
        </button>

```

```

        </>
    )}

    {view === "ownerLogin" && (
        <OwnerLogin onLogin={() => setView("owner")} />
    )}

    {view === "owner" && (
        <OwnerDashboard
            products={products}
            orders={orders}
            settings={settings}
            onBack={() => setView("store")}
            onSaveProducts={setProducts}
            onUpdateOrder={handleUpdateOrder}
            onSaveSettings={(s) => { setSettings(s); notify("Réglages sauvegardés ✓"
        />
    )}
    </>
    );
}

```