





## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### DOUBLE HIP RAISED PANEL SQUARE TOP



Note: All Stile  
and Rail  
Width  
Dimensions  
are face  
widths




### SIZE SPECIFICATIONS


Standard Door Heights	
80"	6/8
84"	7/0
96"	8/0

Standard Door	
Thickness	Width
1 3/8	1/6 - 3/0
1 3/4	1/6 - 4/0
20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"



1 3/8" Cross Section - 13/16" Panel




1 3/4" Cross Section - 1 1/8" Panel

### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel
TOP	Square Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS


### DOUBLE HIP RAISED PANEL ARCH TOP




### SIZE SPECIFICATIONS

Standard Door		Standard Door	
Heights		Thickness	Width
80"	6/8	1 3/8	1/6 - 3/0
84"	7/0	1 3/4	1/6 - 4/0
96"	8/0	20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"



1 3/8" Cross Section - 13/16" Panel




1 3/4" Cross Section - 1 1/8" Panel

### DOOR TYPE and MANUFACTURING SPECIFICATIONS


SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel
TOP	Arch Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### DOUBLE HIP RAISED PANEL SQUARE TOP 20 MIN FIRE



Note: All Stile and Rail Width Dimensions are face widths




### SIZE SPECIFICATIONS

Standard Door	
Heights	
80"	6/8
84"	7/0
96"	8/0

Standard Door	
Thickness	Width
20Min	2/6 - 3/0

Door	Stile Face
Width	Width
W	S
30" - 36"	4 1/2"



1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated


### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel
TOP	Square Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued


**RUGBY**  
Architectural Building Products

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### DOUBLE HIP RAISED PANEL ARCH TOP 20 MIN FIRE



Note: All  
Stile and Rail  
Width  
Dimensions  
are face  
widths




### SIZE SPECIFICATIONS

Standard Door	
Heights	
80"	6/8
84"	7/0
96"	8/0

Standard Door	
Thickness	Width
20Min	2/6 - 3/0

Door	Stile Face
Width	Width
W	S
30" - 36"	4 1/2"



1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated


### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel
TOP	Arch Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued




**RUGBY**  
Architectural Building Products

# THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

## SCOOP RAISED PANEL SQUARE TOP



Note: All Stile and Rail Width Dimensions are face widths




### SIZE SPECIFICATIONS


Standard Door	
Heights	
80"	6/8
84"	7/0
96"	8/0

Standard Door	
Thickness	Width
1 3/8	1/6 - 3/0
1 3/4	1/6 - 4/0
20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"




1 3/8" Cross Section - 13/16" Panel



1 3/4" Cross Section - 1 11/16" Panel

### FIRE DOOR DETAIL OVAL-O STICKING / 1-11/16" SCOOP PANEL





1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated

### DOOR TYPE and MANUFACTURING SPECIFICATIONS



SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Scoop Raised Panel
TOP	Square Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### SCOOP RAISED PANEL ARCH TOP




Note: All Stile and Rail Width Dimensions are face widths




### SIZE SPECIFICATIONS

Standard Door		Standard Door	
Heights		Thickness	Width
80"	6/8	1 3/8	1/6 - 3/0
84"	7/0	1 3/4	1/6 - 4/0
96"	8/0	20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"




1 3/8" Cross Section - 13/16" Panel



1 3/4" Cross Section - 1 11/16" Panel

### FIRE DOOR DETAIL OVAL-O STICKING / 1-11/16" SCOOP PANEL



1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated


### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Scoop Raised Panel
TOP	Arch Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued




**RUGBY**  
Architectural Building Products

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### DOUBLE HIP RAISED PANEL SQUARE TOP : V-GROOVE




Note: All  
Stile and Rail  
Width  
Dimensions  
are face  
widths




### SIZE SPECIFICATIONS

Standard Door		Standard Door	
Heights		Thickness	Width
80"	6/8	1 3/8	1/6 - 3/0
84"	7/0	1 3/4	1/6 - 4/0
96"	8/0	20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"



1 3/8" Cross Section - 13/16" Panel




1 3/4" Cross Section - 1 1/8" Panel

### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel : V-Groove
TOP	Square Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS


### DOUBLE HIP RAISED PANEL ARCH TOP : V-GROOVE




### SIZE SPECIFICATIONS

Standard Door		Standard Door	
Heights		Thickness	Width
80"	6/8	1 3/8	1/6 - 3/0
84"	7/0	1 3/4	1/6 - 4/0
96"	8/0	20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"



1 3/8" Cross Section - 13/16" Panel



1 3/4" Cross Section - 1 1/8" Panel

### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel : V-Groove
TOP	Arch Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued



## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS


DOUBLE HIP RAISED PANEL  
SQUARE TOP 20 MIN FIRE:  
V\_GROOVE

### SIZE SPECIFICATIONS



Standard Door	
Heights	
80"	6/8
84"	7/0
96"	8/0

Standard Door	
Thickness	Width
20Min	2/6 - 3/0

Door	Stile Face
Width	Width
W	S
30" - 36"	4 1/2"



Note: All Stile  
and Rail  
Width  
Dimensions  
are face  
widths



1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated

### DOOR TYPE and MANUFACTURING SPECIFICATIONS


SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel
TOP	Square Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued

**RUGBY**<sup>®</sup>  
Architectural Building Products


## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

DOUBLE HIP RAISED PANEL  
ARCH TOP 20 MIN FIRE:  
GROOVE

V-



Note: All  
Stile and Rail  
Width  
Dimensions  
are face  
widths




### SIZE SPECIFICATIONS

Standard Door	
Heights	
80"	6/8
84"	7/0
96"	8/0

Standard Door	
Thickness	Width
20Min	2/6 - 3/0

Door	Stile Face
Width	Width
W	S
30" - 36"	4 1/2"



1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated


### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Double Hip Raised Panel
TOP	Arch Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued




**RUGBY**  
Architectural Building Products

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### SCOOP RAISED PANEL SQUARE TOP : V-GROOVE




Note: All Stile and Rail Width Dimensions are face widths:




### SIZE SPECIFICATIONS

Standard Door		Standard Door	
Heights		Thickness	Width
80"	6/8	1 3/8	1/6 - 3/0
84"	7/0	1 3/4	1/6 - 4/0
96"	8/0	20Min	2/6 - 4/0

Door Width	Stile Face Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"




1 3/8" Cross Section - 13/16" Panel



1 3/4" Cross Section - 1 11/16" Panel

### FIRE DOOR DETAIL OVAL-O STICKING / 1-11/16" SCOOP PANEL





1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated

### DOOR TYPE and MANUFACTURING SPECIFICATIONS



SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Scoop Raised Panel : V-Groove
TOP	Square Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued

## THE RUGBY COLLECTION OF RAISED PANEL KNOTTY ALDER DOORS

### SCOOP RAISED PANEL ARCH TOP : V-GROOVE




Note: All Stile  
and Rail  
Width  
Dimensions  
are face  
widths




### SIZE SPECIFICATIONS

Standard Door		Standard Door	
Heights		Thickness	Width
80"	6/8	1 3/8	1/6 - 3/0
84"	7/0	1 3/4	1/6 - 4/0
96"	8/0	20Min	2/6 - 4/0

Door	Stile Face
Width	Width
W	S
<= 18"	4"
20" - <42"	4 1/2"
>= 42"	5"




1 3/8" Cross Section - 13/16" Panel



1 3/4" Cross Section - 1 11/16" Panel

### FIRE DOOR DETAIL OVAL-O STICKING / 1-11/16" SCOOP PANEL



1 3/4" Cross Section - 1 11/16" Panel  
20 Minute Fire Rated

### DOOR TYPE and MANUFACTURING SPECIFICATIONS

SPECIE	KNOTTY ALDER
STICKING	OvalO
PANEL DETAIL	Scoop Raised Panel : V-Groove
TOP	Arch Top
STILES	Engineered, LVL Core
RAILS	Solid, Edge Glued
PANELS	Solid, Edge Glued