### **Intro to the DECdoc Database**

#### **Table of Contents**

1. Introduction	
2. An Example	
3. DECdoc Database Design	
3.1 Copyright	
3.2 Hardware	
3.3 Software	8
3.4 Documents	11
3.5 Summary of Database Tables	13

#### 1. Introduction

I'm a collector of **DEC** hardware, software & manuals.

Sometimes collections grow so big that you run the risk to loose track of your collections' items. Then it's time to look for a tool to manage the "chaos"!

Example (my collection as of yet):

- 701 hardware items
- 510 software media items
- 5.810 manuals (paper & pdf)

### 2. An Example

Imagine for example the **DSV11 Dual Synchronous Serial QBus Interface** option.

The following questions might arise:

- When was the **DSV11** introduced?
- Which variants of the **DSV11** do exist?
- Which module(s) make the **DSV11**?
- Which other parts belong to the **DSV11** option?
- Which cabinet kits are there for the **DSV11**?
- Which values (e.g. supply voltage, maximum supply current, Qbus loads, baud rates, ...) are specific to the **DSV11** option?
- How many **DSV11s** are in my collection, where are they from and in what condition?
- Where are my unused **DSV11s** stored?
- Into which of my computer systems are **DSV11s** configured?
- Which manuals (and other documents) describe the **DSV11**?

- Which of the **DSV11** manuals do I own?
- Which of my **DSV11** manuals are printed and which are scanned to pdf or other file types?
- Where are my **DSV11** manuals stored?
- Which versions of VMS (or other DEC operating systems) support the DSV11?
- Which driver software is needed for the **DSV11**?
- Are there License PAKs for the **DSV11** driver software?
- Which of the **DSV11** driver License PAKs have I got?
- What are the diagnostic software modules for the **DSV11**?
- Which version(s) of the diagnostic software modules for the **DSV11** have I got?
- Which media contain the **DSV11** diagnostics and where are they stored?

Of course you can find some of this kind of information by reading the relevant manuals, but what and where are they? Naturally you can go through every shelf and every box, look into all of you computers, but that would take ages!

The **DECdoc** database is designed to cover all possible aspects of collecting **DEC** items, especially hardware, software and manuals of all kinds. The "**doc**" in **DECdoc** means "documenting", not "documents" alone.

**DECdoc** is a (hopefully growing) **DEC** knowledge base as well as a means to manage collections of **DEC** items (and related "third party" products).

Special care was taken to include the interrelations between two or more of the main categories (hardware, software, manuals) and/or subcategories.

Data now contained in **DECdoc** was shamelessly taken from several sources (e.g. Manx for manuals, Modules field guide for hardware items) as well as extracted from **DEC** manuals and other sources e.g. by reading and typing or OCR. There was (and will still be) a considerable amount of manual labor especially with filling the "connecting" tables.

Most of the used data sources lack a strict formatting as well as the important cross connections between the three main categories. Finding special information in conventional sources is normally limited to an unspecific text search.

Up to now **DECdoc** is mainly focused on **PDP-11** and **VAX** hardware, software and manuals. Of course **DECdoc** is open for older (e.g. **PDP-8**, **PDP-10**) as well as newer **DEC** computer architectures (for example **Alpha**). Even so-called "Third-Party" products are integrated into **DECdoc**. Famous names in this category are **EMULEX**, **DILOG** and **PLESSEY** for example. To be honest, **DECdoc** could even be used to handle collections of computers originating from **DEC**s major competitors: **IBM**, **HP**, **SUN** and others ;-)

Currently the **DECdoc** database runs on a Linux **PostgreSQL** server. The front end is built with **LibreOffice Base** and connected to the database server via ODBC. **DECdoc** is not yet accessible via Internet. It would be nice to have a web-based front end as well, but I'm afraid I'm not really good at that. Maybe out there is another **DEC** collector who wants to build the web interface (Apache + PHP + PostgreSQL)?

#### 3. <u>DECdoc Database Design</u>

Sorry, this paragraph may be understandable for database designers only - so just skip it if you don't understand. Lots of efforts were made designing the **DECdoc** database structure. Normalization and Referential Integrity were applied wherever possible, and lots of comments added to make clear how it all works. Well, there are of course a few compromises (e.g. which information is property of versions or variants of items and which is property of items directly?). I'd like other database designers to have a closer look at the **DECdoc** structure - improvement suggestions are very welcome! See the whole **SQL CREATE** script for that.

There are even thoughts to port **DECdoc** to a genuine **DEC** database: **RDB**. And I know a **VAX** owner who would probably host such a database. But let's develop **DECdoc** a little further and port it later when its more stable. Anyone with experience in porting from **PostgreSQL** to **RDB**?

**DECdoc** is designed as a multi user database with common data (**DEC** products) and areas for user-specific collection data. A full database rights management is available to manage concurrent multi-user access. You can use **DECdoc** to handle your collection making part of it visible to the public and keeping the rest of it concealed. You can use it to explore other members collections (as far as they're public) and look e.g. for parts, software or manuals you want.

Feel free to download the experimental *LibreOffice Base* interface to *DECdoc* and see yourself - nothing beats personal experience! You need to set up a PostgreSQL database server, sorry ...

#### 3.1 Copyright

For obvious reasons I do not claim the Copyright for the contents of **DECdoc**, but I do claim the Copyright for its database design. Everyone can use, copy or modify **DECdoc** as desired as long as my initial authorship is passed on. Furthermore (this is a wish only) I'd like to hear about improvements, ports, addons and the like.

Now that the formal aspects are finished let's go into **DECdoc** details!

#### 3.2 Hardware

Looking at systems, options, modules and parts for example makes it obvious that there are hardware hierarchies. Starting at the top and going downwards the "computer hierarchy" yields:

- Architectures (**PDP-11**, **VAX**, **ALPHA**, **ITANIUM**, ...)
- Families of computers (VAX-11/7xx, VAX 8xxx, MicroVAX II, MicroVAX 3xxx, VAX 6xxx, ...)
- Computer models (VAX-11/780, VAX 8200, MicroVAX 3600, VAX 6420, ...)
- Computer systems (= computer models with equipment e.g. as offered per **DEC** price lists)
- Options (complete functional sub units, often consisting of e.g. modules, cables and cabinet kits)
- Modules / Assemblies
- Individual parts

Traversing the "devices hierarchy" produces:

- Families of devices and related controllers (**RAXX** disks, **RDXX** disks, ...)
- Device models (*RA60*, *RD54*, ...)
- Device "systems" (e.g. RA60-FA = RA60-AA W/4-HI CAB 120V/60HZ)
- Device options
- Modules / Assemblies
- Individual parts


Hardware items do have variants, identified by one or two digits following the **DEC** number separated by a hyphen, e.g. **DELQA-M** or **DELQA-SA**. Every hardware item has got the special variant "-00" which tags the "standard-variant". Even if it seems that there are only other variants than the standard one, the -00 is still used to store properties common to all variants.

Dependencies between hardware item variants (mostly from different hierarchy levels) are stored in the table "hwrvardep" (= hardware variant dependencies) together with the type of dependency (taken from the key table "hwrvardeptyp" (= hardware variant dependency types), for example: "DELQA-00 is made of M7516-00" (= "option XXXX is made of module YYYY").

### For now the tables covering hardware aspects are:

Table	Usage	# of Records
hwr	hardware items	37.435
hwrvar	hardware item variants	112.742
hwrvardep	hardware item variant dependencies	11.355
doc_hwr	documents for hardware items	12.582
hwrvar_val	hardware item variant values	789
swrprover_hwrvar	software versions for hardware item variants	4.477

The following figure shows the database tables for the hardware section of **DECdoc** version 01.4 (light blue background) as well as the accompanying tables from other sections (white background). Remark for database designers: The arrow-head side of the connecting arrows marks the "many" side.



Database tables for the hardware section

#### 3.3 Software

There are a lot of **DEC** Software Products (-> table "swrpro") to deal with, e.g. "**DECNET/E**". Diagnostic Modules are treated as if they were independent Software Products.

Each Software Product (or Diagnostic Module) has possibly got several versions (-> table "swrprover"), e.g. "DECNET/E V1.0, V1.1, V2.0, V2.1".

The version "0.0" is used to store characteristics common to all versions of a Software Product or Diagnostic Module.

Most versions of a Software Product were packaged on different media, e.g. 9-track tape, disk packs or **TK50** tape cassette (-> table "swrprover swrpac"):

Sample Software Product Version Packages			
Software Product	Version	Medium	Order-#
		RK05	AN-M479A-BC
DECNET/E		RL01	MX-M482A-BC
		RK07	MY-M484A-BC
	V2.0	800 bpi Magtape	AP-M478A-BC
		RK06	
		1600 bpi Magtape	BB-M481A-BC
		RL02	BC-M480A-BC

A version of a Software Product eventually supports or diagnoses certain hardware item variants (-> table "swrprover hwrvar").

#### Examples:


- DECNET-11M-PLUS V4.3 supports the DHQ11-00 as an asynchronous serial network device
- VHQA V0.0 is diagnostic software for the DHQ11-00

A software version "**0.0**" designates unknown versions or characteristics common to all versions.

Each version of a Software Product (or Diagnostic Module) usually has got several associated manuals (-> table "doc\_swrprover"):

Sample Software Product Version Manuals			
Software Product	Version	Order-#	Title
<b>DECNET/E</b> V2.0		AA-H501B-TC	<b>DECnet/E</b> Network Programming in BASIC-PLUS and BASIC-PLUS-2
		AA-H503B-TC	<b>DECnet/E</b> Network Programming in COBOL
		AA-H504B-TC	<b>DECnet/E</b> Guide to User Utilities
		AA-H505B-TC	<b>DECnet/E</b> System Manager's Guide
	V2.0	AA-J055B-TK	Introduction to DECnet
		AA-K714A-TC	<b>DECnet/E</b> Network Installation Guide
		AA-L265A-TC	<b>DECnet/E</b> Network Programming in MACRO-11
		AA-L266A-TC	<b>DECnet/E</b> Network Programming in FORTRAN
		AA-M269A-TC	<b>DECnet/E</b> Release Notes

The following figure shows the database tables for the software section of **DECdoc** version 01.4.



Database tables for the software section

#### 3.4 Documents

**DEC** made a huge number of documents of all kinds (Manuals, Handbooks, Maintenance Print Sets, ...) for their hard- and software. All documents, whether for hard- or software, are stored in one database table "doc". More than twenty-six thousand documents are already covered by the **DECdoc** database.

Although there are a lot of documents with different versions, every version of a document is treated as a different document. Some hardware manual versions can be distinguished by the last part of their order numbers, e.g.:

- EK-RL012-UG-004 RL01/RL02 Disk Subsystem User's Guide
- EK-RL012-UG-005 RL01/RL02 Disk Subsystem User's Guide


Some software manuals use letters for version control:

- AA-D022B-TE VAX/VMS Summary Description and Glossary
- AA-D022C-TE VAX/VMS Summary Description and Glossary

But these systems are not used consistently and there are documents without any obvious version numbering. Especially with the software documents the structure of the manuals often changes with the software version and completely different order numbers apply. Employing document version numbering in the **DECdoc** database however would require a consistent document and version key. While there is one readily available for the hardware items (**DEC** part/option number), there is apparently no coherent one for the documents.

In terms of database design the sacrifice of distinction between documents and their versions causes some undesirable data redundancy (version independent information about documents has to be stored and managed multiply), but the only alternative would be to create and use a self-made document and version numbering system independent from the **DEC** ones. As things are now this is considered the major disadvantage compared to the data redundancy and thus overruled.

The following figure shows the database tables for the document section of **DECdoc** version 01.4.



Database tables for the document section

### 3.5 **Summary of DECdoc Database Tables**

Table Usages (in <i>alpha</i> betical order)		
#	Table	Usage
1	authors	Document authors
2	busses	Types of hardware busses
3	countries	Countries of origins (meaning firms, institutions or persons making hardware, software or publishing documents)
4	diaglevels	Types of diagnostic software, e.g.: <b>VMS</b> only, <b>VMS</b> or Standalone, Standalone only,
5	doc	All kinds of documents and document sets, e.g binders, books, manuals, handbooks, price lists, etc.
6	doc_authors	Connection between authors and their writings (who wrote what)
7	doc_hwr	Dependencies between documents and hardware items
8	doc_hwrdeptyp	Type of dependency between documents and hardware items (not used yet)
9	doc_owners	Who owns which document
10	doc_swrpac	Which document describes which software package or software package set
10	doc_swrprover	Which document describes which software product version
11	doc_swrproverdeptyp	Type of dependency between documents and software product versions (not used yet)
12	docdep	Dependencies between hierarchically superior and inferior documents
13	docdeptyp	Type of dependency between hierarchically superior and inferior documents, e.g. "is binder of"
14	docown_work	Work to be done with documents
15	doctyp	Document types, e.g. binder sets, binders, manuals, books, handbooks,
16	drawingcode	First two digits of <b>DEC</b> drawing numbers and their meanings

	Table Usages (in <i>alpha</i> betical order)		
#	Table	Usage	
17	hwr	Information common to all versions of a hardware item	
18	hwr_busses	Which hardware items have got which busses	
19	hwr_code	First two digits of <b>DEC</b> part numbers	
20	hwr_config	Owners sub hardware item variants configured into owners super hardware item variants, e.g. system configurations	
21	hwr_hwrfunction	Functions of a hardware item (modules sometimes have more than one function)	
22	hwr_tests	Types of tests performed on specific hardware item variants	
23	hwr_worktyp	Types of work to be done with hardware, e.g. cleaning, testing,	
24	hwrfunction	Describes what a hardware item does, e.g. Disk Array, Disk Cartridge, Disk Pack, Disk,	
25	hwrown_work	Work to be done with hardware	
26	hwrtyp	Type of hardware, e.g. architecture/series/ system/model/device/option/assembly/part	
27	hwrvar	Hardware item variants	
28	hwrvar_owners	Who owns which hardware item variant	
29	hwrvar_rev	Hardware variants and associated revisions (usually found in MP drawing directories DD)	
30	hwrvar_val	Hardware variants and associated values (made from value numbers and value types/units)	
31	hwrvarown_tests	Tests and results performed on specific hardware item variants	
32	hwrvardep	Assemblies consisting of hierarchically superior and inferior hardware item variants	
33	hwrvardeptyp	Type of dependency between hierarchically superior and inferior hardware variant items	
34	languages	Languages used in documents	

Table Usages (in <i>alpha</i> betical order)		
#	Table	Usage
35	lic	<b>DEC</b> PAK licenses ( <b>VMS</b> >= V5.0); older licenses see table <b>swrpro</b> ( <b>swrprotyp</b> = " <b>l</b> " = license key kit)
36	lic_owners	<b>DEC</b> PAK licenses and their owners; older licenses & owners see table "swrproverswrpac_owners"
37	origins	Firms, institutions or persons making hardware, software or publishing documents - NO authors
38	owners	Owners of hardware variants, software versions, documents,
39	papersizes	Paper sizes used in documents and drawings
40	storages	Owner specific storage locations
41	swr_worktyp	Types of work to be done with software, e.g. imaging,
42	swrformat	File formats, e.g. rt11, ods1, ods2, saveset, dump, tar,
43	swrmedia	Media types like e.g. MT1600, <b>RK07</b> , <b>RL02</b> , <b>RX50</b> , <b>RA60</b> ,
44	swrpac	Software products stored on media, either media sets, single media (one or more packages), or single packages
45	swrpac_owners	Who owns which software packages
46	swrpac_worktyp	Work to be done with software packages, e.g. imaging, backing up,
47	swrpacdep	Software package assemblies consisting of hierarchically superior and inferior software packages
48	swrpacdeptyp	Type of dependency between superior and inferior software package
49	swrpactyp	Software package type; currently one of: media set, (single) medium, (single) software, file group, (single) file
50	swrpro	Software products like <b>VMS</b> , <b>RT-11</b> , <b>VAX-BASIC</b> , <b>DECnet-RSX</b> ,
51	swrpro_swrlic	License types for software products

	Table Usages (in <i>alpha</i> betical order)		
#	Table	Usage	
52	swrprotyp	Software product types like diagnostic, operating system, programming language,	
53	swrprover	Versions of software products like: <b>VMS</b> V2.0, <b>VMS</b> V2.5, <b>VMS</b> V4.3,	
54	swrprover_hwrvar	Which software product version supports which hardware variant	
55	swrprover_hwrvardeptyp	Dependency between software product version and hardware variant	
56	swrprover_swrpac	Software product versions available in software packages	
57	swrprover_val	Software product versions and associated values (made from value numbers and value types/units)	
58	swrproverdep	Dependencies between hierarchically superior and inferior software product versions	
59	swrproverdeptyp	Type of dependency between hierarchically superior and inferior software product versions	
60	<pre>swrproverswrpac_owners VIEW???</pre>	Who owns software product versions (in software packages)	
61	units	Units for values (but independent from value types), e.g. unit A (= Ampere) for current	
62	valtyp_unit	Combined value types and units, e.g. supply voltage (unit volt), max. memory (unit KB) or max. memory (unit MB)	
63	valtypes	Value types (independent from units), e.g. voltage, current or maximum memory supported	
64	workstatustyp	Status of work to be done, e.g. to be done, started, finished,	