Universe Parameters

Definition

Name:	Reporting Postventa
Description:	
Connection:	Vaesa - Datamart Taller

General information

Created:	22/03/2012 by Administrator
Modified:	08/03/2018 by uniDesigner
Comments:	Universo para reporting de Postventa/IMG. - Sales Meeting - Flotas - Parte Diario - etc.
Statistics:	46 Classes 745 Objects 51 Tables 6 Aliases 95 Joins 20 Contexts 1 Hierarchies 33 Conditions

Strategies

Join strategy:	Edit Manually (none)
Table strategy:	(Incorporado) Estándar
Object strategy:	Cambiar nombre estándar

Controls

Limit size of result set to:	unchecked
Limit size of long text objects to:	1000 characters
Limit execution time to:	30 minutes
Warn if cost estimate exceeds:	unchecked

SQL parameters

Query

Allow use of subqueries:	yes
Allow use of union, intersect and minus operators:	yes
Allow complex conditions in Query Panel:	yes
Cartesian products:	warn

Multiple paths

Generate several SQL statements for each context:	yes
Generate several SQL statements for each measure:	yes
Allow selection of multiple contexts:	no

Links

No links for this universe

Object List

Dimensiones Comunes

Tiempo

Año

Mes

Cant Dias Del Mes

AñoMes
Descripción mes
Año Comparación
Trimestre
Nombre Mes
Abrev Mes
Dias laborables Mes
Indicador Acumulado / Mensual

Estacionalidad
Estac. Ventas mensual
Estac. Ventas mensual Acum.
Estac. Compra mensual Acum.
Estac. Compra mensual

Instalaciones
Código Instalacion
Código Concesionario
Código Empresa
CIF
Razón Social
Descripción Instalación
Código KVPS
Estado Instalación
Fecha Baja Instalación
Código Provincia
Código Postal
ID Marca Venta
ID Marca Postventa
Marca Postventa

Provincias
Código Provincia
Provincia
Comunidad Autónoma
Región
Región2

Preseleccion Instalaciones
Año
Mes
Instalación Preseleccionada
Tipo
Meses Requeridos
Meses Informados
Mínimo Horas
Máximo Horas
Ratio Horas

Marcas
Código Marca
Marca
Marca CP
Abreviatura
Fecha Modificación
Fecha Sincronización VAESA

Vehiculos
Número de vehículos
Bastidor
Importe PVP Venta
Matricula
Vendido en SLI

Fecha Venta SLI
Fecha Venta SLI (fecha)
Fecha Alta Producción
Fecha Alta Producción (fecha)
Model Year
Tmaimg
Está en SLI
Motor
Motor2
Cilindrada
Código Modelo
Desc Modelo

Propietario

Número de Propietarios
Segmento Cliente (Propietario)
Tipo Persona (Propietario)
Tiene email informado (Propietario)
Teléfonos informados (Propietario)
Tiene fax informado (Propietario)
Tiene dirección completa (Propieta)
Normalizado_Nombre (Propietario)
Normalizada_Dirección (Propietario)
Normalizada_RazónSocial (Propietar)
LOPD_Robinson (Propietario)
LOPD_Robinson_VWF (Propietario)
Acepta recibir llamadas (Propietar)
Acepta recibir mailing(Propietario)
Acepta recibir email (Propietario)
Acepta recibir SMS (Propietario)
Rechaza recibir LSSI (Propietario)
Cesiones (Propietario)
Firma (Propietario)
Descripc. Propietario (Propietario)
Cod Propietario (Propietario)
Num Vehiculos Propietario VW
Num Vehiculos Propietario AU
Num Vehiculos Propietario SK
Num Vehiculos Propietario LC
Num Vehiculos Propietario Total
Nombre y Apellidos (Propietario)
Trato (Propietario)
Nombre completo/Razón social (Prop)
Apellidos+Nombre/Razón social(Prop)
Nombre (Propietario)
Apellido 1 (Propietario)
Apellido 2 (Propietario)
Razón Social (Propietario)
CIF/NIF (Propietario)
Teléfono (Propietario)
Teléfono 2 (Propietario)
Teléfono 3 (Propietario)
e-mail (Propietario)
e-mail 2 (Propietario)
Fax (Propietario)
Dirección completa (Propietario)
Tipo Via (Propietario)
Nombre Via (Propietario)
Número Via (Propietario)

Complemento Domicilio (Propietario)
Nacionalidad (Propietario)
Cód. Postal (Propietario)
Trabajador indep. (Propietario)
Empleado Marca (Propietario)
Tipo de sociedad (Propietario)
Origen Ficha (Propietario)
Tipo de documento (Propietario)
Sexo (Propietario)
Codigo Hogar Empresa (Propietario)

Información geográfica (Propietario)

Pais (Propietario)
Comunidad (Propietario)
Provincia (Propietario)
Localidad (Propietario)
Ámbito (Propietario)
Código INE Localidad (Propietario)
Código Postal (Cond. Habitual)

Conductor Habitual

Número de Conductores Habituales
Segmento Cliente (Con.Habitual)
Tipo Persona (Conductor Habitual)
Tiene email informado (Cond Habitu)
Teléfonos informados (Conductor Ha)
Tiene fax informado (Conductor Hab)
Tiene dirección compl (Cond Habitu)
Normalizado_Nombre (Conductor Habi)
Normalizada_Dirección (Cond Hab)
Normalizada_RazónSocial (Cond Habi)
LOPD_Robinson (Conductor Habitual)
LOPD_Robinson_VWF (Cond. Habitual)
Acepta recibir llamadas (Cond Habi)
Acepta recibir mailing(Cond. Habit)
Acepta recibir email (Cond. Habit)
Acepta recibir SMS (Cond. Habit)
Rechaza recibir LSSI (Cond. Habit)
Cesiones (Cond Habit)
Firma (Conductor Habitual)
Descripción Conductor Habitual
Cod Conductor Habitual
Num Vehiculos Cond.Habitual VW
Num Vehiculos Cond.Habitual AU
Num Vehiculos Cond.Habitual SK
Num Vehiculos Cond.Habitual LC
Num Vehiculos Con.Habitual Total
Nombre y Apellidos (Conductor Habi)
Trato (Conductor Habitual)
Nomb compl/Razón social (Cond Hab)
Apellidos+Nomb/Razón social(C Hab)
Nombre (Conductor Habitual)
Apellido 1 (Conductor Habitual)
Apellido 2 (Conductor Habitual)
Razón Social (Conductor Habitual)
CIF/NIF (Conductor Habitual)
Teléfono (Conductor Habitual)
Teléfono 2 (Conductor Habitual)
Teléfono 3 (Conductor Habitual)

e-mail (Conductor Habitual)
e-mail 2 (Conductor Habitual)
Fax (Conductor Habitual)
Dirección completa(Conductor Habit)
Tipo Via (Conductor Habitual)
Complemento Domicilio (Conductor H)
Nombre Via (Conductor Habitual)
Número Via (Conductor Habitual)
Nacionalidad (Conductor Habitual)
Cód. Postal (Conductor Habitual)
Trabajador indep. (Cond. Habitual)
Empleado Marca (Cond. Habitual)
Tipo de sociedad (Cond. Habitual)
Origen Ficha (Cond. Habitual)
Tipo de documento (Cond. Habitual)
Sexo (Conductor Habitual)
Codigo Hogar Empresa(Conductor Hab)

Información geográfica (Cond Hab)

Pais (Conductor Habitual)
Comunidad (Conductor Habitual)
Provincia (Conductor Habitual)
Localidad (Conductor Habitual)
Ámbito (Conductor Habitual)
Cód. INE Localidad (Cond. Habitual)
Código Postal (Cond. Habitual)

Maestro PRs

Denominación Comercial
Opcional
Marca
Model Year
TMAIMG
Version
Código PR
Isetco
Descripcion PR
Tipo Opcional
Cod Familia
Cod Idioma
Fecha Inicio Vigencia
Fecha Fin Vigencia
Fecha Alta Catalogo
Fecha Modificacion Catalogo
Fecha Alta
Fecha Ult Modificacion
Fecha Inicio Vigencia Date
Fecha Fin Vigencia Date
Fecha Alta Catalogo Date

Dim Materiales

Referencia
Descripción
Código Sparte
Código Grupo de Marketing
Código Grupo de Descuento
Grupo de Descuento
Código Grupo Homogeneo
Grupo Homogeneo
Prodh

Etl Process Id Alta
Etl Process Id Modif
Fecha Alta
Fecha Modif
Fecha Sincro
Referencia Sustitución

Grupos de Marketing

Código Grupo de Marketing
Grupo de Marketing
Familia Anterior
Familia
Código Familia
Código Grupo Familia
Grupo Familia

Sparte

Sparte
Descripcion Sparte
Descripción Marca del Sparte
Grupo Sparte

Antiguedades Vehiculo

Código Antiguedad Vehiculo
Antiguedad
Desc Antiguedad Vehiculo
Segmento Vehiculo
Segmento Vehiculo Agrup
Cod Tipo Cargo Img

Sales Meeting

Año
Mes
Año Comparación
Código Instalación
Código Marca
Código Tipo Cargo
Flag Garantias
Tipo Cargo
Código Grupo de Marketing
Indicador Acumulado / Mensual
Número de Cargos Materiales
Unidades Recambios
Venta Recambios
Importe Recambios
Importe Total Recambios
Número de Cargos MO/TE
Cantidad Horas
Importe Horas MO
Importe Horas Total

Flotas Empresa

Fuente
Año
Mes
Código Concesionario
Código Marca
Modelo Fuente
Antiguedad
Código Instalación
Código Tipo Cargo
Tipo Cargo

Service Event
Familia
NIF Cliente
Cliente
Tipo Cliente
Parque
Número de Bajas
Número de ORs
Número de Cargos Materiales
Unidades Recambios
Importe Tarifa Recambios
Importe Venta Recambios
Número de Cargos MO/TE
Cantidad Horas
Importe Horas MO
Importe Horas Total

Potenciales

Año
Mes
Código Marca
Código Antiguedad
Service Event
Fuente
Potencial

Modelo Clima

Código Modelo
Código Marca
Modelo
Grupo Modelo
Marca Modelo Clima
SuperGrupo Modelo (Top Ventas)

Flotas Garantias

Fuente
Año
Mes
Código Mes
Código Marca
Código Instalación
KVPS
Tipo Garantias
Familia
NIF Cliente
Cliente
Antiguedad
Antiguedad Año Venta
Código Modelo
Modelo Flotas
Número de Reclamaciones
Importe Material
Importe Mano de Obra
Importe Incremento
Cod Claimkey
Id Pedido Reparacion
Id Serie Reclamacion
Fecha Reclamacion
Num Version
Bastidor

Fecha Actualizacion
Fecha Aceptacion
Fecha Reparacion
Fecha Pago
Número AT
Descripción AT

Fotos mensuales Bastidores Flotas

Fecha Foto
Código Fuente
Bastidor
Código Marca Flota
Descripción Modelo
Fecha Baja
NIF Cliente
Nombre Cliente
Tipo Cliente
Cod. Ext. Garantia
TMAIMG
Matricula
Código Concesionario
Descripción Concesionario

Ventas de Almacen

Importe s/dcto
Importe c/dcto
Cantidad Piezas
Descuento Pct
Lineas
Cargos
Indicador Acumulado / Mensual
Tipo Venta
Grupo Tipo Venta
Grupo de Marketing
Descripcion Grupo de Marketing
Grupo Homogeneo
Descripcion Grupo Homogeneo
Sparte
Descripción Marca del Sparte
Descripcion Sparte
Grupo Sparte
Grupo Descuento
Descripcion Grupo Descuento
Descuento Stock
Descuento Urgente

Reparto Marcas

Marca
Importe por Marca

Pre ITV

Código Instalación
Bastidor
Código Marca
Código Modelo
Modelo
Fecha Contacto
Código OR
Fecha Apertura
Fecha Cierre OR
Código Cargo

Fecha Cierre Cargo
Grupo de Marketing
Indicador Pre-ITV
Indicador Paquete Pre-ITV
Indicador Lead
Códigp Paquete
Código Material
Importe PVP
Cantidad Recambios
Importe Bruto
Importe Neto
Descuento Recambios
Indicador Descuento 15%
Importe a Pagar

WinBack Customers

Código Instalación
Bastidor
Código Marca
Código Modelo
Modelo
Fecha Baja Vehiculo
Antiguedad Vehiculo
Antiguedad Momento Contacto
Fecha Contacto
Código OR
Fecha Apertura
Fecha Cierre OR
Código Cargo
Fecha Cierre Cargo
Grupo de Marketing
Indicador WinBack Customers
Código Promoción
Código Material
Importe PVP
Cantidad Recambios
Importe Bruto
Importe Neto
Descuento Recambios
Descuento Teorico
Indicador Descuento Aplicable
Importe a Pagar

Campañas

Código Campaña
Código Instalación
Razón Social
Bastidor
Fecha Baja Vehiculo
Código Marca
TMAIMG
Código Modelo
Modelo
Código OR
Código Paquete
Fecha Apertura OR
Fecha Cierre OR
Código Linea Cargo
Fecha Cierre Cargo

Código Grupo de Marketing
Código Material
Importe PVP
Cantidad Recambios
Importe Recambios Bruto
Importe Recambios Neto
Descuento Recambios

Paquetes

Código Instalación
Bastidor
Código Marca
Código Modelo
Modelo
Fecha Baja Vehiculo
Código OR
Fecha Apertura
Año Apertura
Mes Apertura
Fecha Cierre OR
Código Asesor
Código Linea Cargo
Tipo Cargo IMG
Fecha Cierre Cargo
Año Cierre Cargo
Mes Cierre Cargo
Código Promoción
Código Paquete
Descripción Paquete
Agrupación Paquete
Grupo Paquete
Importe Total Cargo

JQ Paquete

Grupo Paquete
Agrupación Paquete
Descripción Paquete

Deferencias

Código Instalación OR
Razon Social Instalación OR
KVPS Instalación Tramite
Código Instalación Tramite
Razón Social Instalación Tramite
Bastidor
Código Reclamación
Código Marca
Código Modelo
Modelo
Fecha Baja Vehiculo
Antiguedad
Año Tramitación
Mes Tramitación
Código OR
Fecha Apertura
Fecha Cierre OR
Código Linea Cargo
Fecha Cierre Cargo
Tipo Cargo
Grupo de Marketing

Código Promoción
Referencia
Cantidad Recambios
Importe PVP
Importe Bruto
Importe Neto
Descuento Recambios
Importe Mano de Obra
Horas Mano de Obra

Audatex

Reparaciones

Periodo
Provincia
Código Marca Audatex
Marca
Código Modelo Audatex
Modelo
Año Matriculacion
Tipo Taller
Número de Reparaciones
Coste Medio
Coste Total
Coste Recambios
Coste Mano de Obra Chapa
Coste Materiales Pintura
Coste Mano de Obra Pintura
Precio Hora Chapa
Horas Chapa
Precio Hora Pintura
Horas Pintura

Piezas Sustituidas

Periodo
Provincia
Código Marca Audatex
Marca
Modelo
Referencia Audatex
Descripción Referencia
Código Material
Tipo Material
Número de Sustituciones
Importe Sustituida
Importe Reparación
Importe Total
Importe Unitario Minimo
Importe Unitario Maximo
Coeficiente Variación

Campañas Sell-Out

Maestro Paquetes

Código Grupo Campaña
Grupo Campaña
Código Campaña
Desc Campaña
Código Paquete
Desc Paquete
Código Mano de Obra
Desc Mano de Obra

Fecha Vigencia Desde
Fecha Vigencia Hasta
Ind CRM
Código Marca
Marca

Leads

Código Campaña
Código Instalacion
Desc Campaña
Importe Precio A Comunicar
Código Paquete
Tipo Campaña
Código cpp
Ind Obsequio
Desc Instalacion
Código Cliente
Nombre
Apellido 1
Apellido 2
Telefono 1
Telefono 2
Email
Canal
Desc Modelo
Motorizacion
Bastidor
Matricula
Fecha Vigencia Desde
Fecha Vigencia Hasta

Paquetes TMAIMG

Código Campaña
Código Paquete
Desc Paquete
Tmaimg
Importe Precio Paquete
Código Material
Cantidad
Importe Pvp Material
Importe Pvp Kit
Dto Material
Importe Neto Material
Código Manoobra
Desc Manoobra
Tiempo
Dto Manoobra
Importe Neto Manoobra
Fecha Vigencia Desde
Fecha Vigencia Hasta

Seguimiento

ID Registro
Código Grupo
Código Campaña
Código Paquete
Código OR
Código Linea Cargo
Fecha Cierre Cargo
Fecha Apertura

Código Mano de Obra
Bastidor
Tmaimg
Código Marca
Marca
Código Instalacion Or
Razón Social
Código Instalacion Lead
Razón Social Lead
Código Asesor
Fecha Vigencia Desde
Fecha Vigencia Hasta
Ind Crm
Ind Hito Vin
Ind Hito Tmaimg
Ind Hito Fechas
Ind Hito Mediciones
Signo Cargo/Abono
Cantidad Material Campaña
Importe Material Campaña
Importe Material Familias
Importe Material Totcargo
Importe Manoobra Campaña
Importe Manoobra Totcargo
Importe Total Or
Fecha Actualizacion

Seguimiento Leads por Tipo Campaña

Cod Instalacion
Bastidor
Tip Campanya
Fec Contacto
Cod Paso Taller
Cod Marca
Cod Modelo
Cod Or
Fecha Apertura
Fecha Cierre Cargo
Cod Linea Cargo
Cod Grpmrk
Cod Material
Can Recambios
Imp Recambios Pvp
Imp Recambios Bruto
Imp Recambios Neto

Loyalty

Código Mes
Bastidor
Número de Bastidores
Fecha Apertura
Cod Or
Cod Instalacion
Cod Instalacion Firma
Cod Marca
Cod Antiguedad
Fecha Apertura Vuelta
Cod Or Vuelta
Cod Instalacion Vuelta

Cod Instalacion Firma Vuelta

Loyalty 2

Código Mes
Bastidor
Ventana
Número de Bastidores
Fecha Apertura
Cod Or
Cod Instalacion
Cod Instalacion Firma
Cod Marca
Cod Antiguedad
Fecha Apertura Vuelta
Cod Or Vuelta
Cod Instalacion Vuelta
Cod Instalacion Firma Vuelta

Estudio de Mano de Obra

Código Instalacion
Código KVPS
Razón Social
Código Tipo Cargo
Tipo Cargo
Código Marca
Marca
Sección
Mes Cierre Cargo
Código Antiguedad
Tipo Flota
Indicador Cargo Con Paquete Oficial
Tipo Paquete Linea
Tramo Tarifa Hora
Total Tiempo MO Asignado
Total Tiempo MO Facturado
Importe Total MO Facturado
Numero Lineas

Estudio Flotas

Bastidor
Fuente
Código Marca Flota
Fecha Apertura
Código OR
Código Instalación
Importe Total Or

Ods Clientes Mv Audit Dt6 Datosida

Bastidor
Nombre
Apellido 1
Apellido 2
Tipo Via
Nombre Via
Numero Via
Complemento Domicilio
Poblacion
Codigo Postal
Telefono
Marca
Codigo Modelo

Fecha Compra
Fecha Ultima Reparacion
Km
Codigo Origen
Fecha Creacion
Hora Creacion
Centro Coste
Cif Nif
Email
Codigo Cliente
Codigo Asesor
Telefono2
Fecha Auditoria
Cliente Robinson Sn
Codigo Tipo Cliente
Descripcion Cliente
Id Cliente
Id Bp Crm
Fecha Eail Envio Cliente
Fecha Eail Sincro Cliente
Fecha Eail Envio Vh
Cod Marca Bastidor
Es Rudimentari Vh
Lopd Correo Postal
Lopd Email
Lopd Llamadas Telefonicas
Lopd Mensajes Sms
Lopd Fax

Estudio Logistica Volumen

Instalación
Fecha
Cod Mes
Tipo Factura
Grupo de Marketing
Peso
Ud Peso
Volumen
Ud Volumen
Unidad
Peso en kilogramos
Volumen en CDM
Número de Lineas
Unidades
Importe PVP

Object Properties

Class: **Dimensiones Comunes**
Description:

No objects

Class: **Tiempo**
Description:

Object: **Año**
Type: Number
Description: Año de Tiempo
Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO
Where equivalent:

Qualification: dimension
List of values: 23b, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0

Object: **Mes**
Type: Number
Description: Mes de Tiempo
Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.MES
Where equivalent:

Qualification: dimension
List of values: 23c, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0

Object: **Cant Dias Del Mes**
Type: Number
Description: Cant Dias Del Mes de Tiempo
Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.CANT_DIAS_DEL_MES
Where equivalent:

Qualification: detail
Associated dimension name: Mes
List of values: 23e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0

Object: **AñoMes**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Where equivalent:

Qualification: dimension

List of values: 288, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0

Object: **Descripción mes**
Type: Character
Description:

Select equivalent: @Select(Tiempo\Nombre Mes)||', '||@Select(Tiempo\Año)
Where equivalent:

Qualification: detail
Associated dimension name: AñoMes
List of values: 28k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año Comparación**
Type: Number
Description: Año para sacar datos del año anterior respecto a un año pedido en una petición de orden.
Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO+1
Where equivalent:

Qualification: dimension
List of values: 2xy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0

Object: **Trimestre**
Type: Number
Description: Trimestre de Tiempo
Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.TRIMESTRE
Where equivalent:

Qualification: dimension
List of values: 23f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0

Object: **Nombre Mes**

Type: Character
Description: Nombre Mes de Tiempo
Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.NOMBRE_MES
Where equivalent:

Qualification: dimension
List of values: 23d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Abrev Mes**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ABREV_MES
Where equivalent:

Qualification: dimension
List of values: 2ag, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Dias laborables Mes**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.DIAS_LABORABLES_MES
Where equivalent:

Qualification: dimension
List of values: 2xx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador Acumulado / Mensual**
Type: Character
Description:

Select equivalent: @Prompt('Acumulado / Mensual:','A',{'A','M'},mono,constrained,persistent,{'A'})
Where equivalent:

Qualification: dimension
List of values: 32d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Estacionalidad**
Description:

Object: **Estac. Ventas mensual**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ESTAC_VTAREC
Where equivalent:

Qualification: dimension
List of values: 2xr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Estac. Ventas mensual Acum.**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ESTAC_VTAREC_ACUM
Where equivalent:

Qualification: dimension
List of values: 2xq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Estac. Compra mensual Acum.**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ESTAC_COMPREC_ACUM
Where equivalent:

Qualification: dimension
List of values: 2xp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Estac. Compra mensual**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_TIEMPOS_MES.ESTAC_COMPREC
Where equivalent:

Qualification: dimension
List of values: 2xo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Instalaciones**
Description:

Object: **Código Instalacion**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 00v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Concesionario**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: 00w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Empresa**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_EMPRESA
Where equivalent:

Qualification: dimension
List of values: 00x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **CIF**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.CIF
Where equivalent:

Qualification: dimension
List of values: 00y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razón Social**

Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 010, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Instalación**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.DESC_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 011, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código KVPS**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_KVPS
Where equivalent:

Qualification: dimension
List of values: 012, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Estado Instalación**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.ESTADO_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 013, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja Instalación**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.FECHA_BAJA_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 014, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Provincia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 015, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Postal**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_POSTAL
Where equivalent:

Qualification: dimension
List of values: 016, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **ID Marca Venta**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_VENTA
Where equivalent:

Qualification: dimension
List of values: 017, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **ID Marca Postventa**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA

Where equivalent:

Qualification: dimension
List of values: 018, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca Postventa**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_COMBINACION_MARCAS.DESC_ID_MARCAS
Where equivalent:

Qualification: dimension
List of values: 308, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Provincias**
Description:

Object: **Código Provincia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PROVINCIAS.COD_PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 01t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Provincia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PROVINCIAS.PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 01u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Comunidad Autónoma**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PROVINCIAS.COMUNIDAD
Where equivalent:

Qualification: dimension
List of values: 01v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Región**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PROVINCIAS.REGION1
Where equivalent:

Qualification: dimension
List of values: 01w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Región2**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PROVINCIAS.REGION2
Where equivalent:

Qualification: dimension
List of values: 01x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Preseleccion Instalaciones**
Description:

Object: **Año**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.ANYO
Where equivalent:

Qualification: dimension
List of values: 02a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.MES
Where equivalent:

Qualification: dimension
List of values: 02b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Instalación Preseleccionada**
Type: Character
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.COD_INSTALACION
Where equivalent: DM_MV_AGG_SALES_MEETING_SEL.MES_REQ=DM_MV_AGG_SALES_MEETING_SEL.MES_CNT
Qualification: dimension
List of values: 024, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo**
Type: Character
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.TIPO
Where equivalent:

Qualification: dimension
List of values: 2y0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Meses Requeridos**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.MES_REQ
Where equivalent:

Qualification: dimension
List of values: 023, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Meses Informados**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.MES_CNT

Where equivalent:

Qualification: dimension
List of values: 02c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mínimo Horas**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.MIN_HORAS
Where equivalent:

Qualification: dimension
List of values: 026, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Máximo Horas**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.MAX_HORAS
Where equivalent:

Qualification: dimension
List of values: 027, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ratio Horas**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING_SEL.MIN_HORAS/DM_MV_AGG_SALES_MEETING_SEL.MAX_HORAS
Where equivalent:

Qualification: dimension
List of values: 028, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Marcas**
Description:

Object: **Código Marca**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 01c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.MARCA
Where equivalent:

Qualification: dimension
List of values: 01d, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca CP**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.COD_MARCA_EN_CP
Where equivalent:

Qualification: dimension
List of values: 73k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Abreviatura**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.ABREV
Where equivalent:

Qualification: dimension
List of values: 01e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Modificación**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.FECHA_MODIFICACION

Where equivalent:

Qualification: dimension
List of values: 01f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Sincronización VAESA**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.FECHA_SINCRONIZACION_VAESA
Where equivalent:

Qualification: dimension
List of values: 01g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Vehiculos**
Description:

Object: **Número de vehículos**
Type: Number
Description: Número de vehículos considerando el código de vehículo.
Select equivalent: COUNT (DISTINCT MAESTROS_DWH.DIM_VEHICULOS.COD_VEHICULO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Importe PVP Venta**
Type: Number

Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.IMPORTE_FACTURA_VEHICULO
Where equivalent:

Qualification: detail
Associated dimension name: Bastidor
List of values: 0ae, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;0;0;0
Color Automatic

Object: **Matricula**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.MATRICULA
Where equivalent:

Qualification: dimension
List of values: 059, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Vendido en SLI**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.INT_ESTA_EN_SLI_PEDVECLI
Where equivalent:

Qualification: dimension
List of values: 058, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0;-0;0
Color Automatic

Object: **Fecha Venta SLI**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.FECHA_BAJA_VEHICULO
Where equivalent:

Qualification: dimension

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Date/Time
dd/mm/aaaa
Color Automatic

Object: **Fecha Venta SLI (fecha)**
Type: Date
Description:

Select equivalent: case when MAESTROS_DWH.DIM_VEHICULOS.FECHA_BAJA_VEHICULO=0 then null else to_date(to_char(MAESTROS_DWH.DIM_VEHICULOS.FECHA_BAJA_VEHICULO),'yyyymmdd') end
Where equivalent:

Qualification: dimension
List of values: 73e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Date/Time
dd/mm/aaaa
Color Automatic

Object: **Fecha Alta Producción**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.FECHA_ALTA_PRODUCCION
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Date/Time
dd/mm/aaaa
Color Automatic

Object: **Fecha Alta Producción (fecha)**
Type: Date
Description:

Select equivalent: case when MAESTROS_DWH.DIM_VEHICULOS.FECHA_ALTA_PRODUCCION=0 then null else to_date(to_char(MAESTROS_DWH.DIM_VEHICULOS.FECHA_ALTA_PRODUCCION),'yyyymmdd') end
Where equivalent:

Qualification: dimension

List of values: 73g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Date/Time
dd/mm/aaaa
Color Automatic

Object: **Model Year**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.MODEL_YEAR
Where equivalent:

Qualification: dimension
List of values: 075, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Tmaimg**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.TMAIMG
Where equivalent:

Qualification: dimension
List of values: 079, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Está en SLI**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.ESTA_EN_SLI
Where equivalent:

Qualification: dimension
List of values: 73i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Motor**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.MOTOR
Where equivalent:

Qualification: dimension
List of values: 06t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Motor2**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.CJNUMOIN
Where equivalent:

Qualification: dimension
List of values: 73j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Cilindrada**
Type: Character
Description: No tiene datos de momento 25/4/2013
Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.CILINDRADA
Where equivalent:

Qualification: dimension
List of values: 06u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden
Format Color Automatic

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 06n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden
Format Color Automatic

Object: **Desc Modelo**
Type: Character

Description:

Select equivalent: MAESTROS_DWH.DIM_VEHICULOS.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 06o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden
Format Color Automatic

Class: **Propietario**
Description:

Object: **Número de Propietarios**
Type: Number
Description:

Select equivalent: count(distinct(DIM_CLIENTE_VEHICULO.COD_CLIENTE))
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Segmento Cliente (Propietario)**
Type: Character
Description: Segmentación de Cliente Propietario (Particular, Autónomo, Colectivos, Renting, Empleados ...)
Select equivalent: DIM_CLIENTE_VEHICULO.SEGMENTO
Where equivalent:

Qualification: dimension
List of values: 6ym, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Persona (Propietario)**
Type: Character
Description: Indica si el propietario del vehiculo es persona física o jurídica
Select equivalent: DIM_CLIENTE_VEHICULO.TIPO_PERSONA
Where equivalent:

Qualification: dimension
List of values: 6yn, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiene email informado (Propietario)**
Type: Character
Description: Indicador de si tiene o no informado el correo electrónico
Select equivalent: DECODE(DIM_CLIENTE_VEHICULO.EMAIL,NULL,'N','S')
Where equivalent:

Qualification: dimension
List of values: 6yo, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfonos informados (Propietario)**
Type: Character
Description: Tiene 1 teléfono informado, 2 teléfono informados, o ninguno
Select equivalent: DECODE((DECODE(DIM_CLIENTE_VEHICULO.TELEFONO,NULL,0,1) +
DECODE(DIM_CLIENTE_VEHICULO.TELEFONO2,NULL,0,1)+ DECODE
DIM_CLIENTE_VEHICULO.TELEFONO3,NULL,0,1)),0,'No tiene teléfon
',1,'Tiene un teléfono',2,'Tiene 2 teléfonos',3,'Tiene 3 teléfonos')
Where equivalent:

Qualification: dimension
List of values: 6yp, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiene fax informado (Propietario)**
Type: Character
Description: Indicador de si tiene o no informado el fax
Select equivalent: DECODE(DIM_CLIENTE_VEHICULO.FAX,NULL,'N','S')
Where equivalent:

Qualification: dimension
List of values: 6yq, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiene dirección completa (Propieta)**
Type: Character
Description:

Select equivalent: DECODE(DIM_CLIENTE_VEHICULO.TIENE_DIRECCION_COMPLETA,0
N','S')
Where equivalent:

Qualification: dimension
List of values: 6yr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Normalizado_Nombre (Propietario)**

Type: Character
Description: Indica si el nombre y apellidos han sido normalizados
Select equivalent: DECODE(DIM_CLIENTE_VEHICULO.NORMA_NOMBRE,1,'S',0,'N','')
Where equivalent:

Qualification: dimension
List of values: 6ys, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Normalizada_Dirección (Propietario)**
Type: Character
Description: Indica si la dirección ha sido normalizada
Select equivalent: DECODE(DIM_CLIENTE_VEHICULO.NORMA_DIRECCION,1,'S',0,'N','')
Where equivalent:

Qualification: dimension
List of values: 6yt, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Normalizada_RazónSocial (Propietar)**
Type: Character
Description: Indica si la Razón Social de la Empresa ha sido normalizada
Select equivalent: DECODE(DIM_CLIENTE_VEHICULO.NORMA_EMPRESA,1,'S',0,'N','')
Where equivalent:

Qualification: dimension
List of values: 6yu, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **LOPD_Robinson (Propietario)**
Type: Character
Description: Indica si el propietario es ROBINSON o NO ROBINSON
Select equivalent:
```
CASE  WHEN DIM_CLIENTE_VEHICULO.LOPD IN 0 THEN
'NO ROBINSON'
WHEN DIM_CLIENTE_VEHICULO.LOPD IN 1 THEN
'ROBINSON'
ELSE
NULL
END
```
Where equivalent:

Qualification: dimension
List of values: 6yv, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **LOPD_Robinson_VWF (Propietario)**

Type: Character
Description: Indica si el propietario es ROBINSON o NO ROBINSON para VW Fina nce. FASEII
Select equivalent: CASE WHEN DIM_CLIENTE_VEHICULO.LOPD_VWF IN 0 THEN 'NO ROBINSON'
WHEN DIM_CLIENTE_VEHICULO.LOPD_VWF IN 1 THEN 'ROBINSON'
ELSE
NULL
END
Where equivalent:

Qualification: dimension
List of values: 6yw, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Acepta recibir llamadas (Propietar)**
Type: Number
Description: Indica si el cliente desea recibir o no llamadas telefónicas de accione s de marketing (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: nvl(DIM_CLIENTE_VEHICULO.RECIBIR_LLAMADAS,1)
Where equivalent:

Qualification: dimension
List of values: 6yx, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Acepta recibir mailing(Propietario)**
Type: Number
Description: Indica si el cliente desea recibir o no correo de acciones de marketin g (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: NVL(DIM_CLIENTE_VEHICULO.RECIBIR_MAILING,1)
Where equivalent:

Qualification: dimension
List of values: 6yy, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Acepta recibir email (Propietario)**
Type: Number
Description: Indica si el cliente desea recibir o no e-mails de acciones de marketi ng (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: NVL(DIM_CLIENTE_VEHICULO.RECIBIR_EMAIL,1)
Where equivalent:

Qualification: dimension
List of values: 700, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Acepta recibir SMS (Propietario)**
Type: Number
Description: Indica si el cliente desea recibir o no mensajes SMS de acciones de marketing (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: NVL(DIM_CLIENTE_VEHICULO.RECIBIR_MENSAJE_SMS,1)
Where equivalent:

Qualification: dimension
List of values: 701, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Rechaza recibir LSSI (Propietario)**
Type: Number
Description: Indica si el cliente desea recibir o no desea recibir comunicaciones c omerciales electronicas. (VALORES : 0 = SI quiere, 1 = NO se puede n enviar comunicaciones comerciales electrónicas al cliente)
Select equivalent: NVL(DIM_CLIENTE_VEHICULO.RECIBIR_LSSI,0)
Where equivalent:

Qualification: dimension
List of values: 702, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cesiones (Propietario)**
Type: Character
Description: Indica si el cliente desea recibir o no desea que sus datos sean cedi dos, bajo ningun concepto. Posibles valores. (VALORES : CESION, N O CESION)
Select equivalent:
```
CASE WHEN DIM_CLIENTE_VEHICULO.CESIONES = 1 THEN 'NO CES
ON'
ELSE 'CESION'
END
```
Where equivalent:

Qualification: dimension
List of values: 703, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Firma (Propietario)**
Type: Character
Description: Firma del propietario del vehiculo
Select equivalent:
```
CASE  WHEN DIM_CLIENTE_VEHICULO.FIRMA IN 0 THEN
'N'
WHEN DIM_CLIENTE_VEHICULO.FIRMA IN 1 THEN
'S'
ELSE
```

NULL
END

Where equivalent:

Qualification: dimension
List of values: 704, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripc. Propietario (Propietario)**
Type: Character
Description: Código que asigna CLIMA al propietario del vehiculo
Select equivalent:

```
CASE
WHEN DIM_CLIENTE_VEHICULO.TIPO_PERSONA IN 'PERSONA'
THEN (DIM_CLIENTE_VEHICULO.COD_CLIENTE||' - '||
        DIM_CLIENTE_VEHICULO.NOMBRE||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_1||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_2)
WHEN DIM_CLIENTE_VEHICULO.TIPO_PERSONA IN 'SUCURSAL'
THEN (DIM_CLIENTE_VEHICULO.COD_CLIENTE||' - '||
        DIM_CLIENTE_VEHICULO.RAZON_SOCIAL)
ELSE
        to_char(DIM_CLIENTE_VEHICULO.COD_CLIENTE)
END
```

Where equivalent:

Qualification: dimension
List of values: 705, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Propietario (Propietario)**
Type: Number
Description: Código de Propietario
Select equivalent: DIM_CLIENTE_VEHICULO.COD_CLIENTE
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 706, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Propietario VW**
Type: Number
Description: Número Vehiculos que tiene un Cliente de Volswagen
Select equivalent: DIM_CLIENTE_VEHICULO.NUM_VEHICULOS_CLIENTE_VW
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 707, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Propietario AU**
Type: Number
Description: Número Vehiculos que tiene un Cliente de Audi
Select equivalent: DIM_CLIENTE_VEHICULO.NUM_VEHICULOS_CLIENTE_AU
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 708, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Propietario SK**
Type: Number
Description: Número Vehiculos que tiene un Cliente de Skoda
Select equivalent: DIM_CLIENTE_VEHICULO.NUM_VEHICULOS_CLIENTE_SK
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 709, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Propietario LC**
Type: Number
Description: Número Vehiculos que tiene un Cliente de Vehículois Comerciales
Select equivalent: DIM_CLIENTE_VEHICULO.NUM_VEHICULOS_CLIENTE_LC
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Propietario Total**
Type: Number
Description: Número Vehiculos que tiene un Cliente de todas las marcas
Select equivalent: DIM_CLIENTE_VEHICULO.NUM_VEHICULOS_CLIENTE
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Nombre y Apellidos (Propietario)**
Type: Character
Description: Nombre y apellidos de la persona propietaria del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.NOMBRE || ' ' || DIM_CLIENTE_VEHICULO APELLIDO_1 || ' ' || DIM_CLIENTE_VEHICULO.APELLIDO_2
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Trato (Propietario)**
Type: Character
Description: Tratamiento del propietario del vehiculo (Sr. / Sra. / S.C.)
Select equivalent: DIM_CLIENTE_VEHICULO.TRATO
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre completo/Razón social (Prop)**
Type: Character
Description: Muestra el nombre completo del Propietario si tiene Tipo Persona = 'PERSONA'. En caso de 'SUCURSAL' muestra Razón Social. Si Tipo P ersona no está indicado, si el nombre completo está indicado, lo mu estra, en caso contrario, muestra Razón Social.
Select equivalent:

```
CASE
WHEN DIM_CLIENTE_VEHICULO.TIPO_PERSONA IN 'PERSONA'
THEN (DIM_CLIENTE_VEHICULO.NOMBRE||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_1||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_2)
WHEN DIM_CLIENTE_VEHICULO.TIPO_PERSONA IN 'SUCURSAL'
THEN (DIM_CLIENTE_VEHICULO.RAZON_SOCIAL)
ELSE
        NVL(DIM_CLIENTE_VEHICULO.NOMBRE||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_1||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_2,
        DIM_CLIENTE_VEHICULO.RAZON_SOCIAL)
END
```

Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Apellidos+Nombre/Razón social(Prop)**
Type: Character
Description: Muestra el nombre completo del Propietario si tiene Tipo Persona = 'PERSONA'. En caso de 'SUCURSAL' muestra Razón Social. Si Tipo P ersona no está indicado, si el nombre completo está indicado, lo mu estra, en caso contrario, muestra Razón Social.
Select equivalent:

```
CASE
WHEN DIM_CLIENTE_VEHICULO.TIPO_PERSONA IN 'PERSONA'
THEN (DIM_CLIENTE_VEHICULO.APELLIDO_1||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_2||', '||
  DIM_CLIENTE_VEHICULO.NOMBRE)
WHEN DIM_CLIENTE_VEHICULO.TIPO_PERSONA IN 'SUCURSAL'
THEN (DIM_CLIENTE_VEHICULO.RAZON_SOCIAL)
ELSE
        NVL(DIM_CLIENTE_VEHICULO.APELLIDO_1||' '||
        DIM_CLIENTE_VEHICULO.APELLIDO_2||', '||
        DIM_CLIENTE_VEHICULO.NOMBRE,
        DIM_CLIENTE_VEHICULO.RAZON_SOCIAL)
END
```

Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre (Propietario)**
Type: Character
Description: Nombre del propietario
Select equivalent: DIM_CLIENTE_VEHICULO.NOMBRE
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellido 1 (Propietario)**
Type: Character
Description: Primer apellido del propietario
Select equivalent: DIM_CLIENTE_VEHICULO.APELLIDO_1
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellido 2 (Propietario)**
Type: Character
Description: Segundo apellido del propietario
Select equivalent: DIM_CLIENTE_VEHICULO.APELLIDO_2
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razón Social (Propietario)**
Type: Character
Description: Razón social de la empresa propietaria del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.RAZON_SOCIAL
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **CIF/NIF (Propietario)**
Type: Character
Description: El CIF / NIF de la persona jurídica / física propietaria del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.CIF_NIF
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfono (Propietario)**
Type: Character
Description: Teléfono principal del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.TELEFONO
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfono 2 (Propietario)**
Type: Character
Description: Teléfono alternativo del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.TELEFONO2
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfono 3 (Propietario)**
Type: Character
Description: Teléfono alternativo del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.TELEFONO3
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **e-mail (Propietario)**
Type: Character
Description: Dirección de correo electrónico del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.EMAIL
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **e-mail 2 (Propietario)**
Type: Character
Description: Dirección de correo electrónico secundario del propietario del vehicul
o
Select equivalent: DIM_CLIENTE_VEHICULO.EMAIL2
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fax (Propietario)**

Type: Character
Description: Fax del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.FAX
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Dirección completa (Propietario)**
Type: Character
Description: Dirección completa del propietario del vehiculo (Via, nombre de la vi a, número del la via, complemento domicilio, cod_postal, localidad y provincia)
Select equivalent: DIM_CLIENTE_VEHICULO.TIPO_VIA || ' ' || DIM_CLIENTE_VEHICULO .NOMBRE_VIA || ', ' || DIM_CLIENTE_VEHICULO.NUMERO_VIA || ' ' || DIM_CLIENTE_VEHICULO.COMPLEMENTO_DOMICILIO || '.' || DIM_CLIENTE_VEHICULO.COD_POSTAL || ' ' || DIM_CLIENTE_VEHICULO.LOCALIDAD || '.' || DIM_PROVINCIAS_CV.PROVINCIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Via (Propietario)**
Type: Character
Description: Calificativo de la vía (Ctra., C/., Avda, etc.) del propietario del vehicu lo
Select equivalent: DIM_CLIENTE_VEHICULO.TIPO_VIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre Via (Propietario)**
Type: Character
Description: Nombre de la vía del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.NOMBRE_VIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70t, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número Via (Propietario)**
Type: Character
Description: Número de la vía a la que pertenece la dirección del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.NUMERO_VIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Complemento Domicilio (Propietario)**
Type: Character
Description: Información adicional que complementa de la dirección de la vía del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.COMPLEMENTO_DOMICILIO
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nacionalidad (Propietario)**
Type: Character
Description: Nacionalidad del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.NACIONALIDAD
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cód. Postal (Propietario)**
Type: Character
Description: Código postal del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.COD_POSTAL
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70x, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Trabajador indep. (Propietario)**
Type: Character
Description: Indica si es un trabajador independiente. FASEII
Select equivalent: DECODE(NVL(DIM_CLIENTE_VEHICULO.TRABAJADOR_INDEPENDIEN
E,0),0,'N','S')
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 70y, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Empleado Marca (Propietario)**
Type: Character
Description: Indica si es un empleado de alguna marca del grupo. FASEII
Select equivalent: DECODE(NVL(DIM_CLIENTE_VEHICULO.EMPLEADO_MARCA,0),0,'N','
S')
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 710, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Tipo de sociedad (Propietario)**
Type: Character
Description: Indica el tipo de sociedad (S.A., S.L.,..). FASEII
Select equivalent: DIM_CLIENTE_VEHICULO.TIPO_SOCIEDAD
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 711, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Origen Ficha (Propietario)**
Type: Character
Description: Ej: Taller, Prospección propia, prospección marca, etc. FASEII
Select equivalent: DIM_CLIENTE_VEHICULO.TIPO_SOCIEDAD
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 712, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Tipo de documento (Propietario)**
Type: Character
Description: NIF, CIF, Pasaporte,... FASEII
Select equivalent: DIM_CLIENTE_VEHICULO.TIPO_DOCUMENTO
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 713, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Sexo (Propietario)**
Type: Character
Description: Sexo del propietario del vehiculo (M / V / E)
Select equivalent: DIM_CLIENTE_VEHICULO.SEXO
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 714, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Hogar Empresa (Propietario)**
Type: Character
Description: Código de persona de la empresa
Select equivalent: DIM_CLIENTE_VEHICULO.CODIGO_HOGAR_EMPRESA
Where equivalent:

Qualification: detail
Associated dimension name: Descripc. Propietario (Propietario)
List of values: 715, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Información geográfica (Propietario)**
Description: Conjunto de datos que conforman la información geográfica de un propietario

Object: **Pais (Propietario)**
Type: Character
Description: Código de país ISO propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.PAIS
Where equivalent:

Qualification: dimension
List of values: 716, editable, automatic refresh, exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Comunidad (Propietario)**
Type: Character
Description: Comunidad autónoma del propietario
Select equivalent: DIM_PROVINCIAS_CV.COMUNIDAD
Where equivalent:

Qualification: dimension
List of values: 717, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Provincia (Propietario)**
Type: Character
Description: Descripción de la provincia del propietario del vehiculo
Select equivalent: DIM_PROVINCIAS_CV.PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 718, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Localidad (Propietario)**
Type: Character
Description: Descripción de la población del propietario del vehiculo
Select equivalent: DIM_CLIENTE_VEHICULO.LOCALIDAD
Where equivalent:

Qualification: dimension
List of values: 719, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ámbito (Propietario)**
Type: Character
Description: Capital, Área Metropolitana, Rural
Select equivalent:
```
CASE
WHEN DIM_CLIENTE_VEHICULO.COD_POSTAL IS NULL THEN NULL
WHEN SUBSTR(DIM_CLIENTE_VEHICULO.COD_POSTAL,3,1) IN '0' T
HEN 'Capital'
WHEN SUBSTR(DIM_CLIENTE_VEHICULO.COD_POSTAL,3,1) IN '9' T
HEN 'Área Metropolitana'
ELSE
'Rural'
END
```
Where equivalent:

Qualification: dimension
List of values: 71a, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código INE Localidad (Propietario)**
Type: Character
Description:

Select equivalent: DIM_CLIENTE_VEHICULO.COD_INE_LOCALIDAD
Where equivalent:

Qualification: dimension
List of values: 71b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Postal (Cond. Habitual)**
Type: Character
Description:

Select equivalent: DIM_CLIENTE_VEHICULO.COD_POSTAL
Where equivalent:

Qualification: dimension
List of values: 71c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Conductor Habitual**
Description: Persona Conductor Habitual del vehiculo que ha dado sus datos al compr arlo

Object: **Número de Conductores Habituales**
Type: Number
Description:

Select equivalent: count(distinct(DIM_CONTACTO_VEHICULO.COD_CLIENTE))
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Segmento Cliente (Con.Habitual)**
Type: Character
Description: Segmentación de Conductor Habitual (Particular, Autónomo, Colectiv os, Renting, Empleados ...)
Select equivalent: DIM_CONTACTO_VEHICULO.SEGMENTO

Where equivalent:

Qualification: dimension
List of values: 4u9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Persona (Conductor Habitual)**
Type: Character
Description: Indica si el Conductor Habitual es persona física o jurídica
Select equivalent: DIM_CONTACTO_VEHICULO.TIPO_PERSONA
Where equivalent:

Qualification: dimension
List of values: 1cw, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiene email informado (Cond Habitu)**
Type: Character
Description: Indicador de si tiene o no informado el correo electrónico
Select equivalent: DECODE(DIM_CONTACTO_VEHICULO.EMAIL,NULL,'N','S')
Where equivalent:

Qualification: dimension
List of values: 1cy, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfonos informados (Conductor Ha)**
Type: Character
Description: Tiene 1 teléfono informado, 2 teléfono informados, o ninguno
Select equivalent: DECODE((DECODE(DIM_CONTACTO_VEHICULO.TELEFONO,NULL,0,1
+ DECODE(DIM_CONTACTO_VEHICULO.TELEFONO2,NULL,0,1)),0,'N
o tiene teléfono',1,'Tiene un teléfono',2,'Tiene 2 teléfonos')
Where equivalent:

Qualification: dimension
List of values: 1d0, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiene fax informado (Conductor Hab)**
Type: Character
Description: Indicador de si tiene o no informado el fax
Select equivalent: DECODE(DIM_CONTACTO_VEHICULO.FAX,NULL,'N','S')
Where equivalent:

Qualification: dimension
List of values: 1d1, editable, automatic refresh, exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiene dirección compl (Cond Habitu)**
Type: Character
Description:

Select equivalent: DECODE(DIM_CONTACTO_VEHICULO.TIENE_DIRECCION_COMPLET/
,0,'N','S')
Where equivalent:

Qualification: dimension
List of values: 2of, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Normalizado_Nombre (Conductor Habi)**
Type: Character
Description: Indica si el nombre y apellidos han sido normalizados
Select equivalent: DECODE(DIM_CONTACTO_VEHICULO.NORMA_NOMBRE,1,'S',0,'N','')
Where equivalent:

Qualification: dimension
List of values: 1d3, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Normalizada_Dirección (Cond Hab)**
Type: Character
Description: Indica si la dirección ha sido normalizada
Select equivalent: DECODE(DIM_CONTACTO_VEHICULO.NORMA_DIRECCION,1,'S',0,'N'
'')
Where equivalent:

Qualification: dimension
List of values: 1d4, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Normalizada_RazónSocial (Cond Habi)**
Type: Character
Description: Indica si la Razón Social de la Empresa ha sido normalizada
Select equivalent: DECODE(DIM_CONTACTO_VEHICULO.NORMA_EMPRESA,1,'S',0,'N','')
Where equivalent:

Qualification: dimension
List of values: 1d5, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **LOPD_Robinson (Conductor Habitual)**
Type: Character
Description: Indica si la persona de Conductor Habitual es ROBINSON o NO ROBINSON
Select equivalent:
```
CASE  WHEN DIM_CONTACTO_VEHICULO.LOPD IN 0 THEN
'NO ROBINSON'
WHEN DIM_CONTACTO_VEHICULO.LOPD IN 1 THEN
'ROBINSON'
ELSE
NULL
END
```
Where equivalent:

Qualification: dimension
List of values: 1d6, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **LOPD_Robinson_VWF (Cond. Habitual)**
Type: Character
Description: Indica si el propietario es ROBINSON o NO ROBINSON para VW Finance. FASEII
Select equivalent:
```
CASE  WHEN DIM_CONTACTO_VEHICULO.LOPD_VWF IN 0 THEN
'NO ROBINSON'
WHEN DIM_CONTACTO_VEHICULO.LOPD_VWF IN 1 THEN
'ROBINSON'
ELSE
NULL
END
```
Where equivalent:

Qualification: dimension
List of values: 4wf, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Acepta recibir llamadas (Cond Habi)**
Type: Number
Description: Indica si el cliente desea recibir o no llamadas telefónicas de acciones de marketing (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent:
```
NVL(DIM_CONTACTO_VEHICULO.RECIBIR_LLAMADAS,1)
```
Where equivalent:

Qualification: dimension
List of values: 42o, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Acepta recibir mailing(Cond. Habit)**
Type: Number

Description: Indica si el cliente desea recibir o no correo de acciones de marketin g (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: NVL(DIM_CONTACTO_VEHICULO.RECIBIR_MAILING,1)
Where equivalent:

Qualification: dimension
List of values: 4wk, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Acepta recibir email (Cond. Habit)**
Type: Number
Description: Indica si el cliente desea recibir o no e-mails de acciones de marketi ng (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: NVL(DIM_CONTACTO_VEHICULO.RECIBIR_EMAIL,1)
Where equivalent:

Qualification: dimension
List of values: 4wl, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Acepta recibir SMS (Cond. Habit)**
Type: Number
Description: Indica si el cliente desea recibir o no mensajes SMS de acciones de marketing (VALORES : 0 = No quiere, 1 = Si quiere)
Select equivalent: NVL(DIM_CONTACTO_VEHICULO.RECIBIR_MENSAJE_SMS,1)
Where equivalent:

Qualification: dimension
List of values: 4wm, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Rechaza recibir LSSI (Cond. Habit)**
Type: Number
Description: Indica si el cliente desea recibir o no desea recibir comunicaciones c omerciales electronicas. (VALORES : 0 = SI quiere, 1 = NO se puede n enviar comunicaciones comerciales electrónicas al cliente)
Select equivalent: NVL(DIM_CONTACTO_VEHICULO.RECIBIR_LSSI,0)
Where equivalent:

Qualification: dimension
List of values: 680, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cesiones (Cond Habit)**
Type: Character
Description: Indica si el cliente desea recibir o no desea que sus datos sean cedi

dos, bajo ningun concepto. Posibles valores. (VALORES : CESION, N
O CESION)

Select equivalent:
```
CASE WHEN DIM_CONTACTO_VEHICULO.CESIONES = 1 THEN 'NO C
ESION'
ELSE 'CESION'
END
```

Where equivalent:

Qualification: dimension
List of values: 681, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Firma (Conductor Habitual)**
Type: Character
Description: Conductores Habituales que han firmado el cuestionario

Select equivalent:
```
CASE  WHEN DIM_CONTACTO_VEHICULO.FIRMA IN 0 THEN
'N'
WHEN DIM_CONTACTO_VEHICULO.FIRMA IN 1 THEN
'S'
ELSE
NULL
END
```

Where equivalent:

Qualification: dimension
List of values: 1d7, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Conductor Habitual**
Type: Character
Description: Código que asigna CLIMA al Conductor Habitual del vehiculo

Select equivalent:
```
CASE
WHEN DIM_CONTACTO_VEHICULO.TIPO_PERSONA IN 'PERSONA'
THEN (DIM_CONTACTO_VEHICULO.COD_CLIENTE||' - '||
        DIM_CONTACTO_VEHICULO.NOMBRE||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_1||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_2)
WHEN DIM_CONTACTO_VEHICULO.TIPO_PERSONA IN 'SUCURSAL'
THEN (DIM_CONTACTO_VEHICULO.COD_CLIENTE||' - '||
        DIM_CONTACTO_VEHICULO.RAZON_SOCIAL)
ELSE
        to_char(DIM_CONTACTO_VEHICULO.COD_CLIENTE)
END
```

Where equivalent:

Qualification: dimension
List of values: 1d8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Conductor Habitual**
Type: Number
Description: Código de Conductor Habitual
Select equivalent: DIM_CONTACTO_VEHICULO.COD_CLIENTE
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 2j6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Cond.Habitual VW**
Type: Number
Description: Número Vehiculos que tiene el Conductor Habitual de Volswagen
Select equivalent: DIM_CONTACTO_VEHICULO.NUM_VEHICULOS_CONTACTO_VW
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 5im, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Cond.Habitual AU**
Type: Number
Description: Número Vehiculos que tiene el Conductor Habitual de Audi
Select equivalent: DIM_CONTACTO_VEHICULO.NUM_VEHICULOS_CONTACTO_AU
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 5ij, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Cond.Habitual SK**
Type: Number
Description: Número Vehiculos que tiene el Conductor Habitual de Skoda
Select equivalent: DIM_CONTACTO_VEHICULO.NUM_VEHICULOS_CONTACTO_SK
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 5il, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Vehiculos Cond.Habitual LC**
Type: Number

Description:	Número Vehiculos que tiene el Conductor Habitual de Vehículos Comerciales
Select equivalent:	DIM_CONTACTO_VEHICULO.NUM_VEHICULOS_CONTACTO_LC
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	5ik, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Num Vehiculos Con.Habitual Total**

Type:	Number
Description:	Número Vehiculos que tiene el Conductor Habitual de todas las marcas
Select equivalent:	DIM_CONTACTO_VEHICULO.NUM_VEHICULOS_CONTACTO
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Nombre y Apellidos (Conductor Habi)**

Type:	Character
Description:	Nombre y apellidos de la persona propietaria del vehiculo
Select equivalent:	DIM_CONTACTO_VEHICULO.NOMBRE || ' ' || DIM_CONTACTO_VEHICULO.APELLIDO_1 || ' ' || DIM_CONTACTO_VEHICULO.APELLIDO_2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	1d9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	hidden

Object: **Trato (Conductor Habitual)**

Type:	Character
Description:	Tratamiento del propietario del vehiculo (Sr. / Sra. / S.C.)
Select equivalent:	DIM_CONTACTO_VEHICULO.TRATO
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	1de, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Nomb compl/Razón social (Cond Hab)**

Type: Character
Description: Muestra el nombre completo del Conductor Habitual si tiene Tipo Per sona = 'PERSONA'. En caso de 'SUCURSAL' muestra Razón Social. Si Tipo Persona no está indicado, si el nombre completo está indicado, lo muestra, en caso contrario, muestra Razón Social.
Select equivalent:

```
CASE
WHEN DIM_CONTACTO_VEHICULO.TIPO_PERSONA IN 'PERSONA'
THEN (DIM_CONTACTO_VEHICULO.NOMBRE||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_1||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_2)
WHEN DIM_CONTACTO_VEHICULO.TIPO_PERSONA IN 'SUCURSAL'
THEN (DIM_CONTACTO_VEHICULO.RAZON_SOCIAL)
ELSE
        NVL(DIM_CONTACTO_VEHICULO.NOMBRE||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_1||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_2,
        DIM_CONTACTO_VEHICULO.RAZON_SOCIAL)
END
```

Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 2nt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellidos+Nomb/Razón social(C Hab)**
Type: Character
Description: Muestra el nombre completo del Conductor Habitual si tiene Tipo Per sona = 'PERSONA'. En caso de 'SUCURSAL' muestra Razón Social. Si Tipo Persona no está indicado, si el nombre completo está indicado, lo muestra, en caso contrario, muestra Razón Social.
Select equivalent:

```
CASE
WHEN DIM_CONTACTO_VEHICULO.TIPO_PERSONA IN 'PERSONA'
THEN (DIM_CONTACTO_VEHICULO.APELLIDO_1||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_2||', '||
        DIM_CONTACTO_VEHICULO.NOMBRE)
WHEN DIM_CONTACTO_VEHICULO.TIPO_PERSONA IN 'SUCURSAL'
THEN (DIM_CONTACTO_VEHICULO.RAZON_SOCIAL)
ELSE
        NVL(DIM_CONTACTO_VEHICULO.APELLIDO_1||' '||
        DIM_CONTACTO_VEHICULO.APELLIDO_2||', '||
        DIM_CONTACTO_VEHICULO.NOMBRE,
        DIM_CONTACTO_VEHICULO.RAZON_SOCIAL)
END
```

Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 5q0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre (Conductor Habitual)**

Type:	Character
Description:	Nombre del propietario
Select equivalent:	DIM_CONTACTO_VEHICULO.NOMBRE
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	1da, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Apellido 1 (Conductor Habitual)**

Type:	Character
Description:	Primer apellido del propietario
Select equivalent:	DIM_CONTACTO_VEHICULO.APELLIDO_1
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	1db, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Apellido 2 (Conductor Habitual)**

Type:	Character
Description:	Segundo apellido del propietario
Select equivalent:	DIM_CONTACTO_VEHICULO.APELLIDO_2
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	1dc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Razón Social (Conductor Habitual)**

Type:	Character
Description:	Razón social de la empresa propietaria del vehiculo
Select equivalent:	DIM_CONTACTO_VEHICULO.RAZON_SOCIAL
Where equivalent:	
Qualification:	detail
Associated dimension name:	Descripción Conductor Habitual
List of values:	1dd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **CIF/NIF (Conductor Habitual)**

Type:	Character
Description:	El CIF / NIF de la persona jurídica / física propietaria del vehiculo

Select equivalent: DIM_CONTACTO_VEHICULO.CIF_NIF
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1df, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfono (Conductor Habitual)**
Type: Character
Description: Teléfono principal del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.TELEFONO
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dg, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfono 2 (Conductor Habitual)**
Type: Character
Description: Teléfono alternativo del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.TELEFONO2
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dh, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Teléfono 3 (Conductor Habitual)**
Type: Character
Description: Teléfono alternativo del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.TELEFONO3
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 6ep, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **e-mail (Conductor Habitual)**
Type: Character
Description: Dirección de correo electrónico del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.EMAIL
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **e-mail 2 (Conductor Habitual)**
Type: Character
Description: Dirección de correo electrónico alternativo del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.EMAIL2
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 6eq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fax (Conductor Habitual)**
Type: Character
Description: Fax del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.FAX
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1di, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Dirección completa(Conductor Habit)**
Type: Character
Description: Dirección completa del Conductor Habitual del vehiculo (Via, nombre de la via, número del la via, complemento domicilio, cod_postal, localidad y provincia)
Select equivalent: DIM_CONTACTO_VEHICULO.TIPO_VIA || ' ' || DIM_CONTACTO_VEHICULO.NOMBRE_VIA || ', ' || DIM_CONTACTO_VEHICULO.NUMERO_VIA || ' ' || DIM_CONTACTO_VEHICULO.COMPLEMENTO_DOMICILIO || '.' || DIM_CONTACTO_VEHICULO.COD_POSTAL || ' ' || DIM_CONTACTO_VEHICULO.LOCALIDAD || '.' || DIM_PROVINCIAS_COV.PROVINCIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dj, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Via (Conductor Habitual)**
Type: Character
Description: Calificativo de la vía (Ctra., C/., Avda, etc.) del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.TIPO_VIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Complemento Domicilio (Conductor H)**
Type: Character
Description: Información adicional que complementa de la dirección de la vía del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.COMPLEMENTO_DOMICILIO
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre Via (Conductor Habitual)**
Type: Character
Description: Nombre de la vía del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.NOMBRE_VIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número Via (Conductor Habitual)**
Type: Character
Description: Número de la vía a la que pertenece la dirección del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.NUMERO_VIA
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Nacionalidad (Conductor Habitual)**
Type: Character
Description: Nacionalidad del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.NACIONALIDAD
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1dp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cód. Postal (Conductor Habitual)**
Type: Character
Description: Código postal del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.COD_POSTAL
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1do, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Trabajador indep. (Cond. Habitual)**
Type: Character
Description: Indica si es un trabajador independiente. FASEII
Select equivalent: DECODE(NVL(DIM_CONTACTO_VEHICULO.TRABAJADOR_INDEPENDIENTE,0),0,'N','S')
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 4wv, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Empleado Marca (Cond. Habitual)**
Type: Character
Description: Indica si es un empleado de alguna marca del grupo. FASEII
Select equivalent: DECODE(NVL(DIM_CONTACTO_VEHICULO.EMPLEADO_MARCA,0),0,'N','S')
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 4ww, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: hidden

Object: **Tipo de sociedad (Cond. Habitual)**
Type: Character
Description: Indica el tipo de sociedad (S.A., S.L.,..). FASEII
Select equivalent: DIM_CONTACTO_VEHICULO.TIPO_SOCIEDAD
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 4wx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Origen Ficha (Cond. Habitual)**
Type: Character
Description: Ej: Taller, Prospección propia, prospección marca, etc. FASEII
Select equivalent: DIM_CONTACTO_VEHICULO.TIPO_SOCIEDAD
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 4wy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Tipo de documento (Cond. Habitual)**
Type: Character
Description: NIF, CIF, Pasaporte,... FASEII
Select equivalent: DIM_CONTACTO_VEHICULO.TIPO_DOCUMENTO
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 4x0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden

Object: **Sexo (Conductor Habitual)**
Type: Character
Description: Sexo del propietario del vehiculo (M / V / E)
Select equivalent: DIM_CONTACTO_VEHICULO.SEXO
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 1eo, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Hogar Empresa(Conductor Hab)**
Type: Character
Description: Código de persona de la empresa
Select equivalent: DIM_CONTACTO_VEHICULO.CODIGO_HOGAR_EMPRESA
Where equivalent:

Qualification: detail
Associated dimension name: Descripción Conductor Habitual
List of values: 6g2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Información geográfica (Cond Hab)**
Description: Conjunto de datos que conforman la información geográfica de un propietario

Object: **Pais (Conductor Habitual)**
Type: Character
Description: Código de país ISO propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.PAIS
Where equivalent:

Qualification: dimension
List of values: 1dr, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Comunidad (Conductor Habitual)**
Type: Character
Description: Comunidad autónoma del Conductor Habitual
Select equivalent: DIM_PROVINCIAS_COV.COMUNIDAD
Where equivalent:

Qualification: dimension
List of values: 1ds, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Provincia (Conductor Habitual)**
Type: Character
Description: Descripción de la provincia del propietario del vehiculo
Select equivalent: DIM_PROVINCIAS_COV.PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 1dt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Localidad (Conductor Habitual)**

Type: Character
Description: Descripción de la población del propietario del vehiculo
Select equivalent: DIM_CONTACTO_VEHICULO.LOCALIDAD
Where equivalent:

Qualification: dimension
List of values: 1du, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ámbito (Conductor Habitual)**
Type: Character
Description: Capital, Área Metropolitana, Rural
Select equivalent:

```
CASE
WHEN DIM_CONTACTO_VEHICULO.COD_POSTAL IS NULL THEN NUl
L
WHEN SUBSTR(DIM_CONTACTO_VEHICULO.COD_POSTAL,3,1) IN '0'
 THEN 'Capital'
WHEN SUBSTR(DIM_CONTACTO_VEHICULO.COD_POSTAL,3,1) IN '9'
 THEN 'Área Metropolitana'
ELSE
'Rural'
END
```

Where equivalent:

Qualification: dimension
List of values: 1dv, editable, automatic refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cód. INE Localidad (Cond. Habitual)**
Type: Character
Description:

Select equivalent: DIM_CONTACTO_VEHICULO.COD_INE_LOCALIDAD
Where equivalent:

Qualification: dimension
List of values: 4wc, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Postal (Cond. Habitual)**
Type: Character
Description:

Select equivalent: DIM_CONTACTO_VEHICULO.COD_POSTAL
Where equivalent:

Qualification: dimension
List of values: 6xe, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Class: **Maestro PRs**
Description:

Object: **Denominación Comercial**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_DENOM_COMERCIAL.DEN_COMERC
Where equivalent:

Qualification: dimension
List of values: 73b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Opcional**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_DENOM_COMERCIAL.OPCIONAL
Where equivalent:

Qualification: dimension
List of values: 73d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.COMARC
Where equivalent:

Qualification: dimension
List of values: 731, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Model Year**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.MODEL_YEAR
Where equivalent:

Qualification: dimension
List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **TMAIMG**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.TMAIMG
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Version**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.VERSION
Where equivalent:

Qualification: dimension
List of values: 72t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código PR**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.COD_PR
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Isetco**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.ISETCO
Where equivalent:

Qualification: dimension
List of values: 72v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Descripcion PR**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.DESCRIPCION_PR
Where equivalent:

Qualification: dimension
List of values: 72w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Opcional**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.TIPO_OPCIONAL
Where equivalent:

Qualification: dimension
List of values: 72x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Familia**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.COD_FAMILIA
Where equivalent:

Qualification: dimension
List of values: 72y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Idioma**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.COD_IDIOMA
Where equivalent:

Qualification: dimension
List of values: 730, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Inicio Vigencia**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_INICIO_VIGENCIA
Where equivalent:

Qualification: dimension
List of values: 732, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Fin Vigencia**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_FIN_VIGENCIA
Where equivalent:

Qualification: dimension
List of values: 733, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Alta Catalogo**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_ALTA_CATALOGO
Where equivalent:

Qualification: dimension
List of values: 734, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Modificacion Catalogo**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_MODIFICACION_CATALOGO
Where equivalent:

Qualification: dimension
List of values: 735, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Alta**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_ALTA
Where equivalent:

Qualification: dimension
List of values: 736, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Ult Modificacion**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_ULT_MODIFICACION
Where equivalent:

Qualification: dimension
List of values: 737, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Inicio Vigencia Date**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_INICIO_VIGENCIA_DAT
E
Where equivalent:

Qualification: dimension
List of values: 738, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Fin Vigencia Date**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_FIN_VIGENCIA_DATE
Where equivalent:

Qualification: dimension
List of values: 739, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Alta Catalogo Date**

Type: Date
Description:

Select equivalent: ODS_CLIENTES.CPR_MAESTRO_PRS.FECHA_ALTA_CATALOGO_DAT E
Where equivalent:

Qualification: dimension
List of values: 73a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Dim Materiales**
Description:

Object: **Referencia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 33f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.DESC_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 33g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.COD_SPART
Where equivalent:

Qualification: dimension
List of values: 33i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo de Marketing**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 33k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo de Descuento**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.COD_GRPDCTO
Where equivalent:

Qualification: dimension
List of values: 33m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Descuento**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.DESC_GRPDCTO
Where equivalent:

Qualification: dimension
List of values: 33x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo Homogeneo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.COD_GRPHOM
Where equivalent:

Qualification: dimension
List of values: 341, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Homogeneo**

Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.DESC_GRPHOM
Where equivalent:

Qualification: dimension
List of values: 343, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Prodh**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.PRODH
Where equivalent:

Qualification: dimension
List of values: 33o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Etl Process Id Alta**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.ETL_PROCESS_ID_ALTA
Where equivalent:

Qualification: dimension
List of values: 33p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Etl Process Id Modif**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.ETL_PROCESS_ID_MODIF
Where equivalent:

Qualification: dimension
List of values: 33q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Alta**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.FECHA_ALTA
Where equivalent:

Qualification: dimension
List of values: 33r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Modif**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.FECHA_MODIF
Where equivalent:

Qualification: dimension
List of values: 33s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Sincro**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.FECHA_SINCRO
Where equivalent:

Qualification: dimension
List of values: 33t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Referencia Sustitución**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL_NEXT
Where equivalent:

Qualification: dimension
List of values: 33u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Grupos de Marketing**
Description:

Object: **Código Grupo de Marketing**
Type: Character

Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 01p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Marketing**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.DESC_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 01q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Familia Anterior**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.DESC_FAMILIA1
Where equivalent:

Qualification: dimension
List of values: 01r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Familia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.DESC_FAMILIA2
Where equivalent:

Qualification: dimension
List of values: 01s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Familia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_FAMILIA
Where equivalent:

Qualification: dimension
List of values: 339, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo Familia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRUPO_FAMILIA
Where equivalent:

Qualification: dimension
List of values: 33a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Familia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.DESC_GRUPO_FAMILIA
Where equivalent:

Qualification: dimension
List of values: 338, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Sparte**
Description:

Object: **Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_SPARTES.COD_SPART
Where equivalent:

Qualification: dimension
List of values: 2y6, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripcion Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_SPARTES.DESC_SPARTE
Where equivalent:

Qualification: detail
Associated dimension name: Sparte
List of values: 2y7, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Marca del Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_SPARTES.GRUPO_MARCA_1
Where equivalent:

Qualification: detail
Associated dimension name: Sparte
List of values: 2y8, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Sparte**
Type: Character
Description:

Select equivalent: CASE WHEN MAESTROS_DWH.DIM_SPARTES.COD_SPART BETWEEN '10' AND '14' THEN 'Exclusive '||MAESTROS_DWH.DIM_SPARTES.DESC_SPARTE ELSE 'Common Parts' END
Where equivalent:

Qualification: dimension
List of values: 2y9, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Antiguedades Vehiculo**
Description:

Object: **Código Antiguedad Vehiculo**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.COD_ANTIGUEDAD_VEHICULO
Where equivalent:

Qualification: dimension
List of values: 37l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Antiguedad**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.ANTIGUEDAD_ANO
Where equivalent:

Qualification: dimension
List of values: 37m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Antiguedad Vehiculo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.DESC_ANTIGUEDAD
_VEHICULO
Where equivalent:

Qualification: dimension
List of values: 37n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Segmento Vehiculo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.SEGMENTO_VEHICU
LO
Where equivalent:

Qualification: dimension
List of values: 37o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Segmento Vehiculo Agrup**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.SEGMENTO_VEHICU
LO_AGRUP
Where equivalent:

Qualification: dimension
List of values: 37p, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Tipo Cargo Img**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.COD_TIPO_CARGO_IMG
Where equivalent:

Qualification: dimension
List of values: 37q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Sales Meeting**
Description:

Object: **Año**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING.ANYO
Where equivalent:

Qualification: dimension
List of values: 001, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format: Number
Category = Number
0

Object: **Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING.MES
Where equivalent:

Qualification: dimension
List of values: 002, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año Comparación**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING.ANYO+1

Where equivalent:

Qualification: dimension
List of values: 029, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
0

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 003, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 004, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Tipo Cargo**
Type: Character
Description:

Select equivalent: DM_MV_AGG_SALES_MEETING.COD_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 005, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Flag Garantias**
Type: Character
Description:

Select equivalent: CASE WHEN DM_MV_AGG_SALES_MEETING.COD_TIPO_CARGO='G' THEN 'S' ELSE 'N' END
Where equivalent:

Qualification: dimension
List of values: 031, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cargo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.DESC_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 01y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo de Marketing**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 020, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador Acumulado / Mensual**
Type: Character
Description:

Select equivalent: @Prompt('Acumulado / Mensual:','A',{'A','M'},mono,constrained,persistent,{'A'})
Where equivalent:

Qualification: dimension
List of values: 032, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Cargos Materiales**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.NUM_CARGOS_MAT)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0

Object: **Unidades Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Object: **Venta Recambios**
Type: Number
Description:

Select equivalent: SUM(CASE WHEN @Prompt('Bruto / Neto:','A',{'B','N'},mono,constrained,persistent,{'N'}) = 'B' THEN DM_MV_AGG_SALES_MEETING.IMP_RECAMBIOS ELSE DM_MV_AGG_SALES_MEETING.IMP_TOTAL_RECAMBIOS END)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Object: **Importe Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.IMP_RECAMBIOS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Object: **Importe Total Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.IMP_TOTAL_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Object: **Número de Cargos MO/TE**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.NUM_CARGOS_HOR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0

Object: **Cantidad Horas**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.CAN_HORAS)
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Object: **Importe Horas MO**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.IMP_HORAS_MO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Object: **Importe Horas Total**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_SALES_MEETING.IMP_HORAS_TOT)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,00

Class: **Flotas Empresa**
Description: Flotas Empresa
Datos a nivel de concesionario, marca, familia, cliente
No combinable con grupos de marketing

Object: **Fuente**
Type: Character
Description: F = Flotas
R = Rentacar

Select equivalent: DM_MV_AGG_OR_FLOTAS.COD_FUENTE
Where equivalent:

Qualification: dimension
List of values: 30x, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.ANYO
Where equivalent:

Qualification: dimension
List of values: 02d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.MES
Where equivalent:

Qualification: dimension
List of values: 02e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Concesionario**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.COD_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: 02f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.COD_MARCA_FLOTA
Where equivalent:

Qualification: dimension
List of values: 02g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Modelo Fuente**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 345, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Antiguedad**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.COD_ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 346, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 02y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Tipo Cargo**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.COD_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 02h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cargo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.DESC_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 02v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Service Event**
Type: Character
Description:

Select equivalent: CASE WHEN DM_MV_AGG_OR_FLOTAS.COD_TIPO_CARGO IN ('G','I') THEN MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.DESC_TIPO_CA RGO ELSE DECODE(DM_MV_AGG_OR_FLOTAS.DESC_FAMILIA,'PARA BRISAS','CARROCERIA','ESCOBILLAS','DESGASTE','FRENOS','DESGA STE','DESGASTE RESTO','DESGASTE',DM_MV_AGG_OR_FLOTAS.DE SC_FAMILIA) END
Where equivalent:

Qualification: dimension
List of values: 02w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Familia**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS.DESC_FAMILIA
Where equivalent:

Qualification: dimension
List of values: 02i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **NIF Cliente**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_EMPRESAS_RENTING.NIF_EMPRESA_RENTIN G
Where equivalent:

Qualification: dimension
List of values: 02j, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cliente**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_EMPRESAS_RENTING.NOMBRE
Where equivalent:

Qualification: dimension
List of values: 02k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cliente**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_EMPRESAS_RENTING.COD_TIPO_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 02l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Parque**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.NUM_BASTIDORES)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Bajas**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.NUM_BAJAS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de ORs**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.NUM_OR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Cargos Materiales**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.NUM_CARGOS_MAT)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Unidades Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Tarifa Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.IMP_RECAMBIOS)
Where equivalent:

Qualification: measure

Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Venta Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.IMP_TOTAL_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Cargos MO/TE**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.NUM_CARGOS_HOR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad Horas**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.CAN_HORAS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Horas MO**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.IMP_HORAS_MO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Horas Total**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS.IMP_HORAS_TOT)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Potenciales**
Description:

Object: **Año**
Type: Number
Description:

Select equivalent: ODS_FLOTAS_POTENCIALES.ANYO
Where equivalent:

Qualification: dimension
List of values: 37g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes**
Type: Number
Description:

Select equivalent: ODS_FLOTAS_POTENCIALES.MES
Where equivalent:

Qualification: dimension
List of values: 37r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: ODS_FLOTAS_POTENCIALES.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 37h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Antiguedad**
Type: Number
Description:

Select equivalent: ODS_FLOTAS_POTENCIALES.COD_ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 37i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Service Event**
Type: Character
Description:

Select equivalent: DECODE(ODS_FLOTAS_POTENCIALES.DESC_FAMILIA_FLOTA,'PARABRISAS','CARROCERIA','ESCOBILLAS','DESGASTE','FRENOS','DESGASTE','DESGASTE RESTO','DESGASTE',ODS_FLOTAS_POTENCIALES.DESC_FAMILIA_FLOTA)
Where equivalent:

Qualification: dimension
List of values: 37j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fuente**
Type: Character
Description:

Select equivalent: ODS_FLOTAS_POTENCIALES.COD_FUENTE
Where equivalent:

Qualification: dimension
List of values: 73m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Potencial**
Type: Number

Description:

Select equivalent: ODS_FLOTAS_POTENCIALES.IMP_POTENCIAL
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Modelo Clima**
Description:

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_MODELOS.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 04u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden
Format Color Automatic

Object: **Código Marca**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_MODELOS.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 04v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: hidden
Format Color Automatic

Object: **Modelo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MODELOS.MODELO
Where equivalent:

Qualification: dimension
List of values: 04w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Format Color Automatic

Object: **Grupo Modelo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MODELOS_GRUPO.DESC_MODELO_GRUPO
Where equivalent:

Qualification: dimension
List of values: 38u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **Marca Modelo Clima**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MODELOS.DESC_MARCA
Where equivalent:

Qualification: dimension
List of values: 050, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Object: **SuperGrupo Modelo (Top Ventas)**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MODELOS_GRUPO.DESC_MODELO_SUPERGRUPO
Where equivalent:

Qualification: dimension
List of values: 38v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Color Automatic

Class: **Flotas Garantias**
Description:

Object: **Fuente**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_FUENTE
Where equivalent:

Qualification: dimension
List of values: 755, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.ANYO
Where equivalent:

Qualification: dimension
List of values: 74v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.MES
Where equivalent:

Qualification: dimension
List of values: 74w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_MES
Where equivalent:

Qualification: dimension
List of values: 74x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_MARCA_FLOTA
Where equivalent:

Qualification: dimension

List of values: 74y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 750, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **KVPS**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_KVPS
Where equivalent:

Qualification: dimension
List of values: 751, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Garantias**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.TIP_GAR_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: 752, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Familia**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.DESC_FAMILIA
Where equivalent:

Qualification: dimension
List of values: 753, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **NIF Cliente**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_EMPRESAS_RENTING.NIF_EMPRESA_RENTIN G
Where equivalent:

Qualification: dimension
List of values: 75f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cliente**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_EMPRESAS_RENTING.NOMBRE
Where equivalent:

Qualification: dimension
List of values: 75g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Antiguedad**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 756, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Antiguedad Año Venta**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_ANTIGUEDAD_ANO_VENTA
Where equivalent:

Qualification: dimension
List of values: 757, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 758, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo Flotas**
Type: Character
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 759, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Reclamaciones**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS_GAR.NUM_RECLAMACIONES)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Material**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_OR_FLOTAS_GAR.IMP_MATERIAL)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status:	show

Object: **Importe Mano de Obra**

Type:	Number
Description:	
Select equivalent:	SUM(DM_MV_AGG_OR_FLOTAS_GAR.IMP_MANOOBRA)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe Incremento**

Type:	Number
Description:	
Select equivalent:	SUM(DM_MV_AGG_OR_FLOTAS_GAR.IMP_INCREMENTO)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Cod Claimkey**

Type:	Character
Description:	
Select equivalent:	DWH_VAESA.DM_F_GARANTIAS.COD_CLAIMKEY
Where equivalent:	
Qualification:	dimension
List of values:	75m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Id Pedido Reparacion**

Type:	Character
Description:	
Select equivalent:	DWH_VAESA.DM_F_GARANTIAS.ID_PEDIDO_REPARACION
Where equivalent:	
Qualification:	dimension
List of values:	75n, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: **Id Serie Reclamacion**
Type: Character
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.ID_SERIE_RECLAMACION
Where equivalent:

Qualification: dimension
List of values: 75o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Reclamacion**
Type: Date
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.FECHA_RECLAMACION
Where equivalent:

Qualification: dimension
List of values: 75p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Num Version**
Type: Number
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.NUM_VERSION
Where equivalent:

Qualification: dimension
List of values: 75q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 75r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Actualizacion**
Type: Date
Description:

Select equivalent: DM_MV_AGG_OR_FLOTAS_GAR.FECHA_ACTUALIZACION
Where equivalent:

Qualification: dimension
List of values: 75e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Aceptacion**
Type: Date
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.FECHA_ACEPTACION
Where equivalent:

Qualification: dimension
List of values: 75i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Reparacion**
Type: Date
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.FECHA_REPARACION
Where equivalent:

Qualification: dimension
List of values: 75j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Pago**
Type: Date
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.FECHA_PAGO
Where equivalent:

Qualification: dimension
List of values: 75k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número AT**

Type: Character
Description:

Select equivalent: DWH_VAESA.DM_F_GARANTIAS.ID_NAT
Where equivalent:

Qualification: dimension
List of values: 75h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción AT**
Type: Character
Description:

Select equivalent: DM_GARANTIAS.DM_V_NAT.DES_NAT
Where equivalent:

Qualification: dimension
List of values: 75l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Fotos mensuales Bastidores Flotas**
Description:

Object: **Fecha Foto**
Type: Date
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.FEC_FOTO
Where equivalent:

Qualification: dimension
List of values: 75s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Fuente**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.COD_FUENTE
Where equivalent:

Qualification: dimension
List of values: 75t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 75u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca Flota**
Type: Number
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.COD_MARCA_FLOTA
Where equivalent:

Qualification: dimension
List of values: 75v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Modelo**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 75w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja**
Type: Date
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.FEC_BAJA
Where equivalent:

Qualification: dimension
List of values: 75x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **NIF Cliente**
Type: Character

Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.NIF_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 75y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre Cliente**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.DESC_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 760, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cliente**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.COD_TIPO_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 761, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod. Ext. Garantia**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.COD_EXT_GARANTIA
Where equivalent:

Qualification: dimension
List of values: 762, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **TMAIMG**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.TMAIMG
Where equivalent:

Qualification: dimension
List of values: 763, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Matricula**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.MATRICULA
Where equivalent:

Qualification: dimension
List of values: 764, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Concesionario**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.COD_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: 765, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Concesionario**
Type: Character
Description:

Select equivalent: ODS_BASTIDORES_FLOTAS.DESC_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: 766, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Ventas de Almacen**
Description:

Object: **Importe s/dcto**
Type: Number
Description: Importe de IMG Recambios

Select equivalent: SUM(DM_MV_AGG_VTA_ALMACEN_SM.IMPORTE_SIN_DCTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 2tk, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,##;-#.##0,##;0;0

Object: **Importe c/dcto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_VTA_ALMACEN_SM.IMPORTE_TOTAL)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 2tl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show
Format Number
Category = Number
#.##0,##;-#.##0,##;0;0

Object: **Cantidad Piezas**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_VTA_ALMACEN_SM.CANTIDAD)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descuento Pct**
Type: Number
Description: Descuento Pct de IMG Recambios
Select equivalent: AVG(DM_MV_AGG_VTA_ALMACEN_SM.DESCUENTO_PCT)
Where equivalent:

Qualification: measure
Aggregate function: Average
List of values: 2tm, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status:	show
Format	Number Category = Number #.##0,##;-#.##0,##;0;0

Object:	**Lineas**
Type:	Number
Description:	Lineas de IMG Recambios
Select equivalent:	SUM(DM_MV_AGG_VTA_ALMACEN_SM.LINEAS)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	2tn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Number 0;-0;0;0

Object:	**Cargos**
Type:	Number
Description:	
Select equivalent:	SUM(DM_MV_AGG_VTA_ALMACEN_SM.CARGOS)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	**Indicador Acumulado / Mensual**
Type:	Character
Description:	
Select equivalent:	@Prompt('Acumulado / Mensual:','A',{'A','M'},mono,constrained,persistent,{'A'})
Where equivalent:	
Qualification:	dimension
List of values:	2y5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	**Tipo Venta**
Type:	Character
Description:	Tipo Venta de IMG Recambios
Select equivalent:	MAESTROS_DWH.DIM_DMS_TIPOS_VENTA.DESC_TIPO_VENTA
Where equivalent:	

Qualification: dimension
List of values: 27q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Tipo Venta**
Type: Character
Description: Grupo Tipo Venta de IMG Recambios
Select equivalent: MAESTROS_DWH.DIM_DMS_GRUPOS_TIPOS_VENTA.DESC_GRUPO_TIPO_VENTA
Where equivalent:

Qualification: dimension
List of values: 27s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Marketing**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 2to, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripcion Grupo de Marketing**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_MARKETING.DESC_GRPMRK
Where equivalent:

Qualification: detail
Associated dimension name: Grupo de Marketing
List of values: 2tp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Homogeneo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.COD_GRPHOM
Where equivalent:

Qualification: dimension
List of values: 2tq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripcion Grupo Homogeneo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.DESC_GRPHOM
Where equivalent:

Qualification: detail
Associated dimension name: Grupo Homogeneo
List of values: 2tr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_SPARTES.COD_SPART
Where equivalent:

Qualification: dimension
List of values: 2tv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Marca del Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_SPARTES.GRUPO_MARCA_1
Where equivalent:

Qualification: detail
Associated dimension name: Sparte
List of values: 2u2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripcion Sparte**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_SPARTES.DESC_SPARTE
Where equivalent:

Qualification: detail
Associated dimension name: Sparte
List of values: 2tw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Sparte**
Type: Character
Description:

Select equivalent: CASE WHEN MAESTROS_DWH.DIM_SPARTES.COD_SPART BETWEEN '10' AND '14' THEN 'Exclusive '||MAESTROS_DWH.DIM_SPARTES.DESC_SPARTE ELSE 'Common Parts' END
Where equivalent:

Qualification: dimension
List of values: 2y1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Descuento**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.COD_GRPDCTO
Where equivalent:

Qualification: dimension
List of values: 2tx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripcion Grupo Descuento**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.DESC_GRPDCTO
Where equivalent:

Qualification: detail
Associated dimension name: Grupo Descuento
List of values: 2ty, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descuento Stock**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.PCT_DCTO_STOCK

Where equivalent:

Qualification: detail
Associated dimension name: Grupo Descuento
List of values: 2u0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descuento Urgente**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.PCT_DCTO_URGENTE
Where equivalent:

Qualification: detail
Associated dimension name: Grupo Descuento
List of values: 2u1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Reparto Marcas**
Description:

Object: **Marca**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.MARCA
Where equivalent:

Qualification: dimension
List of values: 2yl, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe por Marca**
Type: Number
Description:

Select equivalent: SUM(DM_MV_AGG_VTA_ALMACEN_SM.IMPORTE_SIN_DCTO*ODS_VE_REPARTO_MARCAS.PRC_REPARTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Pre ITV**

Description:

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 2yn, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 2yo, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 2yp, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 2yq, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 2yr, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Contacto**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.FEC_CONTACTO
Where equivalent:

Qualification: dimension
List of values: 2ys, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_OR
Where equivalent:

Qualification: dimension
List of values: 2yt, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 2yu, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre OR**

Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.FECHA_CIERRE_OR
Where equivalent:

Qualification: dimension
List of values: 2yv, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension
List of values: 2yw, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 2yx, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Marketing**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 2yy, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador Pre-ITV**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.IND_PREITV
Where equivalent:

Qualification: dimension
List of values: 30a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador Paquete Pre-ITV**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.IND_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 309, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador Lead**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.IND_LEAD
Where equivalent:

Qualification: dimension
List of values: 74e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Códigp Paquete**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 74f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Material**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.COD_MATERIAL

Where equivalent:

Qualification: dimension
List of values: 300, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe PVP**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.IMP_RECAMBIOS_PVP
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_PREITV.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Bruto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_PREITV.IMP_RECAMBIOS_BRUTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Neto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_PREITV.IMP_RECAMBIOS_NETO)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descuento Recambios**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.DTO_RECAMBIOS
Where equivalent:

Qualification: dimension
List of values: 305, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador Descuento 15%**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PREITV.IND_DTO15
Where equivalent:

Qualification: dimension
List of values: 306, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe a Pagar**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_PREITV.IMP_A_PAGAR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **WinBack Customers**
Description:

Object: **Código Instalación**
Type: Character

Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 30y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 310, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 311, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 312, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 313, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja Vehiculo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.FECHA_BAJA_VEHICULO
Where equivalent:

Qualification: dimension
List of values: 314, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Antiguedad Vehiculo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 315, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Antiguedad Momento Contacto**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.ANTIGUEDAD_CONTACTO
Where equivalent:

Qualification: dimension
List of values: 31o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Contacto**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.FEC_CONTACTO
Where equivalent:

Qualification: dimension
List of values: 316, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_OR
Where equivalent:

Qualification: dimension
List of values: 317, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 318, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre OR**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.FECHA_CIERRE_OR
Where equivalent:

Qualification: dimension
List of values: 319, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension

List of values: 31a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 31b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Marketing**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 31c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Indicador WinBack Customers**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.IND_WINBACKCST
Where equivalent:

Qualification: dimension
List of values: 31d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Promoción**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_PROMOCION
Where equivalent:

Qualification: dimension
List of values: 31e, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Código Material**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 31f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe PVP**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_WINBACKCST.IMP_RECAMBIOS_PVP
Where equivalent:

Qualification: dimension
List of values: 31h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_WINBACKCST.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Bruto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_WINBACKCST.IMP_RECAMBIOS_BRUTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe Neto**
Type: Number
Description:

Select equivalent:	SUM(DM_MV_F_VTAS_WINBACKCST.IMP_RECAMBIOS_NETO)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Descuento Recambios**
Type: Number
Description:

Select equivalent:	DM_MV_F_VTAS_WINBACKCST.DTO_RECAMBIOS
Where equivalent:	
Qualification:	dimension
List of values:	31k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Descuento Teorico**
Type: Number
Description:

Select equivalent:	DM_MV_F_VTAS_WINBACKCST.DTO_TEORICO
Where equivalent:	
Qualification:	dimension
List of values:	31l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Indicador Descuento Aplicable**
Type: Character
Description:

Select equivalent:	DM_MV_F_VTAS_WINBACKCST.IND_DTO_WINBACKCST
Where equivalent:	
Qualification:	dimension
List of values:	31m, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: **Importe a Pagar**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_WINBACKCST.IMP_A_PAGAR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Campañas**
Description:

Object: **Código Campaña**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 30b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 30c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razón Social**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 30d, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 30e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja Vehiculo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.FECHA_BAJA_VEHICULO
Where equivalent:

Qualification: dimension
List of values: 30f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 30g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **TMAIMG**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.TMAIMG
Where equivalent:

Qualification: dimension
List of values: 30h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 30i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 30j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_OR
Where equivalent:

Qualification: dimension
List of values: 30k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Paquete**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 30l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura OR**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 30m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre OR**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.FECHA_CIERRE_OR
Where equivalent:

Qualification: dimension
List of values: 30n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Linea Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension
List of values: 30o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 30p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo de Marketing**

Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 30q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Material**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 30r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe PVP**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.IMP_RECAMBIOS_PVP
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Recambios Bruto**
Type: Number

Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS.IMP_RECAMBIOS_BRUTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Recambios Neto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS.IMP_RECAMBIOS_NETO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descuento Recambios**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS.DTO_RECAMBIOS
Where equivalent:

Qualification: dimension
List of values: 30w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Paquetes**
Description:

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 31p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 31q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 31r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 31s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 31t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja Vehiculo**

Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.FECHA_BAJA_VEHICULO
Where equivalent:

Qualification: dimension
List of values: 31u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_OR
Where equivalent:

Qualification: dimension
List of values: 31v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 31w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año Apertura**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.ANO_APERTURA
Where equivalent:

Qualification: dimension
List of values: 31x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes Apertura**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.MES_APERTURA
Where equivalent:

Qualification: dimension
List of values: 31y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre OR**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.FECHA_CIERRE_OR
Where equivalent:

Qualification: dimension
List of values: 320, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Asesor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_ASESOR
Where equivalent:

Qualification: dimension
List of values: 321, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Linea Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension
List of values: 322, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cargo IMG**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_TIPO_CARGO_IMG

Where equivalent:

Qualification: dimension
List of values: 323, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 324, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año Cierre Cargo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.ANO_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 325, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes Cierre Cargo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.MES_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 326, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Promoción**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_PROMOCION
Where equivalent:

Qualification: dimension
List of values: 327, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Paquete**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_PAQUETES.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 328, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Paquete**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PAQUETES.DESC_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 32a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Agrupación Paquete**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PAQUETES.AGRU_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 32b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Paquete**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PAQUETES.GRUP_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 32c, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Total Cargo**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_PAQUETES.IMP_TOTAL_CARGO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **JQ Paquete**
Description:

Object: **Grupo Paquete**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PAQUETES.GRUP_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 32g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Agrupación Paquete**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PAQUETES.AGRU_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 32f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Paquete**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_PAQUETES.DESC_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 32e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Deferencias**
Description:

Object: **Código Instalación OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 32h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razon Social Instalación OR**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 33b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **KVPS Instalación Tramite**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_KVPS
Where equivalent:

Qualification: dimension
List of values: 32i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalación Tramite**
Type: Character
Description:

Select equivalent: DIM_INSTALACIONES2.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 33d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razón Social Instalación Tramite**
Type: Character
Description:

Select equivalent: DIM_INSTALACIONES2.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 33c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 32j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Reclamación**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_RECLAMACION
Where equivalent:

Qualification: dimension
List of values: 344, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_MARCA
Where equivalent:

Qualification: dimension

List of values: 32k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Modelo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 32l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 32m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja Vehiculo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.FECHA_BAJA_VEHICULO
Where equivalent:

Qualification: dimension
List of values: 32n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Antiguedad**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 32o, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Año Tramitación**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.ANYO_TRAMITACION
Where equivalent:

Qualification: dimension
List of values: 32p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes Tramitación**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.MES_TRAMITACION
Where equivalent:

Qualification: dimension
List of values: 32q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_OR
Where equivalent:

Qualification: dimension
List of values: 32r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 32s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre OR**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.FECHA_CIERRE_OR
Where equivalent:

Qualification: dimension
List of values: 32t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Linea Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension
List of values: 32u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 32v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 32w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Marketing**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 32x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Promoción**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_PROMOCION
Where equivalent:

Qualification: dimension
List of values: 32y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Referencia**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 330, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_DEFERENCIAS.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe PVP**

Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.IMP_RECAMBIOS_PVP
Where equivalent:

Qualification: dimension
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Bruto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_DEFERENCIAS.IMP_RECAMBIOS_BRUTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Neto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_DEFERENCIAS.IMP_RECAMBIOS_NETO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descuento Recambios**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_DEFERENCIAS.DTO_RECAMBIOS
Where equivalent:

Qualification: dimension
List of values: 335, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Mano de Obra**

Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_DEFERENCIAS.IMP_MANOOBRA)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Horas Mano de Obra**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_DEFERENCIAS.HOR_MANOOBRA)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Audatex**
Description:

No objects

Class: **Reparaciones**
Description:

Object: **Periodo**
Type: Number
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.COD_MES
Where equivalent:

Qualification: dimension
List of values: 347, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Provincia**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 348, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca Audatex**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.COD_MARCA_AUDATEX
Where equivalent:

Qualification: dimension
List of values: 349, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.MARCA
Where equivalent:

Qualification: dimension
List of values: 34a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Modelo Audatex**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.COD_MODELO_AUDATEX
Where equivalent:

Qualification: dimension
List of values: 34b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.MODELO
Where equivalent:

Qualification: dimension

List of values: 34c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Año Matriculacion**
Type: Number
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.ANYO_MATRICULACION
Where equivalent:

Qualification: dimension
List of values: 34d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Taller**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.TIPO_TALLER
Where equivalent:

Qualification: dimension
List of values: 34e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Reparaciones**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Coste Medio**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_REPARACIONES.IMP_COSTE_MEDIO*ODS_AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:

Qualification: measure

Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Coste Total**
Type: Number
Description:

Select equivalent:	SUM(NVL(ODS_AUDATEX_REPARACIONES.IMP_COSTE_RECAMBIOS *ODS_AUDATEX_REPARACIONES.NUM_REPARACIONES,0))+SUM(NV L(ODS_AUDATEX_REPARACIONES.IMP_COSTE_MO_CHAPA*ODS_AU DATEX_REPARACIONES.NUM_REPARACIONES,0))+SUM(NVL(ODS_A UDATEX_REPARACIONES.IMP_COSTE_MAT_PINTURA*ODS_AUDATE X_REPARACIONES.NUM_REPARACIONES,0))+SUM(NVL(ODS_AUDAT EX_REPARACIONES.IMP_COSTE_MO_PINTURA*ODS_AUDATEX_REP ARACIONES.NUM_REPARACIONES,0))
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Coste Recambios**
Type: Number
Description:

Select equivalent:	SUM(ODS_AUDATEX_REPARACIONES.IMP_COSTE_RECAMBIOS*OD S_AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Coste Mano de Obra Chapa**
Type: Number
Description:

Select equivalent:	SUM(ODS_AUDATEX_REPARACIONES.IMP_COSTE_MO_CHAPA*ODS _AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort

Object status: show

Object: **Coste Materiales Pintura**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_REPARACIONES.IMP_COSTE_MAT_PINTURA* ODS_AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Coste Mano de Obra Pintura**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_REPARACIONES.IMP_COSTE_MO_PINTURA*O DS_AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Precio Hora Chapa**
Type: Number
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.IMP_PRECIOHORA_CHAPA_MEC
Where equivalent:

Qualification: dimension
List of values: 34l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Horas Chapa**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_REPARACIONES.HORAS_CHAPA*ODS_AUDATE X_REPARACIONES.NUM_REPARACIONES)
Where equivalent:

Qualification: measure

Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Precio Hora Pintura**
Type: Number
Description:

Select equivalent: ODS_AUDATEX_REPARACIONES.IMP_PRECIOHORA_PINTURA
Where equivalent:

Qualification: dimension
List of values: 34n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Horas Pintura**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_REPARACIONES.HORAS_PINTURA*ODS_AUDATEX_REPARACIONES.NUM_REPARACIONES)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Piezas Sustituidas**
Description:

Object: **Periodo**
Type: Number
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.COD_MES
Where equivalent:

Qualification: dimension
List of values: 34p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Provincia**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.PROVINCIA
Where equivalent:

Qualification: dimension
List of values: 34q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca Audatex**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.COD_MARCA_AUDATEX
Where equivalent:

Qualification: dimension
List of values: 34r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.MARCA
Where equivalent:

Qualification: dimension
List of values: 34s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Modelo**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.MODELO
Where equivalent:

Qualification: dimension
List of values: 34t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Referencia Audatex**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.COD_REFERENCIA
Where equivalent:

Qualification: dimension
List of values: 34u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripción Referencia**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.DESC_REFERENCIA
Where equivalent:

Qualification: dimension
List of values: 34v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Material**
Type: Character
Description: Código Material en base a pulir la Referencia Audatex. En este camp o vienen códigos que existen en el maestro de materiales. Si no se r econoce la referencia de Audatex, este campo se queda en blanco.
Select equivalent: ODS_AUDATEX_PIEZAS_SUST.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 39f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Material**
Type: Character
Description:

Select equivalent: ODS_AUDATEX_PIEZAS_SUST.TIP_PIEZA
Where equivalent:

Qualification: dimension
List of values: 39h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Sustituciones**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_PIEZAS_SUST.NUM_SUSTITUCIONES)
Where equivalent:

Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe Sustituida**
Type: Number
Description:

Select equivalent:	SUM(ODS_AUDATEX_PIEZAS_SUST.IMP_MEDIO_SUSTITUIDA*ODS_AUDATEX_PIEZAS_SUST.NUM_SUSTITUCIONES)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe Reparación**
Type: Number
Description:

Select equivalent:	SUM(ODS_AUDATEX_PIEZAS_SUST.IMP_MEDIO_REPARACION*ODS_AUDATEX_PIEZAS_SUST.NUM_SUSTITUCIONES)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe Total**
Type: Number
Description:

Select equivalent:	SUM(NVL(ODS_AUDATEX_PIEZAS_SUST.IMP_MEDIO_REPARACION*ODS_AUDATEX_PIEZAS_SUST.NUM_SUSTITUCIONES,0))+SUM(NVL(ODS_AUDATEX_PIEZAS_SUST.IMP_MEDIO_SUSTITUIDA*ODS_AUDATEX_PIEZAS_SUST.NUM_SUSTITUCIONES,0))
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe Unitario Minimo**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_PIEZAS_SUST.IMP_MINIMO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Unitario Maximo**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_PIEZAS_SUST.IMP_MAXIMO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Coeficiente Variación**
Type: Number
Description:

Select equivalent: SUM(ODS_AUDATEX_PIEZAS_SUST.COEFICIENTE_VARIACION)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Campañas Sell-Out**
Description:

No objects

Class: **Maestro Paquetes**
Description:

Object: **Código Grupo Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SELLOUT.COD_GRUPO
Where equivalent:

Qualification: dimension
List of values: 39k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SELLOUT.DESC_GRUPO
Where equivalent:

Qualification: dimension
List of values: 39l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.COD_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 375, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SELLOUT.DESC_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 37f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Paquete**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 376, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Paquete**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.DESC_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 377, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Mano de Obra**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.COD_MANOOBRA
Where equivalent:

Qualification: dimension
List of values: 378, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Mano de Obra**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.DESC_MANOOBRA
Where equivalent:

Qualification: dimension
List of values: 379, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Desde**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.FEC_VIGENCIA_DESDE
Where equivalent:

Qualification: dimension

List of values: 37a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Hasta**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.FEC_VIGENCIA_HASTA
Where equivalent:

Qualification: dimension
List of values: 37b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ind CRM**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.IND_CRM
Where equivalent:

Qualification: dimension
List of values: 37c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 37d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.MARCA
Where equivalent:

Qualification: dimension
List of values: 37e, editable, manual refresh, exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Class: **Leads**
Description:

Object: **Código Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.COD_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 353, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalacion**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 354, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.DESC_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 355, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Precio A Comunicar**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.IMP_PRECIO_A_COMUNICAR
Where equivalent:

Qualification: dimension
List of values: 356, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Paquete**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 357, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.TIP_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 38w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código cpp**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.COD_BDC
Where equivalent:

Qualification: dimension
List of values: 358, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ind Obsequio**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.IND_OBSEQUIO
Where equivalent:

Qualification: dimension
List of values: 359, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Desc Instalacion**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.DESC_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 35a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Cliente**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.COD_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 35b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.NOMBRE
Where equivalent:

Qualification: dimension
List of values: 35c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellido 1**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.APELLIDO_1
Where equivalent:

Qualification: dimension
List of values: 35d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellido 2**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.APELLIDO_2
Where equivalent:

Qualification: dimension
List of values: 35e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Telefono 1**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.TELEFONO_1
Where equivalent:

Qualification: dimension
List of values: 35f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Telefono 2**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.TELEFONO_2
Where equivalent:

Qualification: dimension
List of values: 35g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Email**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.EMAIL
Where equivalent:

Qualification: dimension
List of values: 35h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Canal**

Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.CANAL
Where equivalent:

Qualification: dimension
List of values: 35i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Modelo**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.DESC_MODELO
Where equivalent:

Qualification: dimension
List of values: 35j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Motorizacion**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.MOTORIZACION
Where equivalent:

Qualification: dimension
List of values: 35k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 35l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Matricula**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.MATRICULA
Where equivalent:

Qualification: dimension
List of values: 35m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Desde**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.FEC_VIGENCIA_DESDE
Where equivalent:

Qualification: dimension
List of values: 35n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Hasta**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_LEADS.FEC_VIGENCIA_HASTA
Where equivalent:

Qualification: dimension
List of values: 35o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Paquetes TMAIMG**
Description:

Object: **Código Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.COD_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 35p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Paquete**
Type: Character

Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 35q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Paquete**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.DESC_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 35r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tmaimg**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.TMAIMG
Where equivalent:

Qualification: dimension
List of values: 35s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Precio Paquete**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.IMP_PRECIO_PAQUETE
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Material**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 35u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.CANTIDAD
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Pvp Material**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.IMP_PVP_MATERIAL
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Pvp Kit**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.IMP_PVP_KIT
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Dto Material**
Type: Number

Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.DTO_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 35y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Neto Material**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.IMP_NETO_MATERIAL
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Manoobra**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.COD_MANOOBRA
Where equivalent:

Qualification: dimension
List of values: 361, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Manoobra**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.DESC_MANOOBRA
Where equivalent:

Qualification: dimension
List of values: 362, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tiempo**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.TIEMPO
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Dto Manoobra**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.DTO_MANOOBRA
Where equivalent:

Qualification: dimension
List of values: 364, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Neto Manoobra**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.IMP_NETO_MANOOBRA
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Desde**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.FEC_VIGENCIA_DESDE
Where equivalent:

Qualification: dimension
List of values: 366, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Hasta**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_PAQUETES_MODELO.FEC_VIGENCIA_HASTA
Where equivalent:

Qualification: dimension
List of values: 367, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Seguimiento**
Description:

Object: **ID Registro**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.ID_REGISTRO
Where equivalent:

Qualification: dimension
List of values: 368, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Grupo**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_GRUPO
Where equivalent:

Qualification: dimension
List of values: 39m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Campaña**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 369, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Paquete**
Type: Character

Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_PAQUETE
Where equivalent:

Qualification: dimension
List of values: 36a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_OR
Where equivalent:

Qualification: dimension
List of values: 36b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Linea Cargo**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension
List of values: 36c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 36d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 36e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Mano de Obra**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_MOYTEXT
Where equivalent:

Qualification: dimension
List of values: 36f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 36g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tmaimg**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.TMAIMG
Where equivalent:

Qualification: dimension
List of values: 36h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 36i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.MARCA
Where equivalent:

Qualification: dimension
List of values: 374, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalacion Or**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACION_OR
Where equivalent:

Qualification: dimension
List of values: 36j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razón Social**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 372, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalacion Lead**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACION_LEAD
Where equivalent:

Qualification: dimension

List of values: 36k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razón Social Lead**
Type: Character
Description:

Select equivalent: DIM_INSTALACIONES3.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 373, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Asesor**
Type: Character
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.COD_ASESOR
Where equivalent:

Qualification: dimension
List of values: 36l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Desde**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.FEC_VIGENCIA_DESDE
Where equivalent:

Qualification: dimension
List of values: 36m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Vigencia Hasta**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.FEC_VIGENCIA_HASTA
Where equivalent:

Qualification: dimension
List of values: 36n, editable, manual refresh, not exportable
Security access level: 0

Can be used:	in result, in condition, in sort
Object status:	show

Object: **Ind Crm**
Type: Character
Description:

Select equivalent:	ODS_CAMPANYAS_SEGUIMIENTO.IND_CRM
Where equivalent:	
Qualification:	dimension
List of values:	36o, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Ind Hito Vin**
Type: Number
Description:

Select equivalent:	ODS_CAMPANYAS_SEGUIMIENTO.IND_HITO_VIN
Where equivalent:	
Qualification:	dimension
List of values:	36p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Ind Hito Tmaimg**
Type: Number
Description:

Select equivalent:	ODS_CAMPANYAS_SEGUIMIENTO.IND_HITO_TMAIMG
Where equivalent:	
Qualification:	dimension
List of values:	36q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Ind Hito Fechas**
Type: Number
Description:

Select equivalent:	ODS_CAMPANYAS_SEGUIMIENTO.IND_HITO_FECHAS
Where equivalent:	
Qualification:	dimension
List of values:	36r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Ind Hito Mediciones**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IND_HITO_MEDICIONES
Where equivalent:

Qualification: dimension
List of values: 36s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Signo Cargo/Abono**
Type: Number
Description:

Select equivalent: CASE WHEN ODS_CAMPANYAS_SEGUIMIENTO.CAN_MATERIAL_CAMPANYA<0 THEN -1 ELSE 1 END
Where equivalent:

Qualification: dimension
List of values: 39g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cantidad Material Campaña**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.CAN_MATERIAL_CAMPANYA
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Material Campaña**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IMP_MATERIAL_CAMPANYA
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Importe Material Familias**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IMP_MATERIAL_FAMILIAS
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Material Totcargo**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IMP_MATERIAL_TOTCARGO
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Manoobra Campaña**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IMP_MANOOBRA_CAMPANYA
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Manoobra Totcargo**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IMP_MANOOBRA_TOTCARGO
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Total Or**
Type: Number
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.IMP_TOTAL_OR
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: 370, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Actualizacion**
Type: Date
Description:

Select equivalent: ODS_CAMPANYAS_SEGUIMIENTO.FEC_ACTUALIZACION
Where equivalent:

Qualification: dimension
List of values: 371, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Seguimiento Leads por Tipo Campaña**
Description:

Object: **Cod Instalacion**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 38x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 38y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tip Campanya**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.TIP_CAMPANYA
Where equivalent:

Qualification: dimension
List of values: 390, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fec Contacto**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.FEC_CONTACTO
Where equivalent:

Qualification: dimension
List of values: 391, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Paso Taller**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_PASO_TALLER
Where equivalent:

Qualification: dimension
List of values: 392, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Marca**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 393, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Modelo**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_MODELO
Where equivalent:

Qualification: dimension
List of values: 394, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Or**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_OR
Where equivalent:

Qualification: dimension
List of values: 395, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 396, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Cierre Cargo**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.FECHA_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 397, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Cod Linea Cargo**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_LINEA_CARGO
Where equivalent:

Qualification: dimension
List of values: 398, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Grpmrk**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_GRPMRK
Where equivalent:

Qualification: dimension
List of values: 399, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Material**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_CAMPANYAS_SELLOUT.COD_MATERIAL
Where equivalent:

Qualification: dimension
List of values: 39a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Can Recambios**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS_SELLOUT.CAN_RECAMBIOS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Imp Recambios Pvp**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS_SELLOUT.IMP_RECAMBIOS_PVP)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Imp Recambios Bruto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS_SELLOUT.IMP_RECAMBIOS_BRUTO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Imp Recambios Neto**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_CAMPANYAS_SELLOUT.IMP_RECAMBIOS_NETO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Loyalty**
Description:

Object: **Código Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_MES

Where equivalent:

Qualification: dimension
List of values: 73l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 39n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Bastidores**
Type: Number
Description:

Select equivalent: COUNT(DM_MV_AGG_LOYALTY.BASTIDOR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_AGG_LOYALTY.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 39o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Or**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_OR
Where equivalent:

Qualification: dimension
List of values: 39p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 39q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion Firma**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_INSTALACION_FIRMA
Where equivalent:

Qualification: dimension
List of values: 39r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Marca**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 39s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Antiguedad**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_ANTIGUEDAD
Where equivalent:

Qualification: dimension

List of values: 74g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura Vuelta**
Type: Date
Description:

Select equivalent: DM_MV_AGG_LOYALTY.FECHA_APERTURA_VUELTA
Where equivalent:

Qualification: dimension
List of values: 39t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Or Vuelta**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_OR_VUELTA
Where equivalent:

Qualification: dimension
List of values: 39u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion Vuelta**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_INSTALACION_VUELTA
Where equivalent:

Qualification: dimension
List of values: 39v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion Firma Vuelta**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY.COD_INSTALACION_FIRMA_VUELTA
Where equivalent:

Qualification: dimension
List of values: 39w, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Class: **Loyalty 2**
Description: Mira de las entradas en un mes cuantos bastidores ya vinieron en el pas ado

Object: **Código Mes**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_MES
Where equivalent:

Qualification: dimension
List of values: 74h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 74i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ventana**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.VENTANA
Where equivalent:

Qualification: dimension
List of values: 74t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Bastidores**
Type: Number
Description:

Select equivalent: COUNT(DM_MV_AGG_LOYALTY2.BASTIDOR)
Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 74j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Or**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_OR
Where equivalent:

Qualification: dimension
List of values: 74k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 74l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion Firma**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_INSTALACION_FIRMA
Where equivalent:

Qualification: dimension
List of values: 74m, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Marca**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 74n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Antiguedad**
Type: Number
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 74o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura Vuelta**
Type: Date
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.FECHA_APERTURA_VUELTA
Where equivalent:

Qualification: dimension
List of values: 74p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Or Vuelta**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_OR_VUELTA
Where equivalent:

Qualification: dimension
List of values: 74q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion Vuelta**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_INSTALACION_VUELTA
Where equivalent:

Qualification: dimension
List of values: 74r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion Firma Vuelta**
Type: Character
Description:

Select equivalent: DM_MV_AGG_LOYALTY2.COD_INSTALACION_FIRMA_VUELTA
Where equivalent:

Qualification: dimension
List of values: 74s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Estudio de Mano de Obra**
Description:

Object: **Código Instalacion**
Type: Character
Description:

Select equivalent: DM_MV_ESTUDIO_MANOOBRA.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 39y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código KVPS**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.COD_KVPS
Where equivalent:

Qualification: dimension
List of values: 3ag, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Razón Social**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_INSTALACIONES.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: 3af, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Tipo Cargo**
Type: Character
Description:

Select equivalent: DM_MV_ESTUDIO_MANOOBRA.COD_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 3a0, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Cargo**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.DESC_TIPO_CARGO
Where equivalent:

Qualification: dimension
List of values: 3ad, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca**
Type: Number
Description:

Select equivalent: DM_MV_ESTUDIO_MANOOBRA.COD_MARCA
Where equivalent:

Qualification: dimension
List of values: 3a1, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_MARCAS.MARCA
Where equivalent:

Qualification: dimension
List of values: 3ae, editable, manual refresh, exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Sección**
Type: Character
Description:

Select equivalent: DM_MV_ESTUDIO_MANOOBRA.COD_SECCION
Where equivalent:

Qualification: dimension
List of values: 3a2, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Mes Cierre Cargo**
Type: Character
Description: Año + Mes (p.e. 201310)
Select equivalent: DM_MV_ESTUDIO_MANOOBRA.ANYOMES_CIERRE_CARGO
Where equivalent:

Qualification: dimension
List of values: 3a3, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Antiguedad**
Type: Number
Description:

Select equivalent: DM_MV_ESTUDIO_MANOOBRA.COD_ANTIGUEDAD
Where equivalent:

Qualification: dimension
List of values: 3a4, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Flota**
Type: Character

Description:	- No es de flotas F – Full Service Leasing (traducción en España, Renting) E - Empresas R - Rent a Car
Select equivalent:	DM_MV_ESTUDIO_MANOOBRA.TIPO_FLOTA
Where equivalent:	
Qualification:	dimension
List of values:	3a5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Indicador Cargo Con Paquete Oficial**

Type:	Character
Description:	S/N
Select equivalent:	DM_MV_ESTUDIO_MANOOBRA.IND_CARGO_CON_PAQ_OFICIAL
Where equivalent:	
Qualification:	dimension
List of values:	3a6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Tipo Paquete Linea**

Type:	Character
Description:	PO - Paquete Oficial PN - Paquete No Oficial SP - Sin Paquete
Select equivalent:	DM_MV_ESTUDIO_MANOOBRA.TIPO_PAQUETE_LINEA
Where equivalent:	
Qualification:	dimension
List of values:	3a7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Tramo Tarifa Hora**

Type:	Character
Description:	<30 30-50 50-80 >80
Select equivalent:	DM_MV_ESTUDIO_MANOOBRA.TRAMO_TARIFA_HORA
Where equivalent:	
Qualification:	dimension
List of values:	3a8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Total Tiempo MO Asignado**
Type: Number
Description:

Select equivalent: SUM(DM_MV_ESTUDIO_MANOOBRA.TOTAL_TIEMPO_MO_ASIGNADO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Total Tiempo MO Facturado**
Type: Number
Description:

Select equivalent: SUM(DM_MV_ESTUDIO_MANOOBRA.TOTAL_TIEMPO_FACTURADO)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Total MO Facturado**
Type: Number
Description:

Select equivalent: SUM(DM_MV_ESTUDIO_MANOOBRA.IMPORTE_TOTAL)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Numero Lineas**
Type: Number
Description:

Select equivalent: SUM(DM_MV_ESTUDIO_MANOOBRA.NUMERO_LINEAS)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Class: **Estudio Flotas**
Description:

Object: **Bastidor**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 71d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fuente**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_FLOTAS_MISC.COD_FUENTE
Where equivalent:

Qualification: dimension
List of values: 71e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Marca Flota**
Type: Number
Description:

Select equivalent: DM_MV_F_VTAS_FLOTAS_MISC.COD_MARCA_FLOTA
Where equivalent:

Qualification: dimension
List of values: 71f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Apertura**
Type: Date
Description:

Select equivalent: DM_MV_F_VTAS_FLOTAS_MISC.FECHA_APERTURA
Where equivalent:

Qualification: dimension
List of values: 71g, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código OR**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_FLOTAS_MISC.COD_OR
Where equivalent:

Qualification: dimension
List of values: 71h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Código Instalación**
Type: Character
Description:

Select equivalent: DM_MV_F_VTAS_FLOTAS_MISC.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: 71i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Importe Total Or**
Type: Number
Description:

Select equivalent: SUM(DM_MV_F_VTAS_FLOTAS_MISC.IMPORTE_TOTAL_OR)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Ods Clientes Mv Audit Dt6 Datosida**
Description:

Object: **Bastidor**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 71k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.NOMBRE
Where equivalent:

Qualification: dimension
List of values: 71l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellido 1**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.APELLIDO_1
Where equivalent:

Qualification: dimension
List of values: 71m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Apellido 2**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.APELLIDO_2
Where equivalent:

Qualification: dimension
List of values: 71n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Via**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.TIPO_VIA
Where equivalent:

Qualification: dimension
List of values: 71o, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Nombre Via**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.NOMBRE_VIA
Where equivalent:

Qualification: dimension
List of values: 71p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Numero Via**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.NUMERO_VIA
Where equivalent:

Qualification: dimension
List of values: 71q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Complemento Domicilio**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.COMPLEMENTO_DOMICLIO
Where equivalent:

Qualification: dimension
List of values: 71r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Poblacion**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.POBLACION
Where equivalent:

Qualification: dimension
List of values: 71s, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Postal**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CODIGO_POSTAL
Where equivalent:

Qualification: dimension
List of values: 71t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Telefono**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.TELEFONO
Where equivalent:

Qualification: dimension
List of values: 71u, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Marca**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.MARCA
Where equivalent:

Qualification: dimension
List of values: 71v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Modelo**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CODIGO_MODELO
Where equivalent:

Qualification: dimension
List of values: 71w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Compra**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_COMPRA
Where equivalent:

Qualification: dimension
List of values: 71x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Ultima Reparacion**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_ULTIMA_REPARACION
Where equivalent:

Qualification: dimension
List of values: 71y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Km**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.KM
Where equivalent:

Qualification: dimension
List of values: 720, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Origen**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CODIGO_ORIGEN
Where equivalent:

Qualification: dimension
List of values: 721, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Creacion**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_CREACION
Where equivalent:

Qualification: dimension
List of values: 722, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Hora Creacion**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.HORA_CREACION
Where equivalent:

Qualification: dimension
List of values: 723, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Centro Coste**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CENTRO_COSTE
Where equivalent:

Qualification: dimension
List of values: 724, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cif Nif**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CIF_NIF
Where equivalent:

Qualification: dimension
List of values: 725, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Email**

Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.EMAIL
Where equivalent:

Qualification: dimension
List of values: 726, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Cliente**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CODIGO_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 727, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Asesor**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CODIGO_ASESOR
Where equivalent:

Qualification: dimension
List of values: 728, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Telefono2**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.TELEFONO2
Where equivalent:

Qualification: dimension
List of values: 729, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Auditoria**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_AUDITORIA
Where equivalent:

Qualification: dimension
List of values: 72a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cliente Robinson Sn**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CLIENTE_ROBINSON_SN
Where equivalent:

Qualification: dimension
List of values: 72b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Codigo Tipo Cliente**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.CODIGO_TIPO_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 72c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Descripcion Cliente**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.DESCRIPCION_CLIENTE
Where equivalent:

Qualification: dimension
List of values: 72d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Id Cliente**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.ID_CLIENTE

Where equivalent:

Qualification: dimension
List of values: 72e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Id Bp Crm**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.ID_BP_CRM
Where equivalent:

Qualification: dimension
List of values: 72f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Eail Envio Cliente**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_EAIL_ENVIO_CL
ENTE
Where equivalent:

Qualification: dimension
List of values: 72g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Eail Sincro Cliente**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_EAIL_SINCRO_C
LIENTE
Where equivalent:

Qualification: dimension
List of values: 72h, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Eail Envio Vh**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.FECHA_EAIL_ENVIO_VH

Where equivalent:

Qualification: dimension
List of values: 72i, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Marca Bastidor**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.COD_MARCA_BASTIDOR
Where equivalent:

Qualification: dimension
List of values: 72j, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Es Rudimentari Vh**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.ES_RUDIMENTARI_VH
Where equivalent:

Qualification: dimension
List of values: 72k, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Lopd Correo Postal**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.LOPD_CORREO_POSTAL
Where equivalent:

Qualification: dimension
List of values: 72l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Lopd Email**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.LOPD_EMAIL
Where equivalent:

Qualification: dimension
List of values: 72m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Lopd Llamadas Telefonicas**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.LOPD_LLAMADAS_TELEFONICAS
Where equivalent:

Qualification: dimension
List of values: 72n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Lopd Mensajes Sms**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.LOPD_MENSAJES_SMS
Where equivalent:

Qualification: dimension
List of values: 72o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Lopd Fax**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.LOPD_FAX
Where equivalent:

Qualification: dimension
List of values: 72p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Estudio Logistica Volumen**
Description:

Object: **Instalación**
Type: Character
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.PKUNAG
Where equivalent:

Qualification: dimension
List of values: 73y, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha**
Type: Date
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.ERDAT
Where equivalent:

Qualification: dimension
List of values: 740, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Mes**
Type: Number
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.COD_MES
Where equivalent:

Qualification: dimension
List of values: 741, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Tipo Factura**
Type: Character
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.FKART
Where equivalent:

Qualification: dimension
List of values: 742, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Grupo de Marketing**
Type: Character
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.MVGR5
Where equivalent:

Qualification: dimension
List of values: 74d, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Peso**
Type: Number
Description:

Select equivalent: SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.NTGEW)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ud Peso**
Type: Character
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.GEWEI
Where equivalent:

Qualification: dimension
List of values: 744, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Volumen**
Type: Number
Description:

Select equivalent: SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.VOLUM)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Ud Volumen**
Type: Character
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.VOLEH
Where equivalent:

Qualification: dimension
List of values: 746, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Unidad**
Type: Character
Description:

Select equivalent: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.VRKME
Where equivalent:

Qualification: dimension
List of values: 747, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Peso en kilogramos**
Type: Number
Description:

Select equivalent: SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.PESO_KG)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Volumen en CDM**
Type: Number
Description:

Select equivalent: SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.VOLU_LIT)
Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Número de Lineas**
Type: Number
Description:

Select equivalent:	SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.NUM_LINEAS)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Unidades**

Type:	Number
Description:	
Select equivalent:	SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.UNIDADES)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Importe PVP**

Type:	Number
Description:	
Select equivalent:	SUM(DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.IMP_PVP)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Condition List

Dimensiones Comunes

Tiempo

Año/s?
Mes/es?
Mes/es año ant?
Año 2008
Año 2009
Año 2010
Año actual
Año anterior
1' Trimestre

2' Trimestre
3' Trimestre
4' Trimestre
Enero
Febrero
Marzo
Abril
Mayo
Junio
Julio
Agosto
Septiembre
Octubre
Noviembre
Diciembre

Estacionalidad

Instalaciones

Provincias

Preseleccion Instalaciones

Marcas

Vehiculos

? Bastidor
? Matrícula
Solo vehículos vendidos SLI
Solo vehículos importación paralela

Propietario

Información geográfica (Propietario)

Conductor Habitual

Es Persona (Contacto)
Es Empresa (Contacto)
Contacto NO Robinson (Contacto)
Contacto Robinson (Contacto)
Tiene Direcc.Completa (Contacto)

Información geográfica (Cond Hab)

Maestro PRs

Dim Materiales

Grupos de Marketing

Sparte

Antiguedades Vehiculo

Sales Meeting

Flotas Empresa

Potenciales

Modelo Clima

Flotas Garantias

Fotos mensuales Bastidores Flotas

Ventas de Almacen

Reparto Marcas

Pre ITV

WinBack Customers

Campañas

Paquetes

JQ Paquete

Deferencias

Audatex
Reparaciones
Piezas Sustituidas
Campañas Sell-Out
Maestro Paquetes
Leads
Paquetes TMAIMG
Seguimiento
Seguimiento Leads por Tipo Campaña
Loyalty
Loyalty 2
Estudio de Mano de Obra
Estudio Flotas
Ods Clientes Mv Audit Dt6 Datosida
Estudio Logistica Volumen

Conditions

Class: **Tiempo**
Description:

Año/s?
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO IN @Prompt('2. Introduzca un año: ','A',,multi,free)

Mes/es?
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.NOMBRE_MES IN @Prompt('3. Introduzca un mes: ','A','Tiempo\Nombre Mes',multi,constrained)

Mes/es año ant?
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.NOMBRE_MES IN @Prompt('4. Introduzca un mes del año anterior: ','A','Tiempo\Nombre Mes',multi,constrained)

Año 2008
Description:Filtro de Año 2008
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO = 2008

Año 2009
Description:Filtro de Año 2009
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO = 2009

Año 2010
Description:Filtro de Año 2009
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO = 2010

Año actual
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO = to_number(to_char(sysdate,'YYYY'))

Año anterior

Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO = to_number(to_char(sysdate,'YYYY'))-1

1' Trimestre
Description:1' Trimestre
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.TRIMESTRE = 1

2' Trimestre
Description:2' Trimestre
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.TRIMESTRE = 2

3' Trimestre
Description:3' Trimestre
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.TRIMESTRE = 3

4' Trimestre
Description:4' Trimestre
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.TRIMESTRE = 4

Enero
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '1'

Febrero
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '2'

Marzo
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '3'

Abril
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '4'

Mayo
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '5'

Junio
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '6'

Julio
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '7'

Agosto
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '8'

Septiembre
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '9'

Octubre
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '10'

Noviembre
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '11'

Diciembre
Description:
Where Equivalent:MAESTROS_DWH.DIM_TIEMPOS_MES.MES = '12'

Class: **Vehiculos**
Description:

? Bastidor
Description:
Where Equivalent:MAESTROS_DWH.DIM_VEHICULOS.BASTIDOR IN @Prompt('Bastidor','A',,multi,free)

? Matrícula
Description:
Where Equivalent:MAESTROS_DWH.DIM_VEHICULOS.MATRICULA IN @Prompt('Matrícula','A',,multi,free)

Solo vehículos vendidos SLI
Description:Filtra solo Marcas Audi, VW, LCV y Skoda excluyendo No Definido y el resto de marcas
Where Equivalent:MAESTROS_DWH.DIM_VEHICULOS.INT_ESTA_EN_SLI_PEDVECLI = 1

Solo vehículos importación paralela
Description:Filtra solo Marcas Audi, VW, LCV y Skoda excluyendo No Definido y el resto de marcas
Where Equivalent:MAESTROS_DWH.DIM_VEHICULOS.INT_ESTA_EN_SLI_PEDVECLI = 1

Class: **Conductor Habitual**
Description: Persona Conductor Habitual del vehiculo que ha dado sus datos al compr arlo

Es Persona (Contacto)
Description:
Where Equivalent:DIM_CONTACTO_VEHICULO.TIPO_PERSONA = 'PERSONA'

Es Empresa (Contacto)
Description:
Where Equivalent:DIM_CONTACTO_VEHICULO.TIPO_PERSONA = 'SUCURSAL'

Contacto NO Robinson (Contacto)
Description:
Where Equivalent:DIM_CONTACTO_VEHICULO.LOPD = 0

Contacto Robinson (Contacto)
Description:
Where Equivalent:DIM_CONTACTO_VEHICULO.LOPD = 1

Tiene Direcc.Completa (Contacto)
Description:Indica si el contacto tiene dirección completa (Via, nombre de la via, numero del la via, compl emento domicilio, cod_postal, localidad y provincia)
Where Equivalent:DIM_CONTACTO_VEHICULO.TIENE_DIRECCION_COMPLETA = 1

Hierarchies List

JQ Paquete

Hierarchies

JQ Paquete
- JQ Paquete/Grupo Paquete
- JQ Paquete/Agrupación Paquete
- JQ Paquete/Descripción Paquete

Tables List

DIM_CLIENTE_VEHICULO
DIM_CONTACTO_VEHICULO
DIM_INSTALACIONES2
DIM_INSTALACIONES3
DIM_PROVINCIAS_COV
DIM_PROVINCIAS_CV
DM_GARANTIAS.DM_V_NAT
DM_MV_AGG_LOYALTY
DM_MV_AGG_LOYALTY2
DM_MV_AGG_OR_FLOTAS
DM_MV_AGG_OR_FLOTAS_GAR
DM_MV_AGG_SALES_MEETING
DM_MV_AGG_SALES_MEETING_SEL
DM_MV_AGG_VTA_ALMACEN_SM
DM_MV_ESTUDIO_MANOOBRA
DM_MV_F_VTAS_CAMPANYAS
DM_MV_F_VTAS_CAMPANYAS_SELLOUT
DM_MV_F_VTAS_DEFERENCIAS
DM_MV_F_VTAS_FLOTAS_MISC
DM_MV_F_VTAS_PAQUETES
DM_MV_F_VTAS_PREITV
DM_MV_F_VTAS_WINBACKCST
DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP
DWH_VAESA.DM_F_GARANTIAS
MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO
MAESTROS_DWH.DIM_CLIENTES
MAESTROS_DWH.DIM_COMBINACION_MARCAS
MAESTROS_DWH.DIM_DMS_GRUPOS_TIPOS_VENTA
MAESTROS_DWH.DIM_DMS_TIPOS_CARGO
MAESTROS_DWH.DIM_DMS_TIPOS_VENTA
MAESTROS_DWH.DIM_EMPRESAS_RENTING
MAESTROS_DWH.DIM_GRUPOS_DESCUENTO
MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS
MAESTROS_DWH.DIM_GRUPOS_MARKETING
MAESTROS_DWH.DIM_INSTALACIONES
MAESTROS_DWH.DIM_MARCAS
MAESTROS_DWH.DIM_MATERIALES
MAESTROS_DWH.DIM_MODELOS
MAESTROS_DWH.DIM_MODELOS_GRUPO
MAESTROS_DWH.DIM_PAQUETES
MAESTROS_DWH.DIM_PROVINCIAS
MAESTROS_DWH.DIM_SPARTES
MAESTROS_DWH.DIM_TIEMPOS_MES
MAESTROS_DWH.DIM_VEHICULOS
ODS_AUDATEX_PIEZAS_SUST
ODS_AUDATEX_REPARACIONES

ODS_BASTIDORES_FLOTAS
ODS_CAMPANYAS_PAQUETES
ODS_CAMPANYAS_PAQUETES_LEADS
ODS_CAMPANYAS_PAQUETES_MODELO
ODS_CAMPANYAS_SEGUIMIENTO
ODS_CAMPANYAS_SELLOUT
ODS_CLIENTES.CPR_DENOM_COMERCIAL
ODS_CLIENTES.CPR_MAESTRO_PRS
ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA
ODS_FLOTAS_POTENCIALES
ODS_VE_REPARTO_MARCAS

Tables

Table Name:DIM_CLIENTE_VEHICULO
Columns

COD_CLIENTE	Numeric
SEXO	Character
TRATO	Character
NOMBRE	Character
APELLIDO_1	Character
APELLIDO_2	Character
CODIGO_HOGAR_EMPRESA	Character
RAZON_SOCIAL	Character
CIF_NIF	Character
TIPO_VIA	Character
NOMBRE_VIA	Character
NUMERO_VIA	Character
COMPLEMENTO_DOMICILIO	Character
PAIS	Character
COD_POSTAL	Character
LOCALIDAD	Character
COD_PROVINCIA	Character
TELEFONO	Character
TELEFONO2	Character
FAX	Character
EMAIL	Character

NACIONALIDAD	Character
TIPO_PERSONA	Character
ESTA_EN_AUDI_CLASS	Numeric
ESTA_EN_TARGET_AUDI	Numeric
ESTA_EN_SLI	Numeric
ESTA_EN_ATENTO	Numeric
ESTA_EN_RACE_CC	Numeric
ESTA_EN_GYC	Numeric
ESTA_EN_CLIMA	Numeric
COD_FECHA_ALTA_AUDI_CLASS	Numeric
COD_FECHA_ALTA_PROSP_AUDI	Numeric
COD_FECHA_ALTA_SLI	Numeric
COD_FECHA_ALTA_ATENTO	Numeric
COD_FECHA_ALTA_RACE_CC	Numeric
COD_FECHA_ALTA_GYC	Numeric
COD_FECHA_ALTA_CLIMA	Numeric
FECHA_ULTIMA_MODIFIC_CPDATA	Character
FUENTE_ULTIMA_MODIFICACION	Character
CLIENTE_A_REVISAR	Numeric
MOTIVO_REVISION	Character
FECHA_ACEPTACION_DWH	Date
NORMA_NOMBRE	Numeric
NORMA_DIRECCION	Numeric
NORMA_EMPRESA	Numeric
ES_PERSONA_AUDI	Numeric
ES_PERSONA_VW	Numeric
ES_PERSONA_VW_VC	Numeric
ES_PERSONA_SKODA	Numeric
LOPD	Numeric

FIRMA	Numeric
INT_ES_PERSONA_AUDI	Numeric
INT_ES_PERSONA_VW	Numeric
INT_ES_PERSONA_VW_VC	Numeric
INT_ES_PERSONA_SKODA	Numeric
INT_ID_MARCAS	Numeric
INT_ID_GRUPO_AUDI	Numeric
BORRARTIENE_DIRECCION_COMPLETA	Numeric
ACCION	Character
FECHA_ALTA	Date
TIENE_DIRECCION_COMPLETA	Numeric
COMBINACION_MARCAS_CLIENTE	Numeric
INT_ESTA_EN_ATENTO_ECS2006	Numeric
ESTA_EN_TARGET_VW	Numeric
ESTA_EN_TARGET_SK	Numeric
COD_FECHA_ALTA_PROSP_SK	Numeric
COD_FECHA_ALTA_PROSP_VW	Numeric
ESTA_EN_TARGET_LCV	Numeric
COD_FECHA_ALTA_PROSP_LCV	Numeric
INT_ID_MARCAS_CONTACTO	Numeric
RECIBIR_LLAMADAS	Numeric
FECHA_CLIMA_MODIF_DIRECCION	Character
FECHA_CLIMA_MODIF_TELEFONO	Character
FECHA_CLIMA_MODIF_FAX	Character
FECHA_CLIMA_MODIF_EMAIL	Character
FECHA_CLIMA_MODIF_LOPD	Character
CLIENTE_VIP	Numeric
ESTA_EN_SELLBYTEL	Numeric
COD_FECHA_ALTA_SELLBYTEL	Numeric

FECHA_SBT_HA_SINCRONIZADO	Date
FECHA_ACEPTACION_DWH_SBT	Date
FECHA_ULTIMA_MODIFICACION	Date
ESTA_EN_RACE_MOVILIDAD	Numeric
COD_FECHA_ALTA_RACE_MOV	Numeric
INT_ID_MARCAS_EMPRESA	Numeric
RELAC_CLIENTE_AUDI	Character
RELAC_CLIENTE_VW	Character
RELAC_CLIENTE_SKODA	Character
RELAC_CLIENTE_LCV	Character
RELAC_CONTACTO_AUDI	Character
RELAC_CONTACTO_VW	Character
RELAC_CONTACTO_SKODA	Character
RELAC_CONTACTO_LCV	Character
RELAC_EMPRESA_AUDI	Character
RELAC_EMPRESA_VW	Character
RELAC_EMPRESA_SKODA	Character
RELAC_EMPRESA_LCV	Character
COD_FECHA_ULT_CON_AUDI_CLASS	Numeric
COD_FECHA_ULT_CON_PROSP_AUDI	Numeric
COD_FECHA_ULT_CON_SLI	Numeric
COD_FECHA_ULT_CON_RACE_CC	Numeric
COD_FECHA_ULT_CON_GYC	Numeric
COD_FECHA_ULT_CON_CLIMA	Numeric
COD_FECHA_ULT_CON_PROSP_SK	Numeric
COD_FECHA_ULT_CON_PROSP_VW	Numeric
COD_FECHA_ULT_CON_PROSP_LCV	Numeric
COD_FECHA_ULT_CON_SELLBYTEL	Numeric
COD_FECHA_ULT_CON_RACE_MOV	Numeric

COD_FE_ULTCON_AC_CPD_CUESCLASS	Numeric
COD_FE_ULTCON_AC_CPD_MOVACCFID	Numeric
COD_FE_ULT_CON_PA_CPD_AGNDCNCS	Numeric
COD_FE_ULT_CON_PA_CPD_INTCPRMP	Numeric
COD_FE_ULT_CON_PA_CPD_INCPRPRT	Numeric
COD_FE_ULT_CON_PA_CPD_MVMCAMPA	Numeric
COD_FE_ULT_CON_PA_CPD_TSTCONDU	Numeric
COD_FE_ULT_CON_PV_CVW_MVMCAMPA	Numeric
COD_FE_ULT_CON_PS_CSK_MVMCAMPA	Numeric
ORIGEN_FICHA	Character
EMPLEADO_MARCA	Numeric
TRABAJADOR_INDEPENDIENTE	Numeric
TIPO_SOCIEDAD	Character
RECIBIR_MAILING	Numeric
RECIBIR_EMAIL	Numeric
RECIBIR_MENSAJE_SMS	Numeric
TIPO_DOCUMENTO	Character
ESTA_EN_DMS	Numeric
COD_FECHA_ALTA_DMS	Numeric
ESTA_EN_VWF	Numeric
COD_FECHA_ALTA_VWF	Numeric
NUM_VEHICULOS_CLIENTE	Numeric
NUM_VEHICULOS_CONTACTO	Numeric
NUM_VEHICULOS_EMPRESA	Numeric
SEGM_CLIENTE	Character
COD_FECHA_ULT_CON_DMS	Numeric
COD_FECHA_ULT_CON_VWF	Numeric
COD_FECHA_ULT_CON_RACC	Numeric
COD_FECHA_ALTA_RACC	Numeric

ESTA_EN_RACC	Numeric
COD_INE_LOCALIDAD	Character
LOPD_VWF	Numeric
NUM_VEHICULOS_CLIENTE_AU	Numeric
NUM_VEHICULOS_CLIENTE_VW	Numeric
NUM_VEHICULOS_CLIENTE_SK	Numeric
NUM_VEHICULOS_CLIENTE_LC	Numeric
NUM_VEHICULOS_CONTACTO_AU	Numeric
NUM_VEHICULOS_CONTACTO_VW	Numeric
NUM_VEHICULOS_CONTACTO_SK	Numeric
NUM_VEHICULOS_CONTACTO_LC	Numeric
NUM_VEHICULOS_EMPRESA_AU	Numeric
NUM_VEHICULOS_EMPRESA_VW	Numeric
NUM_VEHICULOS_EMPRESA_SK	Numeric
NUM_VEHICULOS_EMPRESA_LC	Numeric
SEGMENTO	Character
ESTA_EN_COI	Numeric
COD_FECHA_ALTA_COI	Numeric
COD_FECHA_ULT_CON_COI	Numeric
RECIBIR_LSSI	Numeric
CESIONES	Numeric
FECHA_ACEPTACION_DWH_BDC	Date
FECHA_BDC_HA_SINCRONIZADO	Date
TELEFONO3	Character
EMAIL2	Character
ESTA_EN_BDC_VWG	Numeric
ESTA_EN_BDC_AUD	Numeric
ESTA_EN_BDC_SKO	Numeric
ESTA_EN_BDC_LCV	Numeric

COD_FECHA_ALTA_BDC_VWG	Numeric
COD_FECHA_ALTA_BDC_AUD	Numeric
COD_FECHA_ALTA_BDC_SKO	Numeric
COD_FECHA_ALTA_BDC_LCV	Numeric
NO_ENCUESTAS	Numeric
FECHA_NACIMIENTO	Numeric

Table Name:DIM_CONTACTO_VEHICULO

Columns

COD_CLIENTE	Numeric
SEXO	Character
TRATO	Character
NOMBRE	Character
APELLIDO_1	Character
APELLIDO_2	Character
CODIGO_HOGAR_EMPRESA	Character
RAZON_SOCIAL	Character
CIF_NIF	Character
TIPO_VIA	Character
NOMBRE_VIA	Character
NUMERO_VIA	Character
COMPLEMENTO_DOMICILIO	Character
PAIS	Character
COD_POSTAL	Character
LOCALIDAD	Character
COD_PROVINCIA	Character
TELEFONO	Character
TELEFONO2	Character
FAX	Character
EMAIL	Character
NACIONALIDAD	Character

TIPO_PERSONA	Character
ESTA_EN_AUDI_CLASS	Numeric
ESTA_EN_TARGET_AUDI	Numeric
ESTA_EN_SLI	Numeric
ESTA_EN_ATENTO	Numeric
ESTA_EN_RACE_CC	Numeric
ESTA_EN_GYC	Numeric
ESTA_EN_CLIMA	Numeric
COD_FECHA_ALTA_AUDI_CLASS	Numeric
COD_FECHA_ALTA_PROSP_AUDI	Numeric
COD_FECHA_ALTA_SLI	Numeric
COD_FECHA_ALTA_ATENTO	Numeric
COD_FECHA_ALTA_RACE_CC	Numeric
COD_FECHA_ALTA_GYC	Numeric
COD_FECHA_ALTA_CLIMA	Numeric
FECHA_ULTIMA_MODIFIC_CPDATA	Character
FUENTE_ULTIMA_MODIFICACION	Character
CLIENTE_A_REVISAR	Numeric
MOTIVO_REVISION	Character
FECHA_ACEPTACION_DWH	Date
NORMA_NOMBRE	Numeric
NORMA_DIRECCION	Numeric
NORMA_EMPRESA	Numeric
ES_PERSONA_AUDI	Numeric
ES_PERSONA_VW	Numeric
ES_PERSONA_VW_VC	Numeric
ES_PERSONA_SKODA	Numeric
LOPD	Numeric
FIRMA	Numeric

INT_ES_PERSONA_AUDI	Numeric
INT_ES_PERSONA_VW	Numeric
INT_ES_PERSONA_VW_VC	Numeric
INT_ES_PERSONA_SKODA	Numeric
INT_ID_MARCAS	Numeric
INT_ID_GRUPO_AUDI	Numeric
BORRARTIENE_DIRECCION_COMPLETA	Numeric
ACCION	Character
FECHA_ALTA	Date
TIENE_DIRECCION_COMPLETA	Numeric
COMBINACION_MARCAS_CLIENTE	Numeric
INT_ESTA_EN_ATENTO_ECS2006	Numeric
ESTA_EN_TARGET_VW	Numeric
ESTA_EN_TARGET_SK	Numeric
COD_FECHA_ALTA_PROSP_SK	Numeric
COD_FECHA_ALTA_PROSP_VW	Numeric
ESTA_EN_TARGET_LCV	Numeric
COD_FECHA_ALTA_PROSP_LCV	Numeric
INT_ID_MARCAS_CONTACTO	Numeric
RECIBIR_LLAMADAS	Numeric
FECHA_CLIMA_MODIF_DIRECCION	Character
FECHA_CLIMA_MODIF_TELEFONO	Character
FECHA_CLIMA_MODIF_FAX	Character
FECHA_CLIMA_MODIF_EMAIL	Character
FECHA_CLIMA_MODIF_LOPD	Character
CLIENTE_VIP	Numeric
ESTA_EN_SELLBYTEL	Numeric
COD_FECHA_ALTA_SELLBYTEL	Numeric
FECHA_SBT_HA_SINCRONIZADO	Date

FECHA_ACEPTACION_DWH_SBT	Date
FECHA_ULTIMA_MODIFICACION	Date
ESTA_EN_RACE_MOVILIDAD	Numeric
COD_FECHA_ALTA_RACE_MOV	Numeric
INT_ID_MARCAS_EMPRESA	Numeric
RELAC_CLIENTE_AUDI	Character
RELAC_CLIENTE_VW	Character
RELAC_CLIENTE_SKODA	Character
RELAC_CLIENTE_LCV	Character
RELAC_CONTACTO_AUDI	Character
RELAC_CONTACTO_VW	Character
RELAC_CONTACTO_SKODA	Character
RELAC_CONTACTO_LCV	Character
RELAC_EMPRESA_AUDI	Character
RELAC_EMPRESA_VW	Character
RELAC_EMPRESA_SKODA	Character
RELAC_EMPRESA_LCV	Character
COD_FECHA_ULT_CON_AUDI_CLASS	Numeric
COD_FECHA_ULT_CON_PROSP_AUDI	Numeric
COD_FECHA_ULT_CON_SLI	Numeric
COD_FECHA_ULT_CON_RACE_CC	Numeric
COD_FECHA_ULT_CON_GYC	Numeric
COD_FECHA_ULT_CON_CLIMA	Numeric
COD_FECHA_ULT_CON_PROSP_SK	Numeric
COD_FECHA_ULT_CON_PROSP_VW	Numeric
COD_FECHA_ULT_CON_PROSP_LCV	Numeric
COD_FECHA_ULT_CON_SELLBYTEL	Numeric
COD_FECHA_ULT_CON_RACE_MOV	Numeric
COD_FE_ULTCON_AC_CPD_CUESCLASS	Numeric

COD_FE_ULTCON_AC_CPD_MOVACCFID	Numeric
COD_FE_ULT_CON_PA_CPD_AGNDCNCS	Numeric
COD_FE_ULT_CON_PA_CPD_INTCPRMP	Numeric
COD_FE_ULT_CON_PA_CPD_INCPRPRT	Numeric
COD_FE_ULT_CON_PA_CPD_MVMCAMPA	Numeric
COD_FE_ULT_CON_PA_CPD_TSTCONDU	Numeric
COD_FE_ULT_CON_PV_CVW_MVMCAMPA	Numeric
COD_FE_ULT_CON_PS_CSK_MVMCAMPA	Numeric
ORIGEN_FICHA	Character
EMPLEADO_MARCA	Numeric
TRABAJADOR_INDEPENDIENTE	Numeric
TIPO_SOCIEDAD	Character
RECIBIR_MAILING	Numeric
RECIBIR_EMAIL	Numeric
RECIBIR_MENSAJE_SMS	Numeric
TIPO_DOCUMENTO	Character
ESTA_EN_DMS	Numeric
COD_FECHA_ALTA_DMS	Numeric
ESTA_EN_VWF	Numeric
COD_FECHA_ALTA_VWF	Numeric
NUM_VEHICULOS_CLIENTE	Numeric
NUM_VEHICULOS_CONTACTO	Numeric
NUM_VEHICULOS_EMPRESA	Numeric
SEGM_CLIENTE	Character
COD_FECHA_ULT_CON_DMS	Numeric
COD_FECHA_ULT_CON_VWF	Numeric
COD_FECHA_ULT_CON_RACC	Numeric
COD_FECHA_ALTA_RACC	Numeric
ESTA_EN_RACC	Numeric

COD_INE_LOCALIDAD	Character
LOPD_VWF	Numeric
NUM_VEHICULOS_CLIENTE_AU	Numeric
NUM_VEHICULOS_CLIENTE_VW	Numeric
NUM_VEHICULOS_CLIENTE_SK	Numeric
NUM_VEHICULOS_CLIENTE_LC	Numeric
NUM_VEHICULOS_CONTACTO_AU	Numeric
NUM_VEHICULOS_CONTACTO_VW	Numeric
NUM_VEHICULOS_CONTACTO_SK	Numeric
NUM_VEHICULOS_CONTACTO_LC	Numeric
NUM_VEHICULOS_EMPRESA_AU	Numeric
NUM_VEHICULOS_EMPRESA_VW	Numeric
NUM_VEHICULOS_EMPRESA_SK	Numeric
NUM_VEHICULOS_EMPRESA_LC	Numeric
SEGMENTO	Character
ESTA_EN_COI	Numeric
COD_FECHA_ALTA_COI	Numeric
COD_FECHA_ULT_CON_COI	Numeric
RECIBIR_LSSI	Numeric
CESIONES	Numeric
FECHA_ACEPTACION_DWH_BDC	Date
FECHA_BDC_HA_SINCRONIZADO	Date
TELEFONO3	Character
EMAIL2	Character
ESTA_EN_BDC_VWG	Numeric
ESTA_EN_BDC_AUD	Numeric
ESTA_EN_BDC_SKO	Numeric
ESTA_EN_BDC_LCV	Numeric
COD_FECHA_ALTA_BDC_VWG	Numeric

COD_FECHA_ALTA_BDC_AUD	Numeric
COD_FECHA_ALTA_BDC_SKO	Numeric
COD_FECHA_ALTA_BDC_LCV	Numeric
NO_ENCUESTAS	Numeric
FECHA_NACIMIENTO	Numeric

Table Name:DIM_INSTALACIONES2
Columns

COD_INSTALACION	Character
COD_CONCESIONARIO	Character
COD_EMPRESA	Character
CIF	Character
RAZON_SOCIAL	Character
DESC_INSTALACION	Character
COD_KVPS	Character
ESTADO_INSTALACION	Character
FECHA_BAJA_INSTALACION	Date
COD_PROVINCIA	Character
COD_POSTAL	Character
DENOMINACION_VIA	Character
NUMERO_VIA	Character
DESC_POBLACION	Character
ID_MARCA_VENTA	Numeric
ID_MARCA_POSTVENTA	Numeric

Table Name:DIM_INSTALACIONES3
Columns

COD_INSTALACION	Character
COD_CONCESIONARIO	Character
COD_EMPRESA	Character
CIF	Character
RAZON_SOCIAL	Character
DESC_INSTALACION	Character

COD_KVPS	Character
ESTADO_INSTALACION	Character
FECHA_BAJA_INSTALACION	Date
COD_PROVINCIA	Character
COD_POSTAL	Character
DENOMINACION_VIA	Character
NUMERO_VIA	Character
DESC_POBLACION	Character
ID_MARCA_VENTA	Numeric
ID_MARCA_POSTVENTA	Numeric

Table Name:DIM_PROVINCIAS_COV

Columns

COD_PROVINCIA	Character
PROVINCIA	Character
COD_MATRICULA	Character
PREFIJO	Character
COMUNIDAD	Character
ZONA	Character
REGION1	Character
REGION2	Character

Table Name:DIM_PROVINCIAS_CV

Columns

COD_PROVINCIA	Character
PROVINCIA	Character
COD_MATRICULA	Character
PREFIJO	Character
COMUNIDAD	Character
ZONA	Character
REGION1	Character
REGION2	Character

Table Name:DM_GARANTIAS.DM_V_NAT

Columns

ID_NAT	Character
ID_GRUPO_NAT	Character
ID_PIEZA_NAT	Character
DES_NAT	Character
DISTINTIVO_MATERIAL_COMPRA	Character

Table Name:DM_MV_AGG_LOYALTY

Columns

COD_MES	Numeric
BASTIDOR	Character
FECHA_APERTURA	Date
COD_OR	Character
COD_INSTALACION	Character
COD_INSTALACION_FIRMA	Character
COD_MARCA	Numeric
COD_ANTIGUEDAD	Numeric
FECHA_APERTURA_VUELTA	Date
COD_OR_VUELTA	Character
COD_INSTALACION_VUELTA	Character
COD_INSTALACION_FIRMA_VUELTA	Character

Table Name:DM_MV_AGG_LOYALTY2

Columns

COD_MES	Numeric
BASTIDOR	Character
FECHA_APERTURA	Date
COD_OR	Character
COD_INSTALACION	Character
COD_INSTALACION_FIRMA	Character
COD_MARCA	Numeric
COD_ANTIGUEDAD	Numeric
FECHA_APERTURA_VUELTA	Date
COD_OR_VUELTA	Character

COD_INSTALACION_VUELTA	Character
COD_INSTALACION_FIRMA_VUELTA	Character
VENTANA	Numeric

Table Name:DM_MV_AGG_OR_FLOTAS

Columns

ANYO	Numeric
MES	Numeric
COD_MES	Numeric
COD_CONCESIONARIO	Character
COD_MARCA_FLOTA	Numeric
COD_MARCA_OR	Numeric
COD_INSTALACION	Character
COD_TIPO_CARGO	Character
DESC_FAMILIA	Character
COD_EMPRESA_RENTING	Numeric
NUM_CARGOS_MAT	Numeric
CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS	Numeric
IMP_TOTAL_RECAMBIOS	Numeric
NUM_CARGOS_HOR	Numeric
CAN_HORAS	Numeric
IMP_HORAS_MO	Numeric
IMP_HORAS_TOT	Numeric
NUM_OR	Numeric
NUM_BASTIDORES	Numeric
NUM_BAJAS	Numeric
COD_FUENTE	Character
DESC_MODELO	Character
COD_ANTIGUEDAD	Numeric
COD_MODELO	Numeric

Table Name:DM_MV_AGG_OR_FLOTAS_GAR

Columns

ANYO	Numeric
MES	Numeric
COD_MES	Numeric
COD_MARCA_FLOTA	Numeric
COD_INSTALACION	Character
COD_KVPS	Character
TIP_GAR_CONCESIONARIO	Character
DESC_FAMILIA	Character
COD_EMPRESA_RENTING	Numeric
COD_FUENTE	Character
COD_ANTIGUEDAD	Numeric
COD_ANTIGUEDAD_ANO_VENTA	Numeric
COD_MODELO	Numeric
DESC_MODELO	Character
COD_CLAIMKEY	Character
NUM_RECLAMACIONES	Numeric
IMP_MATERIAL	Numeric
IMP_MANOOBRA	Numeric
IMP_INCREMENTO	Numeric
FECHA_ACTUALIZACION	Date

Table Name:DM_MV_AGG_SALES_MEETING

Columns

ANYO	Numeric
MES	Numeric
COD_INSTALACION	Character
COD_MARCA	Numeric
COD_TIPO_CARGO	Character
ID_GRPMRK	Numeric
NUM_CARGOS_MAT	Numeric

CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS	Numeric
IMP_TOTAL_RECAMBIOS	Numeric
NUM_CARGOS_HOR	Numeric
CAN_HORAS	Numeric
IMP_HORAS_MO	Numeric
IMP_HORAS_TOT	Numeric

Table Name:DM_MV_AGG_SALES_MEETING_SEL

Columns

ANYO	Numeric
MES	Numeric
COD_INSTALACION	Character
TIPO	Character
MES_REQ	Numeric
CNT	Numeric
MES_CNT	Numeric
MIN_HORAS	Numeric
MAX_HORAS	Numeric

Table Name:DM_MV_AGG_VTA_ALMACEN_SM

Columns

COD_INSTALACION	Character
ANO_VENTA	Numeric
MES_VENTA	Numeric
CODMES_VENTA	Numeric
COD_TIPO_VENTA	Numeric
COD_SPART_FACT	Character
COD_SPART	Character
COD_GRPMRK_FACT	Character
COD_GRPMRK	Character
IMPORTE_TOTAL	Numeric
IMPORTE_SIN_DCTO	Numeric

DESCUENTO_PCT	Numeric
LINEAS	Numeric
CARGOS	Numeric
CANTIDAD	Numeric
"COUNT(LIN".IMPORTE_TOTAL_C_DCT	Numeric
"COUNT(LIN".IMPORTE_TOTAL_S_DCT	Numeric
"COUNT(*)"	Numeric

Table Name:DM_MV_ESTUDIO_MANOOBRA

Columns

COD_INSTALACION	Character
COD_TIPO_CARGO	Character
COD_MARCA	Numeric
COD_SECCION	Character
ANYOMES_CIERRE_CARGO	Character
COD_ANTIGUEDAD	Numeric
TIPO_FLOTA	Character
IND_CARGO_CON_PAQ_OFICIAL	Character
TIPO_PAQUETE_LINEA	Character
TRAMO_TARIFA_HORA	Character
TOTAL_TIEMPO_MO_ASIGNADO	Numeric
TOTAL_TIEMPO_FACTURADO	Numeric
IMPORTE_TOTAL	Numeric
NUMERO_LINEAS	Numeric

Table Name:DM_MV_F_VTAS_CAMPANYAS

Columns

COD_CAMPANYA	Character
COD_INSTALACION	Character
RAZON_SOCIAL	Character
BASTIDOR	Character
FECHA_BAJA_VEHICULO	Date
COD_MARCA	Numeric

TMAIMG	Character
COD_MODELO	Numeric
DESC_MODELO	Character
COD_OR	Character
COD_PAQUETE	Character
FECHA_APERTURA	Date
FECHA_CIERRE_OR	Date
COD_LINEA_CARGO	Character
FECHA_CIERRE_CARGO	Date
COD_GRPMRK	Character
COD_MATERIAL	Character
CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS_PVP	Numeric
IMP_RECAMBIOS_BRUTO	Numeric
IMP_RECAMBIOS_NETO	Numeric
DTO_RECAMBIOS	Numeric

Table Name:DM_MV_F_VTAS_CAMPANYAS_SELLOUT

Columns

TIP_CAMPANYA	Character
COD_INSTALACION	Character
BASTIDOR	Character
FEC_CONTACTO	Date
COD_PASO_TALLER	Character
COD_MARCA	Numeric
COD_MODELO	Numeric
COD_OR	Character
FECHA_APERTURA	Date
FECHA_CIERRE_CARGO	Date
COD_LINEA_CARGO	Character
COD_GRPMRK	Character

COD_MATERIAL	Character
CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS_PVP	Numeric
IMP_RECAMBIOS_BRUTO	Numeric
IMP_RECAMBIOS_NETO	Numeric

Table Name:DM_MV_F_VTAS_DEFERENCIAS

Columns

COD_INSTALACION	Character
COD_KVPS	Character
COD_RECLAMACION	Character
BASTIDOR	Character
COD_MARCA	Numeric
COD_MODELO	Numeric
DESC_MODELO	Character
FECHA_BAJA_VEHICULO	Date
ANTIGUEDAD	Numeric
ANYO_TRAMITACION	Numeric
MES_TRAMITACION	Numeric
COD_OR	Character
FECHA_APERTURA	Date
FECHA_CIERRE_OR	Date
COD_LINEA_CARGO	Character
FECHA_CIERRE_CARGO	Date
COD_TIPO_CARGO	Character
COD_PROMOCION	Character
COD_GRPMRK	Character
COD_MATERIAL	Character
CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS_PVP	Numeric
IMP_RECAMBIOS_BRUTO	Numeric

IMP_RECAMBIOS_NETO	Numeric
DTO_RECAMBIOS	Numeric
IMP_MANOOBRA	Numeric
HOR_MANOOBRA	Numeric

Table Name:DM_MV_F_VTAS_FLOTAS_MISC

Columns

BASTIDOR	Character
COD_FUENTE	Character
COD_MARCA_FLOTA	Numeric
FECHA_APERTURA	Date
COD_OR	Character
COD_INSTALACION	Character
IMPORTE_TOTAL_OR	Numeric

Table Name:DM_MV_F_VTAS_PAQUETES

Columns

COD_INSTALACION	Character
BASTIDOR	Character
COD_MARCA	Numeric
COD_MODELO	Numeric
DESC_MODELO	Character
FECHA_BAJA_VEHICULO	Date
COD_OR	Character
FECHA_APERTURA	Date
ANO_APERTURA	Numeric
MES_APERTURA	Numeric
FECHA_CIERRE_OR	Date
COD_ASESOR	Character
COD_LINEA_CARGO	Character
COD_TIPO_CARGO_IMG	Character
FECHA_CIERRE_CARGO	Date
ANO_CIERRE_CARGO	Numeric

MES_CIERRE_CARGO	Numeric
COD_PROMOCION	Character
COD_PAQUETE	Character
IMP_TOTAL_CARGO	Numeric

Table Name:DM_MV_F_VTAS_PREITV

Columns

COD_INSTALACION	Character
BASTIDOR	Character
COD_MARCA	Numeric
COD_MODELO	Numeric
DESC_MODELO	Character
FEC_CONTACTO	Date
COD_OR	Character
FECHA_APERTURA	Date
FECHA_CIERRE_OR	Date
COD_LINEA_CARGO	Character
FECHA_CIERRE_CARGO	Date
COD_GRPMRK	Character
IND_PREITV	Character
IND_PAQUETE	Character
IND_LEAD	Character
COD_PAQUETE	Character
COD_MATERIAL	Character
CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS_PVP	Numeric
IMP_RECAMBIOS_BRUTO	Numeric
IMP_RECAMBIOS_NETO	Numeric
DTO_RECAMBIOS	Numeric
IND_DTO15	Character
IMP_A_PAGAR	Numeric

Table Name:DM_MV_F_VTAS_WINBACKCST

Columns

COD_INSTALACION	Character
BASTIDOR	Character
COD_MARCA	Numeric
COD_MODELO	Numeric
DESC_MODELO	Character
FECHA_BAJA_VEHICULO	Date
ANTIGUEDAD	Numeric
ANTIGUEDAD_CONTACTO	Numeric
FEC_CONTACTO	Date
COD_OR	Character
FECHA_APERTURA	Date
FECHA_CIERRE_OR	Date
COD_LINEA_CARGO	Character
FECHA_CIERRE_CARGO	Date
COD_GRPMRK	Character
IND_WINBACKCST	Character
COD_PROMOCION	Character
COD_MATERIAL	Character
CAN_RECAMBIOS	Numeric
IMP_RECAMBIOS_PVP	Numeric
IMP_RECAMBIOS_BRUTO	Numeric
IMP_RECAMBIOS_NETO	Numeric
DTO_RECAMBIOS	Numeric
DTO_TEORICO	Numeric
IND_DTO_WINBACKCST	Character
IMP_A_PAGAR	Numeric

Table Name:DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP

Columns

PKUNAG	Character

ERDAT	Date
COD_MES	Numeric
FKART	Character
MVGR5	Character
NTGEW	Numeric
GEWEI	Character
VOLUM	Numeric
VOLEH	Character
VRKME	Character
PESO_KG	Numeric
VOLU_LIT	Numeric
NUM_LINEAS	Numeric
UNIDADES	Numeric
IMP_PVP	Numeric

Table Name:DWH_VAESA.DM_F_GARANTIAS

Columns

DBOID	Numeric
COD_CLAIMKEY	Character
ID_MARCA	Character
SUBSEDE_PRODUCCION	Character
ID_PAIS_ISO	Character
ID_IMPORTADOR_DC	Character
COD_KVPS	Character
ID_PEDIDO_REPARACION	Character
ID_SERIE_RECLAMACION	Character
FECHA_RECLAMACION	Date
NUM_VERSION	Numeric
ES_AVERIA_I	Numeric
ES_AVERIA_C	Numeric
FECHA_CARGA_ASN	Date

FECHA_CARGA_ISN	Date
COD_INSTALACION	Character
FECHA_ACEPTACION	Date
FECHA_REPARACION	Date
FECHA_CARGA_WALS	Date
FECHA_PAGO	Date
ID_TIPO_AVERIA	Character
ID_NAT	Character
BASTIDOR	Character
FECHA_RECEPCION	Date
TIP_GAR_IMPORTADOR	Character
TIP_GAR_CONCESIONARIO	Character
TOT_TIEMPO_C	Numeric
TOT_TIEMPO_I	Numeric
TC_MO_C	Numeric
TC_MO_I	Numeric
TC_MAT_C	Numeric
TC_INCR_C	Numeric
TC_MAT_I	Numeric
TC_INCR_I	Numeric
TC_MO_EXT_C	Numeric
TC_MO_EXT_I	Numeric
TC_MAT_EXT_C	Numeric
TC_MAT_EXT_I	Numeric
TC_TOTAL_C	Numeric
TC_TOTAL_I	Numeric

Table Name:MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO

Columns

COD_ANTIGUEDAD_VEHICULO	Numeric
ANTIGUEDAD_ANOS	Numeric

DESC_ANTIGUEDAD_VEHICULO	Character
SEGMENTO_VEHICULO	Character
SEGMENTO_VEHICULO_AGRUP	Character
COD_TIPO_CARGO_IMG	Character

Table Name:MAESTROS_DWH.DIM_CLIENTES

Columns

COD_CLIENTE	Numeric
SEXO	Character
TRATO	Character
NOMBRE	Character
APELLIDO_1	Character
APELLIDO_2	Character
CODIGO_HOGAR_EMPRESA	Character
RAZON_SOCIAL	Character
CIF_NIF	Character
TIPO_VIA	Character
NOMBRE_VIA	Character
NUMERO_VIA	Character
COMPLEMENTO_DOMICILIO	Character
PAIS	Character
COD_POSTAL	Character
LOCALIDAD	Character
COD_PROVINCIA	Character
TELEFONO	Character
TELEFONO2	Character
FAX	Character
EMAIL	Character
NACIONALIDAD	Character
TIPO_PERSONA	Character
ESTA_EN_AUDI_CLASS	Numeric

ESTA_EN_TARGET_AUDI	Numeric
ESTA_EN_SLI	Numeric
ESTA_EN_ATENTO	Numeric
ESTA_EN_RACE_CC	Numeric
ESTA_EN_GYC	Numeric
ESTA_EN_CLIMA	Numeric
COD_FECHA_ALTA_AUDI_CLASS	Numeric
COD_FECHA_ALTA_PROSP_AUDI	Numeric
COD_FECHA_ALTA_SLI	Numeric
COD_FECHA_ALTA_ATENTO	Numeric
COD_FECHA_ALTA_RACE_CC	Numeric
COD_FECHA_ALTA_GYC	Numeric
COD_FECHA_ALTA_CLIMA	Numeric
FECHA_ULTIMA_MODIFIC_CPDATA	Character
FUENTE_ULTIMA_MODIFICACION	Character
CLIENTE_A_REVISAR	Numeric
MOTIVO_REVISION	Character
FECHA_ACEPTACION_DWH	Date
NORMA_NOMBRE	Numeric
NORMA_DIRECCION	Numeric
NORMA_EMPRESA	Numeric
ES_PERSONA_AUDI	Numeric
ES_PERSONA_VW	Numeric
ES_PERSONA_VW_VC	Numeric
ES_PERSONA_SKODA	Numeric
LOPD	Numeric
FIRMA	Numeric
INT_ES_PERSONA_AUDI	Numeric
INT_ES_PERSONA_VW	Numeric

INT_ES_PERSONA_VW_VC	Numeric
INT_ES_PERSONA_SKODA	Numeric
INT_ID_MARCAS	Numeric
INT_ID_GRUPO_AUDI	Numeric
BORRARTIENE_DIRECCION_COMPLETA	Numeric
ACCION	Character
FECHA_ALTA	Date
TIENE_DIRECCION_COMPLETA	Numeric
COMBINACION_MARCAS_CLIENTE	Numeric
INT_ESTA_EN_ATENTO_ECS2006	Numeric
ESTA_EN_TARGET_VW	Numeric
ESTA_EN_TARGET_SK	Numeric
COD_FECHA_ALTA_PROSP_SK	Numeric
COD_FECHA_ALTA_PROSP_VW	Numeric
ESTA_EN_TARGET_LCV	Numeric
COD_FECHA_ALTA_PROSP_LCV	Numeric
INT_ID_MARCAS_CONTACTO	Numeric
RECIBIR_LLAMADAS	Numeric
FECHA_CLIMA_MODIF_DIRECCION	Character
FECHA_CLIMA_MODIF_TELEFONO	Character
FECHA_CLIMA_MODIF_FAX	Character
FECHA_CLIMA_MODIF_EMAIL	Character
FECHA_CLIMA_MODIF_LOPD	Character
CLIENTE_VIP	Numeric
ESTA_EN_SELLBYTEL	Numeric
COD_FECHA_ALTA_SELLBYTEL	Numeric
FECHA_SBT_HA_SINCRONIZADO	Date
FECHA_ACEPTACION_DWH_SBT	Date
FECHA_ULTIMA_MODIFICACION	Date

ESTA_EN_RACE_MOVILIDAD	Numeric
COD_FECHA_ALTA_RACE_MOV	Numeric
INT_ID_MARCAS_EMPRESA	Numeric
RELAC_CLIENTE_AUDI	Character
RELAC_CLIENTE_VW	Character
RELAC_CLIENTE_SKODA	Character
RELAC_CLIENTE_LCV	Character
RELAC_CONTACTO_AUDI	Character
RELAC_CONTACTO_VW	Character
RELAC_CONTACTO_SKODA	Character
RELAC_CONTACTO_LCV	Character
RELAC_EMPRESA_AUDI	Character
RELAC_EMPRESA_VW	Character
RELAC_EMPRESA_SKODA	Character
RELAC_EMPRESA_LCV	Character
COD_FECHA_ULT_CON_AUDI_CLASS	Numeric
COD_FECHA_ULT_CON_PROSP_AUDI	Numeric
COD_FECHA_ULT_CON_SLI	Numeric
COD_FECHA_ULT_CON_RACE_CC	Numeric
COD_FECHA_ULT_CON_GYC	Numeric
COD_FECHA_ULT_CON_CLIMA	Numeric
COD_FECHA_ULT_CON_PROSP_SK	Numeric
COD_FECHA_ULT_CON_PROSP_VW	Numeric
COD_FECHA_ULT_CON_PROSP_LCV	Numeric
COD_FECHA_ULT_CON_SELLBYTEL	Numeric
COD_FECHA_ULT_CON_RACE_MOV	Numeric
COD_FE_ULTCON_AC_CPD_CUESCLASS	Numeric
COD_FE_ULTCON_AC_CPD_MOVACCFID	Numeric
COD_FE_ULT_CON_PA_CPD_AGNDCNCS	Numeric

COD_FE_ULT_CON_PA_CPD_INTCPRMP	Numeric
COD_FE_ULT_CON_PA_CPD_INCPRPRT	Numeric
COD_FE_ULT_CON_PA_CPD_MVMCAMPA	Numeric
COD_FE_ULT_CON_PA_CPD_TSTCONDU	Numeric
COD_FE_ULT_CON_PV_CVW_MVMCAMPA	Numeric
COD_FE_ULT_CON_PS_CSK_MVMCAMPA	Numeric
ORIGEN_FICHA	Character
EMPLEADO_MARCA	Numeric
TRABAJADOR_INDEPENDIENTE	Numeric
TIPO_SOCIEDAD	Character
RECIBIR_MAILING	Numeric
RECIBIR_EMAIL	Numeric
RECIBIR_MENSAJE_SMS	Numeric
TIPO_DOCUMENTO	Character
ESTA_EN_DMS	Numeric
COD_FECHA_ALTA_DMS	Numeric
ESTA_EN_VWF	Numeric
COD_FECHA_ALTA_VWF	Numeric
NUM_VEHICULOS_CLIENTE	Numeric
NUM_VEHICULOS_CONTACTO	Numeric
NUM_VEHICULOS_EMPRESA	Numeric
SEGM_CLIENTE	Character
COD_FECHA_ULT_CON_DMS	Numeric
COD_FECHA_ULT_CON_VWF	Numeric
COD_FECHA_ULT_CON_RACC	Numeric
COD_FECHA_ALTA_RACC	Numeric
ESTA_EN_RACC	Numeric
COD_INE_LOCALIDAD	Character
LOPD_VWF	Numeric

NUM_VEHICULOS_CLIENTE_AU	Numeric
NUM_VEHICULOS_CLIENTE_VW	Numeric
NUM_VEHICULOS_CLIENTE_SK	Numeric
NUM_VEHICULOS_CLIENTE_LC	Numeric
NUM_VEHICULOS_CONTACTO_AU	Numeric
NUM_VEHICULOS_CONTACTO_VW	Numeric
NUM_VEHICULOS_CONTACTO_SK	Numeric
NUM_VEHICULOS_CONTACTO_LC	Numeric
NUM_VEHICULOS_EMPRESA_AU	Numeric
NUM_VEHICULOS_EMPRESA_VW	Numeric
NUM_VEHICULOS_EMPRESA_SK	Numeric
NUM_VEHICULOS_EMPRESA_LC	Numeric
SEGMENTO	Character
ESTA_EN_COI	Numeric
COD_FECHA_ALTA_COI	Numeric
COD_FECHA_ULT_CON_COI	Numeric
RECIBIR_LSSI	Numeric
CESIONES	Numeric
FECHA_ACEPTACION_DWH_BDC	Date
FECHA_BDC_HA_SINCRONIZADO	Date
TELEFONO3	Character
EMAIL2	Character
ESTA_EN_BDC_VWG	Numeric
ESTA_EN_BDC_AUD	Numeric
ESTA_EN_BDC_SKO	Numeric
ESTA_EN_BDC_LCV	Numeric
COD_FECHA_ALTA_BDC_VWG	Numeric
COD_FECHA_ALTA_BDC_AUD	Numeric
COD_FECHA_ALTA_BDC_SKO	Numeric

COD_FECHA_ALTA_BDC_LCV	Numeric
NO_ENCUESTAS	Numeric
FECHA_NACIMIENTO	Numeric

Table Name:MAESTROS_DWH.DIM_COMBINACION_MARCAS
Columns

ID_MARCAS	Numeric
ABREV_ID_MARCAS	Character
DESC_ID_MARCAS	Character
ES_AUDI	Numeric
ES_VW	Numeric
ES_SKODA	Numeric
ES_LCV	Numeric

Table Name:MAESTROS_DWH.DIM_DMS_GRUPOS_TIPOS_VENTA
Columns

COD_GRUPO_TIPO_VENTA	Numeric
DESC_GRUPO_TIPO_VENTA	Character

Table Name:MAESTROS_DWH.DIM_DMS_TIPOS_CARGO
Columns

COD_TIPO_CARGO	Character
DESC_TIPO_CARGO	Character
TIPO_CARGO	Character
PRIORIDAD_IMG	Numeric
DESC_TIPO_CARGO_EAIL	Character

Table Name:MAESTROS_DWH.DIM_DMS_TIPOS_VENTA
Columns

COD_TIPO_VENTA	Numeric
DESC_TIPO_VENTA	Character
COD_GRUPO_TIPO_VENTA	Numeric

Table Name:MAESTROS_DWH.DIM_EMPRESAS_RENTING
Columns

COD_EMPRESA_RENTING	Numeric
NIF_EMPRESA_RENTING	Character
NOMBRE	Character
COD_TIPO_CLIENTE	Character

Table Name:MAESTROS_DWH.DIM_GRUPOS_DESCUENTO
Columns

ID_GRPDCTO	Numeric
COD_GRPDCTO	Character
DESC_GRPDCTO	Character
PCT_DCTO_STOCK	Numeric
PCT_DCTO_URGENTE	Numeric

Table Name:MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS
Columns

ID_GRPHOM	Numeric
COD_GRPHOM	Character
DESC_GRPHOM	Character

Table Name:MAESTROS_DWH.DIM_GRUPOS_MARKETING
Columns

ID_GRPMRK	Numeric
COD_GRPMRK	Character
DESC_GRPMRK	Character
ES_INCENTIVADO	Numeric
DESC_FAMILIA1	Character
DESC_FAMILIA2	Character
DESC_GRUPO_FAMILIA	Character
ID_FAMILIA	Numeric
ID_GRUPO_FAMILIA	Numeric
COD_FAMILIA	Character
COD_GRUPO_FAMILIA	Character

Table Name:MAESTROS_DWH.DIM_INSTALACIONES
Columns

COD_INSTALACION	Character
COD_CONCESIONARIO	Character
COD_EMPRESA	Character
CIF	Character
RAZON_SOCIAL	Character
DESC_INSTALACION	Character

COD_KVPS	Character
ESTADO_INSTALACION	Character
FECHA_BAJA_INSTALACION	Date
COD_PROVINCIA	Character
COD_POSTAL	Character
DENOMINACION_VIA	Character
NUMERO_VIA	Character
DESC_POBLACION	Character
ID_MARCA_VENTA	Numeric
ID_MARCA_POSTVENTA	Numeric

Table Name:MAESTROS_DWH.DIM_MARCAS

Columns

COD_MARCA	Numeric
MARCA	Character
ABREV	Character
FECHA_MODIFICACION	Character
FECHA_SINCRONIZACION_VAESA	Date
COD_MARCA_EN_EXPEDIENTES	Character
COD_MARCA_EN_ATENTO	Numeric
COD_MARCA_EN_CP	Character
COD_MARCA_EN_SLI	Character
COD_MARCA_EN_GAR	Character
COD_MARCA_EN_RACC	Character
COD_MARCA_EN_DMS	Character

Table Name:MAESTROS_DWH.DIM_MATERIALES

Columns

ID_MATERIAL	Numeric
COD_MATERIAL	Character
DESC_MATERIAL	Character
ID_SPART	Numeric
COD_SPART	Character

ID_GRPMRK	Numeric	
COD_GRPMRK	Character	
ID_GRPDCTO	Numeric	
COD_GRPDCTO	Character	
ID_GRPHOM	Numeric	
PRODH	Character	
ETL_PROCESS_ID_ALTA	Numeric	
ETL_PROCESS_ID_MODIF	Numeric	
FECHA_ALTA	Date	
FECHA_MODIF	Date	
FECHA_SINCRO	Date	
COD_MATERIAL_NEXT	Character	

Table Name:MAESTROS_DWH.DIM_MODELOS

Columns

COD_MODELO	Numeric	Primary key
COD_MARCA	Numeric	
MODELO	Character	
FECHA_MODIFICACION	Character	
FECHA_SINCRONIZACION_VAESA	Date	
DESC_MARCA	Character	
DESC_MARCA_MODELO	Character	
ID_MODELO_GRUPO	Numeric	

Table Name:MAESTROS_DWH.DIM_MODELOS_GRUPO

Columns

ID_MODELO_GRUPO	Numeric	
COD_MARCA	Numeric	
DESC_MODELO_GRUPO	Character	
DESC_MODELO_SUPERGRUPO	Character	

Table Name:MAESTROS_DWH.DIM_PAQUETES

Columns

COD_PAQUETE	Character	
DESC_PAQUETE	Character	

AGRU_PAQUETE	Character
GRUP_PAQUETE	Character

Table Name:MAESTROS_DWH.DIM_PROVINCIAS

Columns

COD_PROVINCIA	Character
PROVINCIA	Character
COD_MATRICULA	Character
PREFIJO	Character
COMUNIDAD	Character
ZONA	Character
REGION1	Character
REGION2	Character

Table Name:MAESTROS_DWH.DIM_SPARTES

Columns

ID_SPART	Numeric
COD_SPART	Character
DESC_SPARTE	Character
DEST_ALL_0V	Character
DEST_ALL_0S	Character
DEST_ALL_0T	Character
DEST_PV_0V	Character
DEST_PV_0S	Character
DEST_PV_0T	Character
GRUPO_MARCA_1	Character

Table Name:MAESTROS_DWH.DIM_TIEMPOS_MES

Columns

COD_MES	Numeric
ANIO	Numeric
MES	Numeric
NOMBRE_MES	Character
CANT_DIAS_DEL_MES	Numeric
TRIMESTRE	Numeric

COD_PERIODO	Numeric
ABREV_MES	Character
ESTAC_COMPREC	Numeric
ESTAC_COMPREC_ACUM	Numeric
ESTAC_VTAREC	Numeric
ESTAC_VTAREC_ACUM	Numeric
DIAS_LABORABLES_MES	Numeric

Table Name:MAESTROS_DWH.DIM_VEHICULOS

Columns

COD_VEHICULO	Numeric
COD_CLIENTE_ANTERIOR_1	Numeric
MATRICULA	Character
BASTIDOR	Character
COD_CONTACTO_ANTERIOR_1	Numeric
VERSION	Character
COLOR_EXTERIOR	Character
COLOR_INTERIOR	Character
PAQUETE_PREFERENTE	Character
FECHA_INICIO_GARANTIA	Numeric
FECHA_FIN_GARANTIA	Numeric
FECHA_ANULACION_GARANTIA	Numeric
CLASE_DE_GARANTIA	Character
FORFAIT	Numeric
COD_CONCESIONARIO_ENTREGADO	Numeric
COD_CONCESIONARIO_FACTURADO	Numeric
COD_CONCESIONARIO_PROPIETARIO	Numeric
FECHA_ENTREGA	Numeric
FECHA_CONTABLE_ENTREGA	Numeric
FECHA_ANULACION_ENTREGA	Numeric
FECHA_CONTABLE_ANULACION_ENTRE	Numeric

FECHA_MATRICULACION	Numeric
FECHA_ALTA_PRODUCCION	Numeric
FECHA_EXPEDICION	Numeric
FECHA_ENTRADA_CAMPA	Numeric
FECHA_SALIDA_CAMPA	Numeric
FECHA_ORDEN_ENVIO	Numeric
FECHA_ALTA_VEHICULO	Numeric
FECHA_ALTA_FACTURACION	Numeric
FECHA_BAJA_FACTURACION	Numeric
FECHA_FACTURA_VW	Numeric
FECHA_ANULACION_FACTURA_VW	Numeric
NUMERO_FACTURA_VW	Character
COD_FINANCIACION	Character
MESES_FINANCIACION	Numeric
FECHA_BAJA_VEHICULO	Numeric
FECHA_ALTA_ASIGNACION_PEDIDO	Numeric
SITUACION_FISICA	Character
MOTIVO_BAJA	Character
NUMERO_FACTURA_CONCESIONARIO	Character
IMPORTE_FACTURA_VEHICULO	Numeric
IMPORTE_COCHE_ATLAS	Numeric
ESTA_EN_SLI	Numeric
ESTA_EN_AUDI_CLASS	Numeric
ESTA_EN_GARANTIAS	Numeric
ESTA_EN_RACE	Numeric
ESTA_EN_GYC	Numeric
ESTA_EN_EXPEDIENTES	Numeric
ESTA_EN_ATENTO	Numeric
IMPORTE_FACTURA_TRANSPORTE	Numeric

TIPO_PROPIETARIO	Character
COD_MODELO	Numeric
DESC_MODELO	Character
DESC_VERSION	Character
COD_MARCA	Numeric
TIPO_COMPRA	Character
NUEVO_OCASION	Numeric
MOTOR	Character
CILINDRADA	Character
SEQ_MODELO_EN_FUENTE	Numeric
SEQ_MODELO_EN_FUENTE_ATENTO	Numeric
SEQ_MODELO_EN_FUENTE_SLI	Numeric
SEQ_MODELO_EN_FUENTE_GAR	Numeric
SEQ_MODELO_EN_FUENTE_GYC	Numeric
SEQ_MODELO_EN_FUENTE_RACE	Numeric
SEQ_MODELO_EN_FUENTE_EXP	Numeric
FECHA_ULTIMA_MODIFICACION	Date
COD_COMISION	Character
MODEL_YEAR	Character
COD_PEDIDO	Character
FECHA_ALTA	Date
SEQ_MODELO_EN_FUENTE_CPDATA	Numeric
TMAIMG	Character
FECHA_ALTA_PEDIDO	Numeric
FECHA_COMPROMETIDA_ENTREGA	Numeric
FECHA_ALTA_CLIENTE	Numeric
COD_TIPO_CAMPANYA	Character
TIENE_CUESTIONARIO	Numeric
CICLO_VIDA	Character

ANT_INSP_TEC	Numeric
REC_INSP_TEC	Numeric
FREC_INSP_TEC	Numeric
FE_ULT_INSP_TEC	Numeric
ANT_RECL_GAR	Numeric
REC_RECL_GAR	Numeric
FREC_RECL_GAR	Numeric
FE_ULT_RECL_GAR	Numeric
ANT_GYC_GAR	Numeric
REC_GYC_GAR	Numeric
FREC_GYC_GAR	Numeric
FE_ULT_GYC_GAR	Numeric
ANT_EXP_CC_RACE	Numeric
REC_EXP_CC_RACE	Numeric
FREC_EXP_CC_RACE	Numeric
FE_ULT_EXP_CC_RACE	Numeric
ANT_RECL_EXP	Numeric
REC_RECL_EXP	Numeric
FREC_RECL_EXP	Numeric
FE_ULT_RECL_EXP	Numeric
ANT_RACE_EXP	Numeric
REC_RACE_EXP	Numeric
FREC_RACE_EXP	Numeric
FE_ULT_RACE_EXP	Numeric
ANT_MOV_AUDICLASS	Numeric
REC_MOV_AUDICLASS	Numeric
FREC_MOV_AUDICLASS	Numeric
FE_ULT_MOV_AUDICLASS	Numeric
ANT_HIST_CUEST	Numeric

REC_HIST_CUEST	Numeric
FREC_HIST_CUEST	Numeric
FE_ULT_HIST_CUEST	Numeric
INSERTADO_POR_FICHERO	Character
ESTA_EN_CLIMA	Numeric
INT_ESTA_EN_SLI_VLDATCOE	Numeric
INT_ESTA_EN_SLI_VLDATCOS	Numeric
INT_ESTA_EN_CPD_MOVACCFID	Numeric
INT_ESTA_EN_CPD_CUESCLASS	Numeric
INT_ESTA_EN_CPD_ENTRADAS	Numeric
INT_ESTA_EN_EXP_RECLAMAS	Numeric
INT_ESTA_EN_RAC_EXPEDIENTES	Numeric
INT_ESTA_EN_RAC_SERVICIOSCAC	Numeric
INT_ESTA_EN_GAR_VEHIGARA	Numeric
INT_ESTA_EN_GYC_GARANTIAS	Numeric
INT_ESTA_EN_GAR_RECLAMA	Numeric
INT_ESTA_EN_GAR_INSPECOF	Numeric
INT_ESTA_EN_ATE_VEHICULOS	Numeric
INT_ESTA_EN_CLIMA	Numeric
INT_ESTA_EN_SLI_VLDATVAP	Numeric
BASTIDOR_ACTUALIZADO	Numeric
ANT_GESTIONES	Numeric
REC_GESTIONES	Numeric
FREC_GESTIONES	Numeric
FE_ULT_GESTIONES	Numeric
ANT_SOLIC_MAT	Numeric
REC_SOLIC_MAT	Numeric
FREC_SOLIC_MAT	Numeric
FE_ULT_SOLIC_MAT	Numeric

ANT_ACC_EXP	Numeric
REC_ACC_EXP	Numeric
FREC_ACC_EXP	Numeric
FE_ULT_ACC_EXP	Numeric
ACTIVO_AUDICLASS	Numeric
COD_PEDIDO_VLDATVAP	Character
COD_PEDIDO_VLDATPED	Character
COD_PEDIDO_PEDVEHCLI	Character
OBSERVACIONES	Character
COD_CLIENTE	Numeric
COD_CONTACTO	Numeric
INT_ESTA_EN_SLI_PEDVECLI	Numeric
OPCIONALES_COMERCIALES	Character
INT_ESTA_EN_ATENTO_ECS2006	Numeric
INT_ESTA_EN_ATE_SOLICITUDES	Numeric
INT_ESTA_EN_ATE_ACCIONES	Numeric
MATRICULA_ANTERIOR	Character
INT_ANULADO_PEDVECLI	Numeric
FECHA_SINCRO_CPDATA	Date
FECHA_SINCRO_DWHC_CPDATA	Date
MATRICULA_ACTUALIZADA	Numeric
FECHA_COMPRA_VO	Numeric
FECHA_ACEPTACION_DWH_SBT	Date
FECHA_SBT_HA_SINCRONIZADO	Date
ESTA_EN_SELLBYTEL	Numeric
INT_ESTA_EN_SBT_VEHICULOS	Numeric
SEQ_MODELO_EN_FUENTE_SBT	Numeric
ANT_SBT_EXP	Numeric
REC_SBT_EXP	Numeric

FREC_SBT_EXP	Numeric
FE_ULT_SBT_EXP	Numeric
INT_COD_CLIENTE_SBT	Character
INT_COD_CONTACTO_SBT	Character
INT_COD_EMPRESA_SBT	Character
COD_EMPRESA_RENTING	Numeric
BORRAR_PRUEBA	Character
COD_DENOM_COMERCIAL	Numeric
IMPORTE_TOTAL_COMPRA_CONCES	Numeric
PVP_OPCIONES	Numeric
ACC_PROMOCIONALES	Numeric
IMP_MATRICULACION	Numeric
PVP_TOTAL_VEHICULO	Numeric
FECHA_ULTIMA_ITV	Date
FECHA_PROXIMA_ITV	Date
IMPORTE_TOTAL_COMPRA_VO_CONCES	Numeric
IMPORTE_TOTAL_VENTA_VO_CONCES	Numeric
ESTA_EN_DMS	Numeric
INT_ESTA_EN_DMS_VEHICULOS	Numeric
SEQ_MODELO_EN_FUENTE_DMS	Numeric
ESTA_EN_VWF	Numeric
INT_ESTA_EN_VWF_VEHICULOS	Numeric
SEQ_MODELO_EN_FUENTE_VWF	Numeric
ANT_DMS_OR	Numeric
REC_DMS_OR	Numeric
FREC_DMS_OR	Numeric
FE_ULT_DMS_OR	Numeric
COD_CONCES_MARCA_ACTUAL	Numeric
COD_ZONA	Character

SEGM_VEH_CLIENTE	Character
SEGM_VEH_CONTACTO	Character
SEGM_VEH_EMPRESA	Character
X_SET_CODE	Character
FECHA_MODIFIC_PERS_VEHIC	Date
ANT_RACC_EXPED	Numeric
REC_RACC_EXPED	Numeric
FREC_RACC_EXPED	Numeric
FE_ULT_RACC_EXPED	Numeric
ESTA_EN_RACC	Numeric
INT_ESTA_EN_RACC_EXPEDIENTES	Numeric
SEQ_MODELO_EN_FUENTE_RACC	Numeric
INT_COD_CONCESIONARIO_BDC	Character
COD_VENDEDOR	Character
COAGECOM	Character
FECHA_ULT_MODIF_ACT_AUDICLASS	Date
COD_CONCESIONARIO_BDC_VENTAVO	Character
KMS	Numeric
FECHA_MODIF_KMS	Date
VEHICULO_PREMIUM_AUDI	Character
VEHICULO_AUDICLASS_DIEZ	Character
VEHICULO_BUYBACK	Character
VEHICULO_IMP_PARALELA	Character
INT_ESTA_EN_VWF	Numeric
ESTA_EN_COISSA	Numeric
INT_ESTA_EN_COI_POLIZAS	Numeric
ANT_COI_POL	Numeric
REC_COI_POL	Numeric
FREC_COI_POL	Numeric

FE_ULT_COI_POL	Numeric
FECHA_MATRICULACION_INICIAL	Numeric
FECHA_ENTREGA_INICIAL	Numeric
FECHA_CONTABLE_ENTREGA_INICIAL	Numeric
VEHICULO_MODIF_MANUAL	Character
COENTFIS	Character
COCOULFA	Character
FECHA_VEH_MODIF_MANUAL	Date
FECHA_VEH_BUYBACK	Date
FECHA_VEH_IMP_PARALELA	Date
FECHA_ACEPTACION_DWH_BDC	Date
FECHA_BDC_HA_SINCRONIZADO	Date
ESTA_EN_BDC	Numeric
SEQ_MODELO_EN_FUENTE_BDC	Numeric
ESTA_EN_PFS	Numeric
CJNUMOIN	Character
FECHA_ULT_MODIF_CJNUMOIN	Date
COSEQUEN	Character
FECHA_ULT_MODIF_COSEQUEN	Date
FECHA_REENVIO_MATRICULA	Date

Table Name:ODS_AUDATEX_PIEZAS_SUST

Columns

COD_MES	Numeric
PROVINCIA	Character
COD_MARCA_AUDATEX	Character
MARCA	Character
MODELO	Character
COD_REFERENCIA	Character
DESC_REFERENCIA	Character
NUM_SUSTITUCIONES	Numeric

IMP_MEDIO_SUSTITUIDA	Numeric
IMP_MEDIO_REPARACION	Numeric
IMP_MINIMO	Numeric
IMP_MAXIMO	Numeric
COEFICIENTE_VARIACION	Numeric
COD_MATERIAL	Character
TIP_PIEZA	Character

Table Name:ODS_AUDATEX_REPARACIONES

Columns

COD_MES	Numeric
PROVINCIA	Character
COD_MARCA_AUDATEX	Character
MARCA	Character
COD_MODELO_AUDATEX	Character
MODELO	Character
ANYO_MATRICULACION	Numeric
TIPO_TALLER	Character
NUM_REPARACIONES	Numeric
IMP_COSTE_MEDIO	Numeric
IMP_COSTE_RECAMBIOS	Numeric
IMP_COSTE_MO_CHAPA	Numeric
IMP_COSTE_MAT_PINTURA	Numeric
IMP_COSTE_MO_PINTURA	Numeric
IMP_PRECIOHORA_CHAPA_MEC	Numeric
HORAS_CHAPA	Numeric
IMP_PRECIOHORA_PINTURA	Numeric
HORAS_PINTURA	Numeric

Table Name:ODS_BASTIDORES_FLOTAS

Columns

FEC_FOTO	Date
COD_FUENTE	Character

BASTIDOR	Character
COD_MARCA_FLOTA	Numeric
DESC_MODELO	Character
FEC_BAJA	Date
NIF_CLIENTE	Character
DESC_CLIENTE	Character
COD_TIPO_CLIENTE	Character
COD_EXT_GARANTIA	Character
TMAIMG	Character
MATRICULA	Character
COD_CONCESIONARIO	Character
DESC_CONCESIONARIO	Character

Table Name:ODS_CAMPANYAS_PAQUETES

Columns

COD_CAMPANYA	Character
COD_PAQUETE	Character
DESC_PAQUETE	Character
COD_MANOOBRA	Character
DESC_MANOOBRA	Character
FEC_VIGENCIA_DESDE	Date
FEC_VIGENCIA_HASTA	Date
IND_CRM	Character
COD_MARCA	Numeric

Table Name:ODS_CAMPANYAS_PAQUETES_LEADS

Columns

COD_CAMPANYA	Character
COD_INSTALACION	Character
DESC_CAMPANYA	Character
IMP_PRECIO_A_COMUNICAR	Numeric
COD_PAQUETE	Character
COD_BDC	Numeric

IND_OBSEQUIO	Character
DESC_INSTALACION	Character
COD_CLIENTE	Numeric
NOMBRE	Character
APELLIDO_1	Character
APELLIDO_2	Character
TELEFONO_1	Character
TELEFONO_2	Character
EMAIL	Character
CANAL	Character
DESC_MODELO	Character
MOTORIZACION	Character
BASTIDOR	Character
MATRICULA	Character
FEC_VIGENCIA_DESDE	Date
FEC_VIGENCIA_HASTA	Date
FEC_ACTUALIZACION	Date
FEC_CONTACTO	Date
TIP_CAMPANYA	Character

Table Name:ODS_CAMPANYAS_PAQUETES_MODELO

Columns

COD_CAMPANYA	Character
COD_PAQUETE	Character
DESC_PAQUETE	Character
TMAIMG	Character
IMP_PRECIO_PAQUETE	Numeric
COD_MATERIAL	Character
CANTIDAD	Numeric
IMP_PVP_MATERIAL	Numeric
IMP_PVP_KIT	Numeric

DTO_MATERIAL	Numeric
IMP_NETO_MATERIAL	Numeric
COD_MANOOBRA	Character
DESC_MANOOBRA	Character
TIEMPO	Numeric
DTO_MANOOBRA	Numeric
IMP_NETO_MANOOBRA	Numeric
FEC_VIGENCIA_DESDE	Date
FEC_VIGENCIA_HASTA	Date

Table Name:ODS_CAMPANYAS_SEGUIMIENTO

Columns

ID_REGISTRO	Numeric
COD_GRUPO	Character
COD_CAMPANYA	Character
COD_PAQUETE	Character
COD_OR	Character
COD_LINEA_CARGO	Character
FECHA_CIERRE_CARGO	Date
FECHA_APERTURA	Date
COD_MOYTEXT	Character
BASTIDOR	Character
TMAIMG	Character
COD_MARCA	Numeric
COD_INSTALACION_OR	Character
COD_INSTALACION_LEAD	Character
COD_ASESOR	Character
FEC_VIGENCIA_DESDE	Date
FEC_VIGENCIA_HASTA	Date
IND_CRM	Character
IND_HITO_VIN	Numeric

IND_HITO_TMAIMG	Numeric
IND_HITO_FECHAS	Numeric
IND_HITO_MEDICIONES	Numeric
CAN_MATERIAL_CAMPANYA	Numeric
IMP_MATERIAL_CAMPANYA	Numeric
IMP_MATERIAL_FAMILIAS	Numeric
IMP_MATERIAL_TOTCARGO	Numeric
IMP_MANOOBRA_CAMPANYA	Numeric
IMP_MANOOBRA_TOTCARGO	Numeric
IMP_TOTAL_OR	Numeric
FEC_ACTUALIZACION	Date

Table Name:ODS_CAMPANYAS_SELLOUT

Columns

COD_CAMPANYA	Character
DESC_CAMPANYA	Character
COD_MARCA	Numeric
COD_GRUPO	Character
DESC_GRUPO	Character

Table Name:ODS_CLIENTES.CPR_DENOM_COMERCIAL

Columns

COD_DENOM_COMERCIAL	Numeric
EMPRESA	Character
BRAND_CODE	Character
MODELYEAR	Character
CAR_LINE	Character
SALES_GROUP	Character
COD_ZONA	Character
TMAIMG	Character
OPCIONAL	Character
VERSION	Character
I_SET	Character

DEN_COMERC	Character
ACCION	Character
FECHA_ALTA	Date
COD_MARCA	Numeric
FECHA_ULTIMA_MODIFICACION	Date

Table Name:ODS_CLIENTES.CPR_MAESTRO_PRS

Columns

COD_MARCA	Numeric
MODEL_YEAR	Character
TMAIMG	Character
VERSION	Character
COD_PR	Character
ISETCO	Character
DESCRIPCION_PR	Character
TIPO_OPCIONAL	Character
COD_FAMILIA	Character
COD_IDIOMA	Character
COMARC	Character
FECHA_INICIO_VIGENCIA	Character
FECHA_FIN_VIGENCIA	Character
FECHA_ALTA_CATALOGO	Character
FECHA_MODIFICACION_CATALOGO	Character
FECHA_ALTA	Date
FECHA_ULT_MODIFICACION	Date
FECHA_INICIO_VIGENCIA_DATE	Date
FECHA_FIN_VIGENCIA_DATE	Date
FECHA_ALTA_CATALOGO_DATE	Date

Table Name:ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA

Columns

BASTIDOR	Character
NOMBRE	Character

APELLIDO_1	Character
APELLIDO_2	Character
TIPO_VIA	Character
NOMBRE_VIA	Character
NUMERO_VIA	Character
COMPLEMENTO_DOMICILIO	Character
POBLACION	Character
CODIGO_POSTAL	Character
TELEFONO	Character
MARCA	Character
CODIGO_MODELO	Character
FECHA_COMPRA	Character
FECHA_ULTIMA_REPARACION	Character
KM	Character
CODIGO_ORIGEN	Character
FECHA_CREACION	Character
HORA_CREACION	Character
CENTRO_COSTE	Character
CIF_NIF	Character
EMAIL	Character
CODIGO_CLIENTE	Character
CODIGO_ASESOR	Character
TELEFONO2	Character
FECHA_AUDITORIA	Date
CLIENTE_ROBINSON_SN	Character
CODIGO_TIPO_CLIENTE	Character
DESCRIPCION_CLIENTE	Character
ID_CLIENTE	Numeric
ID_BP_CRM	Numeric

FECHA_EAIL_ENVIO_CLIENTE	Date
FECHA_EAIL_SINCRO_CLIENTE	Date
FECHA_EAIL_ENVIO_VH	Date
COD_MARCA_BASTIDOR	Numeric
ES_RUDIMENTARI_VH	Numeric
LOPD_CORREO_POSTAL	Numeric
LOPD_EMAIL	Numeric
LOPD_LLAMADAS_TELEFONICAS	Numeric
LOPD_MENSAJES_SMS	Numeric
LOPD_FAX	Numeric

Table Name:ODS_FLOTAS_POTENCIALES
Columns

ANYO	Numeric
MES	Numeric
COD_MARCA	Numeric
COD_ANTIGUEDAD	Numeric
DESC_FAMILIA_FLOTA	Character
IMP_POTENCIAL	Numeric
COD_FUENTE	Character

Table Name:ODS_VE_REPARTO_MARCAS
Columns

ANYO	Numeric
MES	Numeric
SPART	Character
COD_MARCA	Numeric
PRC_REPARTO	Numeric
COD_SPART	Numeric

Join List

Join0: MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION=DM_MV_AGG_SALES_MEETING.COD_INSTALACION

Join1: DM_MV_AGG_SALES_MEETING.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join2: MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIA .COD_PROVINCIA

Join3: MAESTROS_DWH.DIM_GRUPOS_MARKETING.ID_GRPMRK=DM_MV_AGG_SALES_MEETING.ID_ GRPMRK

Join4: DM_MV_AGG_SALES_MEETING.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARG O.COD_TIPO_CARGO

Join5: MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION=DM_MV_AGG_OR_FLOTAS.COD_ NSTALACION

Join6: DM_MV_AGG_OR_FLOTAS.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.CO D_TIPO_CARGO(+)

Join7: MAESTROS_DWH.DIM_MARCAS.COD_MARCA=DM_MV_AGG_OR_FLOTAS.COD_MARCA_FLOT A

Join8: DM_MV_AGG_VTA_ALMACEN_SM.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETIN .COD_GRPMRK

Join9: MAESTROS_DWH.DIM_SPARTES.COD_SPART=DM_MV_AGG_VTA_ALMACEN_SM.COD_SPART _FACT

Join10: DM_MV_AGG_VTA_ALMACEN_SM.COD_TIPO_VENTA=MAESTROS_DWH.DIM_DMS_TIPOS_VEN TA.COD_TIPO_VENTA

Join11: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_AGG_VTA_ALMACEN_SM.ANO_VENTA a nd MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_AGG_VTA_ALMACEN_SM.MES_VENTA

Join12: DM_MV_AGG_VTA_ALMACEN_SM.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONE .COD_INSTALACION

Join13: MAESTROS_DWH.DIM_DMS_TIPOS_VENTA.COD_GRUPO_TIPO_VENTA=MAESTROS_DWH.DIM _DMS_GRUPOS_TIPOS_VENTA.COD_GRUPO_TIPO_VENTA

Join14: ODS_VE_REPARTO_MARCAS.COD_SPART=DM_MV_AGG_VTA_ALMACEN_SM.COD_SPART and ODS_VE_REPARTO_MARCAS.ANYO=DM_MV_AGG_VTA_ALMACEN_SM.ANO_VENTA and ODS_ VE_REPARTO_MARCAS.MES=DM_MV_AGG_VTA_ALMACEN_SM.MES_VENTA

Join15: ODS_VE_REPARTO_MARCAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join16: DM_MV_AGG_OR_FLOTAS.COD_EMPRESA_RENTING=MAESTROS_DWH.DIM_EMPRESAS_REN ING.COD_EMPRESA_RENTING

Join17: DM_MV_F_VTAS_PREITV.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join18: DM_MV_F_VTAS_PREITV.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_I NSTALACION

Join19: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_CHAR(DM_MV_F_VTAS_PREITV.FECHA_ CIERRE_CARGO,'YYYYMM')

Join20: DM_MV_F_VTAS_PREITV.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_G RPMRK

Join21: MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COM

BINACION_MARCAS.ID_MARCAS

Join22: DM_MV_F_VTAS_CAMPANYAS.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION

Join23: DM_MV_F_VTAS_CAMPANYAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join24: DM_MV_F_VTAS_CAMPANYAS.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK

Join25: DM_MV_F_VTAS_WINBACKCST.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION

Join26: DM_MV_F_VTAS_WINBACKCST.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join27: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_CHAR(DM_MV_F_VTAS_WINBACKCST.FECHA_CIERRE_CARGO,'YYYYMM')

Join28: DM_MV_F_VTAS_WINBACKCST.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK

Join29: DM_MV_F_VTAS_PAQUETES.COD_PAQUETE=MAESTROS_DWH.DIM_PAQUETES.COD_PAQUETE

Join30: DM_MV_F_VTAS_PAQUETES.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join31: DM_MV_F_VTAS_PAQUETES.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION

Join32: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_F_VTAS_PAQUETES.ANO_CIERRE_CARGO and MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_F_VTAS_PAQUETES.MES_CIERRE_CARGO

Join33: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_F_VTAS_DEFERENCIAS.ANYO_TRAMITACION and MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_F_VTAS_DEFERENCIAS.MES_TRAMITACION

Join34: DM_MV_F_VTAS_DEFERENCIAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join35: DM_MV_F_VTAS_DEFERENCIAS.COD_KVPS=DIM_INSTALACIONES2.COD_KVPS

Join36: DM_MV_F_VTAS_DEFERENCIAS.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK(+)

Join37: DM_MV_F_VTAS_DEFERENCIAS.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION

Join38: MAESTROS_DWH.DIM_MATERIALES.ID_GRPDCTO=MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.ID_GRPDCTO(+)

Join39: MAESTROS_DWH.DIM_MATERIALES.ID_GRPHOM=MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.ID_GRPHOM(+)

Join40: MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL(+)=DM_MV_F_VTAS_DEFERENCIAS.COD_MATERIAL

Join41: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=DM_MV_AGG_OR_FLOTAS.COD_MES

Join42: ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACION_OR=MAESTROS_DWH.DIM_INSTALACI
ONES.COD_INSTALACION

Join43: ODS_CAMPANYAS_SEGUIMIENTO.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join44: DIM_INSTALACIONES3.COD_INSTALACION(+)=ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTA
ACION_LEAD

Join45: MAESTROS_DWH.DIM_MARCAS.COD_MARCA=ODS_CAMPANYAS_PAQUETES.COD_MARCA

Join46: ODS_CAMPANYAS_SELLOUT.COD_CAMPANYA=ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPA
NYA and ODS_CAMPANYAS_SELLOUT.COD_GRUPO=ODS_CAMPANYAS_SEGUIMIENTO.COD_G
UPO

Join47: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_NUMBER(TO_CHAR(ODS_CAMPANYAS_
SEGUIMIENTO.FECHA_CIERRE_CARGO,'YYYYMM'))

Join48: ODS_FLOTAS_POTENCIALES.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join49: ODS_FLOTAS_POTENCIALES.COD_ANTIGUEDAD=MAESTROS_DWH.DIM_ANTIGUEDAD_VEHIC
LO.COD_ANTIGUEDAD_VEHICULO

Join50: DM_MV_AGG_OR_FLOTAS.COD_ANTIGUEDAD=MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICU
O.COD_ANTIGUEDAD_VEHICULO

Join51: MAESTROS_DWH.DIM_MODELOS_GRUPO.ID_MODELO_GRUPO=MAESTROS_DWH.DIM_MODE
OS.ID_MODELO_GRUPO

Join52: DM_MV_AGG_OR_FLOTAS.COD_MODELO=MAESTROS_DWH.DIM_MODELOS.COD_MODELO

Join53: ODS_AUDATEX_PIEZAS_SUST.COD_MATERIAL=MAESTROS_DWH.DIM_MATERIALES.COD_MA
TERIAL(+)

Join54: ODS_AUDATEX_PIEZAS_SUST.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Join55: ODS_AUDATEX_REPARACIONES.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Join56: MAESTROS_DWH.DIM_MATERIALES.ID_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETIN
G.ID_GRPMRK

Join57: MAESTROS_DWH.DIM_MATERIALES.ID_SPART=MAESTROS_DWH.DIM_SPARTES.ID_SPART

Join58: ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPANYA=ODS_CAMPANYAS_PAQUETES.COD_CAMI
ANYA and ODS_CAMPANYAS_SEGUIMIENTO.COD_PAQUETE=ODS_CAMPANYAS_PAQUETES.C
OD_PAQUETE

Join59: ODS_CAMPANYAS_PAQUETES.COD_CAMPANYA=ODS_CAMPANYAS_SELLOUT.COD_CAMPANY
A and ODS_CAMPANYAS_PAQUETES.COD_MARCA=ODS_CAMPANYAS_SELLOUT.COD_MARCA

Join60: MAESTROS_DWH.DIM_TIEMPOS_MES.MES=ODS_FLOTAS_POTENCIALES.MES and MAESTRO
S_DWH.DIM_TIEMPOS_MES.ANIO=ODS_FLOTAS_POTENCIALES.ANYO

Join61: DM_MV_AGG_LOYALTY.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_IN
TALACION

Join62: DM_MV_AGG_LOYALTY.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join63: DM_MV_ESTUDIO_MANOOBRA.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARG

O.COD_TIPO_CARGO

Join64: DM_MV_ESTUDIO_MANOOBRA.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.C
OD_INSTALACION

Join65: DM_MV_ESTUDIO_MANOOBRA.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join66: MAESTROS_DWH.DIM_VEHICULOS.COD_CLIENTE=DIM_CLIENTE_VEHICULO.COD_CLIENTE

Join67: DIM_CONTACTO_VEHICULO.COD_CLIENTE=MAESTROS_DWH.DIM_VEHICULOS.COD_CONTAC
TO

Join68: DIM_PROVINCIAS_CV.COD_PROVINCIA=DIM_CLIENTE_VEHICULO.COD_PROVINCIA

Join69: DIM_PROVINCIAS_COV.COD_PROVINCIA=DIM_CONTACTO_VEHICULO.COD_PROVINCIA

Join70: DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR=MAESTROS_DWH.DIM_VEHICULOS.BASTIDOR

Join71: DM_MV_F_VTAS_FLOTAS_MISC.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.
COD_INSTALACION

Join72: DM_MV_F_VTAS_FLOTAS_MISC.COD_MARCA_FLOTA=MAESTROS_DWH.DIM_MARCAS.COD_
MARCA

Join73: DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR=ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.BAS
TIDOR

Join74: MAESTROS_DWH.DIM_VEHICULOS.COD_DENOM_COMERCIAL=ODS_CLIENTES.CPR_DENOM_
OMERCIAL.COD_DENOM_COMERCIAL

Join75: SUBSTR(ODS_CLIENTES.CPR_DENOM_COMERCIAL.MODELYEAR,3,2)=ODS_CLIENTES.CPR_MA
ESTRO_PRS.MODEL_YEAR

Join76: ODS_CLIENTES.CPR_DENOM_COMERCIAL.BRAND_CODE=ODS_CLIENTES.CPR_MAESTRO_PRS
COMARC

Join77: ODS_CLIENTES.CPR_DENOM_COMERCIAL.TMAIMG=ODS_CLIENTES.CPR_MAESTRO_PRS.TMA
MG

Join78: ODS_CLIENTES.CPR_DENOM_COMERCIAL.I_SET=ODS_CLIENTES.CPR_MAESTRO_PRS.ISETC

Join79: ODS_CLIENTES.CPR_DENOM_COMERCIAL.VERSION=ODS_CLIENTES.CPR_MAESTRO_PRS.VER
SION

Join80: ODS_CLIENTES.CPR_DENOM_COMERCIAL.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD
_MARCA

Join81: DM_MV_AGG_LOYALTY.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Join82: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.PKUNAG=MAESTROS_DWH.DIM_INSTAL
ACIONES.COD_INSTALACION

Join83: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.COD_MES=MAESTROS_DWH.DIM_TIEM
POS_MES.COD_MES

Join84: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.MVGR5=MAESTROS_DWH.DIM_GRUPOS
_MARKETING.COD_GRPMRK

Join85: DM_MV_AGG_LOYALTY2.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_II
STALACION

Join86: DM_MV_AGG_LOYALTY2.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Join87: DM_MV_AGG_LOYALTY2.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Join88: DM_MV_AGG_OR_FLOTAS_GAR.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Join89: DM_MV_AGG_OR_FLOTAS_GAR.COD_MARCA_FLOTA=MAESTROS_DWH.DIM_MARCAS.COD_M
ARCA

Join90: DM_MV_AGG_OR_FLOTAS_GAR.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.
COD_INSTALACION

Join91: DM_MV_AGG_OR_FLOTAS_GAR.COD_EMPRESA_RENTING=MAESTROS_DWH.DIM_EMPRESAS_
RENTING.COD_EMPRESA_RENTING

Join92: DM_MV_AGG_OR_FLOTAS_GAR.COD_MODELO=MAESTROS_DWH.DIM_MODELOS.COD_MODE
O

Join93: DM_MV_AGG_OR_FLOTAS_GAR.COD_CLAIMKEY=DWH_VAESA.DM_F_GARANTIAS.COD_CLAIM
KEY

Join94: DWH_VAESA.DM_F_GARANTIAS.ID_NAT=DM_GARANTIAS.DM_V_NAT.ID_NAT(+)

Joins

Join0: MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION=DM_MV_AGG_SALES_MEETING.C
OD_INSTALACION
Qualification: unknown
Outer: No

Join1: DM_MV_AGG_SALES_MEETING.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join2: MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIA
.COD_PROVINCIA
Qualification: unknown
Outer: No

Join3: MAESTROS_DWH.DIM_GRUPOS_MARKETING.ID_GRPMRK=DM_MV_AGG_SALES_MEETING.ID_
GRPMRK
Qualification: unknown
Outer: No

Join4: DM_MV_AGG_SALES_MEETING.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARG
O.COD_TIPO_CARGO
Qualification: unknown
Outer: No

Join5: MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION=DM_MV_AGG_OR_FLOTAS.COD_
NSTALACION
Qualification: unknown
Outer: No

Join6: DM_MV_AGG_OR_FLOTAS.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.C(
D_TIPO_CARGO(+)
Qualification: unknown
Outer: Right

Join7: MAESTROS_DWH.DIM_MARCAS.COD_MARCA=DM_MV_AGG_OR_FLOTAS.COD_MARCA_FLOT
A
Qualification: unknown
Outer: No

Join8: DM_MV_AGG_VTA_ALMACEN_SM.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETIN(
.COD_GRPMRK
Qualification: many to one
Outer: No

Join9: MAESTROS_DWH.DIM_SPARTES.COD_SPART=DM_MV_AGG_VTA_ALMACEN_SM.COD_SPART
_FACT
Qualification: one to many
Outer: No

Join10: DM_MV_AGG_VTA_ALMACEN_SM.COD_TIPO_VENTA=MAESTROS_DWH.DIM_DMS_TIPOS_VEI
TA.COD_TIPO_VENTA
Qualification: many to one
Outer: No

Join11: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_AGG_VTA_ALMACEN_SM.ANO_VENTA a
nd MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_AGG_VTA_ALMACEN_SM.MES_VENTA
Qualification: one to many
Outer: No

Join12: DM_MV_AGG_VTA_ALMACEN_SM.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONE
.COD_INSTALACION
Qualification: unknown
Outer: No

Join13: MAESTROS_DWH.DIM_DMS_TIPOS_VENTA.COD_GRUPO_TIPO_VENTA=MAESTROS_DWH.DIM
_DMS_GRUPOS_TIPOS_VENTA.COD_GRUPO_TIPO_VENTA
Qualification: unknown
Outer: No

Join14: ODS_VE_REPARTO_MARCAS.COD_SPART=DM_MV_AGG_VTA_ALMACEN_SM.COD_SPART and
ODS_VE_REPARTO_MARCAS.ANYO=DM_MV_AGG_VTA_ALMACEN_SM.ANO_VENTA and ODS_
VE_REPARTO_MARCAS.MES=DM_MV_AGG_VTA_ALMACEN_SM.MES_VENTA
Qualification: unknown
Outer: No

Join15: ODS_VE_REPARTO_MARCAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join16: DM_MV_AGG_OR_FLOTAS.COD_EMPRESA_RENTING=MAESTROS_DWH.DIM_EMPRESAS_REN
ING.COD_EMPRESA_RENTING
Qualification: unknown
Outer: No

Join17: DM_MV_F_VTAS_PREITV.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown

Outer: No

Join18: DM_MV_F_VTAS_PREITV.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join19: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_CHAR(DM_MV_F_VTAS_PREITV.FECHA_CIERRE_CARGO,'YYYYMM')
Qualification: unknown
Outer: No

Join20: DM_MV_F_VTAS_PREITV.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Qualification: unknown
Outer: No

Join21: MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COMBINACION_MARCAS.ID_MARCAS
Qualification: unknown
Outer: No

Join22: DM_MV_F_VTAS_CAMPANYAS.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join23: DM_MV_F_VTAS_CAMPANYAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join24: DM_MV_F_VTAS_CAMPANYAS.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Qualification: unknown
Outer: No

Join25: DM_MV_F_VTAS_WINBACKCST.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join26: DM_MV_F_VTAS_WINBACKCST.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join27: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_CHAR(DM_MV_F_VTAS_WINBACKCST.FECHA_CIERRE_CARGO,'YYYYMM')
Qualification: unknown
Outer: No

Join28: DM_MV_F_VTAS_WINBACKCST.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Qualification: unknown
Outer: No

Join29: DM_MV_F_VTAS_PAQUETES.COD_PAQUETE=MAESTROS_DWH.DIM_PAQUETES.COD_PAQUETE
Qualification: unknown

Outer: No

Join30: DM_MV_F_VTAS_PAQUETES.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join31: DM_MV_F_VTAS_PAQUETES.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.CO
D_INSTALACION
Qualification: unknown
Outer: No

Join32: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_F_VTAS_PAQUETES.ANO_CIERRE_CARC
O and MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_F_VTAS_PAQUETES.MES_CIERRE
_CARGO
Qualification: unknown
Outer: No

Join33: MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_F_VTAS_DEFERENCIAS.ANYO_TRAMITA
CION and MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_F_VTAS_DEFERENCIAS.MES_T
RAMITACION
Qualification: unknown
Outer: No

Join34: DM_MV_F_VTAS_DEFERENCIAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join35: DM_MV_F_VTAS_DEFERENCIAS.COD_KVPS=DIM_INSTALACIONES2.COD_KVPS
Qualification: unknown
Outer: No

Join36: DM_MV_F_VTAS_DEFERENCIAS.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.
COD_GRPMRK(+)
Qualification: unknown
Outer: Right

Join37: DM_MV_F_VTAS_DEFERENCIAS.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.
COD_INSTALACION
Qualification: unknown
Outer: No

Join38: MAESTROS_DWH.DIM_MATERIALES.ID_GRPDCTO=MAESTROS_DWH.DIM_GRUPOS_DESCUEN
TO.ID_GRPDCTO(+)
Qualification: unknown
Outer: Right

Join39: MAESTROS_DWH.DIM_MATERIALES.ID_GRPHOM=MAESTROS_DWH.DIM_GRUPOS_HOMOGEN
EOS.ID_GRPHOM(+)
Qualification: unknown
Outer: Right

Join40: MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL(+)=DM_MV_F_VTAS_DEFERENCIAS.COD
_MATERIAL
Qualification: unknown
Outer: Left

Join41: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=DM_MV_AGG_OR_FLOTAS.COD_MES
Qualification: unknown

Outer: No

Join42: ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACION_OR=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join43: ODS_CAMPANYAS_SEGUIMIENTO.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join44: DIM_INSTALACIONES3.COD_INSTALACION(+)=ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACION_LEAD
Qualification: unknown
Outer: Left

Join45: MAESTROS_DWH.DIM_MARCAS.COD_MARCA=ODS_CAMPANYAS_PAQUETES.COD_MARCA
Qualification: unknown
Outer: No

Join46: ODS_CAMPANYAS_SELLOUT.COD_CAMPANYA=ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPANYA and ODS_CAMPANYAS_SELLOUT.COD_GRUPO=ODS_CAMPANYAS_SEGUIMIENTO.COD_GUPO
Qualification: unknown
Outer: Right

Join47: MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_NUMBER(TO_CHAR(ODS_CAMPANYAS_SEGUIMIENTO.FECHA_CIERRE_CARGO,'YYYYMM'))
Qualification: unknown
Outer: No

Join48: ODS_FLOTAS_POTENCIALES.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join49: ODS_FLOTAS_POTENCIALES.COD_ANTIGUEDAD=MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.COD_ANTIGUEDAD_VEHICULO
Qualification: unknown
Outer: No

Join50: DM_MV_AGG_OR_FLOTAS.COD_ANTIGUEDAD=MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.COD_ANTIGUEDAD_VEHICULO
Qualification: unknown
Outer: No

Join51: MAESTROS_DWH.DIM_MODELOS_GRUPO.ID_MODELO_GRUPO=MAESTROS_DWH.DIM_MODELOS.ID_MODELO_GRUPO
Qualification: one to many
Outer: No

Join52: DM_MV_AGG_OR_FLOTAS.COD_MODELO=MAESTROS_DWH.DIM_MODELOS.COD_MODELO
Qualification: unknown
Outer: No

Join53: ODS_AUDATEX_PIEZAS_SUST.COD_MATERIAL=MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL(+)
Qualification: unknown
Outer: Right

Join54: ODS_AUDATEX_PIEZAS_SUST.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Qualification: unknown
Outer: No

Join55: ODS_AUDATEX_REPARACIONES.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Qualification: unknown
Outer: No

Join56: MAESTROS_DWH.DIM_MATERIALES.ID_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETIN
G.ID_GRPMRK
Qualification: unknown
Outer: No

Join57: MAESTROS_DWH.DIM_MATERIALES.ID_SPART=MAESTROS_DWH.DIM_SPARTES.ID_SPART
Qualification: unknown
Outer: No

Join58: ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPANYA=ODS_CAMPANYAS_PAQUETES.COD_CAMI
ANYA and ODS_CAMPANYAS_SEGUIMIENTO.COD_PAQUETE=ODS_CAMPANYAS_PAQUETES.C
OD_PAQUETE
Qualification: unknown
Outer: Right

Join59: ODS_CAMPANYAS_PAQUETES.COD_CAMPANYA=ODS_CAMPANYAS_SELLOUT.COD_CAMPANY
A and ODS_CAMPANYAS_PAQUETES.COD_MARCA=ODS_CAMPANYAS_SELLOUT.COD_MARCA
Qualification: unknown
Outer: No

Join60: MAESTROS_DWH.DIM_TIEMPOS_MES.MES=ODS_FLOTAS_POTENCIALES.MES and MAESTRO
S_DWH.DIM_TIEMPOS_MES.ANIO=ODS_FLOTAS_POTENCIALES.ANYO
Qualification: unknown
Outer: No

Join61: DM_MV_AGG_LOYALTY.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_IN
TALACION
Qualification: unknown
Outer: No

Join62: DM_MV_AGG_LOYALTY.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join63: DM_MV_ESTUDIO_MANOOBRA.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARG
O.COD_TIPO_CARGO
Qualification: unknown
Outer: No

Join64: DM_MV_ESTUDIO_MANOOBRA.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.C
OD_INSTALACION
Qualification: unknown
Outer: No

Join65: DM_MV_ESTUDIO_MANOOBRA.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join66: MAESTROS_DWH.DIM_VEHICULOS.COD_CLIENTE=DIM_CLIENTE_VEHICULO.COD_CLIENTE

Qualification: unknown
Outer: No

Join67: DIM_CONTACTO_VEHICULO.COD_CLIENTE=MAESTROS_DWH.DIM_VEHICULOS.COD_CONTA(
TO
Qualification: unknown
Outer: No

Join68: DIM_PROVINCIAS_CV.COD_PROVINCIA=DIM_CLIENTE_VEHICULO.COD_PROVINCIA
Qualification: unknown
Outer: No

Join69: DIM_PROVINCIAS_COV.COD_PROVINCIA=DIM_CONTACTO_VEHICULO.COD_PROVINCIA
Qualification: unknown
Outer: No

Join70: DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR=MAESTROS_DWH.DIM_VEHICULOS.BASTIDOR
Qualification: unknown
Outer: No

Join71: DM_MV_F_VTAS_FLOTAS_MISC.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.
COD_INSTALACION
Qualification: unknown
Outer: No

Join72: DM_MV_F_VTAS_FLOTAS_MISC.COD_MARCA_FLOTA=MAESTROS_DWH.DIM_MARCAS.COD_
MARCA
Qualification: unknown
Outer: No

Join73: DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR=ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.BAS
TIDOR
Qualification: unknown
Outer: No

Join74: MAESTROS_DWH.DIM_VEHICULOS.COD_DENOM_COMERCIAL=ODS_CLIENTES.CPR_DENOM_
OMERCIAL.COD_DENOM_COMERCIAL
Qualification: unknown
Outer: No

Join75: SUBSTR(ODS_CLIENTES.CPR_DENOM_COMERCIAL.MODELYEAR,3,2)=ODS_CLIENTES.CPR_M/
ESTRO_PRS.MODEL_YEAR
Qualification: unknown
Outer: No

Join76: ODS_CLIENTES.CPR_DENOM_COMERCIAL.BRAND_CODE=ODS_CLIENTES.CPR_MAESTRO_PR
COMARC
Qualification: unknown
Outer: No

Join77: ODS_CLIENTES.CPR_DENOM_COMERCIAL.TMAIMG=ODS_CLIENTES.CPR_MAESTRO_PRS.TMA
MG
Qualification: unknown
Outer: No

Join78: ODS_CLIENTES.CPR_DENOM_COMERCIAL.I_SET=ODS_CLIENTES.CPR_MAESTRO_PRS.ISETC(
Qualification: unknown
Outer: No

Join79: ODS_CLIENTES.CPR_DENOM_COMERCIAL.VERSION=ODS_CLIENTES.CPR_MAESTRO_PRS.VERSION
Qualification: unknown
Outer: No

Join80: ODS_CLIENTES.CPR_DENOM_COMERCIAL.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join81: DM_MV_AGG_LOYALTY.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Qualification: unknown
Outer: No

Join82: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.PKUNAG=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join83: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Qualification: unknown
Outer: No

Join84: DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.MVGR5=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
Qualification: unknown
Outer: No

Join85: DM_MV_AGG_LOYALTY2.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join86: DM_MV_AGG_LOYALTY2.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join87: DM_MV_AGG_LOYALTY2.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Qualification: unknown
Outer: No

Join88: DM_MV_AGG_OR_FLOTAS_GAR.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
Qualification: unknown
Outer: No

Join89: DM_MV_AGG_OR_FLOTAS_GAR.COD_MARCA_FLOTA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
Qualification: unknown
Outer: No

Join90: DM_MV_AGG_OR_FLOTAS_GAR.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION
Qualification: unknown
Outer: No

Join91: DM_MV_AGG_OR_FLOTAS_GAR.COD_EMPRESA_RENTING=MAESTROS_DWH.DIM_EMPRESAS

RENTING.COD_EMPRESA_RENTING
Qualification: unknown
Outer: No

Join92: DM_MV_AGG_OR_FLOTAS_GAR.COD_MODELO=MAESTROS_DWH.DIM_MODELOS.COD_MODE
O
Qualification: unknown
Outer: No

Join93: DM_MV_AGG_OR_FLOTAS_GAR.COD_CLAIMKEY=DWH_VAESA.DM_F_GARANTIAS.COD_CLAI
KEY
Qualification: unknown
Outer: No

Join94: DWH_VAESA.DM_F_GARANTIAS.ID_NAT=DM_GARANTIAS.DM_V_NAT.ID_NAT(+)
Qualification: unknown
Outer: Right

Context List

Contexto PRs
Pre ITV
Estudio Flotas
Maestro Paquetes Sell-Out
Seguimiento Sell-Out
Estudio Mano de Obra
Contexto Sales Meeting
Loyalty
ctxt Logistica ET2K
Paquetes
Contexto Flotas
Loyalty 2
Campañas
Venta Almacen
Deferencias
Audatex Piezas
Audatex Reparaciones
Contexto Flotas Garantias
WinBack Customers
Contexto Flotas Potenciales

Context

Context Name:Contexto PRs
MAESTROS_DWH.DIM_VEHICULOS.COD_DENOM_COMERCIAL=ODS_CLIENTES.CPR_DENOM_COMER
IAL.COD_DENOM_COMERCIAL
SUBSTR(ODS_CLIENTES.CPR_DENOM_COMERCIAL.MODELYEAR,3,2)=ODS_CLIENTES.CPR_MAESTRO
_PRS.MODEL_YEAR
ODS_CLIENTES.CPR_DENOM_COMERCIAL.BRAND_CODE=ODS_CLIENTES.CPR_MAESTRO_PRS.COMA
RC
ODS_CLIENTES.CPR_DENOM_COMERCIAL.TMAIMG=ODS_CLIENTES.CPR_MAESTRO_PRS.TMAIMG
ODS_CLIENTES.CPR_DENOM_COMERCIAL.I_SET=ODS_CLIENTES.CPR_MAESTRO_PRS.ISETCO
ODS_CLIENTES.CPR_DENOM_COMERCIAL.VERSION=ODS_CLIENTES.CPR_MAESTRO_PRS.VERSION
ODS_CLIENTES.CPR_DENOM_COMERCIAL.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARC
A

Context Name:Pre ITV

DM_MV_F_VTAS_PREITV.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_F_VTAS_PREITV.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALA
CION
MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_CHAR(DM_MV_F_VTAS_PREITV.FECHA_CIERRE
_CARGO,'YYYYMM')
DM_MV_F_VTAS_PREITV.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GRPMRK
MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COMBINACI
ON_MARCAS.ID_MARCAS

Context Name:Estudio Flotas

MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIAS.COD_
ROVINCIA
MAESTROS_DWH.DIM_VEHICULOS.COD_CLIENTE=DIM_CLIENTE_VEHICULO.COD_CLIENTE
DIM_CONTACTO_VEHICULO.COD_CLIENTE=MAESTROS_DWH.DIM_VEHICULOS.COD_CONTACTO
DIM_PROVINCIAS_CV.COD_PROVINCIA=DIM_CLIENTE_VEHICULO.COD_PROVINCIA
DIM_PROVINCIAS_COV.COD_PROVINCIA=DIM_CONTACTO_VEHICULO.COD_PROVINCIA
DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR=MAESTROS_DWH.DIM_VEHICULOS.BASTIDOR
DM_MV_F_VTAS_FLOTAS_MISC.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_IN
STALACION
DM_MV_F_VTAS_FLOTAS_MISC.COD_MARCA_FLOTA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_F_VTAS_FLOTAS_MISC.BASTIDOR=ODS_CLIENTES.MV_AUDIT_DT6_DATOSIDA.BASTIDOR

Context Name:Maestro Paquetes Sell-Out

MAESTROS_DWH.DIM_MARCAS.COD_MARCA=ODS_CAMPANYAS_PAQUETES.COD_MARCA
ODS_CAMPANYAS_PAQUETES.COD_CAMPANYA=ODS_CAMPANYAS_SELLOUT.COD_CAMPANYA and O
DS_CAMPANYAS_PAQUETES.COD_MARCA=ODS_CAMPANYAS_SELLOUT.COD_MARCA

Context Name:Seguimiento Sell-Out

ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACION_OR=MAESTROS_DWH.DIM_INSTALACIONES.C
OD_INSTALACION
DIM_INSTALACIONES3.COD_INSTALACION(+)=ODS_CAMPANYAS_SEGUIMIENTO.COD_INSTALACIO
LEAD
MAESTROS_DWH.DIM_MARCAS.COD_MARCA=ODS_CAMPANYAS_PAQUETES.COD_MARCA
ODS_CAMPANYAS_SELLOUT.COD_CAMPANYA=ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPANYA an
d ODS_CAMPANYAS_SELLOUT.COD_GRUPO=ODS_CAMPANYAS_SEGUIMIENTO.COD_GRUPO
MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_NUMBER(TO_CHAR(ODS_CAMPANYAS_SEGUIM
IENTO.FECHA_CIERRE_CARGO,'YYYYMM'))
ODS_CAMPANYAS_SEGUIMIENTO.COD_CAMPANYA=ODS_CAMPANYAS_PAQUETES.COD_CAMPANYA a
nd ODS_CAMPANYAS_SEGUIMIENTO.COD_PAQUETE=ODS_CAMPANYAS_PAQUETES.COD_PAQUETE

Context Name:Estudio Mano de Obra

DM_MV_ESTUDIO_MANOOBRA.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.COD
TIPO_CARGO
DM_MV_ESTUDIO_MANOOBRA.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_IN
TALACION
DM_MV_ESTUDIO_MANOOBRA.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Context Name:Contexto Sales Meeting

MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION=DM_MV_AGG_SALES_MEETING.COD_IN
TALACION
DM_MV_AGG_SALES_MEETING.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIAS.COD_
ROVINCIA
MAESTROS_DWH.DIM_GRUPOS_MARKETING.ID_GRPMRK=DM_MV_AGG_SALES_MEETING.ID_GRPM
DM_MV_AGG_SALES_MEETING.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.COD
TIPO_CARGO

Context Name:Loyalty
MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIAS.COD_
ROVINCIA
DM_MV_AGG_LOYALTY.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALAC
ON
DM_MV_AGG_LOYALTY.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_AGG_LOYALTY.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Context Name:ctxt Logistica ET2K
MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIAS.COD_
ROVINCIA
DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.PKUNAG=MAESTROS_DWH.DIM_INSTALACION
S.COD_INSTALACION
DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_M
ES.COD_MES
DM_RECAMBIOS.DM_F_ET2K_LOGISTICA_FACT_TMP.MVGR5=MAESTROS_DWH.DIM_GRUPOS_MARK
ETING.COD_GRPMRK

Context Name:Paquetes
MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COMBINACI
ON_MARCAS.ID_MARCAS
DM_MV_F_VTAS_PAQUETES.COD_PAQUETE=MAESTROS_DWH.DIM_PAQUETES.COD_PAQUETE
DM_MV_F_VTAS_PAQUETES.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_F_VTAS_PAQUETES.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INST
ALACION
MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_F_VTAS_PAQUETES.ANO_CIERRE_CARGO and
MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_F_VTAS_PAQUETES.MES_CIERRE_CARGO

Context Name:Contexto Flotas
MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALACION=DM_MV_AGG_OR_FLOTAS.COD_INSTAL
ACION
DM_MV_AGG_OR_FLOTAS.COD_TIPO_CARGO=MAESTROS_DWH.DIM_DMS_TIPOS_CARGO.COD_TIP
O_CARGO(+)
MAESTROS_DWH.DIM_MARCAS.COD_MARCA=DM_MV_AGG_OR_FLOTAS.COD_MARCA_FLOTA
MAESTROS_DWH.DIM_MODELOS_GRUPO.ID_MODELO_GRUPO=MAESTROS_DWH.DIM_MODELOS.ID
MODELO_GRUPO
DM_MV_AGG_OR_FLOTAS.COD_EMPRESA_RENTING=MAESTROS_DWH.DIM_EMPRESAS_RENTING.C
D_EMPRESA_RENTING
MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=DM_MV_AGG_OR_FLOTAS.COD_MES
DM_MV_AGG_OR_FLOTAS.COD_MODELO=MAESTROS_DWH.DIM_MODELOS.COD_MODELO

Context Name:Loyalty 2
MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIAS.COD_
ROVINCIA
DM_MV_AGG_LOYALTY2.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INSTALA
ION
DM_MV_AGG_LOYALTY2.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_AGG_LOYALTY2.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Context Name:Campañas
MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COMBINACI
ON_MARCAS.ID_MARCAS
DM_MV_F_VTAS_CAMPANYAS.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_INS
TALACION
DM_MV_F_VTAS_CAMPANYAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_F_VTAS_CAMPANYAS.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GR
MRK

Context Name:Venta Almacen

MAESTROS_DWH.DIM_INSTALACIONES.COD_PROVINCIA=MAESTROS_DWH.DIM_PROVINCIAS.COD_
ROVINCIA
DM_MV_AGG_VTA_ALMACEN_SM.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_
RPMRK
MAESTROS_DWH.DIM_SPARTES.COD_SPART=DM_MV_AGG_VTA_ALMACEN_SM.COD_SPART_FACT
DM_MV_AGG_VTA_ALMACEN_SM.COD_TIPO_VENTA=MAESTROS_DWH.DIM_DMS_TIPOS_VENTA.CO
D_TIPO_VENTA
MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_AGG_VTA_ALMACEN_SM.ANO_VENTA and MAE
STROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_AGG_VTA_ALMACEN_SM.MES_VENTA
DM_MV_AGG_VTA_ALMACEN_SM.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_
NSTALACION
MAESTROS_DWH.DIM_DMS_TIPOS_VENTA.COD_GRUPO_TIPO_VENTA=MAESTROS_DWH.DIM_DMS_
GRUPOS_TIPOS_VENTA.COD_GRUPO_TIPO_VENTA
ODS_VE_REPARTO_MARCAS.COD_SPART=DM_MV_AGG_VTA_ALMACEN_SM.COD_SPART and ODS_V
E_REPARTO_MARCAS.ANYO=DM_MV_AGG_VTA_ALMACEN_SM.ANO_VENTA and ODS_VE_REPARTO_
MARCAS.MES=DM_MV_AGG_VTA_ALMACEN_SM.MES_VENTA
ODS_VE_REPARTO_MARCAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA

Context Name:Deferencias

MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COMBINACI
ON_MARCAS.ID_MARCAS
MAESTROS_DWH.DIM_TIEMPOS_MES.ANIO=DM_MV_F_VTAS_DEFERENCIAS.ANYO_TRAMITACION a
nd MAESTROS_DWH.DIM_TIEMPOS_MES.MES=DM_MV_F_VTAS_DEFERENCIAS.MES_TRAMITACION
DM_MV_F_VTAS_DEFERENCIAS.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_F_VTAS_DEFERENCIAS.COD_KVPS=DIM_INSTALACIONES2.COD_KVPS
DM_MV_F_VTAS_DEFERENCIAS.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_G
PMRK(+)
DM_MV_F_VTAS_DEFERENCIAS.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_I
STALACION
MAESTROS_DWH.DIM_MATERIALES.ID_GRPDCTO=MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.ID_
GRPDCTO(+)
MAESTROS_DWH.DIM_MATERIALES.ID_GRPHOM=MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.ID
GRPHOM(+)
MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL(+)=DM_MV_F_VTAS_DEFERENCIAS.COD_MATE
RIAL

Context Name:Audatex Piezas

MAESTROS_DWH.DIM_MATERIALES.ID_GRPDCTO=MAESTROS_DWH.DIM_GRUPOS_DESCUENTO.ID_
GRPDCTO(+)
MAESTROS_DWH.DIM_MATERIALES.ID_GRPHOM=MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS.ID
GRPHOM(+)
ODS_AUDATEX_PIEZAS_SUST.COD_MATERIAL=MAESTROS_DWH.DIM_MATERIALES.COD_MATERIAL
+)
ODS_AUDATEX_PIEZAS_SUST.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
MAESTROS_DWH.DIM_MATERIALES.ID_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.ID_G
PMRK
MAESTROS_DWH.DIM_MATERIALES.ID_SPART=MAESTROS_DWH.DIM_SPARTES.ID_SPART

Context Name:Audatex Reparaciones

ODS_AUDATEX_REPARACIONES.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES

Context Name:Contexto Flotas Garantias

MAESTROS_DWH.DIM_MODELOS_GRUPO.ID_MODELO_GRUPO=MAESTROS_DWH.DIM_MODELOS.ID
MODELO_GRUPO
DM_MV_AGG_OR_FLOTAS_GAR.COD_MES=MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES
DM_MV_AGG_OR_FLOTAS_GAR.COD_MARCA_FLOTA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
DM_MV_AGG_OR_FLOTAS_GAR.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_I

STALACION
DM_MV_AGG_OR_FLOTAS_GAR.COD_EMPRESA_RENTING=MAESTROS_DWH.DIM_EMPRESAS_RENTI
NG.COD_EMPRESA_RENTING
DM_MV_AGG_OR_FLOTAS_GAR.COD_MODELO=MAESTROS_DWH.DIM_MODELOS.COD_MODELO
DM_MV_AGG_OR_FLOTAS_GAR.COD_CLAIMKEY=DWH_VAESA.DM_F_GARANTIAS.COD_CLAIMKEY
DWH_VAESA.DM_F_GARANTIAS.ID_NAT=DM_GARANTIAS.DM_V_NAT.ID_NAT(+)

Context Name:WinBack Customers
MAESTROS_DWH.DIM_INSTALACIONES.ID_MARCA_POSTVENTA=MAESTROS_DWH.DIM_COMBINACI
ON_MARCAS.ID_MARCAS
DM_MV_F_VTAS_WINBACKCST.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COD_IN
STALACION
DM_MV_F_VTAS_WINBACKCST.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
MAESTROS_DWH.DIM_TIEMPOS_MES.COD_MES=TO_CHAR(DM_MV_F_VTAS_WINBACKCST.FECHA_
CIERRE_CARGO,'YYYYMM')
DM_MV_F_VTAS_WINBACKCST.COD_GRPMRK=MAESTROS_DWH.DIM_GRUPOS_MARKETING.COD_GI
PMRK

Context Name:Contexto Flotas Potenciales
ODS_FLOTAS_POTENCIALES.COD_MARCA=MAESTROS_DWH.DIM_MARCAS.COD_MARCA
ODS_FLOTAS_POTENCIALES.COD_ANTIGUEDAD=MAESTROS_DWH.DIM_ANTIGUEDAD_VEHICULO.C
D_ANTIGUEDAD_VEHICULO
MAESTROS_DWH.DIM_TIEMPOS_MES.MES=ODS_FLOTAS_POTENCIALES.MES and MAESTROS_DWH.
DIM_TIEMPOS_MES.ANIO=ODS_FLOTAS_POTENCIALES.ANYO


DM_MV_ESTUDIO_MANOOBRA
COD_INSTALACION
COD_TIPO_CARGO
COD_MARCA
COD_SECCION
ANYOMES_CIERRE_CARGO
COD_ANTIGUEDAD
TIPO_FLOTA
IND_CARGO_CON_PAQ_OFICIAL
TIPO_PAQUETE_LINEA
...
MAESTROS_DWH.DIM_INSTALA
COD_INSTALACION
COD_PROVINCIA
ID_MARCA_POSTVENTA
MAESTROS_DWH.DIM_MARCA
COD_MARCA
DM_MV_F_VTAS_WINBACKCST
COD_INSTALACION
COD_MARCA
FECHA_CIERRE_CARGO
COD_GRPMRK
DM_MV_F_VTAS_PREITV
COD_INSTALACION
BASTIDOR
COD_MARCA
COD_MODELO
DESC_MODELO
FEC_CONTACTO
COD_OR
FECHA_APERTURA
FECHA_CIERRE_OR
COD_LINEA_CARGO
FECHA_CIERRE_CARGO
COD_GRPMRK
IND_PREITV
IND_PAQUETE
IND_LEAD
COD_PAQUETE
COD_MATERIAL
CAN_RECAMBIOS
IMP_RECAMBIOS_PVP
IMP_RECAMBIOS_BRUTO
IMP_RECAMBIOS_NETO
DTO_RECAMBIOS
IND_DTO15
IMP_A_PAGAR
ODS_VE_REPARTO_MARCAS
ANYO
MES
SPART
COD_MARCA
PRC_REPARTO
COD_SPART
DM_MV_AGG_VTA_ALMACEN_SM
MAESTROS_DWH.DIM_DMS_TIP
COD_TIPO_VENTA
COD_GRUPO_TIPO_VENTA
DM_MV_F_VTAS_PAQUETES
COD_INSTALACION
COD_MARCA
ANO_CIERRE_CARGO
MES_CIERRE_CARGO
COD_PAQUETE
MAESTROS_DWH.DIM_SPARTES
ID_SPART
COD_SPART
MAESTROS_DWH.DIM_PAQUETE
COD_PAQUETE
DM_MV_F_VTAS_DEFERENCIAS
COD_INSTALACION
COD_KVPS
COD_MARCA
ANYO_TRAMITACION
MES_TRAMITACION
COD_GRPMRK
COD_MATERIAL
DIM_INSTALACIONES2
(MAESTROS_DWH.DIM_INSTALA
COD_KVPS
MAESTROS_DWH.DIM_TIEMPOS_MES
COD_MES
ANIO
MES
MAESTROS_DWH.DIM_MATERIA
COD_MATERIAL
ID_SPART
ID_GRPMRK
ID_GRPDCTO
ID_GRPHOM
DM_MV_AGG_OR_FLOTAS
ANYO
MES
COD_MES
COD_CONCESIONARIO
COD_MARCA_FLOTA
COD_MARCA_OR
COD_INSTALACION
COD_TIPO_CARGO
...
MAESTROS_DWH.DIM_DMS_TI
COD_TIPO_CARGO
MAESTROS_DWH.DIM_EMPRESA
COD_EMPRESA_RENTING
DM_MV_AGG_SALES_MEETING_SEL
ANYO
MES
COD_INSTALACION
TIPO
MES_REQ
CNT
MES_CNT
MIN_HORAS
MAX_HORAS
ODS_AUDATEX_PIEZAS_SUST
COD_MES
PROVINCIA
COD_MARCA_AUDATEX
MARCA
MODELO
COD_REFERENCIA
DESC_REFERENCIA
NUM_SUSTITUCIONES
IMP_MEDIO_SUSTITUIDA
IMP_MEDIO_REPARACION
IMP_MINIMO
IMP_MAXIMO
COEFICIENTE_VARIACION
COD_MATERIAL
TIP_PIEZA
MAESTROS_DWH.DIM_MODEL
COD_MODELO
COD_MARCA
...
DM_MV_AGG_OR_FLOTAS_GA
ANYO
MES
COD_MES
COD_MARCA_FLOTA
COD_INSTALACION
COD_KVPS
TIP_GAR_CONCESIONARIO
DESC_FAMILIA


MAESTROS_DWH.DIM_GRUPOS_MARKETING
ID_GRPMRK
COD_GRPMRK
DM_MV_AGG_SALES_MEETING
COD_INSTALACION
COD_MARCA
COD_TIPO_CARGO
ID_GRPMRK
MAESTROS_D
COD_PROVINCI
MAESTROS_DWH.DIM_ANTIGUEDAD_VE
COD_ANTIGUEDAD_VEHICULO
ANTIGUEDAD_ANOS
DESC_ANTIGUEDAD_VEHICULO
SEGMENTO_VEHICULO
SEGMENTO_VEHICULO_AGRUP
COD_TIPO_CARGO_IMG
DM_MV_F_VTAS_CAMPANYAS
COD_INSTALACION
COD_MARCA
COD_GRPMRK
MAESTROS_DWH.DIM_COMBINACION_MARCAS
ID_MARCAS
DM_RECAMBIOS.DM_F_ET2K_LOGIS
PKUNAG
ERDAT
COD_MES
FKART
MVGR5
NTGEW
GEWEI
VOLUM
...
MAESTROS_DWH.DIM_DMS_GRUPOS_TIPOS_VENTA
COD_GRUPO_TIPO_VENTA
MAESTROS_DWH.DIM_GRUPOS_DESCUENTO
ID_GRPDCTO
MAESTROS_DWH.DIM_GRUPOS_HOMOGENEOS
ID_GRPHOM
ODS_CAMPANYAS_PAQUETES_LEADS
COD_CAMPANYA
COD_INSTALACION
DESC_CAMPANYA
IMP_PRECIO_A_COMUNICAR
COD_PAQUETE
COD_BDC
IND_OBSEQUIO
DESC_INSTALACION
COD_CLIENTE
NOMBRE
APELLIDO_1
APELLIDO_2
TELEFONO_1
TELEFONO_2
EMAIL
CANAL
DESC_MODELO
MOTORIZACION
BASTIDOR
MATRICULA
FEC_VIGENCIA_DESDE
FEC_VIGENCIA_HASTA
FEC_ACTUALIZACION
FEC_CONTACTO
TIP_CAMPANYA
MAESTROS_DWH.DIM_MODELOS_GRUPO
ID_MODELO_GRUPO
COD_MARCA
DESC_MODELO_GRUPO
DESC_MODELO_SUPERGRUPO
ODS_BASTIDORES_FLOTAS
FEC_FOTO
COD_FUENTE
BASTIDOR
COD_MARCA_FLOTA


DM_MV_AGG_LOYALTY2
COD_MES
BASTIDOR
FECHA_APERTURA
COD_OR
COD_INSTALACION
DM_MV_AGG_LOYALTY
COD_MES
BASTIDOR
FECHA_APERTURA
COD_OR
COD_INSTALACION
COD_INSTALACION_FIRMA
COD_MARCA
COD_ANTIGUEDAD
FECHA_APERTURA_VUELTA
COD_OR_VUELTA
COD_INSTALACION_VUELTA
COD_INSTALACION_FIRMA_VUELTA
ODS_FLOTAS_POTENCIALES
ANYO
MES
COD_MARCA
COD_ANTIGUEDAD
DESC_FAMILIA_FLOTA
IMP_POTENCIAL
COD_FUENTE
DM_MV_F_VTAS_FLOTAS_MISC
BASTIDOR
COD_FUENTE
COD_MARCA_FLOTA
FECHA_APERTURA
COD_OR
COD_INSTALACION
IMPORTE_TOTAL_OR
DIM_INSTALACIONES3
ODS_CAMPANYAS_PAQUETES
COD_CAMPANYA
COD_PAQUETE
DESC_PAQUETE
COD_MANOOBRA
DESC_MANOOBRA
FEC_VIGENCIA_DESDE
FEC_VIGENCIA_HASTA
IND_CRM
COD_MARCA
ODS_CAMPANYAS_SELLOU
COD_CAMPANYA
DESC_CAMPANYA
COD_MARCA
COD_GRUPO
DESC_GRUPO
ODS_CAMPANYAS_SEGUIMIENTO
ID_REGISTRO
COD_GRUPO
COD_CAMPANYA
COD_PAQUETE
COD_OR
COD_LINEA_CARGO
FECHA_CIERRE_CARGO
FECHA_APERTURA
COD_MOYTEXT
BASTIDOR
TMAIMG
COD_MARCA
COD_INSTALACION_OR
COD_INSTALACION_LEAD
COD_ASESOR
FEC_VIGENCIA_DESDE
FEC_VIGENCIA_HASTA
IND_CRM
IND_HITO_VIN
IND_HITO_TMAIMG
IND_HITO_FECHAS
IND_HITO_MEDICIONES
CAN_MATERIAL_CAMPANYA
IMP_MATERIAL_CAMPANYA
IMP_MATERIAL_FAMILIAS
IMP_MATERIAL_TOTCARGO
IMP_MANOOBRA_CAMPANYA
IMP_MANOOBRA_TOTCARGO
IMP_TOTAL_OR
FEC_ACTUALIZACION


STROS_DWH.DIM_VEHICULOS
ULO
TE_ANTERIOR_1
ACTO_ANTERIOR_1
ERIOR
ERIOR
REFERENTE
IO_GARANTIA
_GARANTIA
LACION_GARANTIA
GARANTIA
ESIONARIO_ENTREGADO
ESIONARIO_FACTURADO
...
NTES.MV_AUDIT_DT6_DATOSIDA
IA
IA
NTO_DOMICILIO
...
T
DIM_CLIENTE_VEHICULO
(MAESTROS_DWH.DIM_CLIENTES)
COD_CLIENTE
COD_PROVINCIA
DIM_CONTACTO_VEHICULO
(MAESTROS_DWH.DIM_CLIENTES)
COD_CLIENTE
COD_PROVINCIA
ODS_CLIENTES.CPR_DENOM_COMERCIAL
COD_DENOM_COMERCIAL
EMPRESA
BRAND_CODE
MODELYEAR
CAR_LINE
SALES_GROUP
COD_ZONA
TMAIMG
OPCIONAL
VERSION
I_SET
DEN_COMERC
ACCION
FECHA_ALTA
COD_MARCA
FECHA_ULTIMA_MODIFICACION
MAESTROS_DWH.D
COD_CLIENTE
SEXO
TRATO
NOMBRE
APELLIDO_1
APELLIDO_2
CODIGO_HOGAR_EMPRESA
RAZON_SOCIAL
CIF_NIF
...
DIM_
(MAESTROS_
COD_PROVIN
DIM_
(MAESTROS_
COD_PROVIN
ODS_CLIE
COD_MARCA
MODEL_YEAR
TMAIMG
VERSION
COD_PR
ISETCO
DESCRIPCION
TIPO_OPCION
COD_FAMILIA
COD_IDIOMA
COMARC
FECHA_INICI
FECHA_FIN_V
FECHA_ALTA_
FECHA_MODI
FECHA_ALTA
FECHA_ULT_I
FECHA_INICI
FECHA_FIN_V
FECHA_ALTA_


IM_CLIENTES


_PROVINCIAS_CV
_DWH.DIM_PROVINCIAS)
ICIA
...


_PROVINCIAS_COV
_DWH.DIM_PROVINCIAS)
ICIA
...


NTES.CPR_MAESTRO_PRS
N_PR
NAL
O_VIGENCIA
/IGENCIA
_CATALOGO
FICACION_CATALOGO
MODIFICACION
O_VIGENCIA_DATE
/IGENCIA_DATE
_CATALOGO_DATE


COD_MES
PROVINCIA
COD_MARCA_AUDATEX
MARCA
COD_MODELO_AUDATEX
MODELO
ANYO_MATRICULACION
TIPO_TALLER
NUM_REPARACIONES
IMP_COSTE_MEDIO
IMP_COSTE_RECAMBIOS
IMP_COSTE_MO_CHAPA
IMP_COSTE_MAT_PINTURA
IMP_COSTE_MO_PINTURA
IMP_PRECIOHORA_CHAPA_MEC
HORAS_CHAPA
IMP_PRECIOHORA_PINTURA
HORAS_PINTURA
COD_EMPRESA_RENTING
COD_FUENTE
COD_ANTIGUEDAD
COD_ANTIGUEDAD_ANO_VENTA
COD_MODELO
DESC_MODELO
COD_CLAIMKEY
NUM_RECLAMACIONES
IMP_MATERIAL
IMP_MANOOBRA
IMP_INCREMENTO
FECHA_ACTUALIZACION


DESC_MODELO
FEC_BAJA
NIF_CLIENTE
DESC_CLIENTE
COD_TIPO_CLIENTE
...
COD
COD
DWH_VAESA.DM_F_GARANTIAS
DBOID
COD_CLAIMKEY
ID_MARCA
SUBSEDE_PRODUCCION
ID_PAIS_ISO
ID_IMPORTADOR_DC
COD_KVPS
ID_PEDIDO_REPARACION
ID_SERIE_RECLAMACION
FECHA_RECLAMACION
NUM_VERSION
ES_AVERIA_I
ES_AVERIA_C
FECHA_CARGA_ASN
FECHA_CARGA_ISN
COD_INSTALACION
FECHA_ACEPTACION
FECHA_REPARACION
FECHA_CARGA_WALS
FECHA_PAGO
ID_TIPO_AVERIA
ID_NAT
BASTIDOR
FECHA_RECEPCION
TIP_GAR_IMPORTADOR
TIP_GAR_CONCESIONARIO
TOT_TIEMPO_C
TOT_TIEMPO_I
TC_MO_C
TC_MO_I
TC_MAT_C
TC_INCR_C
TC_MAT_I
TC_INCR_I
TC_MO_EXT_C
TC_MO_EXT_I
TC_MAT_EXT_C
TC_MAT_EXT_I
TC_TOTAL_C
...
DM_GARANTIAS.DM_V_NAT
ID_NAT
ID_GRUPO_NAT
ID_PIEZA_NAT
DES_NAT
DISTINTIVO_MATERIAL_COMPRA

_MODELO
_OR
...