# **Universe Parameters**

**Definition** 

Name: IDIS Autopart

Description:

Connection: DataMart Compras Recambios

**General information** 

Created: 24/10/2012 by uniDesigner Modified: 05/07/2022 by Administrator

Comments: rev. 56 22/11/2016 - Añadido Mes devolución y plazo entrega a Instalaci

ones; Añadido BVR a Grupos Disp.; Añadido Bloqueos Sparte, adaptació

n contexto Bloqueos individuales

Statistics: 16 Classes

117 Objects 17 Tables 0 Aliases 27 Joins 6 Contexts 0 Hierarchies 0 Conditions

**Strategies** 

Join strategy: Edit Manually (none)
Table strategy: (Incorporado) Estándar
Object strategy: Cambiar nombre estándar

#### **Controls**

Limit size of result set to:

Limit size of long text objects to:

Limit execution time to:

Warn if cost estimate exceeds:

unchecked

unchecked

unchecked

### SQL parameters

Query

Allow use of subqueries: yes
Allow use of union, intersect and minus operators: yes
Allow complex conditions in Query Panel: yes
Cartesian products: warn

Multiple paths

Generate several SQL statements for each context:

Generate several SQL statements for each measure:

yes
Allow selection of multiple contexts:

no

#### Links

No links for this universe

# Object List

### **Tiempo Actual**

Día Actual Mes Actual

## **MRP**

Código de Movimiento Código Instalación Fecha de Alta en MRP

Fecha de Envío

Trunc Fecha de Envío

Fecha del Movimiento

Trunc Fecha del Movimiento

Nombre Fichero

Aver

Registros

## **Ods Idis Instalaciones**

**VSNR** 

Código Instalación

Nombre Instalación

Grupo Instalación

Mes Devolución

Plazo Entrega OP

Fecha Ultimo Pedido

Fecha Ultimo Inventario

Fecha Ultimo Movimiento

Situación Instalación

Código Instalación Firma

# **Ods Idis Grupos Disposición**

Grupo Disposición

Situación Grupo Disp.

EOQ1

**EOQ1** Superior

E0Q2

**E0Q2** Superior

**BVR** 

### **Maestro Instalaciones**

CIF

Razon Social

**KVPS** 

Estado Instalación

Fecha Baja Instalación

Cod Provincia

Cod Postal

Denominacion Via

Numero Via

Desc Poblacion

Id Marca Venta

Id Marca Postventa

Proveedor Dms

Version Dms

Es Baja Pv

### **Ods Idis Materiales**

Referencia

Referencia Anterior

Referencia Nueva

Descripción Referencia

Grupo Disposición

Fabrikat

Importe Dep

Precio Coste

**PVP** 

Peligro

Caducidad

## **Ods Idis Antiguedades**

Prof. de Stock

Descripción Profundidad de Stock

# **Dim Grupos Disposicion**

Grupo Disposición

Situación

Desc. Grupo Disposición (Alemán)

Desc. Grupo Disposición

## **Ods Idis Estadisticas**

Código Instalación

Referencia

Existencias

Pedidos Pdtes

Ctd a no recomprar

Fecha Ultima Venta

Ubicación

Consumo Mensual

Consumo Med. Mens.

Frecuencia Ventas

Venta Anual

Venta Semanal

Ind. Sum. Autom.

Prof. de Stock

Número de Piezas

#### **Ods Idis Pedidos**

Código Instalación

Referencia

Tipo Pedido

Fecha Pedido

Mes Pedido

Ultima Fecha Pedido

Cantidad Pedida

Fecha Actualización

Nº de Materiales

Cantidad Pedida Sumada

Importe Pedido

### **Ods Idis Movimientos**

Código Instalación

Referencia

Tipo Movimiento

Fecha Movimiento

Mes Movimiento

Trunc Fecha Movimiento

Ultima Fecha Movimiento

Cantidad

Fecha Actualización

### **Ods Idis Stock**

Código Instalación

Referencia

Factor

Stock Mínimo

Stock Máximo

Fecha Ultima Actualización

# **Ods Idis Bloqueos**

Código Deposito

Pieza Bloqueada Global

Código Bloqueo

## **Ods Idis Bloqueos Instalacion**

Código Instalación

Pieza Bloqueada Individual

# **Ods Idis Bloqueos Sparte**

Código Sparte
Código Instalación
Fecha Modificación

### **Ods Idis Materiales Sustitución**

Deposito Referencia Referencia Nueva

Factor Grund Fecha Alta

# **Object Properties**

Class: Tiempo Actual

Description:

Object: **Día Actual** 

Type: Date

Description:

Select equivalent: TRUNC(SYSDATE)

Where equivalent:

Oualification: dimension

List of values: 02e, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes Actual** Type: Character

Description:

Select equivalent: TO\_CHAR(TRUNC(SYSDATE),'YYYYMM')

Where equivalent:

Qualification: dimension

List of values: 02f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: MRP

Description: Explotación de la información del MRP.

Object: Código de Movimiento
Type: Number

Description:

Select equivalent: ODS\_IDIS\_MRP\_A5402REGISTROS.COD\_MOVIMIENTO

Where equivalent:

Qualification: dimension

List of values: 03f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MRP\_A5402REGISTROS.COD\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 037, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha de Alta en MRP

Type: Date

Description:

Select equivalent: ODS IDIS MRP A5402REGISTROS.FECHA ALTA

Where equivalent:

Qualification: dimension

List of values: 038, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha de Envío

Type: Date

Description:

Select equivalent: ODS\_IDIS\_MRP\_A5402REGISTROS.FECHA\_ENVIO

Where equivalent:

Qualification: dimension

List of values: 036, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Trunc Fecha de Envío

Type: Date

Description:

Select equivalent: TRUNC(ODS\_IDIS\_MRP\_A5402REGISTROS.FECHA\_ENVIO)

Where equivalent:

Qualification: dimension

List of values: 03a, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha del Movimiento

Type: Date

Description:

Select equivalent: ODS\_IDIS\_MRP\_A5402REGISTROS.FECHA\_MOVIMIENTO

Where equivalent:

Qualification: dimension

List of values: 035, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Trunc Fecha del Movimiento

Type: Date

Description:

Select equivalent: TRUNC(ODS\_IDIS\_MRP\_A5402REGISTROS.FECHA\_MOVIMIENTO)

Where equivalent:

Qualification: dimension

List of values: 03b, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Nombre Fichero

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MRP\_A5402FICHEROS.FICHERO\_NOMBRE

Where equivalent:

Qualification: dimension

List of values: 034, not editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ayer
Type: Date

Description:

Select equivalent: TRUNC(SYSDATE)-1

Where equivalent:

Qualification: dimension

List of values: 03d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Registros
Type: Number

Description:

Select equivalent: count(ODS\_IDIS\_MRP\_A5402REGISTROS.COD\_REGISTRO)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Instalaciones

Description:

Object: **VSNR** Type: Character

Description:

Select equivalent: ODS IDIS INSTALACIONES.COD VSNR

Where equivalent:

Qualification: dimension

List of values: 00g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 00h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Nombre Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.DSC\_NOMBRE

Where equivalent:

Qualification: dimension

List of values: 00j, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Grupo Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.COD\_GRUPO

Where equivalent:

Qualification: dimension

List of values: 00i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Mes Devolución

Type: Character

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.MES\_DEVOLUCION

Where equivalent:

Qualification: dimension

List of values: 03h, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Plazo Entrega OP

Type: Number

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.PLAZO\_ENTREGA\_OP

Where equivalent:

Qualification: dimension

List of values: 03i, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ultimo Pedido

Type: Date

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.FEC\_ULT\_PEDIDO

Where equivalent:

Oualification: dimension

List of values: 02b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ultimo Inventario

Type: Date

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.FEC\_ULT\_INVENTARIO

Where equivalent:

Qualification: dimension

List of values: 02c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ultimo Movimiento

Type: Date

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.FEC\_ULT\_MOVIMIENTO

Where equivalent:

Qualification: dimension

List of values: 02d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Situación Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_INSTALACIONES.COD\_SITUACION

Where equivalent:

Qualification: dimension

List of values: 032, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Código Instalación Firma

Type: Character

Description:

Select equivalent: NVL(DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.COD\_INSTALACION\_FIF

MA,ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION)

Where equivalent: NVL(DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.ID\_TIPO\_OBJ,1) in (1, 3

81) and nvl(DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.ANIO,(SELECT V ALOR\_NUM FROM DWH\_VAESA.DWH\_PARAMETROS WHERE PARAM ETRO='OBJ\_YEAR'))=(SELECT VALOR\_NUM FROM DWH\_VAESA.DW

H\_PARAMETROS WHERE PARAMETRO='OBJ\_YEAR')

Qualification: dimension

List of values: 03g, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Grupos Disposición

Description:

Object: **Grupo Disposición** 

Type: Character

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DISPOSICION

Where equivalent:

Qualification: dimension

List of values: 021, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Situación Grupo Disp.

Type: Character

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.COD\_BS\_FLAG

Where equivalent:

Qualification: dimension

List of values: 022, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **EOQ1** Type: Number

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.GEOQU\_ALL

Where equivalent:

Qualification: dimension

List of values: 024, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **EOQ1 Superior** 

Type: Number

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.GEOQO\_ALL

Where equivalent:

Qualification: dimension

List of values: 023, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **EQQ2** Number

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.GEOQU\_SUS

Where equivalent:

Qualification: dimension

List of values: 025, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **E0Q2 Superior** 

Type: Number

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.GEOQO\_SUS

Where equivalent:

Qualification: dimension

List of values: 026, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **BVR**Type: Number

Description:

Select equivalent: ODS\_IDIS\_GRUPOS\_DISPOSICION.BVR

Where equivalent:

Qualification: dimension

List of values: 03j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Maestro Instalaciones

Description:

Object: **CIF**Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.CIF

Where equivalent:

Qualification: dimension

List of values: 02l, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Razon Social Type: Character

Type: Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.RAZON\_SOCIAL

Where equivalent:

Qualification: dimension

List of values: 02m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS**Type: Character

Description:

Select equivalent: MAESTROS DWH.DIM INSTALACIONES.COD KVPS

Where equivalent:

Qualification: dimension

List of values: 02o, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Estado Instalación

Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.ESTADO\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 02p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Baja Instalación
Type: Date

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.FECHA\_BAJA\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 02q, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Cod Provincia

Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.COD\_PROVINCIA

Where equivalent:

Qualification: dimension

List of values: 02r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Cod Postal Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.COD\_POSTAL

Where equivalent:

Qualification: dimension

List of values: 02s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Denominacion Via** 

Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.DENOMINACION\_VIA

Where equivalent:

Qualification: dimension

List of values: 02t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Numero Via
Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.NUMERO\_VIA

Where equivalent:

Qualification: dimension

List of values: 02u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Desc Poblacion** 

Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.DESC\_POBLACION

Where equivalent:

Qualification: dimension

List of values: 02v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Id Marca Venta

Type: Number

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.ID\_MARCA\_VENTA

Where equivalent:

Qualification: dimension

List of values: 02w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Id Marca Postventa

Type: Number

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.ID\_MARCA\_POSTVENTA

Where equivalent:

Qualification: dimension

List of values: 02x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Proveedor Dms

Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.PROVEEDOR\_DMS

Where equivalent:

Qualification: dimension

List of values: 02y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Version Dms

Type: Character

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.VERSION\_DMS

Where equivalent:

Qualification: dimension

List of values: 030, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Es Baja Pv

Type: Number

Description:

Select equivalent: MAESTROS\_DWH.DIM\_INSTALACIONES.ES\_BAJA\_PV

Where equivalent:

Qualification: dimension

List of values: 031, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Materiales

Description:

Object: Referencia
Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 00k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia Anterior

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.COD\_MATERIAL\_ANTERIOR

Where equivalent:

Qualification: dimension

List of values: 01x, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia Nueva

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.COD\_MATERIAL\_NUEVO

Where equivalent:

Qualification: dimension

List of values: 01w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Descripción Referencia

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.DSC\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 00l, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Grupo Disposición

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION

Where equivalent:

Qualification: dimension

List of values: 00m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Fabrikat** Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.COD\_FABRIKAT

Where equivalent:

Qualification: dimension

List of values: 00n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Importe Dep

Type: Number

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.IMP\_DEP

Where equivalent:

Qualification: dimension

List of values: 00o, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Precio Coste

Type: Number

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.IMP\_HEP

Where equivalent:

Qualification: dimension

List of values: 00p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **PVP**Type: Number

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.IMP\_UPE

Where equivalent:

Qualification: dimension

List of values: 00q, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Peligro** Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.IND\_PELIGRO

Where equivalent:

Qualification: dimension

List of values: 00r, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Caducidad

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES.IND\_CADUCIDAD

Where equivalent:

Qualification: dimension

List of values: 00s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Antiguedades

Description:

Object: Prof. de Stock

Type: Character

Description:

Select equivalent: ODS\_IDIS\_ANTIGUEDADES.COD\_ANTIGUEDAD

Where equivalent:

Qualification: dimension

List of values: 001, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Descripción Profundidad de Stock

Type: Character

Description:

Select equivalent: ODS\_IDIS\_ANTIGUEDADES.DSC\_ANTIGUEDAD

Where equivalent:

Qualification: dimension

List of values: 002, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Class: **Dim Grupos Disposicion** 

Description:

Object: Grupo Disposición

Type: Character

Description:

Select equivalent: DIM\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DISPOSICION

Where equivalent:

Qualification: dimension

List of values: 010, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Situación Character

Description:

Select equivalent: DIM\_GRUPOS\_DISPOSICION.COD\_SITUACION

Where equivalent:

Qualification: dimension

List of values: 011, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Desc. Grupo Disposición (Alemán)

Type: Character

Description:

Select equivalent: DIM\_GRUPOS\_DISPOSICION.DESC\_GRUPO\_DISPOSICION\_AL

Where equivalent:

Qualification: dimension

List of values: 012, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Desc. Grupo Disposición** 

Type: Character

Description:

Select equivalent: DIM\_GRUPOS\_DISPOSICION.DESC\_GRUPO\_DISPOSICION\_ES

Where equivalent:

Qualification: dimension

List of values: 013, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Estadisticas

Description:

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACION

Where equivalent:

Oualification: dimension

List of values: 003, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia
Type: Character

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 004, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Existencias

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.CAN\_EXISTENCIA

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pedidos Pdtes

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.CAN\_PEDIDOS\_PDTES

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 006, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Ctd a no recomprar

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.CAN\_FAB

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 007, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ultima Venta

Type: Date

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.FEC\_ULTIMA\_VENTA

Where equivalent:

Qualification: dimension

List of values: 008, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Ubicación** Type: Character

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.COD\_UBICACION

Where equivalent:

Qualification: dimension

List of values: 009, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Consumo Mensual

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.CAN\_FUMS

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 00a, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Consumo Med. Mens.

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.CAN\_FUMS\_ANUAL

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 00b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Frecuencia Ventas

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.CAN\_ABSA

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 00c, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Venta Anual

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.ANYO\_VENTA

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Venta Semanal

Type: Number

Description:

Select equivalent: ROUND(ODS\_IDIS\_ESTADISTICAS.ANYO\_VENTA/52,0)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ind. Sum. Autom.

Type: Number

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.COD\_BS\_KNZ

Where equivalent:

Qualification: dimension

List of values: 00e, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Prof. de Stock

Type: Character

Description:

Select equivalent: ODS\_IDIS\_ESTADISTICAS.COD\_ANTIGUEDAD

Where equivalent:

Qualification: dimension

List of values: 00f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Número de Piezas

Type: Number

Description:

Select equivalent: COUNT(ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Pedidos

Description:

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_PEDIDOS.COD\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 01h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia
Type: Character

Description:

Select equivalent: ODS\_IDIS\_PEDIDOS.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 01i, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Tipo Pedido** Type: Character

Description:

Select equivalent: ODS\_IDIS\_PEDIDOS.TIP\_PEDIDO

Where equivalent:

Qualification: dimension

List of values: 01j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Pedido

Type: Date

Description:

Select equivalent: ODS IDIS PEDIDOS.FEC PEDIDO

Where equivalent:

Qualification: dimension

List of values: 01k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes Pedido** Type: Character

Description:

Select equivalent: TO\_CHAR(ODS\_IDIS\_PEDIDOS.FEC\_PEDIDO,'YYYYMM')

Where equivalent:

Qualification: dimension

List of values: 02g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ultima Fecha Pedido

Type: Date

Description:

Select equivalent: MAX(ODS\_IDIS\_PEDIDOS.FEC\_PEDIDO)

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Cantidad Pedida

Type: Number

Description:

Select equivalent: ODS\_IDIS\_PEDIDOS.CAN\_PEDIDO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 01l, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Actualización

Type: Date

Description:

Select equivalent: ODS\_IDIS\_PEDIDOS.FEC\_ACTUALIZACION

Where equivalent:

Qualification: dimension

List of values: 01m, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: No de Materiales

Type: Number

Description:

Select equivalent: COUNT(ODS\_IDIS\_PEDIDOS.COD\_MATERIAL)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Cantidad Pedida Sumada

Type: Number

Description:

Select equivalent: SUM(ODS\_IDIS\_PEDIDOS.CAN\_PEDIDO)

Where equivalent:

Qualification: measure

Aggregate function: Sum List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Importe Pedido

Type: Number

Description:

Select equivalent: SUM(ODS\_IDIS\_PEDIDOS.CAN\_PEDIDO\*ODS\_IDIS\_MATERIALES.IMI

\_HEP)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Movimientos

Description:

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MOVIMIENTOS.COD\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 010, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia
Type: Character

Description:

Select equivalent: ODS\_IDIS\_MOVIMIENTOS.COD\_MATERIAL

Where equivalent:

Oualification: dimension

List of values: 01p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Tipo Movimiento** 

Type: Character

Description:

Select equivalent:

ODS\_IDIS\_MOVIMIENTOS.TIP\_MOVIMIENTO

Where equivalent:

Qualification: dimension

List of values: 01q, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Movimiento

Type: Date

Description:

Select equivalent: ODS\_IDIS\_MOVIMIENTOS.FEC\_MOVIMIENTO

Where equivalent:

Qualification: dimension

List of values: 01r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Mes Movimiento

Type: Character

Description:

Select equivalent: TO\_CHAR(ODS\_IDIS\_MOVIMIENTOS.FEC\_MOVIMIENTO,'YYYYMM')

Where equivalent:

Qualification: dimension

List of values: 02h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Trunc Fecha Movimiento

Type: Date

Description:

Select equivalent: TRUNC(ODS\_IDIS\_MOVIMIENTOS.FEC\_MOVIMIENTO)

Where equivalent:

Qualification: dimension

List of values: 01v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ultima Fecha Movimiento

Type: Date

Description:

Select equivalent: MAX(TRUNC(ODS\_IDIS\_MOVIMIENTOS.FEC\_MOVIMIENTO))

Where equivalent:

Qualification: dimension

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Cantidad
Type: Number

Description:

Select equivalent: ODS\_IDIS\_MOVIMIENTOS.CAN\_CANTIDAD

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 01s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Actualización

Type: Date

Description:

Select equivalent: ODS\_IDIS\_MOVIMIENTOS.FEC\_ACTUALIZACION

Where equivalent:

Qualification: dimension

List of values: 01t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Stock

Description:

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_STOCK.COD\_INSTALACION

Where equivalent:

Oualification: dimension

List of values: 00t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia
Type: Character

Description:

Page 28/50

Select equivalent:

ODS\_IDIS\_STOCK.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 00u, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Factor
Type: Number

Description:

Select equivalent: ODS\_IDIS\_STOCK.COD\_FACTOR

Where equivalent:

Qualification: dimension

List of values: 00v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Stock Mínimo
Type: Number

Type: Description:

Select equivalent: ODS\_IDIS\_STOCK.CAN\_STOCK\_MIN

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 00w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Stock Máximo

Type: Number

Description:

Select equivalent: ODS\_IDIS\_STOCK.CAN\_STOCK\_MAX

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 00x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ultima Actualización

Type: Date

Description:

Select equivalent:

ODS\_IDIS\_STOCK.FEC\_ULTIMA\_ACT

Where equivalent:

Qualification: dimension

List of values: 00y, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class:

**Ods Idis Bloqueos** 

Description:

Object: Código Deposito Character

Type:

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS.COD\_DEPOSITO

Where equivalent:

Qualification: dimension

List of values: 017, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Pieza Bloqueada Global

Type: Character

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 018, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Código Bloqueo

Type: Character

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS.COD\_BLOQUEO

Where equivalent:

Qualification: dimension

019, editable, manual refresh, not exportable List of values:

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: **Ods Idis Bloqueos Instalacion** 

Description:

Object: Código Instalación

Type:

Character

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 015, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pieza Bloqueada Individual

Type: Character

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 016, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Bloqueos Sparte

Description:

Object: Código Sparte

Type: Character

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS\_SPARTE.COD\_SPARTE

Where equivalent:

Qualification: dimension

List of values: 03k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Código Instalación

Type: Character

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS\_SPARTE.COD\_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 03l, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Modificación

Type: Date

Description:

Select equivalent: ODS\_IDIS\_BLOQUEOS\_SPARTE.FECHA\_MODIFICACION

Where equivalent:

Qualification: dimension

List of values: 03m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Ods Idis Materiales Sustitución

Description:

Object: **Deposito** Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES\_SUST.COD\_DEPOSITO

Where equivalent:

Qualification: dimension

List of values: 01b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia
Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES\_SUST.COD\_MATERIAL

Where equivalent:

Qualification: dimension

List of values: 01c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Referencia Nueva

Type: Character

Description:

Select equivalent: ODS\_IDIS\_MATERIALES\_SUST.COD\_MATERIAL\_NUEVO

Where equivalent:

Qualification: dimension

List of values: 01d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Factor
Type: Number

Description:

Select equivalent: ODS\_IDIS\_MATERIALES\_SUST.COD\_FACTOR

Where equivalent:

Qualification: dimension

List of values: 01e, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Grund** Type: Number

Description:

Select equivalent: ODS\_IDIS\_MATERIALES\_SUST.COD\_GRUND

Where equivalent:

Qualification: dimension

List of values: 01f, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Alta

Type: Date

Description:

Select equivalent: ODS\_IDIS\_MATERIALES\_SUST.FEC\_ALTA

Where equivalent:

Qualification: dimension

List of values: 01g, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

# <u>Condition List</u>

Tiempo Actual
MRP
Ods Idis Instalaciones
Ods Idis Grupos Disposición
Maestro Instalaciones
Ods Idis Materiales
Ods Idis Antiguedades
Dim Grupos Disposicion
Ods Idis Estadisticas
Ods Idis Pedidos

Ods Idis Movimientos
Ods Idis Stock
Ods Idis Bloqueos
Ods Idis Bloqueos Instalacion
Ods Idis Bloqueos Sparte
Ods Idis Materiales Sustitución

# **Conditions**

No Conditions

# **Hierarchies List**

Tiempo Actual

MRP

Ods Idis Instalaciones

Ods Idis Grupos Disposición

Maestro Instalaciones

Ods Idis Materiales

Ods Idis Antiquedades

Dim Grupos Disposicion

Ods Idis Estadisticas

Ods Idis Pedidos

Ods Idis Movimientos

Ods Idis Stock

Ods Idis Bloqueos

Ods Idis Bloqueos Instalacion

Ods Idis Bloqueos Sparte

Ods Idis Materiales Sustitución

# Hierarchies

Tiempo Actual

Tiempo Actual/Día Actual

Tiempo Actual/Mes Actual

MRP

MRP/Código de Movimiento

MRP/Código Instalación

MRP/Fecha de Alta en MRP

MRP/Fecha de Envío

MRP/Trunc Fecha de Envío

MRP/Fecha del Movimiento

MRP/Trunc Fecha del Movimiento

MRP/Nombre Fichero

MRP/Ayer

Ods Idis Instalaciones

Ods Idis Instalaciones/VSNR

Ods Idis Instalaciones/Código Instalación

Ods Idis Instalaciones/Nombre Instalación

Ods Idis Instalaciones/Grupo Instalación

Ods Idis Instalaciones/Mes Devolución

Ods Idis Instalaciones/Plazo Entrega OP

Ods Idis Instalaciones/Fecha Ultimo Pedido

Ods Idis Instalaciones/Fecha Ultimo Inventario

Ods Idis Instalaciones/Fecha Ultimo Movimiento

Ods Idis Instalaciones/Situación Instalación

Ods Idis Instalaciones/Código Instalación Firma

Ods Idis Grupos Disposición

Ods Idis Grupos Disposición/Grupo Disposición

Ods Idis Grupos Disposición/Situación Grupo Disp.

Ods Idis Grupos Disposición/EOO1

Ods Idis Grupos Disposición/EOQ1 Superior

Ods Idis Grupos Disposición/E0Q2

Ods Idis Grupos Disposición/E0Q2 Superior

Ods Idis Grupos Disposición/BVR

#### Maestro Instalaciones

Maestro Instalaciones/CIF

Maestro Instalaciones/Razon Social

Maestro Instalaciones/KVPS

Maestro Instalaciones/Estado Instalación

Maestro Instalaciones/Fecha Baja Instalación

Maestro Instalaciones/Cod Provincia

Maestro Instalaciones/Cod Postal

Maestro Instalaciones/Denominacion Via

Maestro Instalaciones/Numero Via

Maestro Instalaciones/Desc Poblacion

Maestro Instalaciones/Id Marca Venta

Maestro Instalaciones/Id Marca Postventa

Maestro Instalaciones/Proveedor Dms

Maestro Instalaciones/Version Dms

Maestro Instalaciones/Es Baja Pv

#### Ods Idis Materiales

Ods Idis Materiales/Referencia

Ods Idis Materiales/Referencia Anterior

Ods Idis Materiales/Referencia Nueva

Ods Idis Materiales/Descripción Referencia

Ods Idis Materiales/Grupo Disposición

Ods Idis Materiales/Fabrikat

Ods Idis Materiales/Importe Dep

Ods Idis Materiales/Precio Coste

Ods Idis Materiales/PVP

Ods Idis Materiales/Peligro

Ods Idis Materiales/Caducidad

#### Ods Idis Antiquedades

Ods Idis Antiguedades/Prof. de Stock

Ods Idis Antiquedades/Descripción Profundidad de Stock

## Dim Grupos Disposicion

Dim Grupos Disposición/Grupo Disposición

Dim Grupos Disposicion/Situación

Dim Grupos Disposicion/Desc. Grupo Disposición (Alemán)

Dim Grupos Disposición/Desc. Grupo Disposición

#### Ods Idis Estadisticas

Ods Idis Estadisticas/Código Instalación

Ods Idis Estadisticas/Referencia

Ods Idis Estadisticas/Fecha Ultima Venta

Ods Idis Estadisticas/Ubicación

Ods Idis Estadisticas/Ind. Sum. Autom.

Ods Idis Estadisticas/Prof. de Stock

#### Ods Idis Pedidos

Ods Idis Pedidos/Código Instalación

Ods Idis Pedidos/Referencia

Ods Idis Pedidos/Tipo Pedido

Ods Idis Pedidos/Fecha Pedido

Ods Idis Pedidos/Mes Pedido

Ods Idis Pedidos/Ultima Fecha Pedido

Ods Idis Pedidos/Fecha Actualización

**Ods Idis Movimientos** 

Ods Idis Movimientos/Código Instalación

Ods Idis Movimientos/Referencia

Ods Idis Movimientos/Tipo Movimiento

Ods Idis Movimientos/Fecha Movimiento

Ods Idis Movimientos/Mes Movimiento

Ods Idis Movimientos/Trunc Fecha Movimiento

Ods Idis Movimientos/Ultima Fecha Movimiento

Ods Idis Movimientos/Fecha Actualización

Ods Idis Stock

Ods Idis Stock/Código Instalación

Ods Idis Stock/Referencia

Ods Idis Stock/Factor

Ods Idis Stock/Fecha Ultima Actualización

Ods Idis Bloqueos

Ods Idis Bloqueos/Código Deposito

Ods Idis Bloqueos/Pieza Bloqueada Global

Ods Idis Bloqueos/Código Bloqueo

Ods Idis Bloqueos Instalacion

Ods Idis Bloqueos Instalación/Código Instalación

Ods Idis Bloqueos Instalacion/Pieza Bloqueada Individual

Ods Idis Bloqueos Sparte

Ods Idis Bloqueos Sparte/Código Sparte

Ods Idis Bloqueos Sparte/Código Instalación

Ods Idis Bloqueos Sparte/Fecha Modificación

Ods Idis Materiales Sustitución

Ods Idis Materiales Sustitución/Deposito

Ods Idis Materiales Sustitución/Referencia

Ods Idis Materiales Sustitución/Referencia Nueva

Ods Idis Materiales Sustitución/Factor

Ods Idis Materiales Sustitución/Grund

Ods Idis Materiales Sustitución/Fecha Alta

# Tables List

DIM\_GRUPOS\_DISPOSICION

DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA

MAESTROS\_DWH.DIM\_INSTALACIONES

ODS\_IDIS\_ANTIGUEDADES

ODS IDIS BLOQUEOS

ODS\_IDIS\_BLOQUEOS\_INSTALACION

ODS\_IDIS\_BLOQUEOS\_SPARTE

ODS IDIS ESTADISTICAS

ODS\_IDIS\_GRUPOS\_DISPOSICION

ODS IDIS INSTALACIONES

ODS\_IDIS\_MATERIALES

ODS\_IDIS\_MATERIALES\_SUST

**ODS IDIS MOVIMIENTOS** 

ODS\_IDIS\_MRP\_A5402FICHEROS

ODS\_IDIS\_MRP\_A5402REGISTROS

ODS IDIS PEDIDOS

ODS\_IDIS\_STOCK

# **Tables**

Table Name: DIM\_GRUPOS\_DISPOSICION

Columns

COD\_GRUPO\_DISPOSICION Character

COD\_SITUACION Character

DESC\_GRUPO\_DISPOSICION\_AL Character

DESC\_GRUPO\_DISPOSICION\_ES Character

Table Name: DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA

Columns

ANIO Numeric

N\_ASOC Character

COD\_INSTALACION\_POBJ Character

COD\_INSTALACION Character

COD\_INSTALACION\_FIRMA Character

ID\_TIPO\_OBJ Numeric

FECHA\_FIRMA Date

FECHA\_ALTA Date

FECHA\_MODIF Date

ES\_FIRMADO Numeric

ETL\_PROCESS\_ID\_ALTA Numeric

ETL\_PROCESS\_ID\_MODIF Numeric

ID\_ESTACIONALIDAD Numeric

Table Name: MAESTROS\_DWH.DIM\_INSTALACIONES

Columns

COD\_INSTALACION Character

COD\_CONCESIONARIO Character

COD\_EMPRESA Character

CIF Character

RAZON\_SOCIAL Character

DESC\_INSTALACION Character

COD\_KVPS Character

ESTADO\_INSTALACION Character

FECHA\_BAJA\_INSTALACION Date

COD\_PROVINCIA Character

COD\_POSTAL Character

DENOMINACION\_VIA Character

NUMERO\_VIA Character

DESC\_POBLACION Character

ID\_MARCA\_VENTA Numeric

ID\_MARCA\_POSTVENTA Numeric

PROVEEDOR\_DMS Character

VERSION\_DMS Character

ES\_BAJA\_PV Numeric

COD\_GZ\_FF Character

COD\_GZ\_AU Character

FUENTE\_DMS\_OR Character

COD\_PM\_PV Character

COD\_KAM\_PV Character

COD\_NORA\_PV Character

COD\_TABLA\_DESCUENTO\_ET2K Character

Table Name: ODS\_IDIS\_ANTIGUEDADES

Columns

COD\_ANTIGUEDAD Character

DSC\_ANTIGUEDAD Character

Table Name:ODS\_IDIS\_BLOQUEOS

Columns

COD\_DEPOSITO Character

COD\_MATERIAL Character

COD\_BLOQUEO Character

Table Name:ODS\_IDIS\_BLOQUEOS\_INSTALACION

Columns

COD\_INSTALACION Character

COD\_MATERIAL Character

Table Name:ODS\_IDIS\_BLOQUEOS\_SPARTE

Columns

COD\_SPARTE Character

COD\_INSTALACION Character

FECHA\_MODIFICACION Date

Table Name: ODS\_IDIS\_ESTADISTICAS

Columns

COD\_INSTALACION Character

COD\_MATERIAL Character

CAN\_EXISTENCIA Numeric

CAN\_PEDIDOS\_PDTES Numeric

CAN\_FAB Numeric

FEC\_ULTIMA\_VENTA Date

COD\_UBICACION Character

CAN\_FUMS Numeric

CAN\_FUMS\_ANUAL Numeric

CAN\_ABSA Numeric

ANYO\_VENTA Numeric

COD\_BS\_KNZ Numeric

COD\_ANTIGUEDAD Character

Table Name:ODS\_IDIS\_GRUPOS\_DISPOSICION

Columns

COD\_INSTALACION Character

COD\_GRUPO\_DISPOSICION Character

COD\_BS\_FLAG Character

GEOQO\_ALL Numeric

GEOQU\_ALL Numeric

GEOQU\_SUS Numeric

GEOQO\_SUS Numeric

BVR Numeric

Table Name:ODS\_IDIS\_INSTALACIONES

Columns

COD\_VSNR Character

COD\_INSTALACION Character

COD\_GRUPO Character

DSC\_NOMBRE Character

FEC\_ULT\_PEDIDO Date

FEC\_ULT\_INVENTARIO Date

FEC\_ULT\_MOVIMIENTO Date

COD\_SITUACION Character

MES\_DEVOLUCION Character

PLAZO\_ENTREGA\_OP Numeric

Table Name:ODS\_IDIS\_MATERIALES

Columns

COD\_MATERIAL Character

DSC\_MATERIAL Character

COD\_GRUPO\_DISPOSICION Character

COD\_FABRIKAT Character

IMP\_DEP Numeric

IMP\_HEP Numeric

IMP\_UPE Numeric

IND\_PELIGRO Character

IND\_CADUCIDAD Character

COD\_MATERIAL\_ANTERIOR Character

COD\_MATERIAL\_NUEVO Character

Table Name: ODS\_IDIS\_MATERIALES\_SUST

Columns

COD\_DEPOSITO Character

COD\_MATERIAL Character

COD\_MATERIAL\_NUEVO Character

COD\_FACTOR Numeric

COD\_GRUND Numeric

FEC\_ALTA Date

Table Name:ODS\_IDIS\_MOVIMIENTOS

Columns

COD\_INSTALACION Character

COD\_MATERIAL Character

TIP\_MOVIMIENTO Character

FEC\_MOVIMIENTO Date

CAN\_CANTIDAD Numeric

FEC\_ACTUALIZACION Date

Table Name:ODS\_IDIS\_MRP\_A5402FICHEROS

Columns

FICHERO\_ID Numeric

FICHERO\_NOMBRE Character

COD\_INSTALACION Character

FECHA\_CREACION Date

ETIQUETA Character

NUM\_REGISTROS Numeric

FECHA\_ALTA Date

FECHA\_ENVIO Date

Table Name:ODS\_IDIS\_MRP\_A5402REGISTROS

Columns

FICHERO\_ID Numeric

COD\_REGISTRO Character

COD\_FABRICA Character

COD\_INSTALACION Character

COD\_MATERIAL Character

COD\_MOVIMIENTO Numeric

FECHA\_MOVIMIENTO Date

DOCUMENTO Character

POSICION Character

CANTIDAD Numeric

SIGNO Character

GRP\_CONSUMIDOR Character

PRECIO Numeric

DESCUENTO Numeric

NUM\_CONSUMIDOR Character

NUM\_REGISTRO Numeric

COD\_FUENTE Character

FECHA\_ALTA Date

FECHA\_ENVIO Date

RECHAZADO Numeric

BLOQUEADO Numeric

Table Name: ODS\_IDIS\_PEDIDOS

Columns

COD\_INSTALACION Character

COD\_MATERIAL Character

TIP\_PEDIDO Character

FEC\_PEDIDO Date

CAN\_PEDIDO Numeric

FEC\_ACTUALIZACION Date

Table Name:ODS\_IDIS\_STOCK

Columns

COD\_INSTALACION Character

COD\_MATERIAL Character

COD\_FACTOR Numeric

CAN\_STOCK\_MIN Numeric

CAN\_STOCK\_MAX Numeric

FEC\_ULTIMA\_ACT Date

# Join List

Join0: ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRU

\_DISPOSICION(+)

Join1: ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACION=ODS\_IDIS\_INSTALACIONES.COD\_INSTALACIO

N

Join2: ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)

Join3: ODS\_IDIS\_ESTADISTICAS.COD\_ANTIGUEDAD=ODS\_IDIS\_ANTIGUEDADES.COD\_ANTIGUEDAI

+)

Join4: ODS\_IDIS\_STOCK.COD\_INSTALACION(+)=ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACION

Join5:	ODS_IDIS_STOCK.COD_MATERIAL(+)=ODS_IDIS_ESTADISTICAS.COD_MATERIAL
Join6:	ODS_IDIS_BLOQUEOS.COD_MATERIAL(+)=ODS_IDIS_ESTADISTICAS.COD_MATERIAL
Join7:	ODS_IDIS_BLOQUEOS_INSTALACION.COD_INSTALACION(+)=ODS_IDIS_ESTADISTICAS.COD NSTALACION
Join8:	ODS_IDIS_BLOQUEOS_INSTALACION.COD_MATERIAL(+)=ODS_IDIS_ESTADISTICAS.COD_M/TERIAL
Join9:	ODS_IDIS_BLOQUEOS_INSTALACION.COD_MATERIAL=ODS_IDIS_MATERIALES.COD_MATERIL(+)
Join10:	ODS_IDIS_BLOQUEOS.COD_MATERIAL=ODS_IDIS_MATERIALES.COD_MATERIAL(+)
Join11:	ODS_IDIS_MATERIALES_SUST.COD_MATERIAL_NUEVO=ODS_IDIS_MATERIALES.COD_MATERIAL(+)
Join12:	ODS_IDIS_PEDIDOS.COD_INSTALACION=ODS_IDIS_ESTADISTICAS.COD_INSTALACION and DS_IDIS_PEDIDOS.COD_MATERIAL=ODS_IDIS_ESTADISTICAS.COD_MATERIAL
Join13:	ODS_IDIS_MOVIMIENTOS.COD_INSTALACION=ODS_IDIS_INSTALACIONES.COD_INSTALACIO
Join14:	ODS_IDIS_MOVIMIENTOS.COD_MATERIAL=ODS_IDIS_MATERIALES.COD_MATERIAL(+)
Join15:	ODS_IDIS_INSTALACIONES.COD_INSTALACION=ODS_IDIS_GRUPOS_DISPOSICION.COD_INS ALACION
Join16:	ODS_IDIS_GRUPOS_DISPOSICION.COD_GRUPO_DISPOSICION=DIM_GRUPOS_DISPOSICION.OD_GRUPO_DISPOSICION
Join17:	ODS_IDIS_PEDIDOS.COD_INSTALACION=ODS_IDIS_INSTALACIONES.COD_INSTALACION
Join18:	ODS_IDIS_STOCK.COD_INSTALACION=ODS_IDIS_INSTALACIONES.COD_INSTALACION
Join19:	ODS_IDIS_PEDIDOS.COD_MATERIAL=ODS_IDIS_MATERIALES.COD_MATERIAL
Join20:	ODS_IDIS_INSTALACIONES.COD_INSTALACION=MAESTROS_DWH.DIM_INSTALACIONES.COL_INSTALACION
Join21:	ODS_IDIS_INSTALACIONES.COD_INSTALACION=ODS_IDIS_MRP_A5402REGISTROS.COD_INS ALACION
Join22:	ODS_IDIS_MRP_A5402REGISTROS.FICHERO_ID=ODS_IDIS_MRP_A5402FICHEROS.FICHERO_D
Join23:	ODS_IDIS_INSTALACIONES.COD_INSTALACION=DWH_VAESA.DM_F_OBJETIVOS_FIRMA.COD INSTALACION(+)
Join24:	ODS_IDIS_BLOQUEOS_SPARTE.COD_INSTALACION(+)=ODS_IDIS_ESTADISTICAS.COD_INST LACION
Join25:	ODS_IDIS_BLOQUEOS_INSTALACION.COD_INSTALACION(+)=ODS_IDIS_INSTALACIONES.CO _INSTALACION
Join26:	ODS_IDIS_BLOQUEOS_SPARTE.COD_INSTALACION(+)=ODS_IDIS_INSTALACIONES.COD_INS ALACION

# <u>Joins</u>

Join0: ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRU

\_DISPOSICION(+)

Qualification: unknown
Outer: Right

Join1: ODS IDIS ESTADISTICAS.COD INSTALACION=ODS IDIS INSTALACIONES.COD INSTALACIO

Ν

Qualification: unknown
Outer: No

Join2: ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)

Qualification: unknown
Outer: Right

Join3: ODS\_IDIS\_ESTADISTICAS.COD\_ANTIGUEDAD=ODS\_IDIS\_ANTIGUEDADES.COD\_ANTIGUEDAI

+)

Qualification: unknown
Outer: Right

Join4: ODS\_IDIS\_STOCK.COD\_INSTALACION(+)=ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACION

Qualification: unknown
Outer: Left

Join5: ODS\_IDIS\_STOCK.COD\_MATERIAL(+)=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

Qualification: unknown
Outer: Left

Join6: ODS\_IDIS\_BLOQUEOS.COD\_MATERIAL(+)=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

Qualification: unknown
Outer: Left

Join7: ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_INSTALACION(+)=ODS\_IDIS\_ESTADISTICAS.COD

**NSTALACION** 

Qualification: unknown Outer: Left

Join8: ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_MATERIAL(+)=ODS\_IDIS\_ESTADISTICAS.COD\_M/

**TERIAL** 

Qualification: unknown
Outer: Left

Join9: ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERI

L(+)

Qualification: unknown
Outer: Right

Join10: ODS\_IDIS\_BLOQUEOS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)

Qualification: unknown Outer: Right

Join11: ODS\_IDIS\_MATERIALES\_SUST.COD\_MATERIAL\_NUEVO=ODS\_IDIS\_MATERIALES.COD\_MATER

IAL(+)

Qualification: unknown Outer: Right

Join12: ODS\_IDIS\_PEDIDOS.COD\_INSTALACION=ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACION and

DS\_IDIS\_PEDIDOS.COD\_MATERIAL=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

Qualification: unknown

Outer: No

Join13: ODS\_IDIS\_MOVIMIENTOS.COD\_INSTALACION=ODS\_IDIS\_INSTALACIONES.COD\_INSTALACIO

Qualification: unknown
Outer: No

Join14: ODS\_IDIS\_MOVIMIENTOS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)

Qualification: unknown
Outer: Right

Join15: ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=ODS\_IDIS\_GRUPOS\_DISPOSICION.COD\_INS

**ALACION** 

Qualification: unknown
Outer: No

Join16: ODS IDIS GRUPOS DISPOSICION.COD GRUPO DISPOSICION=DIM GRUPOS DISPOSICION.

OD\_GRUPO\_DISPOSICION

Qualification: unknown
Outer: No

Join17: ODS\_IDIS\_PEDIDOS.COD\_INSTALACION=ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION

Qualification: unknown
Outer: No

Join18: ODS\_IDIS\_STOCK.COD\_INSTALACION=ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION

Qualification: unknown
Outer: No

Join19: ODS\_IDIS\_PEDIDOS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL

Qualification: unknown
Outer: No

Join20: ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=MAESTROS\_DWH.DIM\_INSTALACIONES.COL

\_INSTALACION

Qualification: unknown
Outer: No

Join21: ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=ODS\_IDIS\_MRP\_A5402REGISTROS.COD\_INS

**ALACION** 

Qualification: unknown
Outer: No

Join22: ODS\_IDIS\_MRP\_A5402REGISTROS.FICHERO\_ID=ODS\_IDIS\_MRP\_A5402FICHEROS.FICHERO\_

D

Qualification: unknown
Outer: No

Join23: ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.COD

INSTALACION(+)

Qualification: unknown
Outer: Right

Join24: ODS\_IDIS\_BLOQUEOS\_SPARTE.COD\_INSTALACION(+)=ODS\_IDIS\_ESTADISTICAS.COD\_INST

LACION

Qualification: unknown
Outer: Left

Join25: ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_INSTALACION(+)=ODS\_IDIS\_INSTALACIONES.CO

INSTALACION

Qualification: unknown
Outer: Left

Join26: ODS IDIS BLOQUEOS SPARTE.COD INSTALACION(+)=ODS IDIS INSTALACIONES.COD INS

**ALACION** 

Qualification: unknown
Outer: Left

## Context List

Grupos Disposición por Instalación

Movimientos

**Bloqueos Generales** 

Bloqueos Individuales

Estadisticas Pedidos

Piezas Sustitución

# **Context**

Context Name: Grupos Disposición por Instalación

ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=ODS\_IDIS\_GRUPOS\_DISPOSICION.COD\_INSTALACIN

 ${\tt ODS\_IDIS\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GPO\_DISPOSICION}$ 

ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=MAESTROS\_DWH.DIM\_INSTALACIONES.COD\_INSTALACION

 $\label{locality} {\tt ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.COD\_INSTALACION(+)} \\$ 

#### Context Name: Movimientos

ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DIS SICION(+)

ODS\_IDIS\_MOVIMIENTOS.COD\_INSTALACION=ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION

ODS\_IDIS\_MOVIMIENTOS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)

ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=MAESTROS\_DWH.DIM\_INSTALACIONES.COD\_INST/LACION

ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.COD\_INSTALACION(+)

### Context Name:Bloqueos Generales

ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DIS SICION(+)

ODS\_IDIS\_BLOQUEOS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)

### Context Name: Bloqueos Individuales

ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DIS SICION(+)

ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+) ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_INSTALACION(+)=ODS\_IDIS\_INSTALACIONES.COD\_INST

ODS IDIS BLOQUEOS SPARTE.COD INSTALACION(+)=ODS IDIS INSTALACIONES.COD INSTALACI

Ν

#### Context Name: Estadisticas Pedidos

ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DIS SICION(+)

ODS IDIS ESTADISTICAS.COD INSTALACION=ODS IDIS INSTALACIONES.COD INSTALACION

ODS IDIS ESTADISTICAS.COD MATERIAL=ODS IDIS MATERIALES.COD MATERIAL(+)

ODS\_IDIS\_ESTADISTICAS.COD\_ANTIGUEDAD=ODS\_IDIS\_ANTIGUEDADES.COD\_ANTIGUEDAD(+)

ODS IDIS STOCK.COD INSTALACION(+)=ODS IDIS ESTADISTICAS.COD INSTALACION

ODS\_IDIS\_STOCK.COD\_MATERIAL(+)=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

ODS\_IDIS\_BLOQUEOS.COD\_MATERIAL(+)=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_INSTALACION(+)=ODS\_IDIS\_ESTADISTICAS.COD\_INSTA ACION

ODS\_IDIS\_BLOQUEOS\_INSTALACION.COD\_MATERIAL(+)=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIALODS\_IDIS\_PEDIDOS.COD\_INSTALACION=ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACION and ODS\_IDIS\_PEDIDOS.COD\_MATERIAL=ODS\_IDIS\_ESTADISTICAS.COD\_MATERIAL

ODS IDIS PEDIDOS.COD INSTALACION=ODS IDIS INSTALACIONES.COD INSTALACION

ODS\_IDIS\_STOCK.COD\_INSTALACION=ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION

ODS\_IDIS\_PEDIDOS.COD\_MATERIAL=ODS\_IDIS\_MATERIALES.COD\_MATERIAL

ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=MAESTROS\_DWH.DIM\_INSTALACIONES.COD\_INST/LACION


ODS\_IDIS\_INSTALACIONES.COD\_INSTALACION=DWH\_VAESA.DM\_F\_OBJETIVOS\_FIRMA.COD\_INSTALACION(+)


ODS\_IDIS\_BLOQUEOS\_SPARTE.COD\_INSTALACION(+)=ODS\_IDIS\_ESTADISTICAS.COD\_INSTALACIC

### Context Name: Piezas Sustitución

ODS\_IDIS\_MATERIALES.COD\_GRUPO\_DISPOSICION=DIM\_GRUPOS\_DISPOSICION.COD\_GRUPO\_DIS SICION(+)

ODS\_IDIS\_MATERIALES\_SUST.COD\_MATERIAL\_NUEVO=ODS\_IDIS\_MATERIALES.COD\_MATERIAL(+)





A.DM\_F\_OBJETIVOS\_FIRMA