Universe Parameters

Definition

Name: DM PBS

Description:

Connection: DM_GARANTIAS

General information

Created: 31/10/2012 by uniDesigner Modified: 27/12/2017 by uniDesigner

Comments:

Statistics: 25 Classes 397 Objects

17 Tables 1 Aliases 13 Joins 1 Contexts 0 Hierarchies 0 Conditions

Strategies

Join strategy: Edit Manually (none)
Table strategy: (Incorporado) Estándar
Object strategy: Cambiar nombre estándar

Controls

Limit size of result set to:

Limit size of long text objects to:

Limit execution time to:

Warn if cost estimate exceeds:

unchecked

unchecked

SQL parameters

Query

Allow use of subqueries: yes
Allow use of union, intersect and minus operators: yes
Allow complex conditions in Query Panel: yes
Cartesian products: warn

Multiple paths

Generate several SQL statements for each context:

Generate several SQL statements for each measure:

no
Allow selection of multiple contexts:

no

Links

No links for this universe

Object List

Tablas Maestras

PBS Producto Limites

Qi1 Verde

Qi1 Amarillo

Qi1 Rojo

Qi1 Operador

Qi1 Peso

Qi1 Verde Ponderado

Qi1 Amarillo Ponderado

Qi1 Rojo Ponderado

Q9 Verde

Q9 Amarillo

Q9 Rojo

Q9 Operador

O9 Peso

Q9 Verde Ponderado

Q9 Amarillo Ponderado

Q9 Rojo Ponderado

Vas Verde

Vas Amarillo

Vas Rojo

Vas Operador

Vas Peso

Vas Verde Ponderado

Vas Amarillo Ponderado

Vas Rojo Ponderado

Diss Verde

Diss Amarillo

Diss Rojo

Diss Operador

Diss Peso

Diss Verde Ponderado

Diss Amarillo Ponderado

Diss Rojo Ponderado

Dissnj Verde

Dissnj Amarillo

Dissnj Rojo

Dissnj Operador

Dissnj Peso

Dissnj Verde Ponderado

Dissnj Amarillo Ponderado

Dissnj Rojo Ponderado

Ec26 Verde

Ec26 Amarillo

Ec26 Rojo

Ec26 Operador

Ec26 Peso

Ec26 Verde Ponderado

Ec26 Amarillo Ponderado

Ec26 Rojo Ponderado

Listest Verde

Listest Amarillo

Listest Rojo

Listest Operador

Listest Peso

Listest Verde Ponderado

Listest Amarillo Ponderado

Listest Rojo Ponderado

Iso Verde

Iso Amarillo

Iso Rojo

Iso Operador

Iso Peso

Iso Verde Ponderado

Iso Amarillo Ponderado

Iso Rojo Ponderado

Pbsg Verde

Pbsg Amarillo

Pbsq Rojo

Pbsg Operador

Pbsg Peso

Pbsg Verde Ponderado

Pbsg Amarillo Ponderado

Pbsq Rojo Ponderado

Pbsf Verde

Pbsf Amarillo

Pbsf Rojo

Pbsf Operador

Pbsf Peso

Pbsf Verde Ponderado

Pbsf Amarillo Ponderado

Pbsf Rojo Ponderado

Pbse Verde

Pbse Amarillo

Pbse Rojo

Pbse Operador

Pbse Peso

Pbse Verde Ponderado

Pbse Amarillo Ponderado

Pbse Rojo Ponderado

Global Verde

Global Amarillo

Global Rojo

Global Operador

bloques Intervalos

Intervalo QI1 Verde

Intervalo QI1 Ambar

Intervalo QI1 Rojo

Intervalo Q9 Verde

Intervalo Q9 Ambar

Intervalo Q9 Rojo

Intervalo VAS Verde

Intervalo VAS Ambar

Intervalo VAS Rojo

Intervalo DISS Verde

Intervalo DISS Ambar

Intervalo DISS Rojo

Intervalo DISS No justificadas Verde

Intervalo DISS No Justificadas Ambar

Intervalo DISS No justificadas Rojo

Intervalo EC26 Verde

Intervalo EC26 Ambar

Intervalo EC26 Rojo

Intervalo LISTEST Verde

Intervalo LISTEST Ambar

Intervalo LISTEST Rojo

Intervalo ISO Verde

Intervalo ISO Ambar

Intervalo ISO Rojo

Intervalo PBSG Verde

Intervalo PBSG Ambar

Intervalo PBSG Rojo

Intervalo PBSF Verde

Intervalo PBSF Ambar

Intervalo PBSF Rojo Intervalo PBSE Verde Intervalo PBSE Ambar Intervalo PBSE Rojo Intervalo Global Verde Intervalo Global Ambar Intervalo Global Rojo

PBS Instalaciones

Kvps

Id Concesionario

Razon Social

Id Marca

Id Estado Instalacion

Fecha Alta

Fecha Baja

Fecha Carga

Instalaciones

KVPS

Marca

e-Mail

Provincia

Estado

Razón Social

Cod. Vaesa

División

PBS Garantias Limites

Fecha incial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Fecha (YYYYMM)

Año

Mes

Marca

Ze Normalizado

Semáforo Global Lim Inf Verde

Semáforo Global Lim Sep Ve Am

Semáforo Global Lim Sep Am Ro

Semáforo Global Lim Sup Rojo

PlazoTra Ponderacion

PlazoTra Semáforo Lim Inf Verde

PlazoTra Semáforo Lim Sep Ve Am

PlazoTra Semáforo Lim Sep Am Ro

PlazoTra Semáforo Lim Sup Rojo

CheckRoom Ponderacion

CheckRoom Semáforo Lim Inf Verde

CheckRoom Semáforo Lim Sep Ve Am

CheckRoom Semáforo Sem Lim Sep Am Ro

CheckRoom Semáforo Sem Lim Sup Rojo

Css Ponderacion

CSS Semáforo Lim Inf Verde

CSS Semáforo Lim Sep Ve Am

CSS Semáforo Lim Sep Am Ro

CSS Semáforo Lim Sup Rojo

Campaña Ponderacion

Campaña Semáforo Lim Inf Verde

Campaña Semáforo Lim Sep Ve Am

Campaña Semáforo Lim Sep Am Ro

Campaña Semáforo Lim Sup Rojo

CostAvería Ponderacion

CostAvería Semáforo Lim Inf Verde

CostAvería Semáforo Lim Sep Ve Am

CostAvería Semáforo Lim Sep Am Ro

CostAvería Semáforo Lim Sup Rojo

TiempAbie Ponderacion

TiempAbie Semáforo Lim Inf Verde

TiempAbie Semáforo Lim Sep Ve Am

TiempAbie Semáforo Lim Sep Am Ro

TiempAbie Semáforo Lim Sup Rojo

CostRep Ponderacion

CostRep Semáforo Lim Inf Verde

CostRep Semáforo Lim Sep Ve Am

CostRep Semáforo Lim Sep Am Ro

CostRep Semáforo Lim Sup Rojo

AveríaRep Ponderacion

AveríaRep Semáforo Lim Inf Verde

AveríaRep Semáforo Lim Sep Ve Am

AveríaRep Semáforo Lim Sep Am Ro

AveríaRep Semáforo Lim Sup Rojo

Gerentes Tecnicos

Marca

Cod. Concesionario

KVPS

Anio

Tecnico

Gerenz Tecnico

PBS Garantias

Max. Fecha final

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Marca

KVPS

KPIs

KPI1

KPI2

KPI3

IXF 13

KPI4 KPI5

KPI6

KPI7

KPI8

Kpi Bastidores

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Anio

Mes

Marca

KVPS

Bastidores

Kpi Campanyas

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Anio

Mes

Marca

KVPS

Valor Campania

Kpi Css

Fecha Máxima

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Anio

Mes

Marca

KVPS

Tot Encuestas

Totcasos Rr

Kpi Piezas

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Anio

Mes

Marca

KVPS

Piezas Aceptadas

Piezas Rechazadas

Kpi Diario

Fehca inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Fecha

Anio

Mes

Marca

KVPS

N Averia

Dias Entre Rep. Saga

Ut Mo Aceptada (Taller)

Tc Aceptada Mater sin inc. Taller

Tiempos Abiertos

PBS Producto

Max. Fecha final

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

KVPS

ID_MARCA

PBS VAS

KVPS

Id Marca

Num Serie

Importador

Razon Social

Ср

Localidad

Tester

Version Maq

Máquina Oficial Ult. Versión

Protocol Enviados

Fecha Ult Protocolo

Fecha Ult Protocolo (YYYYMMDD)

Fecha Límite

Fecha Límite (YYYYMMDD)

Intervalos fechas

Fecha Carga

Inicio intervalo (YYYYMM)

Fecha final (DD/MM/YYYY)

Fin Intervalo (YYYYMMDD)

Max. Fecha final

Fecha inicial (DD/MM/YYYY)

Inicio Intervalo (YYYYMMDD)

Fin intervalo (YYYYMM)

KPI VAS

KPI VAS

Protocolos actualizados

Protocolos totales

VAS Totales fechas

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Max. Fecha final

Version Mag

Fecha Ult Protocolo

Version Mag Ult Oficial

Fecha Limite

PBS CLAIMS

Max. Fecha final

Kvps

Id Marca

Razon Social

Consultas Tecnicas

Consultas Tecnicas Nojustific

Fecha Carga

Periodo

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

PBS EC26

KPI EC26

Kvps

Id Marca

Valor

Porcentaje

Contador fechas

Periodo

Fecha Carga

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Max. Fecha final

PBS LISTEST

Kvps

Fecha Realizacion

Resultado

Resultado Part Tecnica

Periodo

Id Marca

Fecha Carga

Fecha inicial (DD/MM/YYYY)

Fecha final (DD/MM/YYYY)

Periodo Carga

Max. Fecha final

Agregadas

KPI Garantias

Kvps

Tipo Calculo

Anio

Marca

Intervalo Inicial

Intervalo Fin

Kpi1

Kpi2

Kpi3

Kpi4

Kpi5

Kpi6

Kpi7

Kpi8

Kpi Global

Semaforo 1

Semaforo 2

Semaforo 3

Semaforo 4

Semaforo 5

Semaforo 6

Semaforo 7

Semaforo 8

Semaforo Global

KPI Producto

Anio

Kvps

Marca

Intervalo Fin

Intervalo Inicial

Tipo Calculo

Kpi Diss

Diss Fecha Max

Kpi Diss Nojust

Kpi Ec26

Ec26 Fecha Max

Kpi Listest

Listest Fecha Max

Resultado Part Tecnica

Kpi Pbsg

Pbsg Fecha Max

Kpi Q9

Q9 Fecha Max

Kpi Qi1

Qi1 Fecha Max

Kpi Vas

Vas Fecha Max

Diss Peso

Dissnj Peso

Ec26 Peso

Listest Peso

Pbsg Peso

Q9 Peso

Qi1 Peso

Vas Peso

Kpi Prod Global

Semaforo Diss

Semaforo Dissnj

Semaforo Ec26

Semaforo Listest

Semaforo Pbsg

Semaforo Q9

Semaforo Qi1

Semaforo Vas

Semaforo Prod Global

Object Properties

Class: **Tablas Maestras**

Description:

No objects

Class: **PBS Producto Limites**

Description:

Object: Qi1 Verde Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0b6, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

show Object status:

Object: Qi1 Amarillo Number

Type:

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0b7, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Qi1 Rojo** Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0b8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Qi1 Operador

Type: Character

-

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_OPERADOR

Where equivalent:

Qualification: dimension

List of values: 0b9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Qi1 Peso** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Oba, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Qi1 Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_VERDE_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0bb, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

> Object: Qi1 Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bc, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Qi1 Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.QI1_ROJO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bd, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Q9 Verde Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obe, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

show Object status:

Object: **Q9 Amarillo** Number

Type:

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bf, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Q9 Rojo** Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obg, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Q9 Operador** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_OPERADOR

Where equivalent:

Qualification: dimension

List of values: 0bh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Q9 Peso** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obi, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Q9 Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Q9 Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bk, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Q9 Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.Q9_ROJO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bl, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **Vas Verde** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bm, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Amarillo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bn, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Rojo
Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obo, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Operador

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_OPERADOR

Where equivalent:

Qualification: dimension

List of values: Obp, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Vas Peso** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_VERDE_PONDERADO

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: Obr, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.VAS_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obs, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Rojo Ponderado

Type: Number

Description:

Select equivalent: DM PBS PRODUCTO INTERVALOS.VAS ROJO PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obt, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Diss Verde** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_VERDE

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Obu, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Amarillo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Obv, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Rojo
Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0bw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Operador

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_OPERADOR

Where equivalent:

Qualification: dimension

List of values: 0bx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Diss Peso** Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Oby, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_VERDE_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0c0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISS_ROJO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dissnj Verde

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c3, editable, manual refresh, not exportable

Number

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dissnj Amarillo

Type:

Description:

Select equivalent:

DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c4, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Dissnj Rojo** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dissnj Operador

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_OPERADOR

Where equivalent:

Qualification: dimension

List of values: 0c6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Dissnj Peso** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_PESO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0c7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Dissnj Verde Ponderado**

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dissnj Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0c9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Dissnj Rojo Ponderado**

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_ROJO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0ca, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Verde

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.EC26_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cb, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

> Object: Ec26 Amarillo Number

Type:

Description:

DM_PBS_PRODUCTO_INTERVALOS.EC26_AMARILLO

Select equivalent: Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Occ, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Rojo Type: Number

Description:

DM_PBS_PRODUCTO_INTERVALOS.EC26_ROJO Select equivalent:

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ocd, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Operador

Type: Character⁻

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.EC26_OPERADOR

Where equivalent:

Qualification: dimension

List of values: Oce, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Peso Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.EC26_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ocf, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.EC26_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cg, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.EC26_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Och, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Rojo Ponderado

Type: Number

Description:

Select equivalent: DM PBS PRODUCTO INTERVALOS.EC26 ROJO PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Oci, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Listest Verde

Type: Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_INTERVALOS.LISTEST_VERDE)

Where equivalent:

Qualification: measure Aggregate function: None

List of values: Ocj, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

> Object status: show

Object: **Listest Amarillo**

Type: Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_INTERVALOS.LISTEST_AMARILLO)

Where equivalent:

Qualification: measure Aggregate function: None

List of values: 0ck, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Listest Rojo** Character

Type:

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_INTERVALOS.LISTEST_ROJO)

Where equivalent:

Qualification: measure Aggregate function: None

List of values: Ocl, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Listest Operador**

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.LISTEST_OPERADOR

Where equivalent:

Qualification: dimension

List of values: 0cm, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Listest Peso**

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.LISTEST_PESO

Where equivalent:

Qualification: measure Aggregate function:

List of values: Ocn, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Listest Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.LISTEST_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0co, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Listest Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.LISTEST_AMARILLO_PONDERAD

0

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Listest Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.LISTEST_ROJO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Iso Verde** Type: Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_INTERVALOS.ISO_VERDE)

Where equivalent:

Qualification: measure

Aggregate function: None

List of values: 0cr, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Iso Amarillo**

Type: Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_INTERVALOS.ISO_AMARILLO)

Where equivalent:

Qualification: measure
Aggregate function: None

List of values: Ocs, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Iso Rojo** Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_INTERVALOS.ISO_ROJO)

Where equivalent:

Qualification: measure Aggregate function: None

List of values: Oct, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Iso Operador**

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.ISO_OPERADOR

Where equivalent:

Qualification: dimension

List of values: Ocu, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Iso Peso** Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.ISO_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cv, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Iso Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.ISO_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Iso Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.ISO_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0cx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Iso Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.ISO_ROJO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0cy, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Verde

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_VERDE

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0d0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Amarillo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0d1, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **Pbsg Rojo** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0d2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Operador

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_OPERADOR

Where equivalent:

Oualification: dimension

List of values: 0d3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Peso
Type: Number

Description:

Select equivalent:

DM_PBS_PRODUCTO_INTERVALOS.PBSG_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0d4, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0d5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsq Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0d6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSG_ROJO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0d7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Verde

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0d8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Amarillo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSF_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0d9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Pbsf Rojo** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSF_ROJO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Oda, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Operador

Type: Character

Description:

Select equivalent: Where equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSF_OPERADOR

Qualification: dimension

List of values: Odb, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Peso

Type: Number

Description:

DM_PBS_PRODUCTO_INTERVALOS.PBSF_PESO

Select equivalent: Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Odc, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSF_VERDE_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Odd, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM PBS PRODUCTO INTERVALOS.PBSF AMARILLO PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0de, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsf Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSF_ROJO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Odf, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbse Verde
Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Odg, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Pbse Amarillo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0dh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Pbse Rojo** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_ROJO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Odi, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbse Operador

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_OPERADOR

Where equivalent:

Qualification: dimension

List of values: Odj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Pbse Peso** Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Odk, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Pbse Verde Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_VERDE_PONDERADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Odl, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbse Amarillo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_AMARILLO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0dm, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbse Rojo Ponderado

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.PBSE_ROJO_PONDERADO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0dn, editable, manual refresh, not exportable

Security access level: 0

> Can be used: in result, in condition, in sort

Object status: show

Object: **Global Verde** Number

Type:

Description:

DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_VERDE

Select equivalent: Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Odo, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Global Amarillo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_AMARILLO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Odp, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Global Rojo

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_ROJO

Where equivalent:

Qualification: measure Aggregate function:

List of values: 0dq, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Global Operador**

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_OPERADOR

Where equivalent:

Qualification: dimension

List of values: Odr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: bloques Intervalos

Description:

Object: Intervalo QI1 Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.QI1_OPERADOR, '<=', '0

- ' || DM_PBS_PRODUCTO_INTERVALOS.QI1_VERDE, '=', '= ' || DM _PBS_PRODUCTO_INTERVALOS.QI1_VERDE, '>=', '>= ' || DM_PBS_

PRODUCTO_INTERVALOS.QI1_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: Odt, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo QI1 Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.QI1_OPERADOR, '=', '= '

|| DM_PBS_PRODUCTO_INTERVALOS.QI1_AMARILLO, DM_PBS_PR ODUCTO_INTERVALOS.QI1_VERDE || ' - ' || DM_PBS_PRODUCTO_I

NTERVALOS.QI1_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0e8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo QI1 Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.QI1_OPERADOR, '<=', '<

= ' || DM_PBS_PRODUCTO_INTERVALOS.QI1_ROJO, '>=', '>= ' || D M_PBS_PRODUCTO_INTERVALOS.QI1_ROJO, '=', '= ' || DM_PBS_PR

ODUCTO_INTERVALOS.QI1_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0el, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Q9 Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.Q9_OPERADOR, '<=', '0

- ' || DM_PBS_PRODUCTO_INTERVALOS.Q9_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.Q9_VERDE, '>=', '>= ' || DM_PBS_P

RODUCTO_INTERVALOS.Q9_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0dv, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Q9 Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.Q9_OPERADOR, '=', '= '

|| DM_PBS_PRODUCTO_INTERVALOS.Q9_AMARILLO, DM_PBS_PRODUCTO_INTERVALOS.Q9_VERDE || ' - ' || DM_PBS_PRODUCTO_INT

ERVALOS.Q9_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0e9, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Q9 Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.Q9_OPERADOR, '<=', '<

= ' || DM_PBS_PRODUCTO_INTERVALOS.Q9_ROJO, '>=', '>= ' || D M_PBS_PRODUCTO_INTERVALOS.Q9_ROJO, '=', '= ' || DM_PBS_PR

ODUCTO_INTERVALOS.Q9_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0em, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo VAS Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.VAS_OPERADOR, '<=', '

0 - ' || DM_PBS_PRODUCTO_INTERVALOS.VAS_VERDE, '=', '= ' || D

M_PBS_PRODUCTO_INTERVALOS.VAS_VERDE, '>=', '>= ' || DM_PB

S_PRODUCTO_INTERVALOS.VAS_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: Odx, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo VAS Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.VAS_OPERADOR, '=', '=

' || DM_PBS_PRODUCTO_INTERVALOS.VAS_AMARILLO, DM_PBS_PR ODUCTO_INTERVALOS.VAS_VERDE || ' - ' || DM_PBS_PRODUCTO_I

NTERVALOS.VAS_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ea, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo VAS Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.VAS_OPERADOR, '<=', '

<= ' || DM_PBS_PRODUCTO_INTERVALOS.VAS_ROJO, '>=', '>= ' || DM_PBS_PRODUCTO_INTERVALOS.VAS_ROJO, '=', '= ' || DM_PBS_

PRODUCTO_INTERVALOS.VAS_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0en, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo DISS Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.DISS_OPERADOR, '<=', '

0 - ' || DM_PBS_PRODUCTO_INTERVALOS.DISS_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.DISS_VERDE, '>=', '>= ' || DM_

PBS_PRODUCTO_INTERVALOS.DISS_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: Ody, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo DISS Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.DISS_OPERADOR, '=', '=

' || DM_PBS_PRODUCTO_INTERVALOS.DISS_AMARILLO, DM_PBS_P RODUCTO_INTERVALOS.DISS_VERDE || ' - ' || DM_PBS_PRODUCTO

_INTERVALOS.DISS_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0eb, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo DISS Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.DISS_OPERADOR, '<=', '

<= ' || DM_PBS_PRODUCTO_INTERVALOS.DISS_ROJO, '>=', '>= ' |
| DM_PBS_PRODUCTO_INTERVALOS.DISS_ROJO, '=', '= ' || DM_PB

S_PRODUCTO_INTERVALOS.DISS_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0eo, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo DISS No justificadas Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_OPERADOR, '<=

, '0 - ' || DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_VERDE, '>=', '>= ' ||

DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo DISS No Justificadas Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_OPERADOR, '=',

'='|| DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_AMARILLO, DM_P BS_PRODUCTO_INTERVALOS.DISSNJ_VERDE ||'-'|| DM_PBS_PRO

DUCTO_INTERVALOS.DISSNJ_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ec, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo DISS No justificadas Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_OPERADOR, '<=

, '<= ' || DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_ROJO, '>=', '>
= ' || DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_ROJO, '=', '= ' ||

DM_PBS_PRODUCTO_INTERVALOS.DISSNJ_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0ep, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo EC26 Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.EC26_OPERADOR, '<=', '

0 - ' || DM_PBS_PRODUCTO_INTERVALOS.EC26_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.EC26_VERDE, '>=', '>= ' || DM_

PBS_PRODUCTO_INTERVALOS.EC26_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo EC26 Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.EC26_OPERADOR, '=', '=

' || DM_PBS_PRODUCTO_INTERVALOS.EC26_AMARILLO, DM_PBS_P RODUCTO INTERVALOS.EC26 VERDE || ' - ' || DM PBS PRODUCTO

_INTERVALOS.EC26_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ed, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo EC26 Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.EC26_OPERADOR, '<=', '

<= ' || DM_PBS_PRODUCTO_INTERVALOS.EC26_ROJO, '>=', '>= ' |
| DM_PBS_PRODUCTO_INTERVALOS.EC26_ROJO, '=', '= ' || DM_PB

S_PRODUCTO_INTERVALOS.EC26_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0eq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo LISTEST Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.LISTEST_OPERADOR, '<

=', '0 - ' || DM_PBS_PRODUCTO_INTERVALOS.LISTEST_VERDE, '=',
'= ' || DM_PBS_PRODUCTO_INTERVALOS.LISTEST_VERDE, '>=', '>
= ' || DM_PBS_PRODUCTO_INTERVALOS.LISTEST_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e2, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo LISTEST Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.LISTEST_OPERADOR, '='

, '= ' || DM_PBS_PRODUCTO_INTERVALOS.LISTEST_AMARILLO, DM _PBS_PRODUCTO_INTERVALOS.LISTEST_VERDE || ' - ' || DM_PBS_

PRODUCTO_INTERVALOS.LISTEST_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ee, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo LISTEST Rojo

Type:

Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.LISTEST_OPERADOR, '<

=', '<= ' || DM_PBS_PRODUCTO_INTERVALOS.LISTEST_ROJO, '>=', '>= ' || DM_PBS_PRODUCTO_INTERVALOS.LISTEST_ROJO, '=', '= '

|| DM_PBS_PRODUCTO_INTERVALOS.LISTEST_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0er, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo ISO Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.ISO_OPERADOR, '<=', '0

- ' || DM_PBS_PRODUCTO_INTERVALOS.ISO_VERDE, '=', '= ' || DM _PBS_PRODUCTO_INTERVALOS.ISO_VERDE, '>=', '>= ' || DM_PBS_

PRODUCTO_INTERVALOS.ISO_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e3, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo ISO Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.ISO_OPERADOR, '=', '= '

|| DM_PBS_PRODUCTO_INTERVALOS.ISO_AMARILLO, DM_PBS_PR ODUCTO_INTERVALOS.ISO_VERDE || ' - ' || DM_PBS_PRODUCTO_I

NTERVALOS.ISO_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ef, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo ISO Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.ISO_OPERADOR, '<=', '<

= ' || DM_PBS_PRODUCTO_INTERVALOS.ISO_ROJO, '>=', '>= ' || D M_PBS_PRODUCTO_INTERVALOS.ISO_ROJO, '=', '= ' || DM_PBS_PR

Page 39/135

ODUCTO_INTERVALOS.ISO_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0es, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSG Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSG_OPERADOR, '<=',

0 - ' || DM_PBS_PRODUCTO_INTERVALOS.PBSG_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.PBSG_VERDE, '>=', '>= ' || DM_

PBS_PRODUCTO_INTERVALOS.PBSG_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e4, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSG Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSG_OPERADOR, '=', '=

' || DM_PBS_PRODUCTO_INTERVALOS.PBSG_AMARILLO, DM_PBS_ PRODUCTO_INTERVALOS.PBSG_VERDE || ' - ' || DM_PBS_PRODUCT

O_INTERVALOS.PBSG_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0eg, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSG Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSG_OPERADOR, '<=',

<= ' || DM_PBS_PRODUCTO_INTERVALOS.PBSG_ROJO, '>=', '>= ' |
| DM_PBS_PRODUCTO_INTERVALOS.PBSG_ROJO, '=', '= ' || DM_PB

S_PRODUCTO_INTERVALOS.PBSG_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0et, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSF Verde

Type: Character

Description:

Select equivalent: decode(DM PBS PRODUCTO INTERVALOS.PBSF OPERADOR, '<=', '

0 - ' || DM_PBS_PRODUCTO_INTERVALOS.PBSF_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.PBSF_VERDE, '>=', '>= ' || DM_

PBS_PRODUCTO_INTERVALOS.PBSF_VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e5, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSF Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSF_OPERADOR, '=', '=

' || DM_PBS_PRODUCTO_INTERVALOS.PBSF_AMARILLO, DM_PBS_P RODUCTO_INTERVALOS.PBSF_VERDE || ' - ' || DM_PBS_PRODUCTO

_INTERVALOS.PBSF_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0eh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSF Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSF_OPERADOR, '<=', '

S_PRODUCTO_INTERVALOS.PBSF_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0eu, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSE Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSE_OPERADOR, '<=', '

0 - ' || DM_PBS_PRODUCTO_INTERVALOS.PBSE_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.PBSE_VERDE, '>=', '>= ' || DM_

PBS_PRODUCTO_INTERVALOS.PBSE_VERDE, null)

Where equivalent:

Oualification: dimension

List of values: 0e6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSE Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSE_OPERADOR, '=', '=

' || DM_PBS_PRODUCTO_INTERVALOS.PBSE_AMARILLO, DM_PBS_P RODUCTO INTERVALOS.PBSE VERDE || ' - ' || DM_PBS_PRODUCTO

INTERVALOS.PBSE AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ei, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo PBSE Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.PBSE_OPERADOR, '<=', '

S_PRODUCTO_INTERVALOS.PBSE_ROJO, null)

Where equivalent:

Qualification: dimension

List of values: 0ev, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Global Verde

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_OPERADOR, '<=

', '0 - ' || DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_VERDE, '=', '= ' || DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_VERDE, '>=', '>= '

|| DM PBS PRODUCTO INTERVALOS.GLOBAL VERDE, null)

Where equivalent:

Qualification: dimension

List of values: 0e7, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Global Ambar

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_OPERADOR, '=',

'='|| DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_AMARILLO, DM_ PBS_PRODUCTO_INTERVALOS.GLOBAL_VERDE ||'-'|| DM_PBS_P

RODUCTO_INTERVALOS.GLOBAL_AMARILLO)

Where equivalent:

Qualification: dimension

List of values: 0ej, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Global Rojo

Type: Character

Description:

Select equivalent: decode(DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_OPERADOR, '<=

', '<= ' || DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_ROJO, '>=', ' >= ' || DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_ROJO, '=', '= ' |

| DM_PBS_PRODUCTO_INTERVALOS.GLOBAL_ROJO, null)

Where equivalent:

Oualification: dimension

List of values: 0ew, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: PBS Instalaciones

Description:

Object: **Kvps**Type: Character

Description:

Select equivalent: DM PBS INSTALACIONES.KVPS

Where equivalent:

Qualification: dimension

List of values: 047, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Id Concesionario

Type: Character

Description:

Select equivalent: DM_PBS_INSTALACIONES.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 048, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Razon Social

Type: Character

Description:

Select equivalent: DM_PBS_INSTALACIONES.RAZON_SOCIAL

Where equivalent:

Qualification: dimension

List of values: 049, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Id Marca** Type: Character

Description:

Select equivalent: DM_PBS_INSTALACIONES.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 04a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Id Estado Instalacion

Type: Character

Description:

Select equivalent: DM_PBS_INSTALACIONES.ID_ESTADO_INSTALACION

Where equivalent:

Qualification: dimension

List of values: 04b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Alta
Type: Date

Type: Description:

Page 44/135

Select equivalent:

DM_PBS_INSTALACIONES.FECHA_ALTA

Where equivalent:

Qualification: dimension

List of values: 04c, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Baja

Type: Date

Description:

Select equivalent: DM_PBS_INSTALACIONES.FECHA_BAJA

Where equivalent:

Qualification: dimension

List of values: 04d, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Carga

Type: Date

Description:

Select equivalent: DM_PBS_INSTALACIONES.FECHA_CARGA

Where equivalent:

Qualification: dimension

List of values: 04e, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Instalaciones

Description:

Object: **KVPS**Type: Character

Description:

Select equivalent: ODS_GARANTIAS.ODS_D_INSTALACION.ID_KVPS

Where equivalent:

Oualification: dimension

List of values: 00h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent:

ODS_GARANTIAS.ODS_D_INSTALACION.ID_MARCA

Where equivalent:

Oualification: dimension

List of values: 00m, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: e-Mail Type: Character

Description:

Select equivalent: ODS_GARANTIAS.ODS_D_INSTALACION.EMAIL

Where equivalent:

Qualification: dimension

List of values: 00s, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Provincia** Type: Character

Description:

Select equivalent: ODS_GARANTIAS.ODS_D_INSTALACION.PROVINCIA

Where equivalent:

Qualification: dimension

List of values: 00k, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Estado** Type: Character

Description:

Select equivalent: ODS_GARANTIAS.ODS_D_INSTALACION.ID_ESTADO_INSTALACION

Where equivalent:

Oualification: dimension

List of values: 00l, editable, manual refresh, not exportable

Character

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Razón Social Type:

Description:

Page 46/135

Select equivalent:

ODS_GARANTIAS.ODS_D_INSTALACION.DES_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 00g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Cod. Vaesa Character

Description:

Select equivalent: ODS_GARANTIAS.ODS_D_INSTALACION.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 00f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **División** Type: Character

Description:

Select equivalent: ODS_GARANTIAS.ODS_D_INSTALACION.ID_DIVISION

Where equivalent:

Qualification: dimension

List of values: 00n, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Class: PBS Garantias Limites

Description:

Object: Fecha incial (DD/MM/YYYY)

Type:

Description:

Select equivalent: to_date('01/' ||lpad(DM_PBS_LIMITES.ID_MES, 2, '0') || '/' || DM_P

BS_LIMITES.ID_ANY, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 07c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_LIMITES.ID_ANY||lpad(DM_P

BS_LIMITES.ID_MES, 2, '0')), 'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 07d, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Date

Description:

Select equivalent: TO_DATE('01/' || TO_number(lpad(TO_CHAR (DM_PBS_LIMITES.ID

_MES),2, '0')) || '/' || TO_number(lpad(TO_CHAR (DM_PBS_LIMITE

S.ID_ANY), 4,'0')), 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 040, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha (YYYYMM)

Type: Number

Description:

Select equivalent: to_number(DM_PBS_LIMITES.ID_ANY||lpad(DM_PBS_LIMITES.ID_M

ES, 2, '0'))

Where equivalent:

Qualification: detail Associated dimension name: Fecha

List of values: 041, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Año** Number

Description:

Select equivalent: DM_PBS_LIMITES.ID_ANY

Where equivalent:

Qualification: dimension

List of values: 02m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes** Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.ID_MES

Where equivalent:

Qualification: dimension

List of values: 02n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_PBS_LIMITES.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 02o, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ze Normalizado

Type: Number

Description:

Select equivalent: DM PBS LIMITES.ZE NORMALIZADO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semáforo Global Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.GLOB_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 02q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semáforo Global Lim Sep Ve Am

Type:

Description:

DM_PBS_LIMITES.GLOB_SEM_LIM_SEP_VE_AM

Select equivalent: Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02r, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Semáforo Global Lim Sep Am Ro

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.GLOB_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02s, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Semáforo Global Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.GLOB_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: PlazoTra Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.PLAZO_PONDERACION

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 02u, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

> Object status: show

Object: PlazoTra Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.PLAZO_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02v, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: PlazoTra Semáforo Lim Sep Ve Am

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.PLAZO_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02w, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: PlazoTra Semáforo Lim Sep Am Ro Number

Type:

Description:

Select equivalent: DM_PBS_LIMITES.PLAZO_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02x, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: PlazoTra Semáforo Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.PLAZO_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 02y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CheckRoom Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_CR_PONDERACION

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 030, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CheckRoom Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_CR_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 031, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CheckRoom Semáforo Lim Sep Ve Am

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_CR_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 032, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CheckRoom Semáforo Sem Lim Sep Am Ro

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_CR_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure

Aggregate function: Sum

List of values: 033, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: CheckRoom Semáforo Sem Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_CR_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 034, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Css Ponderacion

Type: Number

Description:

Select equivalent: DM PBS LIMITES.CSS PONDERACION

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 035, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CSS Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CSS_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 036, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CSS Semáforo Lim Sep Ve Am

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CSS_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 037, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CSS Semáforo Lim Sep Am Ro

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CSS_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 038, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CSS Semáforo Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CSS_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 039, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Campaña Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CAMP_PONDERACION

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 03a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Campaña Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent:

DM_PBS_LIMITES.CAMP_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03b, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Campaña Semáforo Lim Sep Ve Am Number

Type:

Description:

Select equivalent: DM_PBS_LIMITES.CAMP_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03c, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Campaña Semáforo Lim Sep Am Ro

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CAMP_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03d, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Campaña Semáforo Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.CAMP_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03e, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: CostAvería Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_AV_PONDERACION

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03f, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostAvería Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_AV_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostAvería Semáforo Lim Sep Ve Am

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_AV_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostAvería Semáforo Lim Sep Am Ro

Type: Number

Description:

Select equivalent: Where equivalent:

t equivalent: DM_PBS_LIMITES.COS_AV_SEM_LIM_SEP_AM_RO

Qualification: measure Aggregate function: Sum

List of values: 03i, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

> Object: CostAvería Semáforo Lim Sup Rojo Number

Type:

Description:

DM_PBS_LIMITES.COS_AV_SEM_LIM_SUP_ROJO

Select equivalent: Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03j, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: TiempAbie Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.TA_PONDERACION

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03k, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: TiempAbie Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.TA_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03l, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **TiempAbie Semáforo Lim Sep Ve Am**

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.TA_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function:

List of values: 03m, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: TiempAbie Semáforo Lim Sep Am Ro

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.TA_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03n, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: TiempAbie Semáforo Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.TA_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03o, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostRep Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_NO_PONDERACION

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 03p, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostRep Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_NO_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostRep Semáforo Lim Sep Ve Am

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_NO_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: CostRep Semáforo Lim Sep Am Ro

Type: Numb

Description:

Select equivalent: DM_PBS_LIMITES.COS_NO_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03s, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: CostRep Semáforo Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.COS_NO_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: AveríaRep Ponderacion

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_RE_PONDERACION

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03u, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: AveríaRep Semáforo Lim Inf Verde

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_RE_SEM_LIM_INF_VERDE

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: AveríaRep Semáforo Lim Sep Ve Am

Type: Numbe

Description:

Select equivalent: DM_PBS_LIMITES.AVE_RE_SEM_LIM_SEP_VE_AM

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: AveríaRep Semáforo Lim Sep Am Ro

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_RE_SEM_LIM_SEP_AM_RO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 03x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: AveríaRep Semáforo Lim Sup Rojo

Type: Number

Description:

Select equivalent: DM_PBS_LIMITES.AVE_RE_SEM_LIM_SUP_ROJO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 03y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Gerentes Tecnicos

Description:

Object: **Marca** Type: Character

Description:

Select equivalent: DM_PBS_GERENTES_TECNICOS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: Ohs, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Cod. Concesionario

Type: Character

Description:

Select equivalent: DM_PBS_GERENTES_TECNICOS.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 0g4, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS**Type: Character

Description:

Select equivalent: DM_PBS_GERENTES_TECNICOS.KVPS

Where equivalent:

Qualification: dimension

List of values: 01q, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Anio
Type: Number

Description:

Select equivalent: DM_PBS_GERENTES_TECNICOS.ANIO

Where equivalent:

Qualification: dimension

List of values: 01r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Tecnico** Type: Character

Description:

Select equivalent: DM_PBS_GERENTES_TECNICOS.TECNICO

Where equivalent:

Qualification: dimension

List of values: 01s, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Gerenz Tecnico

Type: Character

Description:

Select equivalent: DM_PBS_GERENTES_TECNICOS.GERENZ_TECNICO

Where equivalent:

Qualification: dimension

List of values: 01t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: PBS Garantias

Description:

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: max(add_months(to_date(to_char(DM_MV_PBS_KPI_DIARIO.FECHA)

, 'YYYYMM'), 1)-1)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date('01/' ||lpad(DM_MV_PBS_KPI_DIARIO.MES, 2, '0') || '/' || D

M_MV_PBS_KPI_DIARIO.ANIO, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 06s, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY) Date

Type:

Description:

Select equivalent: add_months(to_date(to_char(DM_MV_PBS_KPI_DIARIO.FECHA), 'YY

YYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 06t, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.FECHA

Where equivalent:

Qualification: dimension

044, editable, manual refresh, not exportable List of values:

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Marca Type: Character

Description:

DM_MV_PBS_KPI_DIARIO.ID_MARCA Select equivalent:

Where equivalent:

Qualification: dimension

List of values: 042, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 043, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Class: KPIs

Description:

Object: **KPI1**Type: Number

Description: Plazo Tramitacion

Select equivalent: decode(sum(DM_MV_PBS_KPI_DIARIO.N_AVERIA), 0, 0, null,null, su

m(DM_MV_PBS_KPI_DIARIO.DIAS_ENTRE)/sum(DM_MV_PBS_KPI_D

ARIO.N_AVERIA))

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KPI2** Type: Number

Description: Averia Cheking Room

Select equivalent: decode(sum(DM_MV_PBS_KPI_PIEZAS.PIEZAS_ACEPTADAS+DM_MV

_PBS_KPI_PIEZAS.PIEZAS_RECHAZADAS), 0, 0, null, null, sum(DM_M V_PBS_KPI_PIEZAS.PIEZAS_RECHAZADAS)/sum(DM_MV_PBS_KPI_PIEZAS.PIEZAS_ACEPTADAS+DM_MV_PBS_KPI_PIEZAS.PIEZAS_RECH

AZADAS))

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KPI3** Type: Number

Description: CSS Reparaciones repetidas

Select equivalent: decode(sum(DM_MV_PBS_KPI_CSS.TOT_ENCUESTAS), 0, 0, null, nu

II, $(sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)/sum(DM_MV_PBS_RM)/sum(DM$

PI CSS.TOT ENCUESTAS))*100)

Where equivalent:

Qualification: measure

Aggregate function: Sum List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KPI4** Type: Number

Description: Campañas No realizadas

Select equivalent: decode(sum(DM_MV_PBS_KPI_DIARIO.N_AVERIA), 0, 0, null, null,(s

um(DM_MV_PBS_KPI_CAMPANYAS.VALOR_CAMPANIA)/sum(DM_MV

_PBS_KPI_DIARIO.N_AVERIA))*100)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KPI5** Type: Number

Description:

Select equivalent: decode(sum(DM_MV_PBS_KPI_DIARIO.N_AVERIA), 0, 0, null, null, (s

 $\begin{array}{l} um(DM_PBS_LIMITES.ZE_NORMALIZADO*DM_MV_PBS_KPI_DIARI@\\ .UT_MO_ACEPTADA) + sum(DM_MV_PBS_KPI_DIARIO.TC_ACEPTAD \end{array}$

A_MATER)) / sum(DM_MV_PBS_KPI_DIARIO.N_AVERIA))

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: KPI6
Type: Number

Description: Tiempos Abiertos

Select equivalent: decode(sum(DM_MV_PBS_KPI_DIARIO.UT_MO_ACEPTADA), 0, 0, nu

II, null,(sum(DM_MV_PBS_KPI_DIARIO.TIEMPOS_ABIERTOS)/sum(D

M_MV_PBS_KPI_DIARIO.UT_MO_ACEPTADA))*100)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: KPI7

Type: Number

Description:

Select equivalent: decode(@Select(Kpi Bastidores\Bastidores), 0, 0, null, null, (sum(D

M_PBS_LIMITES.ZE_NORMALIZADO * DM_MV_PBS_KPI_DIARIO.UT_ MO_ACEPTADA) + sum(DM_MV_PBS_KPI_DIARIO.TC_ACEPTADA_M

ATER)) / @Select(Kpi Bastidores\Bastidores))

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Object: KPI8
Type: Number
Description: Averia X Coche

Select equivalent: decode(@Select(Kpi Bastidores\Bastidores), 0, 0, null, null, sum(DM

_MV_PBS_KPI_DIARIO.N_AVERIA) / @Select(Kpi Bastidores\Bastidores

es))

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Class: Kpi Bastidores

Description:

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date('01/' ||lpad(DM_MV_PBS_KPI_BASTIDORES.MES, 2, '0') || '

/' || DM_MV_PBS_KPI_BASTIDORES.ANIO, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 070, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Da

Description:

Select equivalent: add_months(to_date(to_char(DM_MV_PBS_KPI_BASTIDORES.FECHA

), 'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 071, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_BASTIDORES.FECHA

Where equivalent:

Qualification: dimension

List of values: 022, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Anio** Number

Description:

Select equivalent: DM MV PBS KPI BASTIDORES.ANIO

Where equivalent:

Qualification: dimension

List of values: 023, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes**Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_BASTIDORES.MES

Where equivalent:

Qualification: dimension

List of values: 024, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_BASTIDORES.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 025, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS**Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_BASTIDORES.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 026, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Bastidores

Type: Number

Description:

Select equivalent: count(distinct DM_MV_PBS_KPI_BASTIDORES.BASTIDOR)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Kpi Campanyas

Description:

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date('01/' ||lpad(DM_MV_PBS_KPI_CAMPANYAS.MES, 2, '0') || '/

' || DM_MV_PBS_KPI_CAMPANYAS.ANIO, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 072, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_MV_PBS_KPI_CAMPANYAS.FECHA)

, 'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 073, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_CAMPANYAS.FECHA

Where equivalent:

Qualification: dimension

List of values: 028, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Anio** Number

Description:

Select equivalent: DM_MV_PBS_KPI_CAMPANYAS.ANIO

Where equivalent:

Qualification: dimension

List of values: 029, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_CAMPANYAS.MES

Where equivalent:

Qualification: dimension

List of values: 02a, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_CAMPANYAS.ID_MARCA

Where equivalent:

> Qualification: dimension

List of values: 02b, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_CAMPANYAS.ID_CONCESIONARIO

Where equivalent:

dimension Qualification:

List of values: 02c, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Valor Campania

Number Type:

Description:

Select equivalent: sum(DM MV PBS KPI CAMPANYAS.VALOR CAMPANIA)

Where equivalent:

Qualification: measure Aggregate function: Sum List of values: no

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: **Kpi Css**

Description:

Object: Fecha Máxima

Type: Number

Description:

Select equivalent: max(DM_MV_PBS_KPI_CSS.FECHA)

Where equivalent:

Qualification: measure Aggregate function: Max List of values: no Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha inicial (DD/MM/YYYY)

Type:

Description:

Select equivalent: to_date('01/' ||lpad(DM_MV_PBS_KPI_CSS.MES, 2, '0') || '/' || DM_

MV_PBS_KPI_CSS.ANIO, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 074, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_MV_PBS_KPI_CSS.FECHA), 'YYYY

MM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 075, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_CSS.FECHA

Where equivalent:

Qualification: dimension

List of values: 01u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Anio** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_CSS.ANIO

Where equivalent:

Qualification: dimension

List of values: 01v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes** Type: Number

Description:

Select equivalent:

DM_MV_PBS_KPI_CSS.MES

Where equivalent:

Qualification: dimension

List of values: 01w, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_CSS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 01x, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS**Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_CSS.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 01y, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Tot Encuestas**

Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_CSS.TOT_ENCUESTAS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Totcasos Rr

Type: Description: Number

Select equivalent: sum(DM_MV_PBS_KPI_CSS.TOTCASOS_RR)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Kpi Piezas

Description:

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date('01/' ||lpad(DM_MV_PBS_KPI_PIEZAS.MES, 2, '0') || '/' || D

M_MV_PBS_KPI_PIEZAS.ANIO, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 076, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_MV_PBS_KPI_PIEZAS.FECHA), 'YY

YYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 077, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Number

Description:

Select equivalent: DM MV PBS KPI PIEZAS.FECHA

Where equivalent:

Qualification: dimension

List of values: 015, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object: Anio
Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_PIEZAS.ANIO

Where equivalent:

Qualification: dimension

List of values: 016, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes** Number

Description:

Select equivalent: DM_MV_PBS_KPI_PIEZAS.MES

Where equivalent:

Qualification: dimension

List of values: 017, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_PIEZAS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 018, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS**Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_PIEZAS.ID_CONCESIONARIO

Where equivalent:

Oualification: dimension

List of values: 019, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Piezas Aceptadas

Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_PIEZAS.PIEZAS_ACEPTADAS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Piezas Rechazadas

Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_PIEZAS.PIEZAS_RECHAZADAS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Kpi Diario

Description:

Object: Fehca inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date('01/' ||lpad(DM_MV_PBS_KPI_DIARIO.MES, 2, '0') || '/' || D

M_MV_PBS_KPI_DIARIO.ANIO, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: 078, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Da

Description:

Select equivalent: add_months(to_date(to_char(DM_MV_PBS_KPI_DIARIO.FECHA), 'YY

YYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 079, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Fecha** Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.FECHA

Where equivalent:

Qualification: dimension

List of values: 00t, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Anio
Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.ANIO

Where equivalent:

Qualification: dimension

List of values: 00u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Mes**Type: Number

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.MES

Where equivalent:

Qualification: dimension

List of values: 00v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 00w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object: **KVPS**Type: Character

Description:

Select equivalent: DM_MV_PBS_KPI_DIARIO.ID_CONCESIONARIO

Where equivalent:

Qualification: dimension

List of values: 00x, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: N Averia
Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_DIARIO.N_AVERIA)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dias Entre Rep. Saga

Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_DIARIO.DIAS_ENTRE)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Ut Mo Aceptada (Taller)

Type: Number

Description:

Select equivalent:

sum(DM_MV_PBS_KPI_DIARIO.UT_MO_ACEPTADA)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no

Security access level: 0

Can be used: in result, in condition, in sort

Object: Tc Aceptada Mater sin inc. Taller

Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_DIARIO.TC_ACEPTADA_MATER)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Tiempos Abiertos**

Type: Number

Description:

Select equivalent: sum(DM_MV_PBS_KPI_DIARIO.TIEMPOS_ABIERTOS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: PBS Producto

Description:

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: max(add_months(to_date(to_char(DM_PBS_PRODUCTO_KVPS.PERI

ODO), 'YYYYMM'), 1)-1)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha inicial (DD/MM/YYYY)

Type:

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_KVPS.PERIODO) || '01', 'YYYY

MMDD')

Where equivalent:

Qualification: dimension

List of values: Ofr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_PRODUCTO_KVPS.PERIODO),

'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: Ofs, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **KVPS**Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_KVPS.KVPS

Where equivalent:

Qualification: dimension

List of values: 0f7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: ID_MARCA
Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_KVPS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 0f8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: PBS VAS

Description:

cription:

Object: **KVPS**Type: Character

Description:

Select equivalent:

DM_PBS_PRODUCTO_VAS.KVPS

Where equivalent:

Qualification: dimension

List of values: 04f, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Id Marca
Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 04g, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Num Serie** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.NUM_SERIE

Where equivalent:

Qualification: dimension

List of values: 04h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Importador** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.IMPORTADOR

Where equivalent:

Qualification: dimension

List of values: 04j, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Razon Social Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.RAZON_SOCIAL

Where equivalent:

Qualification: dimension

List of values: 04k, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Cp**Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.CP

Where equivalent:

Qualification: dimension

List of values: 04l, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Localidad** Type: Character

Description:

Select equivalent: DM PBS PRODUCTO VAS.LOCALIDAD

Where equivalent:

Qualification: dimension

List of values: 04m, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Tester** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.TESTER

Where equivalent:

Qualification: dimension

List of values: 04n, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Version Maq** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.VERSION_MAQ

Where equivalent:

Qualification: dimension

List of values: 04o, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Máquina Oficial Ult. Versión

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.VERSION_MAQ_ULT_OFICIAL

Where equivalent:

Qualification: dimension

List of values: 059, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Protocol Enviados

Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_VAS.PROTOCOL_ENVIADOS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ult Protocolo

Type: Date

Description:

Select equivalent: to_date(DM_PBS_PRODUCTO_VAS.FECHA_ULT_PROTOCOLO, 'DD/M

M/YYYY')

Where equivalent:

Qualification: dimension

List of values: 04q, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ult Protocolo (YYYYMMDD)

Type: Number

Description:

Select equivalent: to_number(to_char(to_date(DM_PBS_PRODUCTO_VAS.FECHA_ULT_

PROTOCOLO, 'DD/MM/YYYY'), 'YYYYMMDD'))

Where equivalent:

Qualification: detail

Associated dimension name: Fecha Ult Protocolo

List of values: 04w, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Límite

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_VAS.FECHA_LIMITE), 'YYYYYM

MDD')

Where equivalent:

Qualification: dimension

List of values: 057, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Límite (YYYYMMDD)

Type: Number

Type: Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.FECHA_LIMITE

Where equivalent:

Qualification: detail

Associated dimension name: Fecha Límite

List of values: 058, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Intervalos fechas

Description:

Object: Fecha Carga

Type: Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.FECHA_CARGA

Where equivalent:

Qualification: dimension

List of values: 04r, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Object: Inicio intervalo (YYYYMM)

Type: Number

Description:

Select equivalent: to_number(substr(to_char(DM_PBS_PRODUCTO_VAS.PERIODO_INI),

1,6))

Where equivalent:

Qualification: dimension

List of values: 05k, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_VAS.PERIODO_FINAL), 'YYYY

MMDD')

Where equivalent:

Qualification: dimension

List of values: 04u, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fin Intervalo (YYYYMMDD)

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS.PERIODO_FINAL

Where equivalent:

Qualification: detail

Associated dimension name: Fecha final (DD/MM/YYYY)

List of values: 05b, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: max(to_date(to_char(DM_PBS_PRODUCTO_VAS.PERIODO_FINAL), '\

YYYMMDD'))

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

> Object: Fecha inicial (DD/MM/YYYY)

Type: Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_VAS.PERIODO_INI), 'YYYYMM

DD')

Where equivalent:

Qualification: dimension

List of values: 04t, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Inicio Intervalo (YYYYMMDD) Number

Type:

Description:

DM PBS PRODUCTO VAS.PERIODO INI Select equivalent:

Where equivalent:

Qualification: detail

Associated dimension name: Fecha inicial (DD/MM/YYYY)

List of values: 05a, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fin intervalo (YYYYMM)

Type: Number

Description:

Select equivalent: to_number(substr(to_char(DM_PBS_PRODUCTO_VAS.PERIODO_FIN

AL), 1,6))

Where equivalent:

Qualification: dimension

List of values: 05l, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Class: **KPI VAS**

Description:

Object: **KPI VAS** Type: Number

Description:

(@Select(KPI VAS\Protocolos actualizados) / @Select(KPI VAS\Proto Select equivalent:

colos totales))*100

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: no Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Protocolos actualizados

Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_VAS.PROTOCOL_ENVIADOS)

Where equivalent: DM_PBS_PRODUCTO_VAS.FECHA_LIMITE = DM_PBS_PRODUCTO_V

AS.PERIODO_FINAL AND DM_PBS_PRODUCTO_VAS.VERSION_MAQ_

ULT_OFICIAL = DM_PBS_PRODUCTO_VAS.VERSION_MAQ

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Protocolos totales

Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_VAS_TOTAL.PROTOCOL_ENVIADOS)
Where equivalent: DM_PBS_PRODUCTO_VAS_TOTAL.FECHA_LIMITE = DM_PBS_PROD

UCTO_VAS_TOTAL.PERIODO_FINAL

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: VAS Totales fechas

Description:

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_VAS_TOTAL.PERIODO_INI), '\

YYYMMDD')

Where equivalent:

Qualification: dimension

List of values: Ofg, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Da

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_VAS_TOTAL.PERIODO_FINAL)

, 'YYYYMMDD')

Where equivalent:

Qualification: dimension

List of values: Ofp, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: max(to_date(to_char(DM_PBS_PRODUCTO_VAS_TOTAL.PERIODO_F

INAL), 'YYYYMMDD'))

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Version Maq**Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_VAS_TOTAL.VERSION_MAQ

Where equivalent:

Qualification: dimension

List of values: Ofj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Ult Protocolo

Type: Date

Description:

Select equivalent: to_date(DM_PBS_PRODUCTO_VAS_TOTAL.FECHA_ULT_PROTOCOL

O, 'DD/MM/YYYY')

Where equivalent:

Qualification: dimension

List of values: Ofl, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Version Maq Ult Oficial

Type: Character

Description:

DM_PBS_PRODUCTO_VAS_TOTAL.VERSION_MAQ_ULT_OFICIAL

Select equivalent: Where equivalent:

Qualification: dimension

List of values: 0fn, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Limite

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_VAS_TOTAL.FECHA_LIMITE),

'YYYYMMDD')

Where equivalent:

Qualification: dimension

List of values: Ofo, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: PBS CLAIMS

Description:

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: max(add_months(to_date(to_char(DM_PBS_PRODUCTO_CLAIMS.PE

RIODO), 'YYYYMM'), 1)-1)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kvps**Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_CLAIMS.KVPS

Where equivalent:

Qualification: dimension

List of values: 050, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Id Marca** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_CLAIMS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 051, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Razon Social

Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_CLAIMS.RAZON_SOCIAL

Where equivalent:

Qualification: dimension

List of values: 052, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Consultas Tecnicas

Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_CLAIMS.CONSULTAS_TECNICAS)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Consultas Tecnicas Nojustific

Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_CLAIMS.CONSULTAS_TECNICAS_NOJUST

IFIC)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Carga

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_CLAIMS.FECHA_CARGA

Where equivalent:

Qualification: dimension

List of values: 055, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Object: **Periodo** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_CLAIMS.PERIODO

Where equivalent:

Qualification: dimension

List of values: 056, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_CLAIMS.PERIODO) || '01', 'YY

YYMMDD')

Where equivalent:

Qualification: dimension

List of values: 06x, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_PRODUCTO_CLAIMS.PERIOD

O), 'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 06y, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: PBS EC26

Description:

Object: **KPI EC26** Type: Number

Description:

Select equivalent: decode(count(DM_PBS_PRODUCTO_EC26.PERIODO), 0, 0, null, null,

sum(DM_PBS_PRODUCTO_EC26.PORCENTAJE)/count(DM_PBS_PROL

UCTO_EC26.PERIODO))

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kvps**Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_EC26.KVPS

Where equivalent:

Qualification: dimension

List of values: 05c, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Id Marca** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_EC26.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 05d, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Valor** Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_EC26.VALOR)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Porcentaje** Type: Number

Description:

Select equivalent: sum(DM_PBS_PRODUCTO_EC26.PORCENTAJE)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Contador fechas
Type: Number

Type: Description:

Select equivalent: count(DM_PBS_PRODUCTO_EC26.PERIODO)

Where equivalent:

Qualification: measure
Aggregate function: Sum
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Periodo** Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_EC26.PERIODO

Where equivalent:

Qualification: dimension

List of values: 05g, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Carga

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_EC26.FECHA_CARGA

Where equivalent:

Qualification: dimension

List of values: 05h, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_PRODUCTO_EC26.PERIODO) || '01', 'YYYY

MMDD')

Where equivalent:

Qualification: dimension

List of values: 06v, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_PRODUCTO_EC26.PERIODO),

'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 06w, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: max(add_months(to_date(to_char(DM_PBS_PRODUCTO_EC26.PERIC

DO), 'YYYYMM'), 1)-1)

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: PBS LISTEST

Description:

Object: **Kvps**Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.KVPS

Where equivalent:

Qualification: dimension

List of values: 0a7, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Realizacion

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.FECHA_REALIZACION

Where equivalent:

Qualification: dimension

List of values: 0a8, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Resultado
Type: Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_LISTEST.RESULTADO)

Where equivalent:

Qualification: measure Aggregate function: None

List of values: 0a9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Resultado Part Tecnica

Type: Character

Description:

Select equivalent: upper(DM_PBS_PRODUCTO_LISTEST.RESULTADO_PART_TECNICA)

Where equivalent:

Qualification: measure
Aggregate function: None

List of values: 0aa, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object: **Periodo** Type: Number

Description:

Select equivalent: to_number(to_char(DM_PBS_PRODUCTO_LISTEST.fecha_realizacion

, 'YYYYMM'))

Where equivalent:

Qualification: dimension

List of values: 0ab, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Id Marca** Type: Character

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 0ac, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha Carga

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.FECHA_CARGA

Where equivalent:

Qualification: dimension

List of values: 0ad, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha inicial (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.fecha_realizacion

Where equivalent:

Qualification: dimension

List of values: 0ae, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Fecha final (DD/MM/YYYY)

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.fecha_realizacion

Where equivalent:

Qualification: dimension

List of values: 0af, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Periodo Carga

Type: Number

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.periodo

Where equivalent:

Qualification: dimension

List of values: 0g0, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: hidden

Object: Max. Fecha final

Type: Date

Description:

Select equivalent: DM_PBS_PRODUCTO_LISTEST.fecha_realizacion

Where equivalent:

Qualification: measure
Aggregate function: Max
List of values: no
Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: Agregadas

Description:

No objects

Class: KPI Garantias

Description:

Object: **Kvps**Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KVPS

Where equivalent:

Qualification: dimension

List of values: 0h5, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Tipo Calculo** Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.TIPO_CALCULO

Where equivalent:

Qualification: dimension

List of values: 0h8, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **Anio** Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.ANIO

Where equivalent:

Qualification: dimension

List of values: 0h7, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 0h6, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Inicial

Type: Number

Description:

Where equivalent:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.INTERVALO_INICIAL

Qualification: dimension

List of values: 0h3, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Fin

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.INTERVALO_FIN

Where equivalent:

Qualification: dimension

List of values: 0h4, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi1**Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI1

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0h9, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi2**Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI2

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ohb, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi3** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI3

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohd, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi4** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI4

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohf, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi5**Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI5

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohh, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi6**Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI6

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ohj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi7**Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI7

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohl, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi8**Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI8

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohn, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi Global** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.KPI_GLOBAL

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 1

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_1

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Oha, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 2

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_2

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ohc, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 3

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_3

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohe, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 4

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_4

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohg, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 5

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_5

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ohi, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 6
Type: Number

Type: Description:

Page 101/135

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_6

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohk, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 7

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_7

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ohm, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo 8

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_8

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Oho, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Global

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_GARANTIAS.SEMAFORO_GLOBAL

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ohq, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Class: KPI Producto

Description:

Object: Anio
Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.ANIO

Where equivalent:

Qualification: dimension

List of values: 0g5, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Kvps**Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KVPS

Where equivalent:

Qualification: dimension

List of values: 0g6, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Marca** Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.ID_MARCA

Where equivalent:

Qualification: dimension

List of values: 0g7, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Intervalo Fin

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.INTERVALO_FIN

Where equivalent:

Qualification: dimension

List of values: 0g8, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object: Intervalo Inicial

Type:

Number

Description:

Select equivalent:

DM_PBS_AGREGADA_KPI_PRODUCTO.INTERVALO_INICIAL

Where equivalent:

Qualification: dimension

List of values: 0g9, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Tipo Calculo** Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.TIPO_CALCULO

Where equivalent:

Qualification: dimension

List of values: Oga, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi Diss** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_DISS

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0gb, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Diss Fecha Max

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_AGREGADA_KPI_PRODUCTO.

DISS_FECHA_MAX),'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 0gc, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object: Kpi Diss Nojust

Type:

Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_DISS_NOJUST

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0gd, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi Ec26** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_EC26

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Oge, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Ec26 Fecha Max

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_AGREGADA_KPI_PRODUCTO.

EC26_FECHA_MAX), 'YYYYMM'), 1)-1

Where equivalent:

Qualification: dimension

List of values: 0gf, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Kpi Listest
Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_LISTEST

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0gg, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object: Listest Fecha Max

Type: Dat

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.LISTEST_FECHA_MAX

Where equivalent:

Qualification: dimension

List of values: 0gh, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Resultado Part Tecnica

Type: Character

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.RESULTADO_PART_TECNICA

Where equivalent:

Qualification: dimension

List of values: Ogi, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi Pbsg** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_PBSG

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ogj, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Pbsg Fecha Max

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_AGREGADA_KPI_PRODUCTO.

PBSG_FECHA_MAX), 'YYYYMM'), 1) -1

Where equivalent:

Qualification: dimension

List of values: 0gk, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object: **Kpi Q9** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_Q9

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0gl, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Q9 Fecha Max

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_AGREGADA_KPI_PRODUCTO.

Q9_FECHA_MAX), 'YYYYMM'), 1) -1

Where equivalent:

Qualification: dimension

List of values: 0gm, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi Qi1** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_QI1

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0gn, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Qi1 Fecha Max

Type: Date

Description:

Select equivalent: add_months(to_date(to_char(DM_PBS_AGREGADA_KPI_PRODUCTO.

QI1_FECHA_MAX), 'YYYYMM'), 1) -1

Where equivalent:

Qualification: dimension

List of values: 0go, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Kpi Vas** Type: Number

Description:

DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_VAS

Select equivalent: Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ogp, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Vas Fecha Max

Type: Date

Description:

Select equivalent: to_date(to_char(DM_PBS_AGREGADA_KPI_PRODUCTO.VAS_FECHA_

MAX), 'YYYYMMDD')

Where equivalent:

Qualification: dimension

List of values: 0gq, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Diss Peso** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.DISS_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0ig, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Dissnj Peso

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.DISSNJ_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0ih, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: **Ec26 Peso** Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.EC26_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0ii, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Listest Peso

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.LISTEST_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0ij, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Pbsg Peso** Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.PBSG_PESO

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0ik, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Q9 Peso** Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.Q9_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0il, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Qi1 Peso** Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.QI1_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0im, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: **Vas Peso** Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.VAS_PESO

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0in, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Kpi Prod Global

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.KPI_PROD_GLOBAL

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0h0, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Diss

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_DISS

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ogr, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Dissnj

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_DISSNJ

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ogs, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Ec26

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_EC26

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ogt, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Listest

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_LISTEST

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: Ogu, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Pbsg

Type: Number

Description:

Select equivalent:

DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_PBSG

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: Ogv, editable, manual refresh, not exportable

Security access level:

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Q9

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_Q9

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0gw, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Qi1

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_QI1

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0gx, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Vas

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_VAS

Where equivalent:

Qualification: measure
Aggregate function: Sum

List of values: 0gy, editable, manual refresh, not exportable

Security access level: (

Can be used: in result, in condition, in sort

Object status: show

Object: Semaforo Prod Global

Type: Number

Description:

Select equivalent: DM_PBS_AGREGADA_KPI_PRODUCTO.SEMAFORO_PROD_GLOBAL

Where equivalent:

Qualification: measure Aggregate function: Sum

List of values: 0h1, editable, manual refresh, not exportable

Security access level: 0

Can be used: in result, in condition, in sort

Object status: show

Condition List

Tablas Maestras

PBS Producto Limites

bloques Intervalos

PBS Instalaciones

Instalaciones

PBS Garantias Limites

Gerentes Tecnicos

PBS Garantias

KPIs

Kpi Bastidores

Kpi Campanyas

Kpi Css

Kpi Piezas

Kpi Diario

PBS Producto

PBS VAS

Intervalos fechas

KPI VAS

VAS Totales fechas

PBS CLAIMS

PBS EC26

PBS LISTEST

Agregadas

KPI Garantias

KPI Producto

Conditions

No Conditions

<u>Hierarchies List</u>

PBS Producto Limites bloques Intervalos PBS Instalaciones Instalaciones

PBS Garantias Limites

Gerentes Tecnicos

PBS Garantias

Kpi Bastidores

Kpi Campanyas

Kpi Css

Kpi Piezas

Kpi Diario

PBS Producto

PBS VAS

Intervalos fechas

VAS Totales fechas

PBS CLAIMS

PBS EC26

PBS LISTEST

KPI Garantias

KPI Producto

Hierarchies

PBS Producto Limites

PBS Producto Limites/Qi1 Operador

PBS Producto Limites/Q9 Operador

PBS Producto Limites/Vas Operador

PBS Producto Limites/Diss Operador

PBS Producto Limites/Dissnj Operador

PBS Producto Limites/Ec26 Operador

PBS Producto Limites/Listest Operador

PBS Producto Limites/Iso Operador

PBS Producto Limites/Pbsg Operador

PBS Producto Limites/Pbsf Operador

PBS Producto Limites/Pbse Operador

PBS Producto Limites/Global Operador

bloques Intervalos

bloques Intervalos/Intervalo QI1 Verde

bloques Intervalos/Intervalo QI1 Ambar

bloques Intervalos/Intervalo QI1 Rojo

bloques Intervalos/Intervalo Q9 Verde

bloques Intervalos/Intervalo Q9 Ambar

bloques Intervalos/Intervalo Q9 Rojo

bloques Intervalos/Intervalo VAS Verde

bloques Intervalos/Intervalo VAS Ambar

bloques Intervalos/Intervalo VAS Rojo

bloques Intervalos/Intervalo DISS Verde

bloques Intervalos/Intervalo DISS Ambar

bloques Intervalos/Intervalo DISS Rojo

bloques Intervalos/Intervalo DISS No justificadas Verde

bloques Intervalos/Intervalo DISS No Justificadas Ambar

bloques Intervalos/Intervalo DISS No justificadas Rojo

bloques Intervalos/Intervalo EC26 Verde

bloques Intervalos/Intervalo EC26 Ambar

bloques Intervalos/Intervalo EC26 Rojo

bloques Intervalos/Intervalo LISTEST Verde

bloques Intervalos/Intervalo LISTEST Ambar

bloques Intervalos/Intervalo LISTEST Rojo

bloques Intervalos/Intervalo ISO Verde

bloques Intervalos/Intervalo ISO Ambar

bloques Intervalos/Intervalo ISO Rojo bloques Intervalos/Intervalo PBSG Verde bloques Intervalos/Intervalo PBSG Ambar bloques Intervalos/Intervalo PBSG Rojo bloques Intervalos/Intervalo PBSF Verde bloques Intervalos/Intervalo PBSF Ambar bloques Intervalos/Intervalo PBSF Rojo bloques Intervalos/Intervalo PBSE Verde bloques Intervalos/Intervalo PBSE Rojo bloques Intervalos/Intervalo PBSE Rojo bloques Intervalos/Intervalo Global Verde bloques Intervalos/Intervalo Global Ambar

bloques Intervalos/Intervalo Global Rojo

PBS Instalaciones

PBS Instalaciones/Kvps

PBS Instalaciones/Id Concesionario

PBS Instalaciones/Razon Social

PBS Instalaciones/Id Marca

PBS Instalaciones/Id Estado Instalacion

PBS Instalaciones/Fecha Alta

PBS Instalaciones/Fecha Baja

PBS Instalaciones/Fecha Carga

Instalaciones

Instalaciones/KVPS

Instalaciones/Marca

Instalaciones/e-Mail

This calacionics / C i i all

Instalaciones/Provincia

Instalaciones/Estado

Instalaciones/Razón Social

Instalaciones/Cod. Vaesa

Instalaciones/División

PBS Garantias Limites

PBS Garantias Limites/Fecha incial (DD/MM/YYYY)

PBS Garantias Limites/Fecha final (DD/MM/YYYY)

PBS Garantias Limites/Fecha

PBS Garantias Limites/Año

PBS Garantias Limites/Mes

PBS Garantias Limites/Marca

Gerentes Tecnicos

Gerentes Tecnicos/Marca

Gerentes Tecnicos/Cod. Concesionario

Gerentes Tecnicos/KVPS

Gerentes Tecnicos/Anio

Gerentes Tecnicos/Tecnico

Gerentes Tecnicos/Gerenz Tecnico

PBS Garantias

PBS Garantias/Fecha inicial (DD/MM/YYYY)

PBS Garantias/Fecha final (DD/MM/YYYY)

PBS Garantias/Fecha

PBS Garantias/Marca

PBS Garantias/KVPS

Kpi Bastidores

Kpi Bastidores/Fecha inicial (DD/MM/YYYY)

Kpi Bastidores/Fecha final (DD/MM/YYYY)

Kpi Bastidores/Fecha

Kpi Bastidores/Anio

Kpi Bastidores/Mes

Kpi Bastidores/Marca

Kpi Bastidores/KVPS Kpi Campanyas Kpi Campanyas/Fecha inicial (DD/MM/YYYY) Kpi Campanyas/Fecha final (DD/MM/YYYY) Kpi Campanyas/Fecha Kpi Campanyas/Anio Kpi Campanyas/Mes Kpi Campanyas/Marca Kpi Campanyas/KVPS Kpi Css Kpi Css/Fecha inicial (DD/MM/YYYY) Kpi Css/Fecha final (DD/MM/YYYY) Kpi Css/Fecha Kpi Css/Anio Kpi Css/Mes Kpi Css/Marca Kpi Css/KVPS Kpi Piezas Kpi Piezas/Fecha inicial (DD/MM/YYYY) Kpi Piezas/Fecha final (DD/MM/YYYY) Kpi Piezas/Fecha Kpi Piezas/Anio Kpi Piezas/Mes Kpi Piezas/Marca Kpi Piezas/KVPS Kpi Diario Kpi Diario/Fehca inicial (DD/MM/YYYY) Kpi Diario/Fecha final (DD/MM/YYYY) Kpi Diario/Fecha Kpi Diario/Anio Kpi Diario/Mes Kpi Diario/Marca Kpi Diario/KVPS **PBS Producto** PBS Producto/Fecha inicial (DD/MM/YYYY) PBS Producto/Fecha final (DD/MM/YYYY) PBS Producto/KVPS PBS Producto/ID_MARCA **PBS VAS** PBS VAS/KVPS PBS VAS/Id Marca PBS VAS/Num Serie PBS VAS/Importador PBS VAS/Razon Social PBS VAS/Cp PBS VAS/Localidad PBS VAS/Tester PBS VAS/Version Mag PBS VAS/Máquina Oficial Ult. Versión PBS VAS/Fecha Ult Protocolo PBS VAS/Fecha Límite Intervalos fechas Intervalos fechas/Fecha Carga Intervalos fechas/Inicio intervalo (YYYYMM) Intervalos fechas/Fecha final (DD/MM/YYYY) Intervalos fechas/Fecha inicial (DD/MM/YYYY) Intervalos fechas/Fin intervalo (YYYYMM)

VAS Totales fechas

VAS Totales fechas/Fecha inicial (DD/MM/YYYY)

VAS Totales fechas/Fecha final (DD/MM/YYYY)

VAS Totales fechas/Version Mag

VAS Totales fechas/Fecha Ult Protocolo

VAS Totales fechas/Version Maq Ult Oficial

VAS Totales fechas/Fecha Limite

PBS CLAIMS

PBS CLAIMS/Kvps

PBS CLAIMS/Id Marca

PBS CLAIMS/Razon Social

PBS CLAIMS/Fecha Carga

PBS CLAIMS/Periodo

PBS CLAIMS/Fecha inicial (DD/MM/YYYY)

PBS CLAIMS/Fecha final (DD/MM/YYYY)

PBS EC26

PBS EC26/Kvps

PBS EC26/Id Marca

PBS EC26/Periodo

PBS EC26/Fecha Carga

PBS EC26/Fecha inicial (DD/MM/YYYY)

PBS EC26/Fecha final (DD/MM/YYYY)

PBS LISTEST

PBS LISTEST/Kvps

PBS LISTEST/Fecha Realizacion

PBS LISTEST/Periodo

PBS LISTEST/Id Marca

PBS LISTEST/Fecha Carga

PBS LISTEST/Fecha inicial (DD/MM/YYYY)

PBS LISTEST/Fecha final (DD/MM/YYYY)

PBS LISTEST/Periodo Carga

KPI Garantias

KPI Garantias/Kvps

KPI Garantias/Tipo Calculo

KPI Garantias/Anio

KPI Garantias/Marca

KPI Garantias/Intervalo Inicial

KPI Garantias/Intervalo Fin

KPI Producto

KPI Producto/Anio

KPI Producto/Kvps

KPI Producto/Marca

KPI Producto/Intervalo Fin

KPI Producto/Intervalo Inicial

KPI Producto/Tipo Calculo

KPI Producto/Diss Fecha Max

KPI Producto/Ec26 Fecha Max

KPI Producto/Listest Fecha Max

KPI Producto/Resultado Part Tecnica

KPI Producto/Pbsg Fecha Max KPI Producto/Q9 Fecha Max

KPI Producto/Qi1 Fecha Max

KPI Producto/Vas Fecha Max

Tables List

DM_MV_PBS_KPI_BASTIDORES DM_MV_PBS_KPI_CAMPANYAS

> DM_MV_PBS_KPI_CSS DM_MV_PBS_KPI_DIARIO DM_MV_PBS_KPI_PIEZAS DM_PBS_AGREGADA_KPI_GARANTIAS DM_PBS_AGREGADA_KPI_PRODUCTO DM_PBS_GERENTES_TECNICOS DM_PBS_INSTALACIONES DM_PBS_LIMITES DM_PBS_PRODUCTO_CLAIMS DM_PBS_PRODUCTO_EC26 DM_PBS_PRODUCTO_INTERVALOS DM_PBS_PRODUCTO_KVPS DM_PBS_PRODUCTO_LISTEST DM_PBS_PRODUCTO_VAS DM_PBS_PRODUCTO_VAS_TOTAL ODS_GARANTIAS.ODS_D_INSTALACION

Tables

Numeric
Numeric
Numeric
Character
Character
Character
Numeric
Numeric
Numeric
Character
Character
Numeric
Numeric
Numeric
Numeric
Character

ID_CONCESIONARIO Character

TOT_ENCUESTAS Numeric

TOTCASOS_RR Numeric

Table Name: DM_MV_PBS_KPI_DIARIO

Columns

FECHA Numeric

ANIO Numeric

MES Numeric

ID_MARCA Character

ID_CONCESIONARIO Character

N_AVERIA Numeric

DIAS_ENTRE Numeric

PIEZAS_RECHAZADAS Numeric

UT_MO_ACEPTADA Numeric

TC_ACEPTADA_MATER Numeric

TIEMPOS_ABIERTOS Numeric

Table Name: DM_MV_PBS_KPI_PIEZAS

Columns

FECHA Numeric

ANIO Numeric

MES Numeric

ID_MARCA Character

ID_CONCESIONARIO Character

PIEZAS_ACEPTADAS Numeric

PIEZAS_RECHAZADAS Numeric

Table Name: DM_PBS_AGREGADA_KPI_GARANTIAS

Columns

INTERVALO_INICIAL Numeric

INTERVALO_FIN Numeric

KVPS Character

ID_MARCA Character

ANIO Numeric

TIPO_CALCULO Character KPI1 Numeric SEMAFORO_1 Numeric KPI2 Numeric SEMAFORO_2 Numeric KPI3 Numeric SEMAFORO_3 Numeric KPI4 Numeric SEMAFORO_4 Numeric KPI5 Numeric SEMAFORO_5 Numeric KPI6 Numeric SEMAFORO_6 Numeric KPI7 Numeric SEMAFORO_7 Numeric KPI8 Numeric Numeric SEMAFORO_8 KPI_GLOBAL Numeric SEMAFORO_GLOBAL Numeric FECHA_CARGA Date Table Name: DM_PBS_AGREGADA_KPI_PRODUCTO Columns ANIO Numeric **KVPS** Character Character ID_MARCA Numeric INTERVALO_FIN INTERVALO_INICIAL Numeric TIPO_CALCULO Character KPI_DISS Numeric

Numeric

DISS_FECHA_MAX

Numeric

Numeric

Numeric

Numeric

Numeric

KPI_DISS_NOJUST Numeric KPI_EC26 Numeric EC26_FECHA_MAX Numeric KPI_LISTEST Character Date LISTEST_FECHA_MAX RESULTADO_PART_TECNICA Character KPI_PBSG Numeric PBSG_FECHA_MAX Numeric KPI_Q9 Numeric Q9_FECHA_MAX Numeric Numeric KPI_QI1 QI1_FECHA_MAX Numeric KPI_VAS Numeric VAS_FECHA_MAX Numeric DISS_PESO Numeric DISSNJ_PESO Numeric EC26_PESO Numeric Numeric LISTEST_PESO PBSG_PESO Numeric Q9_PESO Numeric QI1_PESO Numeric VAS_PESO Numeric SEMAFORO_DISS Numeric SEMAFORO_DISSNJ Numeric

SEMAFORO_EC26

SEMAFORO_PBSG

SEMAFORO_Q9

SEMAFORO_QI1

SEMAFORO_LISTEST

SEMAFORO_VAS Numeric

KPI_PROD_GLOBAL Numeric

SEMAFORO_PROD_GLOBAL Numeric

FECHA_CARGA Date

Table Name: DM_PBS_GERENTES_TECNICOS

Columns

ID_CONCESIONARIO Character

ANIO Numeric

TECNICO Character

GERENZ_TECNICO Character

ID_MARCA Character

FECHA_CARGA Date

KVPS Character

Table Name: DM_PBS_INSTALACIONES

Columns

KVPS Character

ID_CONCESIONARIO Character

RAZON_SOCIAL Character

ID_MARCA Character

ID_ESTADO_INSTALACION Character

FECHA_ALTA Date

FECHA_BAJA Date

FECHA_CARGA Date

Table Name: DM_PBS_LIMITES

Columns

ID_ANY Numeric

ID_MES Numeric

ID_MARCA Character

ZE_NORMALIZADO Numeric

GLOB_SEM_LIM_INF_VERDE Numeric

GLOB_SEM_LIM_SEP_VE_AM Numeric

GLOB_SEM_LIM_SEP_AM_RO Numeric

GLOB_SEM_LIM_SUP_ROJO	Numeric
PLAZO_PONDERACION	Numeric
PLAZO_SEM_LIM_INF_VERDE	Numeric
PLAZO_SEM_LIM_SEP_VE_AM	Numeric
PLAZO_SEM_LIM_SEP_AM_RO	Numeric
PLAZO_SEM_LIM_SUP_ROJO	Numeric
AVE_CR_PONDERACION	Numeric
AVE_CR_SEM_LIM_INF_VERDE	Numeric
AVE_CR_SEM_LIM_SEP_VE_AM	Numeric
AVE_CR_SEM_LIM_SEP_AM_RO	Numeric
AVE_CR_SEM_LIM_SUP_ROJO	Numeric
CSS_PONDERACION	Numeric
CSS_SEM_LIM_INF_VERDE	Numeric
CSS_SEM_LIM_SEP_VE_AM	Numeric
CSS_SEM_LIM_SEP_AM_RO	Numeric
CSS_SEM_LIM_SUP_ROJO	Numeric
CAMP_PONDERACION	Numeric
CAMP_SEM_LIM_INF_VERDE	Numeric
CAMP_SEM_LIM_SEP_VE_AM	Numeric
CAMP_SEM_LIM_SEP_AM_RO	Numeric
CAMP_SEM_LIM_SUP_ROJO	Numeric
COS_AV_PONDERACION	Numeric
COS_AV_SEM_LIM_INF_VERDE	Numeric
COS_AV_SEM_LIM_SEP_VE_AM	Numeric
COS_AV_SEM_LIM_SEP_AM_RO	Numeric
COS_AV_SEM_LIM_SUP_ROJO	Numeric
TA_PONDERACION	Numeric
TA_SEM_LIM_INF_VERDE	Numeric
TA_SEM_LIM_SEP_VE_AM	Numeric

Numeric

Numeric TA_SEM_LIM_SEP_AM_RO TA_SEM_LIM_SUP_ROJO Numeric Numeric COS_NO_PONDERACION COS_NO_SEM_LIM_INF_VERDE Numeric COS_NO_SEM_LIM_SEP_VE_AM Numeric COS_NO_SEM_LIM_SEP_AM_RO Numeric COS_NO_SEM_LIM_SUP_ROJO Numeric AVE_RE_PONDERACION Numeric AVE_RE_SEM_LIM_INF_VERDE Numeric AVE_RE_SEM_LIM_SEP_VE_AM Numeric AVE_RE_SEM_LIM_SEP_AM_RO Numeric AVE_RE_SEM_LIM_SUP_ROJO Numeric Table Name: DM_PBS_PRODUCTO_CLAIMS Columns **KVPS** Character ID_MARCA Character RAZON_SOCIAL Character CONSULTAS_TECNICAS Numeric CONSULTAS_TECNICAS_NOJUSTIFIC Numeric FECHA_CARGA Date **PERIODO** Numeric Table Name: DM_PBS_PRODUCTO_EC26 Columns **KVPS** Character ID_MARCA Character **VALOR** Numeric Numeric **PORCENTAJE PERIODO** Numeric FECHA_CARGA Date Table Name: DM_PBS_PRODUCTO_INTERVALOS Columns

QI1_VERDE

QI1_AMARILLO Numeric QI1_ROJO Numeric QI1_OPERADOR Character QI1_PESO Numeric QI1_VERDE_PONDERADO Numeric QI1_AMARILLO_PONDERADO Numeric QI1_ROJO_PONDERADO Numeric Q9_VERDE Numeric Q9_AMARILLO Numeric Q9_ROJO Numeric Q9_OPERADOR Character Q9_PESO Numeric Q9_VERDE_PONDERADO Numeric Q9_AMARILLO_PONDERADO Numeric Q9_ROJO_PONDERADO Numeric VAS_VERDE Numeric VAS_AMARILLO Numeric VAS_ROJO Numeric VAS_OPERADOR Character VAS_PESO Numeric VAS_VERDE_PONDERADO Numeric VAS_AMARILLO_PONDERADO Numeric VAS_ROJO_PONDERADO Numeric DISS_VERDE Numeric Numeric DISS_AMARILLO DISS_ROJO Numeric DISS_OPERADOR Character DISS_PESO Numeric DISS_VERDE_PONDERADO Numeric

DISS_AMARILLO_PONDERADO Numeric DISS_ROJO_PONDERADO Numeric Numeric DISSNJ_VERDE DISSNJ_AMARILLO Numeric DISSNJ_ROJO Numeric DISSNJ_OPERADOR Character DISSNJ_PESO Numeric DISSNJ_VERDE_PONDERADO Numeric DISSNJ_AMARILLO_PONDERADO Numeric DISSNJ_ROJO_PONDERADO Numeric EC26_VERDE Numeric EC26_AMARILLO Numeric EC26_ROJO Numeric EC26_OPERADOR Character EC26_PESO Numeric EC26_VERDE_PONDERADO Numeric EC26_AMARILLO_PONDERADO Numeric EC26_ROJO_PONDERADO Numeric LISTEST_VERDE Character LISTEST_AMARILLO Character LISTEST_ROJO Character LISTEST_OPERADOR Character LISTEST_PESO Numeric LISTEST_VERDE_PONDERADO Numeric LISTEST_AMARILLO_PONDERADO Numeric LISTEST_ROJO_PONDERADO Numeric ISO_VERDE Character ISO_AMARILLO Character ISO_ROJO Character

ISO_OPERADOR Character ISO_PESO Numeric ISO_VERDE_PONDERADO Numeric ISO_AMARILLO_PONDERADO Numeric ISO_ROJO_PONDERADO Numeric PBSG_VERDE Numeric PBSG_AMARILLO Numeric PBSG_ROJO Numeric PBSG_OPERADOR Character PBSG_PESO Numeric PBSG_VERDE_PONDERADO Numeric PBSG_AMARILLO_PONDERADO Numeric PBSG_ROJO_PONDERADO Numeric PBSF_VERDE Numeric PBSF_AMARILLO Numeric PBSF_ROJO Numeric PBSF_OPERADOR Character PBSF_PESO Numeric PBSF_VERDE_PONDERADO Numeric PBSF_AMARILLO_PONDERADO Numeric PBSF_ROJO_PONDERADO Numeric PBSE_VERDE Numeric PBSE_AMARILLO Numeric PBSE_ROJO Numeric Character PBSE_OPERADOR PBSE_PESO Numeric PBSE_VERDE_PONDERADO Numeric PBSE_AMARILLO_PONDERADO Numeric PBSE_ROJO_PONDERADO Numeric

GLOBAL_VERDE Numeric

GLOBAL_AMARILLO Numeric

GLOBAL_ROJO Numeric

GLOBAL_OPERADOR Character

FECHA_CARGA Date

Table Name: DM_PBS_PRODUCTO_KVPS

Columns

KVPS Character

ID_MARCA Character

ANIO Numeric

PERIODO Numeric

FECHA_CARGA Date

Table Name: DM_PBS_PRODUCTO_LISTEST

Columns

KVPS Character

FECHA_REALIZACION Date

RESULTADO Character

RESULTADO_PART_TECNICA Character

PERIODO Numeric

ID_MARCA Character

FECHA_CARGA Date

Table Name: DM_PBS_PRODUCTO_VAS

Columns

KVPS Character

ID_MARCA Character

NUM_SERIE Character

PERIODO_INI Numeric

PERIODO_FINAL Numeric

IMPORTADOR Character

RAZON_SOCIAL Character

CP Character

LOCALIDAD Character

TESTER Character

VERSION_MAQ Character

PROTOCOL_ENVIADOS Numeric

FECHA_ULT_PROTOCOLO Character

FECHA_CARGA Date

VERSION_MAQ_ULT_OFICIAL Character

FECHA_LIMITE Numeric

Table Name: DM_PBS_PRODUCTO_VAS_TOTAL

Columns

KVPS Character

ID_MARCA Character

NUM_SERIE Character

PERIODO_INI Numeric

PERIODO_FINAL Numeric

IMPORTADOR Character

RAZON_SOCIAL Character

CP Character

LOCALIDAD Character

TESTER Character

VERSION_MAQ Character

PROTOCOL_ENVIADOS Numeric

FECHA_ULT_PROTOCOLO Character

FECHA_CARGA Date

VERSION_MAQ_ULT_OFICIAL Character

FECHA_LIMITE Numeric

Table Name:ODS_GARANTIAS.ODS_D_INSTALACION

Columns

ID_CONCESIONARIO Character

DES_CONCESIONARIO Character

ID_INSTALACION Character

DES_INSTALACION Character

COD PROVINCIA Character

PROVINCIA Character

ID_ESTADO_INSTALACION Character

ID_MARCA Character

ID DIVISION Character

FECHA_ALTA Date

FECHA_BAJA Date

ID ESTADO Character

ID_KVPS Character

EMAIL Character

Join List

Join0: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_CAMPANYAS.FECHA(+) and DM_MV_PBS

KPI_DIARIO.ID_MARCA=DM_MV_PBS_KPI_CAMPANYAS.ID_MARCA(+) and DM_MV_PBS_KPI_

ARIO.ID_CONCESIONARIO=DM_MV_PBS_KPI_CAMPANYAS.ID_CONCESIONARIO(+)

Join1: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_PIEZAS.FECHA(+) and DM_MV_PBS_KPI_

IARIO.ID_MARCA=DM_MV_PBS_KPI_PIEZAS.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_

ONCESIONARIO=DM_MV_PBS_KPI_PIEZAS.ID_CONCESIONARIO(+)

Join2: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_BASTIDORES.FECHA(+) and DM_MV_PBS

KPI_DIARIO.ID_MARCA=DM_MV_PBS_KPI_BASTIDORES.ID_MARCA(+) and DM_MV_PBS_KPI_

IARIO.ID_CONCESIONARIO=DM_MV_PBS_KPI_BASTIDORES.ID_CONCESIONARIO(+)

Join3: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_CSS.FECHA(+) and DM_MV_PBS_KPI_DIA

RIO.ID_MARCA=DM_MV_PBS_KPI_CSS.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_CON

SIONARIO=DM_MV_PBS_KPI_CSS.ID_CONCESIONARIO(+)

Join4: DM_MV_PBS_KPI_DIARIO.ID_MARCA=ODS_GARANTIAS.ODS_D_INSTALACION.ID_MARCA an

DM_MV_PBS_KPI_DIARIO.ID_CONCESIONARIO=ODS_GARANTIAS.ODS_D_INSTALACION.ID_

PS

Join5: DM_MV_PBS_KPI_DIARIO.ANIO=DM_PBS_GERENTES_TECNICOS.ANIO and DM_MV_PBS_KPI_

IARIO.ID MARCA=DM PBS GERENTES TECNICOS.ID MARCA and DM MV PBS KPI DIARIO.

CONCESIONARIO=DM PBS GERENTES TECNICOS.KVPS

Join6: DM MV PBS KPI DIARIO.ID MARCA=DM PBS LIMITES.ID MARCA and DM MV PBS KPI DI

RIO.ANIO=DM_PBS_LIMITES.ID_ANY and DM_MV_PBS_KPI_DIARIO.MES=DM_PBS_LIMITES.

_MES

Join7: DM_MV_PBS_KPI_DIARIO.ID_MARCA=DM_PBS_INSTALACIONES.ID_MARCA and DM_MV_PBS

KPI_DIARIO.ID_CONCESIONARIO=DM_PBS_INSTALACIONES.KVPS

Join8: DM_MV_PBS_KPI_DIARIO.ID_MARCA(+)=DM_PBS_PRODUCTO_KVPS.ID_MARCA and DM_MV_

BS_KPI_DIARIO.ID_CONCESIONARIO(+)=DM_PBS_PRODUCTO_KVPS.KVPS and DM_MV_PBS_

PI_DIARIO.FECHA(+)=DM_PBS_PRODUCTO_KVPS.PERIODO

Join9: DM_PBS_PRODUCTO_KVPS.KVPS=DM_PBS_PRODUCTO_CLAIMS.KVPS(+) and DM_PBS_PROD

CTO_KVPS.ID_MARCA=DM_PBS_PRODUCTO_CLAIMS.ID_MARCA(+) and DM_PBS_PRODUCTC

KVPS.PERIODO=DM_PBS_PRODUCTO_CLAIMS.PERIODO(+)

Join10: DM_PBS_PRODUCTO_EC26.KVPS(+)=DM_PBS_PRODUCTO_KVPS.KVPS and DM_PBS_PRODUC

TO EC26.ID MARCA(+)=DM PBS PRODUCTO KVPS.ID MARCA and DM PBS PRODUCTO EC

6.PERIODO(+)=DM_PBS_PRODUCTO_KVPS.PERIODO

Join11: DM_PBS_PRODUCTO_KVPS.ID_MARCA=DM_PBS_PRODUCTO_LISTEST.ID_MARCA and DM_PE

S_PRODUCTO_KVPS.PERIODO=to_number(to_char(DM_PBS_PRODUCTO_LISTEST.fecha_realizacion, 'YYYYMM')) and DM_PBS_PRODUCTO_KVPS.KVPS=DM_PBS_PRODUCTO_LISTEST.KVP

S

Join12: DM_PBS_PRODUCTO_VAS_TOTAL.KVPS=DM_PBS_PRODUCTO_VAS.KVPS and DM_PBS_PROD

UCTO_VAS_TOTAL.ID_MARCA=DM_PBS_PRODUCTO_VAS.ID_MARCA and DM_PBS_PRODUCT O_VAS_TOTAL.NUM_SERIE=DM_PBS_PRODUCTO_VAS.NUM_SERIE and DM_PBS_PRODUCTO_VAS_TOTAL.PERIODO_INI=DM_PBS_PRODUCTO_VAS.PERIODO_INI and DM_PBS_PRODUCTO_VAS_PERIODO_INI and DM_PBS_PRODUCTO_INI AND DM_PBS_PRODUCTO_INI

VAS_TOTAL.TESTER=DM_PBS_PRODUCTO_VAS.TESTER

<u>Joins</u>

Join0: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_CAMPANYAS.FECHA(+) and DM_MV_PBS

KPI_DIARIO.ID_MARCA=DM_MV_PBS_KPI_CAMPANYAS.ID_MARCA(+) and DM_MV_PBS_KPI_

ARIO.ID_CONCESIONARIO=DM_MV_PBS_KPI_CAMPANYAS.ID_CONCESIONARIO(+)

Qualification: one to one

Outer: No

Join1: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_PIEZAS.FECHA(+) and DM_MV_PBS_KPI_

IARIO.ID_MARCA=DM_MV_PBS_KPI_PIEZAS.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_

ONCESIONARIO=DM MV PBS KPI PIEZAS.ID CONCESIONARIO(+)

Oualification: one to one

Outer: No

Join2: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_BASTIDORES.FECHA(+) and DM_MV_PBS

KPI_DIARIO.ID_MARCA=DM_MV_PBS_KPI_BASTIDORES.ID_MARCA(+) and DM_MV_PBS_KPI_

IARIO.ID_CONCESIONARIO=DM_MV_PBS_KPI_BASTIDORES.ID_CONCESIONARIO(+)

Qualification: one to many

Outer: No

Join3: DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_CSS.FECHA(+) and DM_MV_PBS_KPI_DIA

RIO.ID MARCA=DM MV PBS KPI CSS.ID MARCA(+) and DM MV PBS KPI DIARIO.ID CON

SIONARIO=DM_MV_PBS_KPI_CSS.ID_CONCESIONARIO(+)

Qualification: one to one

Outer: No

Join4: DM_MV_PBS_KPI_DIARIO.ID_MARCA=ODS_GARANTIAS.ODS_D_INSTALACION.ID_MARCA an

DM_MV_PBS_KPI_DIARIO.ID_CONCESIONARIO=ODS_GARANTIAS.ODS_D_INSTALACION.ID_

PS

Qualification: many to one

Outer: No

Join5: DM MV PBS KPI DIARIO.ANIO=DM PBS GERENTES TECNICOS.ANIO and DM MV PBS KPI

IARIO.ID_MARCA=DM_PBS_GERENTES_TECNICOS.ID_MARCA and DM_MV_PBS_KPI_DIARIO.

_CONCESIONARIO=DM_PBS_GERENTES_TECNICOS.KVPS

Qualification: many to one

Outer: No

Join6: DM MV PBS KPI DIARIO.ID MARCA=DM PBS LIMITES.ID MARCA and DM MV PBS KPI DI

RIO.ANIO=DM_PBS_LIMITES.ID_ANY and DM_MV_PBS_KPI_DIARIO.MES=DM_PBS_LIMITES.

_MES

Qualification: many to one

Outer: No

Join7: DM MV PBS KPI DIARIO.ID MARCA=DM PBS INSTALACIONES.ID MARCA and DM MV PBS

KPI_DIARIO.ID_CONCESIONARIO=DM_PBS_INSTALACIONES.KVPS

Qualification: many to one

Outer: No

Join8: DM_MV_PBS_KPI_DIARIO.ID_MARCA(+)=DM_PBS_PRODUCTO_KVPS.ID_MARCA and DM_MV_

BS KPI DIARIO.ID CONCESIONARIO(+)=DM PBS PRODUCTO KVPS.KVPS and DM MV PBS

PI_DIARIO.FECHA(+)=DM_PBS_PRODUCTO_KVPS.PERIODO

Qualification: many to one

Outer: No

Join9: DM PBS PRODUCTO KVPS.KVPS=DM PBS PRODUCTO CLAIMS.KVPS(+) and DM PBS PROD

CTO_KVPS.ID_MARCA=DM_PBS_PRODUCTO_CLAIMS.ID_MARCA(+) and DM_PBS_PRODUCTC

KVPS.PERIODO=DM_PBS_PRODUCTO_CLAIMS.PERIODO(+)

Qualification: one to many

Outer: No

Join10: DM_PBS_PRODUCTO_EC26.KVPS(+)=DM_PBS_PRODUCTO_KVPS.KVPS and DM_PBS_PRODUC

TO EC26.ID MARCA(+)=DM PBS PRODUCTO KVPS.ID MARCA and DM PBS PRODUCTO EC

6.PERIODO(+)=DM_PBS_PRODUCTO_KVPS.PERIODO

Qualification: many to one

Outer: No

Join11: DM_PBS_PRODUCTO_KVPS.ID_MARCA=DM_PBS_PRODUCTO_LISTEST.ID_MARCA and DM_PE

S_PRODUCTO_KVPS.PERIODO=to_number(to_char(DM_PBS_PRODUCTO_LISTEST.fecha_realizacion, 'YYYYMM')) and DM PBS PRODUCTO KVPS.KVPS=DM PBS PRODUCTO LISTEST.KVP

S

Qualification: one to many

Outer: No

Join12: DM_PBS_PRODUCTO_VAS_TOTAL.KVPS=DM_PBS_PRODUCTO_VAS.KVPS and DM_PBS_PROD

UCTO_VAS_TOTAL.ID_MARCA=DM_PBS_PRODUCTO_VAS.ID_MARCA and DM_PBS_PRODUCTO_VAS_TOTAL.NUM_SERIE=DM_PBS_PRODUCTO_VAS.NUM_SERIE and DM_PBS_PRODUCTO_VAS_TOTAL.PERIODO_INI=DM_PBS_PRODUCTO_VAS.PERIODO_INI and DM_PBS_PRODUCTO

VAS_TOTAL.TESTER=DM_PBS_PRODUCTO_VAS.TESTER

Qualification: one to one

Outer: No

Context List

KPIs

Context

Context Name: KPIs

DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_CAMPANYAS.FECHA(+) and DM_MV_PBS_KPI_D RIO.ID_MARCA=DM_MV_PBS_KPI_CAMPANYAS.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_COI ESIONARIO=DM_MV_PBS_KPI_CAMPANYAS.ID_CONCESIONARIO(+)

DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_PIEZAS.FECHA(+) and DM_MV_PBS_KPI_DIARIO.D_MARCA=DM_MV_PBS_KPI_PIEZAS.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_CONCESIONAIO=DM_MV_PBS_KPI_PIEZAS.ID_CONCESIONARIO(+)

DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_BASTIDORES.FECHA(+) and DM_MV_PBS_KPI_I ARIO.ID_MARCA=DM_MV_PBS_KPI_BASTIDORES.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_C CESIONARIO=DM_MV_PBS_KPI_BASTIDORES.ID_CONCESIONARIO(+)

DM_MV_PBS_KPI_DIARIO.FECHA=DM_MV_PBS_KPI_CSS.FECHA(+) and DM_MV_PBS_KPI_DIARIO.II MARCA=DM_MV_PBS_KPI_CSS.ID_MARCA(+) and DM_MV_PBS_KPI_DIARIO.ID_CONCESIONARIO=E _MV_PBS_KPI_CSS.ID_CONCESIONARIO(+)

DM_MV_PBS_KPI_DIARIO.ID_MARCA=ODS_GARANTIAS.ODS_D_INSTALACION.ID_MARCA and DM_N_PBS_KPI_DIARIO.ID_CONCESIONARIO=ODS_GARANTIAS.ODS_D_INSTALACION.ID_KVPS

DM_MV_PBS_KPI_DIARIO.ANIO=DM_PBS_GERENTES_TECNICOS.ANIO and DM_MV_PBS_KPI_DIARIO D_MARCA=DM_PBS_GERENTES_TECNICOS.ID_MARCA and DM_MV_PBS_KPI_DIARIO.ID_CONCESIONIO=DM_PBS_GERENTES_TECNICOS.KVPS

DM_MV_PBS_KPI_DIARIO.ID_MARCA=DM_PBS_LIMITES.ID_MARCA and DM_MV_PBS_KPI_DIARIO.A O=DM_PBS_LIMITES.ID_ANY and DM_MV_PBS_KPI_DIARIO.MES=DM_PBS_LIMITES.ID_MES

DM_MV_PBS_KPI_DIARIO.ID_MARCA=DM_PBS_INSTALACIONES.ID_MARCA and DM_MV_PBS_KPI_D RIO.ID CONCESIONARIO=DM PBS INSTALACIONES.KVPS


DM_MV_PBS_KPI_DIARIO.ID_MARCA(+)=DM_PBS_PRODUCTO_KVPS.ID_MARCA and DM_MV_PBS_K _DIARIO.ID_CONCESIONARIO(+)=DM_PBS_PRODUCTO_KVPS.KVPS and DM_MV_PBS_KPI_DIARIO.F HA(+)=DM_PBS_PRODUCTO_KVPS.PERIODO

DM_PBS_PRODUCTO_KVPS.KVPS=DM_PBS_PRODUCTO_CLAIMS.KVPS(+) and DM_PBS_PRODUCTO_VPS.ID_MARCA=DM_PBS_PRODUCTO_CLAIMS.ID_MARCA(+) and DM_PBS_PRODUCTO_KVPS.PERIOLO=DM_PBS_PRODUCTO_CLAIMS.PERIODO(+)

DM_PBS_PRODUCTO_EC26.KVPS(+)=DM_PBS_PRODUCTO_KVPS.KVPS and DM_PBS_PRODUCTO_EC 6.ID_MARCA(+)=DM_PBS_PRODUCTO_KVPS.ID_MARCA and DM_PBS_PRODUCTO_EC26.PERIODO(+ DM_PBS_PRODUCTO_KVPS.PERIODO

DM_PBS_PRODUCTO_KVPS.ID_MARCA=DM_PBS_PRODUCTO_LISTEST.ID_MARCA and DM_PBS_PROUCTO_KVPS.PERIODO=to_number(to_char(DM_PBS_PRODUCTO_LISTEST.fecha_realizacion, 'YYYYMI')) and DM_PBS_PRODUCTO_KVPS.KVPS=DM_PBS_PRODUCTO_LISTEST.KVPS

DM_PBS_PRODUCTO_VAS_TOTAL.KVPS=DM_PBS_PRODUCTO_VAS.KVPS and DM_PBS_PRODUCTO_VAS_TOTAL.AS_TOTAL.ID_MARCA=DM_PBS_PRODUCTO_VAS.ID_MARCA and DM_PBS_PRODUCTO_VAS_TOTAL.NUM_SERIE=DM_PBS_PRODUCTO_VAS.NUM_SERIE and DM_PBS_PRODUCTO_VAS_TOTAL.PERIODO_INI=DM_PBS_PRODUCTO_VAS.PERIODO_INI and DM_PBS_PRODUCTO_VAS_TOTAL.TESTER=DM_PE_PRODUCTO_VAS.TESTER



**** AGREGADAS ****

DM_PBS_AGREGADA_KPI_GARANTIAS

DM_PBS_AGREGADA_KPI_PRODUCTO