Universe Parameters

Definition
 Name: ROutDMS
 Description: Universo de seguimiento de Rollout de DMS
 Connection: Clima - Producción

General information
 Created: 04/02/2010 by supervisor
 Modified: 29/03/2018 by supervisor
 Comments:

 Statistics: 4 Classes
                                            60 Objects
                                            4 Tables
                                            0 Aliases
                                            3 Joins
                                            0 Contexts
                                            0 Hierarchies
                                            0 Conditions

Strategies
 Join strategy: Edit Manually (none)
 Table strategy: (Built-in) Standard
 Object strategy: Cambiar nombre estándar

Controls
 Limit size of result set to: unchecked
 Limit size of long text objects to: unchecked
 Limit execution time to: unchecked
 Warn if cost estimate exceeds: unchecked

SQL parameters
 Query
   Allow use of subqueries: yes
   Allow use of union, intersect and minus operators: yes
   Allow complex conditions in Query Panel: yes
   Cartesian products: warn
 Multiple paths
   Generate several SQL statements for each context: yes
   Generate several SQL statements for each measure: yes
   Allow selection of multiple contexts: no

Links
 No links for this universe

Object List
 Instalaciones
 Inst.Cod Instalacion
 Inst.Razon Social
 Inst.Desc Instalacion
 Inst.Kvps

Inst.Estado Instalacion
Cod Concesionario
Cod Empresa
Cif
Fecha Baja Instalacion
Id Marca Venta
Id Marca Postventa

Concesionarios

Conc.Nombre Concesionario
Conc.Cod Concesionario
Tipo Concesionario
Estado Concesionario
Vag
Kvps
Cod Empresa
Razon Social
Cif
Persona Contacto Empresa
Denominacion Via
Numero Via
Cod Postal
Desc Poblacion
Cod Provincia
Cod Conces Origen
Fecha Alta
Fecha Ultima Modificacion
Cod Nivel Acceso Clima
Email Bdc
Email Clima
Fecha Alta Concesionario
Fecha Baja Concesionario
Conc - Sound Nombre Concesionario

Situacion cargas

Activo
Cod Instalacion
Desc Instalacion
Proveedor Dms
Version Dms
Fecha Ultimo Lote Clima
Fecha Ultimo Proceso Img
Fecha Primera Carga Img
Fecha Carga Historicos Clima
Fecha Inicio Diarios En Clima
Prevision
Recibido Historicos
Err Diarios
Err Historicos
Err Fichvacio
Err Dmsbb
Status Parche
Estado DMImg
Fecha Lote Desde
Observaciones

Listado Talleres Pla
Pla.Codigo Inst
Pla.Razon Social
Pla.Dms
Pla.Fecha Planif
Pla.Sound Razon Social

Object Properties

Class:	**Instalaciones**
Description:	

Object: **Inst.Cod Instalacion**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: cod_i001, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Inst.Razon Social**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: razon005, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Inst.Desc Instalacion**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.DESC_INSTALACION
Where equivalent:

Qualification: dimension
List of values: desc_006, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort

Object status: show

Object: **Inst.Kvps**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.COD_KVPS
Where equivalent:

Qualification: dimension
List of values: cod_k007, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Inst.Estado Instalacion**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.ESTADO_INSTALACION
Where equivalent:

Qualification: dimension
List of values: estad008, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Concesionario**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.COD_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: cod_c002, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Empresa**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.COD_EMPRESA
Where equivalent:

Qualification: dimension
List of values: cod_e003, editable, manual refresh, not exportable

Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cif**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.CIF
Where equivalent:

Qualification: dimension
List of values: cif004, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Baja Instalacion**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.FECHA_BAJA_INSTALACI
                              ON
Where equivalent:

Qualification: dimension
List of values: fecha009, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Id Marca Venta**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.ID_MARCA_VENTA
Where equivalent:

Qualification: dimension
List of values: id_ma00a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Id Marca Postventa**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.VIEW_DIM_INSTALACIONES.ID_MARCA_POSTVENTA
Where equivalent:

Qualification:	dimension
List of values:	id_ma00b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Class:	**Concesionarios**
Description:	

Object: **Conc.Nombre Concesionario**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.NOMBRE_CONCESIONARIO
Where equivalent:

Qualification:	dimension
List of values:	nombr011, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Conc.Cod Concesionario**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.COD_CONCESIONARIO
Where equivalent:

Qualification:	dimension
List of values:	cod_c00y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Tipo Concesionario**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.TIPO_CONCESIONARIO
Where equivalent:

Qualification:	dimension
List of values:	tipo_010, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Estado Concesionario**

Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.ESTADO_CONCESIONARIO
Where equivalent:

Qualification: dimension
List of values: estad012, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Vag**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.VAG
Where equivalent:

Qualification: dimension
List of values: vag013, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Kvps**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.KVPS
Where equivalent:

Qualification: dimension
List of values: kvps014, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Empresa**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.COD_EMPRESA
Where equivalent:

Qualification: dimension
List of values: cod_e015, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Razon Social**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: razon016, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cif**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.CIF
Where equivalent:

Qualification: dimension
List of values: cif017, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Persona Contacto Empresa**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.PERSONA_CONTACTO_EMPR
                               ESA
Where equivalent:

Qualification: dimension
List of values: perso018, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Denominacion Via**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.DENOMINACION_VIA
Where equivalent:

Qualification: dimension
List of values: denom019, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Numero Via**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.NUMERO_VIA
Where equivalent:

Qualification: dimension
List of values: numer01a, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Postal**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.COD_POSTAL
Where equivalent:

Qualification: dimension
List of values: cod_p01b, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Poblacion**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.DESC_POBLACION
Where equivalent:

Qualification: dimension
List of values: desc_01c, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Provincia**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.COD_PROVINCIA
Where equivalent:

Qualification: dimension

List of values:	cod_p01d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Cod Conces Origen**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.COD_CONCES_ORIGEN
Where equivalent:

Qualification: dimension
List of values: cod_c01e, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Alta**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.FECHA_ALTA
Where equivalent:

Qualification: dimension
List of values: fecha01f, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Ultima Modificacion**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.FECHA_ULTIMA_MODIFICACI
                                 ON

Where equivalent:

Qualification: dimension
List of values: fecha01g, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Nivel Acceso Clima**
Type: Number
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.COD_NIVEL_ACCESO_CLIMA

Where equivalent:

Qualification:	dimension
List of values:	cod_n01h, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Email Bdc**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.EMAIL_BDC
Where equivalent:

Qualification:	dimension
List of values:	email01i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Email Clima**
Type: Character
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.EMAIL_CLIMA
Where equivalent:

Qualification:	dimension
List of values:	email01j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Fecha Alta Concesionario**
Type: Date
Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.FECHA_ALTA_CONCESIONARIO

Where equivalent:

Qualification:	dimension
List of values:	fecha01k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Fecha Baja Concesionario**
Type: Date

Description:

Select equivalent: MAESTROS_DWH.DIM_CONCESIONARIOS.FECHA_BAJA_CONCESIONARI
                                  O
Where equivalent:

Qualification: dimension
List of values: fecha01l, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Conc - Sound Nombre Concesionario**
Type: Character
Description:

Select equivalent: soundex(@Select(Concesionarios\Conc.Nombre Concesionario))
Where equivalent:

Qualification: dimension
List of values: objet01v, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Situacion cargas**
Description:

Object: **Activo**
Type: Number
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.ACTIVO
Where equivalent:

Qualification: dimension
List of values: activ00n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Cod Instalacion**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.COD_INSTALACION
Where equivalent:

Qualification: dimension
List of values: cod_i00o, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Desc Instalacion**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.DESC_INSTALACION
Where equivalent:

Qualification: dimension
List of values: desc_00p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Proveedor Dms**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.PROVEEDOR_DMS
Where equivalent:

Qualification: dimension
List of values: prove00q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Version Dms**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.VERSION_DMS
Where equivalent:

Qualification: dimension
List of values: versi00r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Ultimo Lote Clima**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.FECHA_ULTIMO_LOTE
                                _CLIMA
Where equivalent:

Qualification:	dimension
List of values:	fecha00s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Fecha Ultimo Proceso Img**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.FECHA_ULTIMO_PROC
                                 ESO_IMG

Where equivalent:

Qualification:	dimension
List of values:	fecha00t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Fecha Primera Carga Img**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.FECHA_PRIMERA_CAR
                                 GA_IMG

Where equivalent:

Qualification:	dimension
List of values:	fecha00u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Fecha Carga Historicos Clima**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.FECHA_CARGA_HISTO
                                 RICOS_CLIMA

Where equivalent:

Qualification:	dimension
List of values:	fecha00v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: **Fecha Inicio Diarios En Clima**
Type: Date

Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.FECHA_INICIO_DIARI(
                                S_EN_CLIMA
Where equivalent:

Qualification: dimension
List of values: fecha00w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Prevision**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.PREVISION
Where equivalent:

Qualification: dimension
List of values: previ00x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Recibido Historicos**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.RECIBIDO_HISTORICC
                                S
Where equivalent:

Qualification: dimension
List of values: recib01s, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Err Diarios**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.ERR_DIARIOS
Where equivalent:

Qualification: dimension
List of values: err_d01q, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	**Err Historicos**
Type:	Character
Description:	

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.ERR_HISTORICOS
Where equivalent:

Qualification: dimension
List of values: err_h01r, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	**Err Fichvacio**
Type:	Character
Description:	

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.ERR_FICHVACIO
Where equivalent:

Qualification: dimension
List of values: err_f021, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	**Err Dmsbb**
Type:	Character
Description:	

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.ERR_DMSBB
Where equivalent:

Qualification: dimension
List of values: err_d01w, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object:	**Status Parche**
Type:	Character
Description:	

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.STATUS_PARCHE
Where equivalent:

Qualification: dimension
List of values: statu01y, editable, manual refresh, not exportable
Security access level: 0

Can be used: in result, in condition, in sort
Object status: show

Object: **Estado DMImg**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.ESTADO_IMG
Where equivalent:

Qualification: dimension
List of values: estad020, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Fecha Lote Desde**
Type: Date
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.FECHA_LOTE_DESDE
Where equivalent:

Qualification: dimension
List of values: fecha01x, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Observaciones**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS.OBSERVACIONES
Where equivalent:

Qualification: dimension
List of values: obser022, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Class: **Listado Talleres Pla**
Description:

Object: **Pla.Codigo Inst**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA.CODIGO

Where equivalent:

Qualification: dimension
List of values: codig01m, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Pla.Razon Social**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA.RAZON_SOCIAL
Where equivalent:

Qualification: dimension
List of values: razon01n, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Pla.Dms**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA.DMS_SITUACION
Where equivalent:

Qualification: dimension
List of values: dms_s01o, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Pla.Fecha Planif**
Type: Character
Description:

Select equivalent: ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA.FEC_PREV_IMPLA
                                    NTACION

Where equivalent:

Qualification: dimension
List of values: fec_p01p, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Object: **Pla.Sound Razon Social**
Type: Character

Description:

Select equivalent: soundex(@Select(Listado Talleres Pla\Pla.Razon Social))
Where equivalent:

Qualification: dimension
List of values: objet01t, editable, manual refresh, not exportable
Security access level: 0
Can be used: in result, in condition, in sort
Object status: show

Condition List

Instalaciones
Concesionarios
Situacion cargas
Listado Talleres Pla

Conditions

No Conditions

Hierarchies List

Instalaciones
Concesionarios
Situacion cargas
Listado Talleres Pla

Hierarchies

Instalaciones
    Instalaciones/Inst.Cod Instalacion
    Instalaciones/Inst.Razon Social
    Instalaciones/Inst.Desc Instalacion
    Instalaciones/Inst.Kvps
    Instalaciones/Inst.Estado Instalacion
    Instalaciones/Cod Concesionario
    Instalaciones/Cod Empresa
    Instalaciones/Cif
    Instalaciones/Fecha Baja Instalacion
    Instalaciones/Id Marca Venta
    Instalaciones/Id Marca Postventa
Concesionarios
    Concesionarios/Conc.Nombre Concesionario
    Concesionarios/Conc.Cod Concesionario
    Concesionarios/Tipo Concesionario
    Concesionarios/Estado Concesionario
    Concesionarios/Vag
    Concesionarios/Kvps

Concesionarios/Cod Empresa
Concesionarios/Razon Social
Concesionarios/Cif
Concesionarios/Persona Contacto Empresa
Concesionarios/Denominacion Via
Concesionarios/Numero Via
Concesionarios/Cod Postal
Concesionarios/Desc Poblacion
Concesionarios/Cod Provincia
Concesionarios/Cod Conces Origen
Concesionarios/Fecha Alta
Concesionarios/Fecha Ultima Modificacion
Concesionarios/Cod Nivel Acceso Clima
Concesionarios/Email Bdc
Concesionarios/Email Clima
Concesionarios/Fecha Alta Concesionario
Concesionarios/Fecha Baja Concesionario
Concesionarios/Conc - Sound Nombre Concesionario
Situacion cargas
  Situacion cargas/Activo
  Situacion cargas/Cod Instalacion
  Situacion cargas/Desc Instalacion
  Situacion cargas/Proveedor Dms
  Situacion cargas/Version Dms
  Situacion cargas/Fecha Ultimo Lote Clima
  Situacion cargas/Fecha Ultimo Proceso Img
  Situacion cargas/Fecha Primera Carga Img
  Situacion cargas/Fecha Carga Historicos Clima
  Situacion cargas/Fecha Inicio Diarios En Clima
  Situacion cargas/Prevision
  Situacion cargas/Recibido Historicos
  Situacion cargas/Err Diarios
  Situacion cargas/Err Historicos
  Situacion cargas/Err Fichvacio
  Situacion cargas/Err Dmsbb
  Situacion cargas/Status Parche
  Situacion cargas/Estado DMImg
  Situacion cargas/Fecha Lote Desde
  Situacion cargas/Observaciones
Listado Talleres Pla
  Listado Talleres Pla/Pla.Codigo Inst
  Listado Talleres Pla/Pla.Razon Social
  Listado Talleres Pla/Pla.Dms
  Listado Talleres Pla/Pla.Fecha Planif
  Listado Talleres Pla/Pla.Sound Razon Social

Tables List

MAESTROS_DWH.DIM_CONCESIONARIOS
MAESTROS_DWH.VIEW_DIM_INSTALACIONES
ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA
ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS

Tables

Table Name:MAESTROS_DWH.DIM_CONCESIONARIOS
No columns
Table Name:MAESTROS_DWH.VIEW_DIM_INSTALACIONES
No columns
Table Name:ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA
No columns
Table Name:ODS_CLIENTES.VIEW_DMS_SITUACION_CARGAS
No columns

Join List

Join0:   MAESTROS_DWH.VIEW_DIM_INSTALACIONES.COD_INSTALACION(+)=ODS_CLIENTES.VIEW_DM
            _SITUACION_CARGAS.COD_INSTALACION

Join1:   MAESTROS_DWH.DIM_CONCESIONARIOS.COD_CONCESIONARIO(+)=MAESTROS_DWH.VIEW_DI
            _INSTALACIONES.COD_CONCESIONARIO

Join2:   ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA.CODIGO=ODS_CLIENTES.VIEW_DMS_SITU
            CION_CARGAS.COD_INSTALACION(+)

Joins

Join0:   MAESTROS_DWH.VIEW_DIM_INSTALACIONES.COD_INSTALACION(+)=ODS_CLIENTES.VIEW_DM
            _SITUACION_CARGAS.COD_INSTALACION
Qualification: many to one
Outer: Left

Join1:   MAESTROS_DWH.DIM_CONCESIONARIOS.COD_CONCESIONARIO(+)=MAESTROS_DWH.VIEW_DI
            _INSTALACIONES.COD_CONCESIONARIO
Qualification: one to one
Outer: Left

Join2:   ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA.CODIGO=ODS_CLIENTES.VIEW_DMS_SITU
            CION_CARGAS.COD_INSTALACION(+)
Qualification: one to one
Outer: Right

Context List

No context

Context

No context

MAESTROS_DWH.DIM_CONCESIONARIOS

MAESTROS_DWH.VIEW_DIM_INSTALACIONES

ODS_CLIENTES.VIEW_DM

ODS_CLIENTES.VIEW_DMS_LISTADO_TALLERES_PLA

IS_SITUACION_CARGAS