Payments API Documentation

Payments API Documentation

Important notes

Payment API Endpoints

Create Payment Endpoint

Update Payment Endpoint

Delete Payment Endpoint

Get Payment Endpoint

Get All Payments Endpoint

Important notes

- 1. All endpoints use application/json content type in requests and responses
- 2. Current version of API doesn't require user authentication

Payment API Endpoints

Create Payment Endpoint

Path: /payments/v1/payment

Method: POST

Parameters: -

Request Body: Payment object (required)

Responses Code Description Body

201 payment created -400 invalid content -500 server failure -

Additional Response header includes payment location URL

Payment id and version values in the body are ignored on the server

and reset

Update Payment Endpoint

Path: /payments/v1/payment

Method: PUT

Parameters: -

Request Body: Payment object (required)

Responses Code Description Body

200 payment updated 400 invalid content 404 payment not found 409 version conflict 500 server failure -

Additional Response header includes payment location URL

Payment object MUST contain a valid id

Payment won't be updated, if payment in the database with the same id

has a different version

Delete Payment Endpoint

Path: /payments/v1/payment/{id}

Method: DELETE

Parameters: id payment id to delete (required)

Request Body -

Responses Code Description Body

200 payment deleted -404 payment not found -500 server failure -

Get Payment Endpoint

Path: /payments/v1/payment/{id}

Method: GET

Parameters: id payment id to get (required)

Request Body: -

Responses Code Description Body

200 ok payment object

404 payment not found -500 server failure -

Get All Payments Endpoint

Path: /payments/v1/payments

Method: GET

Parameters: - Request Body: -

Responses Code Description Body

200 ok array of payment objects

500 server failure -