										<b>—</b> - 1.0
BASE	0.74	0.12	0.15	0.08	0.04	0.10	0.04	0.12	0.11	- 0.9
HVHA_1	0.03	0.62	0.20	0.04	0.00	0.00	0.00	0.04	0.06	- 0.8
HVHA_2	0.05	0.08	0.55	0.00	0.07	0.00	0.00	0.04	0.06	-0.7
HVLA_1	0.08	0.12	0.15	0.58	0.00	0.00	0.00	0.00	0.00	- 0.6
HVLA_2	0.08	0.08	0.05	0.08	0.63	0.00	0.00	0.00	0.00	- 0.5
LVHA_1	0.03	0.00	0.05	0.00	0.04	0.40	0.00	0.00	0.11	- 0.4
LVHA_2	0.06	0.00	0.10	0.00	0.00	0.40	0.80	0.00	0.06	-0.3
LVLA_1	0.06	0.04	0.10	0.00	0.00	0.00	0.02	0.65	0.06	-0.2
LVLA_2	0.03	0.04	0.00	0.00	0.00	0.00	0.02	0.08	0.67	-0.1
	BASE	HVHA_1	HVHA_2	HVLA_1	HVLA_2	LVHA_1	LVHA_2	LVLA_1	LVLA_2	-0.0