## F

A complete system integration of stream-based IP flow-record querier

## VAIBHAV BAJPAI

**Masters Thesis** 

School of Engineering and Science Jacobs University Bremen Bremen, Germany

June 2012

## ABSTRACT

Short summary of the contents in English. . .

We have seen that computer programming is an art, because it applies accumulated knowledge to the world, because it requires skill and ingenuity, and especially because it produces objects of beauty.

— Donald E. Knuth [2]

### **ACKNOWLEDGMENTS**

Put your acknowledgments here.



#### **CONTENTS**

I INTRODUCTION TRAFFIC MEASUREMENT APPROACHES 3 **Capturing Packets** Capturing Flows Remote Monitoring 1.3 1.4 Remote Metering 2 FLOW EXPORT PROTOCOLS 5 2.1 NetFlow 2.2 IPFIX 5 2.3 sFlow 5 3 LANGUAGES AND TOOLS 7 3.1 nfdump 3.2 flow-tools 3.3 Gigascope 4 LEGAL CONSIDERATION II STATE OF THE ART 5 FLOWY 5.1 Processing Pipeline 13 5.1.1 Splitter 5.1.2 Filter 13 Grouper 5.1.3 13 Group-Filter 5.1.4 13 5.1.5 Merger 13 Ungrouper 5.1.6 13 5.2 Python Framework 5.2.1 PyTables and PLY 13 Records 5.2.2 13 Filters and Rules 5.2.3 13 Branches and Branch Masks FLOWY IMPROVEMENTS USING MAP/REDUCE 15 FLOWY 2.0 17 FLOWY: APPLICATIONS 8.1 IPv6 Transition Failure Identification 8.2 Cybermetrics: User Identification 8.3 Application Identification using Flow Signatures 19 III IMPLEMENTATION AND EVALUATION 21 9 DESIGN 23 10 IMPLEMENTATION 11 PERFORMANCE EVALUATION 27

## vi contents

12 FUTURE WOR	K 29
13 CONCLUSION	31
IV APPENDIX A APPENDIX	33 35
BIBLIOGRAPHY	36

LIST OF FIGURES		
LIST OF TABLES		
LISTINGS		
ACRONYMS		



# Part I

## INTRODUCTION

You can put some informational part preamble text here



TRAFFIC MEASUREMENT APPROACHES

- 1.1 CAPTURING PACKETS
- 1.2 CAPTURING FLOWS
- 1.3 REMOTE MONITORING
- 1.4 REMOTE METERING



## FLOW EXPORT PROTOCOLS

- 2.1 NETFLOW
- 2.2 IPFIX
- 2.3 SFLOW



## LANGUAGES AND TOOLS

- 3.1 NFDUMP
- 3.2 FLOW-TOOLS
- 3.3 GIGASCOPE



## LEGAL CONSIDERATION



# Part II STATE OF THE ART

You can put some informational part preamble text here



## FLOWY

- 5.1 PROCESSING PIPELINE
- 5.1.1 Splitter
- 5.1.2 Filter
- 5.1.3 Grouper
- 5.1.4 Group-Filter
- 5.1.5 Merger
- 5.1.6 Ungrouper
- 5.2 PYTHON FRAMEWORK
- 5.2.1 PyTables and PLY
- 5.2.2 Records
- 5.2.3 Filters and Rules
- 5.2.4 Branches and Branch Masks



## FLOWY IMPROVEMENTS USING MAP/REDUCE





## FLOWY: APPLICATIONS

- 8.1 IPV6 TRANSITION FAILURE IDENTIFICATION
- 8.2 CYBERMETRICS: USER IDENTIFICATION
- 8.3 APPLICATION IDENTIFICATION USING FLOW SIGNATURES



## Part III

## IMPLEMENTATION AND EVALUATION

You can put some informational part preamble text here



## DESIGN



## **IMPLEMENTATION**



PERFORMANCE EVALUATION

## Part IV

## APPENDIX





## APPENDIX

Put your appendix here.



### BIBLIOGRAPHY

[1] Robert Bringhurst. *The Elements of Typographic Style*. Version 2.5. Hartley & Marks, Publishers, Point Roberts, WA, USA, 2002.

[2] Donald E. Knuth. Computer Programming as an Art. *Communications of the ACM*, 17(12):667–673, December 1974.

#### COLOPHON

This thesis was typeset with LATEX  $2_{\mathcal{E}}$  using Hermann Zapf's *Palatino* and *Euler* type faces (Type 1 PostScript fonts *URW Palladio L* and *FPL* were used). The listings are typeset in *Bera Mono*, originally developed by Bitstream, Inc. as "Bitstream Vera". (Type 1 PostScript fonts were made available by Malte Rosenau and Ulrich Dirr.)

The typographic style was inspired by Bringhurst's genius as presented in *The Elements of Typographic Style* [1]. It is available for LATEX via CTAN as "thesis".

NOTE: The custom size of the textblock was calculated using the directions given by Mr. Bringhurst (pages 26–29 and 175/176). 10 pt Palatino needs 133.21 pt for the string "abcdefghijklmnopqrstuvwxyz". This yields a good line length between 24–26 pc (288–312 pt). Using a "double square textblock" with a 1:2 ratio this results in a textblock of 312:624 pt (which includes the headline in this design). A good alternative would be the "golden section textblock" with a ratio of 1:1.62, here 312:505.44 pt. For comparison, DIV9 of the typearea package results in a line length of 389 pt (32.4 pc), which is by far too long. However, this information will only be of interest for hardcore pseudotypographers like me.

To make your own calculations, use the following commands and look up the corresponding lengths in the book:

```
\settowidth{\abcd}{abcdefghijklmnopqrstuvwxyz}
\the\abcd\ % prints the value of the length
```

Please see the file thesis.sty for some precalculated values for Palatino and Minion.

```
145.86469pt
```

DECLARATION	
Put your declaration here.	
Bremen, Germany, June 2012	
	 Vaibhav Bajpai